	SESSION_ID	CHARGER_ID	ADDRESS	СПУ	STATE	ZIP JURISDIC TION	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION_HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
39076238	CS5691					CPLK	56.73 28-DEC-2402.05.39.000000000 PM	28-DEC-24 03.08.10.000000000 PM	+00 01:02:31.000000	62.53	2 -00 01:02:31.000000	62.52
39078635	CS5694		- 1 <u>- 1</u>			CPLK	46.09 28-DEC-24 02.46.10.000000000 PM	28-DEC-24 03.05.24.000000000 PM	+00 00:19:14.000000	19.23	-00 00:19:14.000000	19.23
39079917	CS5695					CPLK	40.44 28-DEC-24 03.07.03.0000000000 PM	28-DEC-24 03.51.58.000000000 PM	+00 00:44:55.000000	44.93	2 -00 00:44:55.000000	44.92
39079915	CS5692					CPLK	13.12 28-DEC-24 03.07.06.0000000000 PM	28-DEC-24 03.21.10.000000000 PM	+00 00:14:04.000000	14.0	-00 00:14:04.000000	14.07
39081223	CS5691					CPLK	73.05 28-DEC-2403.29.03.0000000000 PM	28-DEC-24 04.42.23.000000000 PM	+00 01;13;20.000000	73.33	3 -00 01:13:20.000000	73.33
39081260	CS5692					CPLK	14.95 28-DEC-24 03.29.37.000000000 PM	28-DEC-24 03.41.32,000000000 PM	+00 00:11:55.000000	11.93	2 -00 00:11:55.000000	11.92
39081364	CS5694					CPLK	83.46 28-DEC-24 03.31.41.000000000 PM	28-DEC-24 04.05.28.000000000 PM	+00 00:33:47.000000	33.70	3 -00 00:33:47.000000	33.78
39086961	CS5694					CPLK	127.46 28-DEC-2405.10.00.000000000 PM	28-DEC-24 05.46.51.000000000 PM	+00 00:36:51.000000	36.8	-00 00:36:51.000000	36.85
39087401	CS5691					CPLK	14.26 28-DEC-24 05.17.35,000000000 PM	28-DEC-24 05.29.23.000000000 PM	+00 00:11:48.000000		3 -00 00:11:48.000000	11.8
39087771	CS5692					CPLK	49.42 28-DEC-24 05.23.39.000000000 PM	28-DEC-24 06.03.03.000000000 PM	+00 00:39:24.000000		-00 00:39:24.000000	39.4
39089154	CS5695					CPLK	16.29 28-DEC-24 05.51.07.000000000 PM	28-DEC-24 06.00.23,000000000 PM	+00 00:09:16.000000		-00 00:09:16.000000	9.27
39089961	CS5694					CPLK	29.71 28-DEC-24 06.07.16.000000000 PM	28-DEC-24 06.23.26.000000000 PM	+00 00:16:10.000000		-00 00:16:10.000000	16.17
39090307	CS5691					CPLK	24.06 28-DEC-2406.13.28.000000000 PM	28-DEC-24 07.13.06.000000000 PM	+00 00:59:38.000000		3 -00 00:59:38.000000	59.63
39090656	CS5695					CPLK	73.94 28-DEC-24 06.21.00.000000000 PM	28-DEC-24 07.19.52.000000000 PM	+00 00:58:52.000000		-00 00:58:52.000000	58.87
39091305	CS5692					CPLK	25.49 28-DEC-24 06.35.12.000000000 PM	28-DEC-24 07.12.54.000000000 PM	+00 00:37:42.000000		-00 00:37:42.000000	37.7
39092025	CS5694					CPLK	39.36 28-DEC-2406.52.50,0000000000 PM	28-DEC-24 07.24.31.000000000 PM	+00 00:31:41.000000		3 -00 00:31:41.000000	31.68
39094774	CS5695					CPLK	57.24 28-DEC-2407.52.18.0000000000 PM	28-DEC-24 09.07.34.000000000 PM	+00 01:15:16.000000		-00 01:15:16.000000	75.27
39095697	CS5694					CPLK	28.65 28-DEC-24 08.12.24.0000000000 PM	28-DEC-24 08.31.54.000000000 PM	+00 00:19:30.000000		-00 00:19:30.000000	19.5
39095728	CS5692					CPLK	24.61 28-DEC-24 08.13.09.0000000000 PM	28-DEC-24 08.33.24.000000000 PM	+00 00:20:15.000000		-00 00:20:15.000000	20.25
39096625	CS5694					CPLK	35.51 28-DEC-24 08.35.10.0000000000 PM	28-DEC-24 09.17.46.000000000 PM	+00 00:42:36.000000		-00 00:42:36.000000	42.6 97.15
39104192	C\$5692					CPLK	45.92 29-DEC-2412.29.15.0000000000 AM	29-DEC-24 02.06.24.000000000 AM	+00 01:37:09.000000		-00 01:37:09.000000	
39108281 39108389	CS5695 CS5692					CPLK CPLK	22.9 29-DEC-24 03.55.27.000000000 AM 59.06 29-DEC-24 04.04.00.000000000 AM	29-DEC-24 04.07.22.000000000 AM 29-DEC-24 05.22.08.000000000 AM	+00 00:11:55.000000 +00 01:18:08.000000		2 -00 00:11:55.000000 3 -00 01:18:08.000000	11.92 78.13
	CS5691					V						47.73
39111260 39114273	CS5695					CPLK	34.18 29-DEC-24 07.06.02.0000000000 AM 60.64 29-DEC-24 09.11.38.000000000 AM	29-DEC-24 07.53.46.000000000 AM 29-DEC-24 10.03.14.000000000 AM	+00 00:47:44.000000 +00 00:51:36.000000		3 -00 00:47:44.000000 5 -00 00:51:36.000000	51.6
39114273	CS5694					CPLK	57.83 29-DEC-24 09.14.08.0000000000 AM	29-DEC-24 10.21.57.000000000 AM	+00 01:07:49.000000		2 -00 01:07:49.000000	67.82
39115185	CS5691					CPLK	27.6 29-DEC-24 09.38.33.0000000000 AM	29-DEC-24 10.02.04.000000000 AM	+00 00:23:31.000000		2 -00 00:23:31.000000	23.52
31599623	CS5691					CPLK	37.15 01-AUG-24 07.43.17.0000000000 PM	01-AUG-24 08.42.15.000000000 PM	+00 00:58:58.000000		-00 00:58:58.000000	58.97
31600371	CS5692					CPLK	44.57 01-AUG-24 08.01.01.0000000000 PM	01-AUG-24 08.47.07.0000000000 PM	+00 00:46:06.000000		-00 00:46:06.000000	46.1
31637925	CS5694					CPLK	7.9 02-AUG-24 03.49.48.000000000 PM	02-AUG-24 03.53.16.000000000 PM	+00 00:03:28.000000		-00 00:03:28.000000	3.47
31638256	CS5695					CPLK	13.7 02-AUG-24 03.55.50.000000000 PM	02-AUG-24 04.01.06.000000000 PM	+00 00:05:16.000000		-00 00:05:16.000000	5.27
31644035	CS5695					CPLK	60.93 02-AUG-24 05.48.33.000000000 PM	02-AUG-24 06.21.31.000000000 PM	+00 00:32:58.000000		-00 00:32:58.000000	32.97
31648732	CS5695					CPLK	43.7 02-AUG-24 07.20.59.000000000 PM	02-AUG-24 08.08.10.000000000 PM	+00 00:47:11.000000	47.18	3 -00 00:47:11.000000	47.18
31648787	CS5694					CPLK	53.97 02-AUG-24 07.22.23.000000000 PM	02-AUG-24 08.27.52.000000000 PM	+00 01:05:29.000000	65.4	-00 01:05:29.000000	65.48
30020801	CS5692					CPLK	66.82 29-JUN-2406.39.33.0000000000 PM	29-JUN-24 07.44.30.000000000 PM	+00 01:04:57.000000	64.9	-00 01:04:57.000000	64.95
30120845	CS5695					CPLK	28.15 01-JUL-24 07.31.10.000000000 PM	01-JUL-24 07.43.49.000000000 PM	+00 00:12:39.000000	12.69	-00 00:12:39.000000	12.65
30121112	CS5691					CPLK	54.1 01-JUL-24 07.37.57.000000000 PM	01-JUL-24 08.29.36.000000000 PM	+00 00:51:39.000000	51.6	-00 00:51:39.000000	51.65
30121454	CS5694					CPLK	65.19 01-JUL-24 07.45.34.000000000 PM	01-JUL-24 09.46.03.000000000 PM	+00 02:00:29.000000	120.4	-00 02:00:29.000000	120.48
30121583	CS5695					CPLK	64.6 01-JUL-24 07.48.18.000000000 PM	01-JUL-24 08.25.04,000000000 PM	+00 00:36:46.000000	36.7	-00 00:36:46.000000	36.77
30123077	CS5692					CPLK	42.33 01-JUL-24 08.26.32.000000000 PM	01-JUL-24 09.22,36,000000000 PM	+00 00:56:04.000000	56.0	-00 00:56:04.000000	56.07
30123972	CS5695					CPLK	31.78 01-JUL-24 08.49.49.000000000 PM	01-JUL-24 09.02.06.000000000 PM	+00 00:12:17.000000	12.20	3 -00 00:12:17.000000	12.28
30124070	CS5691					CPLK	61.53 01-JUL-24 08.52.01.000000000 PM	01-JUL-24 10.36.19.000000000 PM	+00 01:44:18.000000	104.3	3 -00 01:44:18.000000	104.3
30126124	CS5692					CPLK	56.09 01-JUL-24 09.46.53.000000000 PM	01-JUL-24 11.08.44.000000000 PM	+00 01:21:51.000000	81.8	-00 01:21:51.000000	81.85
30127269	CS5695					CPLK	63.12 01-JUL-24 10.23.57.000000000 PM	01-JUL-24 11.12.27.000000000 PM	+00 00:48:30.000000	48.	-00 00:48:30.000000	48.5
30128903	CS5695					CPLK	31 01-JUL-24 11.14.47,000000000 PM	01-JUL-24 11.50.24.000000000 PM	+00 00:35:37.000000	35.63	2 -00 00:35:37.000000	35.62
30135115	CS5695					CPLK	72.82 02-JUL-24 06.11.50.000000000 AM	02-JUL-24 07.00.35.000000000 AM	+00 00:48:45.000000	48.7	-00 00:48:45.000000	48.75
30135967	CS5695					CPLK	27.64 02-JUL-24 07.08.49.000000000 AM	02-JUL-24 07.56.42.000000000 AM	+00 00:47:53.000000		3 -00 00:47:53.000000	47.88
30136539	CS5692					CPLK	14.17 02-JUL-24 07.37.44.000000000 AM	02-JUL-24 07.54.00.000000000 AM	+00 00:16:16.000000	16.2	-00 00:16:16.000000	16.27
30138916	CS5692					CPLK	42.56 02-JUL-24 09.14.01.000000000 AM	02-JUL-24 10.15.57.000000000 AM	+00 01:01:56.000000		3 -00 01:01:56.000000	61.93
30141608	CS5692					CPLK	42.06 02-JUL-24 10.42.09.000000000 AM	02-JUL-24 11.15.58.000000000 AM	+00 00:33:49.000000		2 -00 00:33:49.000000	33.82
30145163	CS5694					CPLK	62.39 02-JUL-24 12.18.38.000000000 PM	02-JUL-24 12.57.05.000000000 PM	+00 00:38:27.000000		-00 00:38:27.000000	38.45
30145393	CS5695					CPLK	122.26 02-JUL-24 12.24.42.000000000 PM	02-JUL-24 01.48.01.000000000 PM	+00 01:23:19.000000		2 -00 01:23:19.000000	83.32
30146273	CS5692		56			CPLK	43.55 02-JUL-24 12.47.09.000000000 PM	02-JUL-24 02.07.13,0000000000 PM	+00 01:20:04.000000	80.0	-00 01:20:04.000000	80.07

	SESSION_ID	CHARGER_ID	ADDRESS CITY	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION	TOTAL DURATION MINUTES
30148907	CS5695			CPLK	66.7 02-JUL-24 01.50.55.000000000 PM	02-JUL-24 02.37.48.000000000 PM	+00 00:46:53.000000	46.88	-00 00:46:53.000000	46.88
30148978	CS5691			CPLK	43.46 02-JUL-2401.52.30.000000000 PM	02-JUL-24 02.52.39,000000000 PM	+00 01:00:09.000000	60.15	-00 01:00:09.000000	60.15
30149773	CS5692			CPLK	54.63 02-JUL-24 02.09.41.000000000 PM	02-JUL-24 03.08.41.000000000 PM	+00 00:59:00.000000	59	-00 00:59:00.000000	59
30151136	CS5695			CPLK	31.5 02-JUL-24 02.39.09.000000000 PM	02-JUL-24 03.24.47.000000000 PM	+00 00:45:38.000000	45.63	-00 00:45:38.000000	45.63
30151277	CS5694			CPLK	85.07 02-JUL-24 02,42,00,000000000 PM	02-JUL-24 03.20.38.000000000 PM	+00 00:38:38.000000	38.63	-00 00:38:38.000000	38.63
30151976	CS5691			CPLK	13.7 02-JUL-24 02.56.12.000000000 PM	02-JUL-24 03.07.25.000000000 PM	+00 00:11:13.000000	11.22	-00 00:11:13.000000	11.22
30152573	CS5691			CPLK	42.6 02-JUL-24 03.10.01.000000000 PM	02-JUL-24 03.55.35.000000000 PM	+00 00:45:34.000000	45.57	-00 00:45:34.000000	45.57
30154784	CS5695			CPLK	46.83 02-JUL-24 04.00.24,000000000 PM	02-JUL-24 04.24.36.000000000 PM	+00 00:24:12.000000	24.2	-00 00:24:12.000000	24.2
30156953	CS5695			CPLK	18.3 02-JUL-24 04.49.20.000000000 PM	02-JUL-24 05.22.43.000000000 PM	+00 00:33:23.000000	33.38	-00 00:33:23.000000	33.38
30157702	CS5692			CPLK	37.12 02-JUL-24 05.04.54.000000000 PM	02-JUL-24 06.04.09.000000000 PM	+00 00:59:15.000000	59.25	-00 00:59:15.000000	59.25
30159122	CS5694			CPLK	41.64 02-JUL-24 05.35.42.000000000 PM	02-JUL-24 06.32.17.000000000 PM	+00 00:56:35.000000	56.58	-00 00:56:35.000000	56.58
30159401	CS5691			CPLK	26.03 02-JUL-24 05.41.10.000000000 PM	02-JUL-24 06.20.58.000000000 PM	+00 00:39:48.000000	39.8	-00 00:39:48.000000	39.8
30293589	CS5691			CPLK	32.65 05-JUL-24 03.10.44.000000000 PM	05-JUL-24 03.52.11.000000000 PM	+00 00:41:27.000000	41.45	-00 00:41:27.000000	41.45
30297428	CS5691			CPLK	47 05-JUL-24 04.20.19.000000000 PM	05-JUL-24 05.27.27.000000000 PM	+00 01:07:08.000000	67.13	-00 01:07:08.000000	67.13
25563921	CS5692			CPLK	20.63 16-MAR-24 12.43.10.000000000 PM	16-MAR-24 01.01.55.000000000 PM	+00 00:18:45.000000	18.75	-00 00:18:45.000000	18.75
25564788	CS5695			CPLK	33.72 16-MAR-24 01.03.44.000000000 PM	16-MAR-24 01.20.58.000000000 PM	+00 00:17:14.000000	17.23	-00 00:17:14.000000	17.23
25565160	CS5692			CPLK	43.62 16-MAR-24 01.11.43.000000000 PM	16-MAR-24 01.48.14.000000000 PM	+00 00:36:31.000000	36.52	-00 00:36:31.000000	36.52
25565399	CS5691			CPLK	26.85 16-MAR-24 01.16.10.000000000 PM	16-MAR-24 02.01.05.000000000 PM	+00 00:44:55.000000	44.92	-00 00:44:55.000000	44.92
25568945	CS5695			CPLK	33.43 16-MAR-24 02,35.23.000000000 PM	16-MAR-24 03.37.06.000000000 PM	+00 01:01:43.000000	61.72	-00 01:01:43.000000	61.72
25569919	CS5691			CPLK	27.12 16-MAR-24 02.57.58.000000000 PM	16-MAR-24 03.51.30.000000000 PM	+00 00:53:32.000000	53.53	-00 00:53:32.000000	53.53
25570287	CS5692			CPLK	46.64 16-MAR-24 03.05.25.0000000000 PM	16-MAR-24 03.55.09.000000000 PM	+00 00:49:44.000000	49.73	-00 00:49:44.000000	49.73
25570374	CS5694			CPLK	90.69 16-MAR-24 03.07.16.000000000 PM	16-MAR-24 03.42.43.000000000 PM	+00 00:35:27.000000	35.45	-00 00:35:27.000000	35.45
25573592	CS5692			CPLK	66.01 16-MAR-24 04.19.09.000000000 PM	16-MAR-24 05.16.01.000000000 PM	+00 00:56:52.000000	56.87	-00 00:56:52.000000	56.87
25573769	CS5695			CPLK	65.91 16-MAR-24 04.23,31.000000000 PM	16-MAR-24 05.07.27.000000000 PM	+00 00:43:56.000000	43.93	-00 00:43:56.000000	43.93
25574221	CS5694			CPLK	53.32 16-MAR-24 04.33.19.000000000 PM	16-MAR-24 04.58.33.000000000 PM	+00 00:25:14.000000	25.23	-00 00:25:14.000000	25.23
25575285	CS5691			CPLK	51.43 16-MAR-24 04.56.34.000000000 PM	16-MAR-24 06.21.30.000000000 PM	+00 01:24:56.000000	84.93	-00 01:24:56.000000	84.93
25575701	CS5694			CPLK	18.04 16-MAR-24 05.05.46.000000000 PM	16-MAR-24 05.25.45.000000000 PM	+00 00:19:59.000000	19.98	-00 00:19:59.000000	19.98
25576603	CS5695	6.7		CPLK	42.03 16-MAR-24 05.25.16.000000000 PM	16-MAR-24 05.43.52.000000000 PM	+00 00:18:36.000000	18.6	-00 00:18:36.000000	18.6
25577534	CS5692			CPLK	51.32 16-MAR-24 05.45.01.000000000 PM	16-MAR-24 06.30.22.000000000 PM	+00 00:45:21.000000	45.35	-00 00:45:21.000000	45.35
25577788	CS5694			CPLK	33.8 16-MAR-24 05.51.38.000000000 PM	16-MAR-24 06.19.10.000000000 PM	+00 00:27:32.000000	27.53	-00 00:27:32.000000	27.53
25578252	CS5695			CPLK	45.2 16-MAR-24 06.03.39.000000000 PM	16-MAR-24 07.19.34.000000000 PM	+00 01:15:55.000000	75.92	-00 01:15:55.000000	75.92
25579655	CS5691			CPLK	49.54 16-MAR-24 06.38.47.000000000 PM	16-MAR-24 07.30.14.000000000 PM	+00 00:51:27.000000	51.45	-00 00:51:27.000000	51.45
25580329	CS5692			CPLK	41.92 16-MAR-24 06.55.07.000000000 PM	16-MAR-24 07.56.32.000000000 PM	+00 01:01:25.000000	61.42	-00 01:01:25.000000	61.42
25581728	CS5694			CPLK	15.51 16-MAR-24 07.33,34.000000000 PM	16-MAR-24 07.38.40.000000000 PM	+00 00:05:06.000000	5.1	-00 00:05:06.000000	5.1
25583394	CS5695			CPLK	38.62 16-MAR-24 08.23.21.000000000 PM	16-MAR-24 08.43.18.000000000 PM	+00 00:19:57.000000	19.95	-00 00:19:57.000000	19.95
25583693	CS5694			CPLK	48.94 16-MAR-24 08.31.32,000000000 PM	16-MAR-24 09.12.23.000000000 PM	+00 00:40:51.000000	40.85	-00 00:40:51.000000	40.85
25646483	CS5692			CPLK	13.84 18-MAR-24 12.38,28.000000000 PM	18-MAR-24 01.21.49.000000000 PM	+00 00:43:21.000000	43.35	-00 00:43:21.000000	43.35
25650370	CS5692			CPLK	33.91 18-MAR-24 02.18.02.000000000 PM	18-MAR-24 03.12.37.000000000 PM	+00 00:54:35.000000	54.58	-00 00:54:35.000000	54.58
25650455	CS5695			CPLK	35.49 18-MAR-24 02.20.21.000000000 PM	18-MAR-24 02.38.48.000000000 PM	+00 00:18:27.000000	18.45	-00 00:18:27.000000	18.45
25651837	CS5694			CPLK	19.87 18-MAR-24 02,56,45,000000000 PM	18-MAR-24 03.19.24.000000000 PM	+00 00:22:39.000000	22.65	-00 00:22:39.000000	22.65
25652699	CS5695			CPLK	58.77 18-MAR-24 03.19.11.000000000 PM	18-MAR-24 03.50.18.000000000 PM	+00 00:31:07.000000	31.12	-00 00:31:07.000000	31.12
25652876	CS5692			CPLK	46.21 18-MAR-24 03.24.05.000000000 PM	18-MAR-24 04.25.02.000000000 PM	+00 01:00:57.000000	60.95	-00 01:00:57.000000	60.95
25653257	CS5694			CPLK	39.7 18-MAR-24 03.33.57.000000000 PM	18-MAR-24 04.01.49.000000000 PM	+00 00:27:52.000000	27.87	-00 00:27:52.000000	27.87
25653877	CS5691			CPLK	41.35 18-MAR-24 03.49.22.000000000 PM	18-MAR-24 05.14.57.000000000 PM	+00 01:25:35.000000	85.58	-00 01:25:35.000000	85.58
25656575	CS5694			CPLK	54.91 18-MAR-24 04.58.08.000000000 PM	18-MAR-24 06.52.16.000000000 PM	+00 01:54:08.000000	114.13	-00 01:54:08.000000	114.13
25657380	CS5692			CPLK	27.61 18-MAR-24 05.20.42.000000000 PM	18-MAR-24 06.14.07.000000000 PM	+00 00:53:25.000000	53.42	-00 00:53:25.000000	53.42
25658024	CS5691			CPLK	39.18 18-MAR-24 05.37.41.000000000 PM	18-MAR-24 06.39.15.000000000 PM	+00 01:01:34.000000	61.57	-00 01:01:34.000000	61.57
25659421	CS5695			CPLK	44.23 18-MAR-24 06.17.51.000000000 PM	18-MAR-24 06.59.47.000000000 PM	+00 00:41:56.000000	41.93	-00 00:41:56.000000	41.93
25661606	CS5695			CPLK	44.32 18-MAR-24 07.21.20.000000000 PM		+00 00:43:59.000000	43.98	-00 00:43:59.000000	43.98
25663707	CS5691			CPLK	30.21 18-MAR-24 08.25.00.000000000 PM	18-MAR-24 09.04.05.000000000 PM	+00 00:39:05.000000	39.08	-00 00:39:05.000000	39.08
25664157	CS5694			CPLK	47.32 18-MAR-24 08.39.20.000000000 PM	18-MAR-24 09.08.53.000000000 PM	+00 00:29:33.000000		-00 00:29:33.000000	29.55
25667474	CS5695			CPLK		19-MAR-24 12.39.43.000000000 AM	+00 02:03:44.000000		-00 02:03:44.000000	123.73
25669579	CS5692			CPLK	52.05 19-MAR-24 12.16.24.000000000 AM	19-MAR-24 01.38.49.000000000 AM	+00 01:22:25.000000	82.42	-00 01:22:25.000000	82.42

	SESSION_ID	CHARGER_ID	ADDRESS	СІТУ	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION	TOTAL DURATION MINUTES
25672872	CS5694				CPLK	47.91 19-MAR-24 05.43.10.000000000 AM	19-MAR-24 06.36.03.000000000 AM	+00 00:52:53.000000		-00 00:52:53.000000	52.88
25675868	CS5694				CPLK	42.11 19-MAR-24 08.44.32.000000000 AM	19-MAR-24 09.25.11.000000000 AM	+00 00:40:39.000000	40.65	-00 00:40:39.000000	40.65
25678315	CS5691				CPLK	32.2 19-MAR-24 10.17.43.000000000 AM	19-MAR-24 10.44.01.000000000 AM	+00 00:26:18.000000	26.3	-00 00:26:18.000000	26.3
25678578	CS5692				CPLK	34.44 19-MAR-24 10.25.51.000000000 AM	19-MAR-24 11.14.43.000000000 AM	+00 00:48:52.000000	48.87	-00 00:48:52.000000	48.87
25681717	CS5695				CPLK	41.38 19-MAR-24 11.52.44.000000000 AM	19-MAR-24 12.28.03.000000000 PM	+00 00:35:19.000000	35.32	-00 00:35:19.000000	35.32
25684204	CS5695				CPLK	32.96 19-MAR-24 12.58.35.000000000 PM	19-MAR-24 01.13.44.000000000 PM	+00 00:15:09.000000	15.15	-00 00:15:09.000000	15.15
25684213	CS5692				CPLK	21.41 19-MAR-24 12.58.38.0000000000 PM	19-MAR-24 01.17.25.000000000 PM	+00 00:18:47.000000	18.78	-00 00:18:47.000000	18.78
25684342	CS5691				CPLK	36.01 19-MAR-24 01.01.44.000000000 PM	19-MAR-24 01.34.23.000000000 PM	+00 00:32:39.000000	32.65	-00 00:32:39.000000	32.65
25684643	CS5694				CPLK	43.88 19-MAR-24 01.08.51.000000000 PM	19-MAR-24 01.51.52.000000000 PM	+00 00:43:01.000000	43.02	-00 00:43:01.000000	43.02
25685921	CS5695				CPLK	71.12 19-MAR-24 01,43,38,0000000000 PM	19-MAR-24 02.25.13.000000000 PM	+00 00:41:35.000000	41.58	-00 00:41:35.000000	41.58
25686187	CS5691				CPLK	33.96 19-MAR-24 01.50.06.000000000 PM	19-MAR-24 02.33.12.000000000 PM	+00 00:43:06.000000	43.1	-00 00:43:06.000000	43.1
25686462	CS5694				CPLK	50.56 19-MAR-24 01.57.02.000000000 PM	19-MAR-24 02.44.20.000000000 PM	+00 00:47:18.000000	47.3	-00 00:47:18.000000	47.3
25686549	CS5692				CPLK	18.9 19-MAR-24 01.59.01.000000000 PM	19-MAR-24 02.12.59.000000000 PM	+00 00:13:58.000000	13.97	-00 00:13:58.000000	13.97
25750430	CS5695				CPLK	10.76 21-MAR-24 07.56.58.0000000000 AM	21-MAR-24 08.19.33.000000000 AM	+00 00:22:35.000000	22.58	-00 00:22:35.000000	22.58
25750765	CS5691				CPLK	36.15 21-MAR-24 08.12.19.000000000 AM	21-MAR-24 09.11.15.000000000 AM	+00 00:58:56.000000	58.93	-00 00:58:56.000000	58.93
25752378	CS5695				CPLK	55.14 21-MAR-24 09.21.30.000000000 AM	21-MAR-24 09.54.59.000000000 AM	+00 00:33:29.000000	33.48	-00 00:33:29.000000	33.48
25752985	CS5692				CPLK	48.87 21-MAR-24 09.41.15.000000000 AM	21-MAR-24 10.21.38.000000000 AM	+00 00:40:23.000000	40.38	-00 00:40:23.000000	40.38
25753123	CS5691				CPLK	57.69 21-MAR-24 09.46.39.000000000 AM	21-MAR-24 10.36.02.000000000 AM	+00 00:49:23.000000	49.38	-00 00:49:23.000000	49.38
25753552	CS5695				CPLK	32.25 21-MAR-24 10.00.58.000000000 AM	21-MAR-24 11.01.02.000000000 AM	+00 01:00:04.000000	60.07	-00 01:00:04.000000	60.07
25757243	CS5692				CPLK	2.2 21-MAR-24 11.45.21.000000000 AM	21-MAR-24 11.48.14.000000000 AM	+00 00:02:53.000000	2.88	-00 00:02:53.000000	2.88
25758211	CS5694				CPLK	30.79 21-MAR-24 12.10.07.000000000 PM	21-MAR-24 12.35.31.000000000 PM	+00 00:25:24.000000	25.4	-00 00:25:24.000000	25.4
25758866	CS5695				CPLK	2.53 21-MAR-24 12,27,35,000000000 PM	21-MAR-24 12.30.58.000000000 PM	+00 00:03:23.000000	3.38	-00 00:03:23.000000	3.38
25759086	CS5691				CPLK	4.16 21-MAR-24 12,33,06,000000000 PM	21-MAR-24 12.39.07.000000000 PM	+00 00:06:01.000000	6.02	-00 00:06:01.000000	6.02
25759423	CS5695				CPLK	20.21 21-MAR-24 12.40.56.000000000 PM	21-MAR-24 12.55.30.000000000 PM	+00 00:14:34.000000	14.57	-00 00:14:34.000000	14.57
25760897	CS5695				CPLK	25.28 21-MAR-24 01.18.36.000000000 PM	21-MAR-24 01.45.52.000000000 PM	+00 00:27:16.000000	27.27	-00 00:27:16.000000	27.27
25761733	CS5692				CPLK	34.84 21-MAR-24 01.41.17.000000000 PM	21-MAR-24 02.19.58.000000000 PM	+00 00:38:41.000000	38.68	-00 00:38:41.000000	38.68
25762148	CS5694				CPLK	22.22 21-MAR-24 01.51.01.0000000000 PM	21-MAR-24 02.19.21.000000000 PM	+00 00:28:20.000000	28.33	-00 00:28:20.000000	28.33
25764700	CS5694				CPLK	36.39 21-MAR-24 02.50.35.000000000 PM	21-MAR-24 03.17.51.000000000 PM	+00 00:27:16.000000	27.27	-00 00:27:16.000000	27.27
25768665	CS5694				CPLK	42.67 21-MAR-24 04.22.51.000000000 PM	21-MAR-24 04.59,29.000000000 PM	+00 00:36:38.000000	36.63	-00 00:36:38.000000	36.63
25772869	CS5695				CPLK	53.2 21-MAR-24 06.02,55.000000000 PM	21-MAR-24 06.30.56.000000000 PM	+00 00:28:01.000000	28.02	-00 00:28:01.000000	28.02
25775295	CS5691				CPLK	31.47 21-MAR-24 07.08.13.000000000 PM	21-MAR-24 08.06.00.000000000 PM	+00 00:57:47.000000	57.78	-00 00:57:47.000000	57.78
25777327	CS5695				CPLK	23.52 21-MAR-24 08.00.01.000000000 PM	21-MAR-24 09.13.07.000000000 PM	+00 01:13:06.000000	73.1	-00 01:13:06.000000	73.1
25783513	CS5691				CPLK	24.92 21-MAR-24 11.21.31.000000000 PM	22-MAR-24 12.23.02.000000000 AM	+00 01:01:31.000000	61.52	-00 01:01:31.000000	61.52
25788801	CS5694				CPLK	40.87 22-MAR-24 05.46.16.000000000 AM	22-MAR-24 06.30.37.000000000 AM	+00 00:44:21.000000	44.35	-00 00:44:21.000000	44.35
25792822	CS5694				CPLK	21.93 22-MAR-24 09.15.21.000000000 AM	22-MAR-24 09.40.29.000000000 AM	+00 00:25:08.000000	25.13	-00 00:25:08.000000	25.13
25793080	CS5692				CPLK	1.07 22-MAR-24 09.24.21.000000000 AM	22-MAR-24 09.26.44.000000000 AM	+00 00:02:23.000000	2.38	-00 00:02:23.000000	2.38
25793369	CS5692				CPLK	40.9 22-MAR-24 09.34.07.000000000 AM	22-MAR-24 10.14.25.000000000 AM	+00 00:40:18.000000	40.3	-00 00:40:18,000000	40.3
25793647	CS5694				CPLK	4.84 22-MAR-24 09.42,00.000000000 AM	22-MAR-24 09.49.21.000000000 AM	+00 00:07:21.000000	7.35	-00 00:07:21.000000	7.35
25795826	CS5691				CPLK	24.81 22-MAR-24 10.47.31.000000000 AM	22-MAR-24 11.10.30.000000000 AM	+00 00:22:59.000000	22.98	-00 00:22:59.000000	22.98
25801795	CS5691				CPLK	16.58 22-MAR-24 01.12,30,000000000 PM	22-MAR-24 02.14.04.000000000 PM	+00 01:01:34.000000	61.57	-00 01:01:34.000000	61.57
25802356	CS5694				CPLK	26.96 22-MAR-24 01.25.26.000000000 PM	22-MAR-24 02.05.50.000000000 PM	+00 00:40:24.000000	40.4	-00 00:40:24.000000	40.4
25803752	CS5692				CPLK	50.1 22-MAR-24 01.57.37.000000000 PM	22-MAR-24 02.49.39.000000000 PM	+00 00:52:02.000000	52.03	-00 00:52:02.000000	52.03
25804818	CS5695				CPLK	88.82 22-MAR-24 02,22,25,0000000000 PM	22-MAR-24 03.12.03.000000000 PM	+00 00:49:38.000000	49.63	-00 00:49:38.000000	49.63
25866442	CS5694				CPLK	21.63 23-MAR-24 09.50.55.000000000 PM	23-MAR-24 10.12.11.000000000 PM	+00 00:21:16.000000	21.27	-00 00:21:16.000000	21.27
25866986	CS5691				CPLK	41.55 23-MAR-24 10.08.24.0000000000 PM	23-MAR-24 10.48.55,000000000 PM	+00 00:40:31.000000	40.52	-00 00:40:31.000000	40.52
25870426	CS5694				CPLK	41.17 24-MAR-24 12.12.58.000000000 AM	24-MAR-24 01.14.03.000000000 AM	+00 01:01:05.000000	61.08	-00 01:01:05.000000	61.08
25872677	CS5695				CPLK	31.73 24-MAR-24 02,07.10.0000000000 AM	24-MAR-24 02.49.32.000000000 AM	+00 00:42:22.000000	42.37	-00 00:42:22.000000	42.37
25875657	CS5694				CPLK	32.99 24-MAR-24 06.08.57.0000000000 AM	24-MAR-24 06.26.41.000000000 AM	+00 00:17:44.000000	17.73	-00 00:17:44.000000	17.73
25878934	CS5695				CPLK	21.88 24-MAR-24 09.13.34.000000000 AM	24-MAR-24 09.29.38.000000000 AM	+00 00:16:04.000000	16.07	-00 00:16:04.000000	16.07
25881483	CS5695				CPLK	38.77 24-MAR-24 10.34.33.000000000 AM	24-MAR-24 10.49.59.000000000 AM	+00 00:15:26.000000	15.43	-00 00:15:26.000000	15.43
25884922	CS5691				CPLK	6.08 24-MAR-24 11.58.59.000000000 AM	24-MAR-24 12.11.53.000000000 PM	+00 00:12:54.000000	12.9	-00 00:12:54.000000	12.9
25887396	CS5694				CPLK	39.53 24-MAR-24 12.53.16.000000000 PM	24-MAR-24 01.42.00.000000000 PM	+00 00:48:44.000000	48.73	-00 00:48:44.000000	48.73
30299343	CS5692				CPLK	2.9 05-JUL-24 04.54.16.000000000 PM	05-JUL-24 04.57.11.000000000 PM	+00 00:02:55.000000	2.92	-00 00:02:55.000000	2.92

	SESSION_ID	CHARGER_ID	ADDRESS	СІТУ	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DITM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
30299538	CS5692				CPLK	32.47 05-JUL-24 04.58.20.000000000 PM	05-JUL-24 05.28.55.000000000 PM	+00 00:30:35.000000		-00 00:30:35.000000	30.58
30299552	CS5695				CPLK	33.74 05-JUL-24 04.58.33.000000000 PM	05-JUL-24 05.41.53.000000000 PM	+00 00:43:20.000000	43.33	-00 00:43:20.000000	43.33
30301439	CS5691				CPLK	49.7 05-JUL-24 05.33.24.000000000 PM	05-JUL-24 06.18.03.000000000 PM	+00 00:44:39.000000	44.65	-00 00:44:39.000000	44.65
30302195	CS5695				CPLK	52.84 05-JUL-24 05.47.07.000000000 PM	05-JUL-24 07.12.23.000000000 PM	+00 01:25:16.000000	85.27	-00 01:25:16.000000	85.27
30302667	CS5692				CPLK	44.04 05-JUL-24 05.56.16.000000000 PM	05-JUL-24 06.30.34.000000000 PM	+00 00:34:18.000000	34.3	-00 00:34:18.000000	34.3
30304556	CS5692				CPLK	76.6 05-JUL-24 06.33.20.000000000 PM	05-JUL-24 07.45.09.000000000 PM	+00 01:11:49.000000	71.82	-00 01:11:49.000000	71.82
30305187	CS5691				CPLK	47.7 05-JUL-24 06.46.32.000000000 PM	05-JUL-24 07.40.07.000000000 PM	+00 00:53:35.000000	53.58	-00 00:53:35.000000	53.58
30308731	CS5692				CPLK	31.17 05-JUL-24 07.58.31.000000000 PM	05-JUL-24 08,36,25,000000000 PM	+00 00:37:54.000000	37.9	-00 00:37:54.000000	37.9
30313685	CS5692				CPLK	8.03 05-JUL-24 09.54.47.000000000 PM	05-JUL-24 10.03.54.000000000 PM	+00 00:09:07.000000	9.12	-00 00:09:07.000000	9.12
30314683	CS5695				CPLK	35.44 05-JUL-24 10.20.53.000000000 PM	05-JUL-24 11.09.59.000000000 PM	+00 00:49:06.000000	49.1	-00 00:49:06.000000	49.1
30316960	CS5695				CPLK	33.3 05-JUL-24 11.27.44.000000000 PM	05-JUL-24 11.57.03.000000000 PM	+00 00:29:19.000000	29.32	-00 00:29:19.000000	29.32
30316994	CS5692				CPLK	69.01 05-JUL-24 11.28.38.000000000 PM	06-JUL-24 12.36.33.000000000 AM	+00 01:07:55,000000	67.92	-00 01:07:55.000000	67.92
30322341	CS5692				CPLK	15.53 06-JUL-24 03.52.50.000000000 AM	06-JUL-24 04.10.59.000000000 AM	+00 00:18:09.000000	18.15	-00 00:18:09.000000	18.15
30323834	CS5695				CPLK	64.95 06-JUL-24 05.51.31.000000000 AM	06-JUL-24 06.23.55.000000000 AM	+00 00:32:24.000000	32.4	-00 00:32:24.000000	32.4
30324676	CS5695				CPLK	57.28 06-JUL-24 06.50.25.000000000 AM	06-JUL-24 07.14.35.000000000 AM	+00 00:24:10.000000	24.17	-00 00:24:10.000000	24.17
30325475	CS5695				CPLK	90.06 06-JUL-24 07.32.25.000000000 AM	06-JUL-24 08.11.38.000000000 AM	+00 00:39:13.000000	39.22	-00 00:39:13.000000	39.22
30325821	CS5692				CPLK	103 06-JUL-24 07.49.14.000000000 AM	06-JUL-24 09.21.20.000000000 AM	+00 01:32:06.000000		-00 01:32:06.000000	92.1
30326299	CS5691				CPLK	5.14 06-JUL-24 08.08.39.000000000 AM	06-JUL-24 08.12.37.000000000 AM	+00 00:03:58.000000	3.97	-00 00:03:58.000000	3.97
30326545	CS5695				CPLK	31.57 06-JUL-24 08.18.00.000000000 AM	06-JUL-24 09.10.59.000000000 AM	+00 00:52:59.000000	52.98	-00 00:52:59.000000	52.98
30327057	CS5691				CPLK	39.23 06-JUL-24 08.35.06.000000000 AM	06-JUL-24 09.34.47.000000000 AM	+00 00:59:41.000000	59.68	-00 00:59:41.000000	59.68
30328240	CS5695				CPLK	59.22 06-JUL-24 09.12.48.000000000 AM	06-JUL-24 11.00.31.000000000 AM	+00 01:47:43.000000		-00 01:47:43.000000	107.72
30328619	CS5692				CPLK	40.23 06-JUL-24 09.23.54.000000000 AM	06-JUL-24 09.58.33.000000000 AM	+00 00:34:39.000000	34.65	-00 00:34:39.000000	34.65
30329296	CS5691		1 A		CPLK	43.27 06-JUL-24 09.41.54.000000000 AM	06-JUL-24 11.11.27.000000000 AM	+00 01:29:33.000000		-00 01:29:33.000000	89.55
30331307	CS5692				CPLK	42.43 06-JUL-24 10.28.52,000000000 AM	06-JUL-24 11.31.09.000000000 AM	+00 01:02:17.000000		-00 01:02:17.000000	62.28
30333580	CS5695				CPLK	72.23 06-JUL-24 11.18.43.000000000 AM	06-JUL-24 12.02.10.000000000 PM	+00 00:43:27.000000		-00 00:43:27.000000	43.45
30334094	CS5691	-1			CPLK	27.7 06-JUL-24 11.30.12.000000000 AM	06-JUL-24 11.53.22.000000000 AM	+00 00:23:10.000000		-00 00:23:10.000000	23.17
30334943	CS5692				CPLK	39.95 06-JUL-24 11.46.45.0000000000 AM	06-JUL-24 12.37.07.000000000 PM	+00 00:50:22.000000		-00 00:50:22.000000	50.37
30518821	CS5695				CPLK	33.67 10-JUL-24 08.36.24.000000000 AM	10-JUL-24 08,55.55.000000000 AM	+00 00:19:31.000000		-00 00:19:31.000000	19.52
30519126	CS5692				CPLK	10.14 10-JUL-24 08.47.29.000000000 AM	10-JUL-24 08,56,29,000000000 AM	+00 00:09:00.000000		-00 00:09:00.000000	9
30519439	CS5695				CPLK	91.9 10-JUL-24 08.58.49.000000000 AM	10-JUL-24 09.51.48.000000000 AM	+00 00:52:59.000000		-00 00:52:59.000000	52.98
30520405	CS5692				CPLK	31.4 10-JUL-24 09.31.09.000000000 AM	10-JUL-24 10.10.44.000000000 AM	+00 00:39:35.000000		-00 00:39:35.000000	39.58
30520647	CS5691				CPLK	47.26 10-JUL-24 09.38.41.000000000 AM	10-JUL-24 10.24.42.000000000 AM	+00 00:46:01.000000		-00 00:46:01.000000	46.02
30522504	CS5692				CPLK	41.68 10-JUL-24 10.37.39.000000000 AM	10-JUL-24 11.30.47.000000000 AM	+00 00:53:08.000000		-00 00:53:08.000000	53.13
30523099	CS5695				CPLK	36.01 10-JUL-24 10.55.35.0000000000 AM	10-JUL-24 11.59.47.000000000 AM	+00 01:04:12.000000		-00 01:04:12.000000	64.2
30526104	CS5692				CPLK	51.8 10-JUL-24 12.16.08.000000000 PM	10-JUL-24 12.58.16.000000000 PM	+00 00:42:08.000000		-00 00:42:08.000000	42.13 13.65
30526208	C\$5695				CPLK	44.04 10-JUL-24 12.18.22.000000000 PM	10-JUL-24 12.32.01.000000000 PM	+00 00:13:39.000000		-00 00:13:39.000000	57.53
30527109 30528330	CS5695 CS5692				CPLK CPLK	38.16 10-JUL-24 12.38.36.000000000 PM	10-JUL-24 01.36.08.000000000 PM	+00 00:57:32.000000		-00 00:57:32.000000 -00 01:00:54.000000	60.9
30530012	CS5695				CPLK	40.96 10-JUL-24 01.09.43.000000000 PM	10-JUL-24 02.10.37.000000000 PM	+00 01:00:54.000000		-00 00:27:13.000000	27.22
30532515	CS5695				CPLK	43.62 10-JUL-24 01.48.37.000000000 PM 51.88 10-JUL-24 02.45.21.000000000 PM	10-JUL-24 02.15.50.000000000 PM 10-JUL-24 03.50.23.00000000 PM	+00 00:27:13.000000 +00 01:05:02.000000		-00 01:05:02.000000	65.03
30533737	CS5692				CPLK	52 10-JUL-24 03.11.09.000000000 PM	10-JUL-24 03.56.35.000000000 PM	+00 00:45:26.000000		-00 00:45:26.000000	45.43
30534378	CS5691				CPLK	21.48 10-JUL-24 03.25.02.000000000 PM	10-JUL-24 03.49.11.000000000 PM	+00 00:24:09.000000		-00 00:24:09.000000	24.15
30539374	CS5695				CPLK	51.89 10-JUL-24 05.15.28.000000000 PM	10-JUL-24 06.09.19.000000000 PM	+00 00:53:51.000000		-00 00:53:51.000000	53.85
30541239	CS5692				CPLK	44.86 10-JUL-24 05.59.21.000000000 PM	10-JUL-24 07.16.29.000000000 PM	+00 01:17:08.000000		-00 01:17:08.000000	77.13
24728533	CS5691				CPLK	46.97 23-FEB-24 10.26.38.000000000 AM	23-FEB-24 12.04,39,000000000 PM	+00 01:38:01.000000		-00 01:38:01.000000	98.02
24720353	CS5695				CPLK	27.27 23-FEB-24 11.13.34.000000000 AM	23-FEB-24 12.29,36,000000000 PM	+00 01:16:02.000000		-00 01:16:02.000000	76.03
24731762	CS5692				CPLK	36.42 23-FEB-24 11.54.34.0000000000 AM	23-FEB-24 12.25.24.000000000 PM	+00 00:30:50.000000		-00 00:30:50.000000	30.83
24732070	CS5694				CPLK	13.5 23-FEB-24 12.03.06.000000000 PM	23-FEB-24 01.17.16.000000000 PM	+00 01:14:10.000000		-00 01:14:10.000000	74.17
24734852	CS5695				CPLK	25.77 23-FEB-24 01.14.49.000000000 PM	23-FEB-24 01.52.33.000000000 PM	+00 00:37:44.000000		-00 00:37:44.000000	37.73
24736303	CS5692				CPLK	45.4 23-FEB-24 01.50.39.000000000 PM	23-FEB-24 03.03.12.000000000 PM	+00 01:12:33.000000		-00 01:12:33.000000	72.55
24737302	CS5691				CPLK	29.08 23-FEB-24 02.13.47.000000000 PM	23-FEB-24 02.44.54.000000000 PM	+00 00:31:07.000000		-00 00:31:07.000000	31.12
24747255	CS5692				CPLK	47.1 23-FEB-24 06.28.42.0000000000 PM	23-FEB-24 07.16.30.000000000 PM	+00 00:47:48.000000		-00 00:47:48.000000	47.8
24748637	CS5695				CPLK	23.76 23-FEB-24 07.05.08.000000000 PM	23-FEB-24 07.31.12.000000000 PM	+00 00:26:04.000000		-00 00:26:04.000000	26.07
21710007	00000		4		O. ER	25 0 20 1 20 27 07/00/00/00/00/00/00/01	E. L. E. C. IVILLE IVOUGUUUT I	22 2012010-11000000	20.01	Se Soledio House	20.01

SESSION_ID	CHARGER_ID	ADDRESS CIT	TY STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
24752418	CS5695		CPLK	35.81 23-FEB-24 08.57.49.000000000 PM	23-FEB-24 09.59.02.000000000 PM	+00 01:01:13.000000	61.22	-00 01:01:13.000000	61.22
24756097	CS5695		CPLK	57.35 23-FEB-24 11.21.35.000000000 PM	24-FEB-24 01.00.29.000000000 AM	+00 01:38:54.000000	98.9	-00 01:38:54.000000	98.9
24756301	CS5692	- 1 Table 1	CPLK	10.97 23-FEB-24 11.31.02.000000000 PM	23-FEB-24 11.45.37.000000000 PM	+00 00:14:35.000000	14.58	-00 00:14:35.000000	14.58
24756447	CS5691		CPLK	56.43 23-FEB-24 11.38.48.000000000 PM	24-FEB-24 01.05.49.000000000 AM	+00 01:27:01.000000	87.02	-00 01:27:01.000000	87.02
24757620	CS5692		CPLK	46.31 24-FEB-24 12.37,20,000000000 AM	24-FEB-24 01.38.01.000000000 AM	+00 01:00:41,000000	60.68	-00 01:00:41.000000	60.68
24758034	CS5694		CPLK	45.6 24-FEB-24 01.01.55.000000000 AM	24-FEB-24 02.56.38.000000000 AM	+00 01:54:43.000000	114.72	-00 01:54:43.000000	114.72
24761594	CS5694		CPLK	110.98 24-FEB-24 06.09.20.0000000000 AM	24-FEB-24 07.26.32.000000000 AM	+00 01:17:12.000000	77.2	-00 01:17:12.000000	77.2
24761605	CS5692		CPLK	37.06 24-FEB-24 06.10.25.000000000 AM	24-FEB-24 07.34.40.000000000 AM	+00 01:24:15.000000	84.25	-00 01:24:15.000000	84.25
24766206	CS5695		CPLK	43.46 24-FEB-24 09.51.13.000000000 AM	24-FEB-24 10.16.16.000000000 AM	+00 00:25:03.000000	25.05	-00 00:25:03.000000	25.05
24767338	CS5691		CPLK	37.37 24-FEB-24 10.26.30.000000000 AM	24-FEB-24 11.27.05.000000000 AM	+00 01:00:35.000000	60.58	-00 01:00:35.000000	60.58
24769814	CS5692		CPLK	12.7 24-FEB-24 11.33.13,0000000000 AM	24-FEB-24 12.05.16.000000000 PM	+00 00:32:03.000000	32.05	-00 00:32:03.000000	32.05
24771872	CS5694		CPLK	22.41 24-FEB-24 12.25.30.000000000 PM	24-FEB-24 12.35.36.000000000 PM	+00 00:10:06.000000	10.1	-00 00:10:06.000000	10.1
24772302	CS5692		CPLK	48.34 24-FEB-24 12,36,09,000000000 PM	24-FEB-24 01.15.34.000000000 PM	+00 00:39:25.000000	39.42	-00 00:39:25.000000	39.42
24772855	CS5695		CPLK	37.72 24-FEB-24 12.50.53,000000000 PM	24-FEB-24 01.45.20.000000000 PM	+00 00:54:27.000000	54.45	-00 00:54:27.000000	54.45
24773727	CS5694		CPLK	13.62 24-FEB-24 01.12.12.000000000 PM	24-FEB-24 01.52.06.000000000 PM	+00 00:39:54.000000	39.9	-00 00:39:54.000000	39.9
24773844	CS5691		CPLK	44.4 24-FEB-24 01.15.09.000000000 PM	24-FEB-24 01.54.21.000000000 PM	+00 00:39:12,000000	39.2	-00 00:39:12.000000	39.2
24774405	CS5692		CPLK	43.99 24-FEB-24 01.28.45.000000000 PM	24-FEB-24 02.18.19.000000000 PM	+00 00:49:34.000000	49.57	-00 00:49:34.000000	49.57
24776201	CS5691		CPLK	37.17 24-FEB-24 02.08.21.000000000 PM	24-FEB-24 03.16.40.000000000 PM	+00 01:08:19.000000	68.32	-00 01:08:19.000000	68.32
24849707	CS5692		CPLK	12.76 26-FEB-24 12.52.04.000000000 PM	26-FEB-24 01.23.43.000000000 PM	+00 00:31:39.000000	31.65	-00 00:31:39.000000	31.65
24851241	CS5695		CPLK	51.14 26-FEB-24 01.39.29.000000000 PM	26-FEB-24 02.18.00.000000000 PM	+00 00:38:31.000000	38.52	-00 00:38:31.000000	38.52
24851813	CS5694		CPLK	66.31 26-FEB-24 01.55.49.000000000 PM	26-FEB-24 02.54.26.000000000 PM	+00 00:58:37.000000	58.62	-00 00:58:37.000000	58.62
24852335	CS5692		CPLK	27.83 26-FEB-24 02.09.54.000000000 PM	26-FEB-24 02.40.07.000000000 PM	+00 00:30:13,000000	30.22	-00 00:30:13.000000	30.22
24853082	CS5691		CPLK	53.66 26-FEB-24 02.31.05.000000000 PM	26-FEB-24 03.28.38.000000000 PM	+00 00:57:33.000000	57.55	-00 00:57:33.000000	57.55
24855405	CS5691		CPLK	40.92 26-FEB-24 03.39.24.000000000 PM	26-FEB-24 04.19.53.000000000 PM	+00 00:40:29.000000	40.48	-00 00:40:29.000000	40.48
24856694	CS5695		CPLK	53.1 26-FEB-24 04.19.00.000000000 PM	26-FEB-24 04.48.31.000000000 PM	+00 00:29:31.000000	29.52	-00 00:29:31.000000	29.52
24858183	CS5695		CPLK	53.04 26-FEB-24 05.03.42.000000000 PM	26-FEB-24 05.26.55.000000000 PM	+00 00:23:13.000000	23.22	-00 00:23:13.000000	23.22
24860058	CS5695		CPLK	53.91 26-FEB-24 05.59.04,000000000 PM	26-FEB-24 06.22.11.000000000 PM	+00 00:23:07.000000	23.12	-00 00:23:07.000000	23.12
24860943	CS5694		CPLK	40.6 26-FEB-24 06.28.21.000000000 PM	26-FEB-24 06.55.07.000000000 PM	+00 00:26:46.000000	26.77	-00 00:26:46.000000	26.77
24862557	CS5695		CPLK	41.25 26-FEB-24 07.23.23.000000000 PM	26-FEB-24 08.15.31.000000000 PM	+00 00:52:08.000000	52.13	-00 00:52:08.000000	52.13
24863208	CS5692		CPLK	34.47 26-FEB-24 07.46.34,000000000 PM	26-FEB-24 08.08,22.000000000 PM	+00 00:21:48.000000	21.8	-00 00:21:48.000000	21.8
24864541	CS5695		CPLK	38.89 26-FEB-24 08.34.49.000000000 PM	26-FEB-24 09.31.58.000000000 PM	+00 00:57:09.000000	57.15	-00 00:57:09.000000	57.15
24867555	CS5695		CPLK	60.97 26-FEB-24 10.47.30.000000000 PM	27-FEB-24 12.20.43.000000000 AM	+00 01:33:13.000000	93.22	-00 01:33:13.000000	93.22
24868103	CS5694		CPLK	50.36 26-FEB-24 11.13.55.000000000 PM	26-FEB-24 11.46.57.000000000 PM	+00 00:33:02.000000	33.03	-00 00:33:02.000000	33.03
24868992	CS5694		CPLK	30.3 27-FEB-24 12.00.50,0000000000 AM	27-FEB-24 01.15.00,000000000 AM	+00 01:14:10.000000	74.17	-00 01:14:10.000000	74.17
24869879	CS5695		CPLK	68.24 27-FEB-24 01.04.32.000000000 AM	27-FEB-24 01.45,59.000000000 AM	+00 00:41:27.000000	41.45	-00 00:41:27.000000	41.45
24872083	CS5694		CPLK	38.74 27-FEB-24 05.34.36.000000000 AM	27-FEB-24 06.23.30.000000000 AM	+00 00:48:54.000000	48.9	-00 00:48:54.000000	48.9
25889902	CS5695		CPLK	42.05 24-MAR-24 01.42.18.000000000 PM	24-MAR-24 02.10.40.000000000 PM	+00 00:28:22.000000	28.37	-00 00:28:22.000000	28.37
25897274	CS5695		CPLK	42.49 24-MAR-24 04.06.49.000000000 PM	24-MAR-24 04.35.15.000000000 PM	+00 00:28:26.000000	28.43	-00 00:28:26.000000	28.43
25899439	CS5694		CPLK	46.63 24-MAR-24 04.50.06.000000000 PM	24-MAR-24 06.35.40.000000000 PM	+00 01:45:34.000000	105.57	-00 01:45:34.000000	105.57
25902388	CS5692		CPLK	32.77 24-MAR-24 05.53.14.000000000 PM	24-MAR-24 06.51.27.000000000 PM	+00 00:58:13.000000	58.22	-00 00:58:13.000000	58.22
25902904	CS5695		CPLK	24.64 24-MAR-24 06,05.39.000000000 PM	24-MAR-24 06.20.10.000000000 PM	+00 00:14:31.000000	14.52	-00 00:14:31.000000	14.52
25902929	CS5691		CPLK	49.41 24-MAR-24 06.06.00.0000000000 PM	24-MAR-24 07.10.51.000000000 PM	+00 01:04:51.000000	64.85	-00 01:04:51.000000	64.85
25904845	CS5694		CPLK	53.73 24-MAR-24 06.51.11.000000000 PM	24-MAR-24 07.17.41.000000000 PM	+00 00:26:30.000000	26.5	-00 00:26:30.000000	26.5
25906236	CS5692		CPLK	29.02 24-MAR-24 07.25.17.000000000 PM	24-MAR-24 08.26.02.000000000 PM	+00 01:00:45.000000	60.75	-00 01:00:45.000000	60.75
25908022	CS5695		CPLK	52.04 24-MAR-24 08.09.04.000000000 PM	24-MAR-24 08.39.28.000000000 PM	+00 00:30:24.000000	30.4	-00 00:30:24.000000	30.4
25911358	CS5695		CPLK	40.73 24-MAR-24 09.40.35.000000000 PM	24-MAR-24 10.41.03.000000000 PM	+00 01:00:28.000000	60.47	-00 01:00:28.000000	60.47
25913999	CS5695		CPLK	59.21 24-MAR-24 11.16.54.000000000 PM	24-MAR-24 11.53.21.000000000 PM	+00 00:36:27.000000	36.45	-00 00:36:27.000000	36.45
25917984	CS5692		CPLK	18.26 25-MAR-24 03.17.31.000000000 AM	25-MAR-24 03.41.18.000000000 AM	+00 00:23:47.000000	23.78	-00 00:23:47.000000	23.78
25918646	CS5695		CPLK	38.01 25-MAR-24 05.55.56.000000000 AM	25-MAR-24 06.46.31.000000000 AM	+00 00:50:35.000000	50.58	-00 00:50:35.000000	50.58
25921469	CS5691		CPLK	37.11 25-MAR-24 08.35.17.000000000 AM	25-MAR-24 09.12.15.000000000 AM	+00 00:36:58.000000	36.97	-00 00:36:58.000000	36.97
25922485	CS5691		CPLK	8.14 25-MAR-24 09.14.20.000000000 AM	25-MAR-24 09.31.57.000000000 AM	+00 00:17:37.000000	17.62	-00 00:17:37.000000	17.62
25927990	CS5692		CPLK	13.35 25-MAR-24 12.35,28,000000000 PM	25-MAR-24 01.07.53.000000000 PM	+00 00:32:25.000000	32.42	-00 00:32:25.000000	32.42
25928833	CS5695		CPLK	47.19 25-MAR-24 12.58.23.000000000 PM	25-MAR-24 01.27.30.000000000 PM	+00 00:29:07.000000	29.12	-00 00:29:07.000000	29.12
		4							

	SESSION_ID	CHARGER_ID	ADDRESS	СІТУ	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
25930125	CS5694				CPLK	41.06 25-MAR-2401.30.01.000000000 PM	25-MAR-24 02.47.05.000000000 PM	+00 01:17:04.000000	77.07	-00 01:17:04.000000	77.07
25931114	CS5691				CPLK	11.83 25-MAR-24 01.53.45.000000000 PM	25-MAR-24 02.32.46.000000000 PM	+00 00:39:01.000000	39.02	-00 00:39:01.000000	39.02
25931904	CS5695	9			CPLK	29.99 25-MAR-24 02.11.52.000000000 PM	25-MAR-24 02.30.30.000000000 PM	+00 00:18:38.000000	18.63	-00 00:18:38.000000	18.63
25933006	CS5695				CPLK	36.68 25-MAR-24 02.39.08.000000000 PM	25-MAR-24 03.26.06.000000000 PM	+00 00:46:58.000000	46.97	-00 00:46:58.000000	46.97
25994176	CS5695				CPLK	61.04 27-MAR-24 06.45.46.000000000 AM	27-MAR-24 07.40.19.000000000 AM	+00 00:54:33.000000	54.55	-00 00:54:33.000000	54.55
25995721	CS5691				CPLK	28.03 27-MAR-24 08.11.21.000000000 AM	27-MAR-24 09.00.41.000000000 AM	+00 00:49:20.000000	49.33	-00 00:49:20.000000	49.33
25996995	CS5691				CPLK	3.37 27-MAR-24 09.02.32,000000000 AM	27-MAR-24 09.10.58.000000000 AM	+00 00:08:26.000000	8.43	-00 00:08:26.000000	8.43
25998452	CS5695				CPLK	53 27-MAR-24 09.56.56.000000000 AM	27-MAR-24 10.31.03.000000000 AM	+00 00:34:07.000000	34.12	-00 00:34:07.000000	34.12
26000915	CS5695				CPLK	61.9 27-MAR-24 11.09.11.0000000000 AM	27-MAR-24 11.49.58.000000000 AM	+00 00:40:47.000000	40.78	-00 00:40:47.000000	40.78
26003446	CS5694				CPLK	33.81 27-MAR-24 12.16.42.000000000 PM	27-MAR-24 01.03.09.000000000 PM	+00 00:46:27.000000	46.45	-00 00:46:27.000000	46.45
26003536	CS5695				CPLK	10.21 27-MAR-24 12,19.02,0000000000 PM	27-MAR-24 12.35.07.000000000 PM	+00 00:16:05.000000	16.08	-00 00:16:05.000000	16.08
26005848	CS5695				CPLK	32.23 27-MAR-24 01.18,32.000000000 PM	27-MAR-24 02.09.09.000000000 PM	+00 00:50:37.000000	50.62	-00 00:50:37.000000	50.62
26007863	CS5694				CPLK	43.37 27-MAR-24 02.09.51.000000000 PM	27-MAR-24 02.48.24.000000000 PM	+00 00:38:33.000000	38.55	-00 00:38:33.000000	38.55
26008001	CS5692				CPLK	27.14 27-MAR-24 02.13.09.000000000 PM	27-MAR-24 02.32.21.000000000 PM	+00 00:19:12.000000	19.2	-00 00:19:12.000000	19.2
26008070	CS5691				CPLK	52.63 27-MAR-24 02.14.39.000000000 PM	27-MAR-24 03.37.18.000000000 PM	+00 01:22:39.000000	82.65	-00 01:22:39.000000	82.65
26009582	CS5695				CPLK	15.94 27-MAR-24 02.53.14.000000000 PM	27-MAR-24 03.29.06.000000000 PM	+00 00:35:52.000000	35.87	-00 00:35:52.000000	35.87
26010442	CS5694				CPLK	52.54 27-MAR-24 03.14.11.000000000 PM	27-MAR-24 03.42.03.000000000 PM	+00 00:27:52.000000	27.87	-00 00:27:52.000000	27.87
26013287	CS5695				CPLK	37.94 27-MAR-24 04.24.27.000000000 PM	27-MAR-24 06.09.41.000000000 PM	+00 01:45:14.000000		-00 01:45:14.000000	105.23
26014109	CS5694				CPLK	42.17 27-MAR-24 04.44.33.000000000 PM	27-MAR-24 05.15.38.000000000 PM	+00 00:31:05.000000	31.08	-00 00:31:05.000000	31.08
33788394	CS5692				CPLK	54.51 14-SEP-24 09.18.43.000000000 PM	14-SEP-24 10.34.04.000000000 PM	+00 01:15:21.000000	75.35	-00 01:15:21.000000	75.35
33788607	CS5695				CPLK	25.45 14-SEP-2409.24.11.000000000 PM	14-SEP-24 09.37.43.000000000 PM	+00 00:13:32,000000	13.53	-00 00:13:32.000000	13.53
33790384	CS5695				CPLK	43.14 14-SEP-24 10.14.21.000000000 PM	14-SEP-24 11.09.05.000000000 PM	+00 00:54:44.000000	54.73	-00 00:54:44.000000	54.73
33791097	CS5691				CPLK	38.43 14-SEP-24 10.34.29.000000000 PM	14-SEP-24 11.22.03.000000000 PM	+00 00:47:34.000000	47.57	-00 00:47:34.000000	47.57
33791196	CS5692				CPLK	53.86 14-SEP-24 10.37.51.0000000000 PM	15-SEP-24 12.05.24.000000000 AM	+00 01:27:33.000000		-00 01:27:33.000000	87.55
33791282	CS5694				CPLK	38.44 14-SEP-24 10.40.22.0000000000 PM	14-SEP-24 11.14.49.000000000 PM	+00 00:34:27.000000		-00 00:34:27.000000	34.45
33792355	CS5695	4			CPLK	20.41 14-SEP-24 11.12.05.0000000000 PM	14-SEP-24 11.26.37.000000000 PM	+00 00:14:32.000000		-00 00:14:32.000000	14.53
33794286	CS5691				CPLK	34.29 15-SEP-24 12.21.18.0000000000 AM	15-SEP-24 01.13.42.000000000 AM	+00 00:52:24.000000		-00 00:52:24.000000	52.4
33799282	CS5691				CPLK	4.81 15-SEP-24 04.49.10.0000000000 AM	15-SEP-24 04.54.41.000000000 AM	+00 00:05:31.000000		-00 00:05:31.000000	5.52
34039936	CS5695				CPLK	70.82 20-SEP-2406.54.31.0000000000 AM	20-SEP-24 07.37.59.000000000 AM	+00 00:43:28.000000		-00 00:43:28,000000	43.47
34040365	CS5694				CPLK	12.58 20-SEP-2407.14.07.0000000000 AM	20-SEP-24 07.25.18.000000000 AM	+00 00:11:11.000000		-00 00:11:11.000000	11.18
34042088	CS5694				CPLK	38.47 20-SEP-24 08.15.41.0000000000 AM	20-SEP-24 08.43.14.000000000 AM	+00 00:27:33.000000		-00 00:27:33.000000	27.55
34042727	CS5692				CPLK	26.74 20-SEP-2408.35.18.000000000 AM	20-SEP-24 08.59.44.000000000 AM	+00 00:24:26.000000		-00 00:24:26.000000	24.43
34042860	CS5695				CPLK	11.51 20-SEP-2408.39.32.0000000000 AM	20-SEP-24 08.52.49.000000000 AM	+00 00:13:17.000000		-00 00:13:17.000000	13.28
34044005	CS5695				CPLK	50.21 20-SEP-2409.12.17.000000000 AM	20-SEP-24 09.30.09.0000000000 AM	+00 00:17:52,000000		-00 00:17:52.000000	17.87
34044941	CS5692				CPLK	79.39 20-SEP-2409.39.35.000000000 AM	20-SEP-24 10.48.29.000000000 AM	+00 01:08:54.000000		-00 01:08:54.000000	68.9
34044964	CS5695				CPLK	57.13 20-SEP-2409.39.50.0000000000 AM	20-SEP-24 11.07.47.000000000 AM	+00 01:27:57.000000		-00 01:27:57.000000	87.95
34045481	CS5694				CPLK	22.14 20-SEP-2409.53.14.000000000 AM	20-SEP-24 10.07.43.000000000 AM	+00 00:14:29.000000		-00 00:14:29.000000	14.48
34047435	CS5694				CPLK	23.25 20-SEP-24 10.37.53.0000000000 AM	20-SEP-24 11.06.44.000000000 AM	+00 00:28:51.000000		-00 00:28:51.000000	28.85
34048678	CS5692				CPLK	13.63 20-SEP-24 11.06.42.0000000000 AM	20-SEP-24 11.22.07.000000000 AM	+00 00:15:25.000000		-00 00:15:25.000000	15.42
34049137	CS5694				CPLK	144.51 20-SEP-2411.16.33.0000000000 AM	20-SEP-24 12.52.52.000000000 PM	+00 01:36:19.000000		-00 01:36:19.000000	96.32
34049610	CS5692				CPLK	32.02 20-SEP-2411.27.07.0000000000 AM	20-SEP-24 11.55.21.000000000 AM	+00 00:28:14.000000		-00 00:28:14.000000	28.23
34050350	CS5695				CPLK	57.56 20-SEP-2411.43.09.0000000000 AM	20-SEP-24 01.19.01.000000000 PM	+00 01:35:52.000000		-00 01:35:52.000000	95.87
34051575	CS5691				CPLK	30.06 20-SEP-24 12.07.51.000000000 PM	20-SEP-24 12.44.14.000000000 PM 20-SEP-24 12.39.09.00000000 PM	+00 00:36:23.000000		-00 00:36:23.000000	36.38
34051855	CS5692				CPLK	31.46 20-SEP-24 12.13.44.0000000000 PM		+00 00:25:25.000000		-00 00:25:25.000000	25.42
34054290	CS5692				CPLK CPLK	57.77 20-SEP-24 01.04.21.000000000 PM 66.04 20-SEP-24 02.01.19.00000000 PM	20-SEP-24 02.35.33.000000000 PM	+00 01:31:12.000000		-00 01:31:12.000000	91.2 41.57
34057198	CS5691						20-SEP-24 02.42.53.000000000 PM	+00 00:41:34.000000		-00 00:41:34.000000	7 8 3
34057656	CS5694				CPLK			+00 00:10:57.000000		-00 00:10:57.000000 -00 00:42:22.000000	10.95
34059356	CS5694				CPLK	37.89 20-SEP-24 02.42.39.0000000000 PM	20-SEP-24 03.25.01.000000000 PM	+00 00:42:22.000000			42.37
34061021	CS5692				CPLK	8.56 20-SEP-24 03.14.18.0000000000 PM	20-SEP-24 03.24.42.000000000 PM	+00 00:10:24.000000		-00 00:10:24.000000	10.4
34064487 34065459	CS5695 CS5694				CPLK CPLK	38.1 20-SEP-24 04.21.08.000000000 PM 19.47 20-SEP-24 04.41.18.00000000 PM	20-SEP-24 04.42.20.000000000 PM	+00 00:21:12.000000 +00 00:05:37.000000		-00 00:21:12.000000	21.2 5.62
34065459	CS5694 CS5694				CPLK	55.83 20-SEP-2405.31.33.000000000 PM	20-SEP-24 04.46.55.000000000 PM 20-SEP-24 06.02.15.000000000 PM	+00 00:05:37.000000		-00 00:05:37.000000 -00 00:30:42.000000	30.7
					CPLK	22.16 20-SEP-24-05.36.16.000000000 PM		+00 00:30:42.000000		-00 00:30:42.000000	18.58
34068303	CS5691				CPLK	22. 10 20-3EF-24-03,30,10,0000000000 PM	20-SEP-24 05.54.51.000000000 PM	,000001:00:02:00	18.56	-00 00:10:35:000000	10.00

	SESSION_ID	CHARGER_ID	ADDRESS	CITY	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DITM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION	TOTAL DURATION MINUTES
34068855	CS5695				CPLK	40.54 20-SEP-2405.47.19.000000000 PM	20-SEP-24 06.25.57.000000000 PM	+00 00:38:38.000000		-00 00:38:38.000000	38.63
34069524	CS5692		-		CPLK	7.2 20-SEP-24 06.00.39.000000000 PM	20-SEP-24 06.06.04.000000000 PM	+00 00:05:25.000000	5.42	-00 00:05:25.000000	5.42
34070466	CS5692				CPLK	21.27 20-SEP-2406.18.08.0000000000 PM	20-SEP-24 06.33.37.000000000 PM	+00 00:15:29,000000	15.48	-00 00:15:29.000000	15.48
34071499	CS5695				CPLK	32.92 20-SEP-2406,38.18.000000000 PM	20-SEP-24 06.56.17.000000000 PM	+00 00:17:59.000000	17.98	-00 00:17:59.000000	17.98
34072190	CS5692				CPLK	42.18 20-SEP-2406.53.43.000000000 PM	20-SEP-24 07.51.48.000000000 PM	+00 00:58:05.000000	58.08	-00 00:58:05.000000	58.08
34208149	CS5692				CPLK	31.88 23-SEP-24 12.28.14.000000000 PM	23-SEP-24 01.10.11.000000000 PM	+00 00:41:57.000000	41.95	-00 00:41:57.000000	41.95
34211841	C\$5695				CPLK	59.01 23-SEP-24 01.50.14.000000000 PM	23-SEP-24 03.22.22.000000000 PM	+00 01:32:08.000000	92.13	-00 01:32:08.000000	92.13
34213247	CS5694				CPLK	46.25 23-SEP-2402.23.05.000000000 PM	23-SEP-24 02.48.57.000000000 PM	+00 00:25:52.000000	25.87	-00 00:25:52.000000	25.87
34213859	CS5692				CPLK	32.29 23-SEP-2402.37.38.000000000 PM	23-SEP-24 03.31.11.000000000 PM	+00 00:53:33.000000	53.55	-00 00:53:33.000000	53.55
34215473	CS5691				CPLK	11.27 23-SEP-24 03.14.00.000000000 PM	23-SEP-24 03.24.01.000000000 PM	+00 00:10:01.000000	10.02	-00 00:10:01.000000	10.02
34216194	CS5691				CPLK	66 23-SEP-24 03.29.20.000000000 PM	23-SEP-24 04.25.01.000000000 PM	+00 00:55:41.000000	55.68	-00 00:55:41.000000	55.68
34218856	CS5691				CPLK	30.57 23-SEP-24 04.29.56.000000000 PM	23-SEP-24 05.00.47.000000000 PM	+00 00:30:51.000000	30.85	-00 00:30:51.000000	30.85
34219609	CS5695				CPLK	29.04 23-SEP-2404.47.18.000000000 PM	23-SEP-24 05.39.23.000000000 PM	+00 00:52:05.000000	52.08	-00 00:52:05.000000	52.08
34220560	CS5694				CPLK	59.13 23-SEP-24 05.07.59.000000000 PM	23-SEP-24 05.59.01.000000000 PM	+00 00:51:02.000000	51.03	-00 00:51:02.000000	51.03
34220855	CS5692				CPLK	33.88 23-SEP-2405.14.04.000000000 PM	23-SEP-24 05.42.47.000000000 PM	+00 00:28:43.000000	28.72	-00 00:28:43.000000	28.72
34223374	CS5692				CPLK	90.87 23-SEP-24 06.12.28.000000000 PM	23-SEP-24 07.21.04.000000000 PM	+00 01:08:36.000000	68.6	-00 01:08:36.000000	68.6
34225365	CS5691				CPLK	28.42 23-SEP-24 06.58.51.000000000 PM	23-SEP-24 07.37.54.000000000 PM	+00 00:39:03.000000	39.05	-00 00:39:03.000000	39.05
34227153	CS5695				CPLK	41.72 23-SEP-2407.41.50.000000000 PM	23-SEP-24 08.41.16.000000000 PM	+00 00:59:26.000000	59.43	-00 00:59:26.000000	59.43
34228853	CS5694				CPLK	54.65 23-SEP-24 08.25.32.000000000 PM	23-SEP-24 08.56.22.000000000 PM	+00 00:30:50.000000	30.83	-00 00:30:50.000000	30.83
34231586	CS5692				CPLK	47.16 23-SEP-24 09.41.16.000000000 PM	23-SEP-24 10.44.24.000000000 PM	+00 01:03:08.000000	63.13	-00 01:03:08.000000	63.13
34232260	CS5695				CPLK	27.1 23-SEP-24 10.01.50.000000000 PM	23-SEP-24 10.45.03.000000000 PM	+00 00:43:13.000000	43.22	-00 00:43:13.000000	43.22
24874505	CS5695				CPLK	40.94 27-FEB-24 08.32.00.000000000 AM	27-FEB-24 09.33.01.000000000 AM	+00 01:01:01.000000	61.02	-00 01:01:01.000000	61.02
24875586	CS5694				CPLK	50.82 27-FEB-24 09.20.06.000000000 AM	27-FEB-24 09.38.53.000000000 AM	+00 00:18:47.000000		-00 00:18:47.000000	18.78
24880316	CS5695				CPLK	42.18 27-FEB-24 12.01.33.000000000 PM	27-FEB-24 12.36.47.000000000 PM	+00 00:35:14.000000		-00 00:35:14.000000	35.23
24880378	CS5692				CPLK	14.5 27-FEB-24 12.03.52.000000000 PM	27-FEB-24 12.51.33.000000000 PM	+00 00:47:41.000000		-00 00:47:41.000000	47.68
24882123	CS5695				CPLK	51.62 27-FEB-24 12.59.16.000000000 PM	27-FEB-24 01.15.17.000000000 PM	+00 00:16:01.000000		-00 00:16:01.000000	16.02
24883028	CS5695				CPLK	29.16 27-FEB-24 01.26.16.000000000 PM	27-FEB-24 02.08.25.000000000 PM	+00 00:42:09.000000		-00 00:42:09.000000	42.15
24885782	CS5692				CPLK	60.18 27-FEB-24 02.46.30.000000000 PM	27-FEB-24 03.49.12.000000000 PM	+00 01:02:42.000000		-00 01:02:42.000000	62.7
24886107	CS5694				CPLK	13.87 27-FEB-24 02.55.57.000000000 PM	27-FEB-24 03.15.01.000000000 PM	+00 00:19:04.000000		-00 00:19:04.000000	19.07
24893939	CS5694				CPLK	39.43 27-FEB-24 06.45.39.000000000 PM	27-FEB-24 07.36.33.000000000 PM	+00 00:50:54.000000		-00 00:50:54.000000	50.9
24899267	CS5695				CPLK	24.94 27-FEB-24 09.48.04.0000000000 PM	27-FEB-24 10.03.32.0000000000 PM	+00 00:15:28.000000		-00 00:15:28.000000	15.47
24900318	CS5695				CPLK	33.23 27-FEB-24 10.36.29.0000000000 PM	27-FEB-24 11.38.03.0000000000 PM	+00 01:01:34.000000		-00 01:01:34.000000	61.57
24901582	CS5694				CPLK	68.4 27-FEB-24 11.38.24.0000000000 PM	28-FEB-24 12.48.13.000000000 AM	+00 01:09:49.000000		-00 01:09:49.000000	69.82
24945612	CS5694				CPLK	17.05 29-FEB-24 09.48.11.000000000 AM	29-FEB-24 10.16.30.000000000 AM	+00 00:28:19.000000		-00 00:28:19.000000	28.32
24946770	CS5692				CPLK	33 29-FEB-24 10.22.59.000000000 AM	29-FEB-24 11.34.07.0000000000 AM	+00 01:11:08.000000		-00 01:11:08.000000	71.13 57.67
24946812	CS5694				CPLK	18.96 29-FEB-24 10.24.26.000000000 AM	29-FEB-24 11.22.06.000000000 AM	+00 00:57:40.000000		-00 00:57:40.000000	
24946862 24948986	CS5695				CPLK	62.83 29-FEB-24 10.25.58.0000000000 AM	29-FEB-24 11.08.46.000000000 AM	+00 00:42:48.000000		-00 00:42:48.000000 -00 00:37:52.000000	42.8 37.87
24948986	CS5695 CS5694				CPLK CPLK	13.51 29-FEB-24 11.25.07.0000000000 AM	29-FEB-24 12.02.59.000000000 PM	+00 00:37:52.000000		-00 00:37:52.00000	34.78
24950544	CS5695				CPLK	41.71 29-FEB-24 11.26.14.0000000000 AM 6.83 29-FEB-24 12.08.25.000000000 PM	29-FEB-24 12.01.01.000000000 PM	+00 00:34:47.000000 +00 00:09:36.000000		-00 00:34:47.000000	9.6
					CPLK		29-FEB-24 12.18.01.000000000 PM 29-FEB-24 01.16.02.000000000 PM			-00 00:39:13.000000	39.22
24951538 24953601	CS5692 CS5695				CPLK	23.53 29-FEB-24 12.36.49.000000000 PM 62.83 29-FEB-24 01.31.22.000000000 PM	29-FEB-24 01.54.59.000000000 PM	+00 00:39:13.000000 +00 00:23:37.000000		-00 00:39:13.000000	23.62
24955773	CS5695				CPLK	32.47 29-FEB-24 02.25.34.000000000 PM	29-FEB-24 02.48.51,000000000 PM	+00 00:23:37.000000		-00 00:23:17.000000	23.28
24956740	CS5692				CPLK	49.34 29-FEB-24 02.49.34.000000000 PM	29-FEB-24 03.59.44.000000000 PM	+00 00:23:17,000000		-00 00:23:17.000000	70.17
24958626	CS5695				CPLK	20.35 29-FEB-24 03.37.29.0000000000 PM	29-FEB-24 03.49.46.000000000 PM	+00 00:12:17.000000		-00 00:12:17.000000	12.28
24959262	CS5694				CPLK	41.31 29-FEB-24 03.55.25.000000000 PM	29-FEB-24 04.53.34.000000000 PM	+00 00:58:09.000000		-00 00:58:09.000000	58.15
24959333	CS5695				CPLK	46.77 29-FEB-24 03.57.30.000000000 PM	29-FEB-24 04.40.22.000000000 PM	+00 00:42:52.000000		-00 00:42:52.000000	42.87
24963904	CS5692				CPLK	46.45 29-FEB-24 06.02.44.000000000 PM	29-FEB-24 06.41.20.000000000 PM	+00 00:42:32:000000		-00 00:38:36.000000	38.6
24967771	CS5695				CPLK	22.1 29-FEB-24 07.50.04.000000000 PM	29-FEB-24 08.15.00.000000000 PM	+00 00:24:56.000000		-00 00:24:56.000000	24.93
24969599	CS5695				CPLK	8.05 29-FEB-24 08.43.55.0000000000 PM	29-FEB-24 08.58.39.000000000 PM	+00 00:24:30:000000		-00 00:14:44.000000	14.73
24974176	CS5694				CPLK	30.49 29-FEB-24 11.45.41.000000000 PM	01-MAR-24 12.52.33.000000000 AM	+00 01:06:52,000000		-00 01:06:52.000000	66.87
24974550	CS5692				CPLK	20.1 01-MAR-24 12.06.21.0000000000 AM		+00 00:23:14.000000		-00 00:23:14.000000	23.23
29058125	CS5695				CPLK	38.09 08-JUN-24 03.34.58.000000000 PM	08-JUN-24 04.18.20.000000000 PM	+00 00:43:22.000000		-00 00:43:22.000000	43.37
23000120	C33033		4		OI LK	35.55 55 1014 2-105.0-600.0000000000 FP	50 JUN 27 01.10.20.000000000 FM	20 00.70.22.000000	43.37	00 00.40.22.00000	40.01

	SESSION_ID	CHARGER_ID	ADDRESS	СІТУ	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DITM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
29059502	CS5691				CPLK	12.95 08-JUN-24 04.02,58.000000000 PM	08-JUN-24 04.14.00.000000000 PM	+00 00:11:02.000000	11.03	-00 00:11:02.000000	11.03
29060366	CS5695				CPLK	83.58 08-JUN-24 04.20.35.000000000 PM	08-JUN-24 05.03.08.000000000 PM	+00 00:42:33.000000	42.55	-00 00:42:33.000000	42.55
29060442	CS5691				CPLK	40.15 08-JUN-24 04.21.47.000000000 PM	08-JUN-24 04.51.51.000000000 PM	+00 00:30:04.000000	30.07	-00 00:30:04.000000	30.07
29060774	CS5692				CPLK	46.16 08-JUN-24 04.28.11.000000000 PM	08-JUN-24 05.02.48.000000000 PM	+00 00:34:37.000000	34.62	-00 00:34:37.000000	34.62
29062021	CS5691				CPLK	40.36 08-JUN-2404,55,43,000000000 PM	08-JUN-24 05.50.08.000000000 PM	+00 00:54:25.000000	54.42	-00 00:54:25.000000	54.42
29063453	CS5692				CPLK	34.34 08-JUN-2405,24,25,000000000 PM	08-JUN-24 05.50.11.000000000 PM	+00 00:25:46.000000	25.77	-00 00:25:46.000000	25.77
29068489	CS5691				CPLK	27.42 08-JUN-24 07.19.42.000000000 PM	08-JUN-24 07.56.57.000000000 PM	+00 00:37:15.000000	37.25	-00 00:37:15.000000	37.25
29070618	CS5692				CPLK	13.11 08-JUN-24 08.13.15.000000000 PM	08-JUN-24 08.37.27.000000000 PM	+00 00:24:12.000000	24.2	-00 00:24:12.000000	24.2
29070707	CS5691				CPLK	62.78 08-JUN-24 08.14.59.000000000 PM	08-JUN-24 08.58.09.000000000 PM	+00 00:43:10.000000	43.17	-00 00:43:10.000000	43.17
29070807	CS5695				CPLK	44.41 08-JUN-2408.17.37.000000000 PM	08-JUN-24 08.51.41.000000000 PM	+00 00:34:04.000000	34.07	-00 00:34:04.000000	34.07
29072322	CS5695				CPLK	46.35 08-JUN-24 08,57,12,000000000 PM	08-JUN-24 09.34.30.000000000 PM	+00 00:37:18.000000	37.3	-00 00:37:18.000000	37.3
29072644	CS5691				CPLK	32.67 08-JUN-24 09.05.50.000000000 PM	08-JUN-24 09.41.37.000000000 PM	+00 00:35:47.000000	35.78	-00 00:35:47.000000	35.78
29073075	CS5694				CPLK	37.49 08-JUN-24 09.17.02,000000000 PM	08-JUN-24 09.40.42,000000000 PM	+00 00:23:40.000000	23.67	-00 00:23:40.000000	23.67
29074373	CS5695				CPLK	13.71 08-JUN-24 09,56,44,000000000 PM	08-JUN-24 10.02.31.000000000 PM	+00 00:05:47.000000	5.78	-00 00:05:47.000000	5.78
29077875	CS5692				CPLK	47.08 08-JUN-24 11.47.18.000000000 PM	09-JUN-24 12.50.22.000000000 AM	+00 01:03:04.000000	63.07	-00 01:03:04.000000	63.07
29078292	CS5694				CPLK	35.59 09-JUN-24 12.02,50.000000000 AM	09-JUN-24 12.51.36,000000000 AM	+00 00:48:46.000000	48.77	-00 00:48:46.000000	48.77
29078480	CS5691				CPLK	24.29 09-JUN-24 12,09,10.000000000 AM	09-JUN-24 12.37.29.000000000 AM	+00 00:28:19.000000	28.32	-00 00:28:19.000000	28.32
29078982	CS5695				CPLK	26.96 09-JUN-24 12.28.32.000000000 AM	09-JUN-24 01.04.33.000000000 AM	+00 00:36:01.000000	36.02	-00 00:36:01.000000	36.02
29079736	CS5691				CPLK	45.51 09-JUN-2401.00.23.000000000 AM	09-JUN-24 01.52.39.000000000 AM	+00 00:52:16.000000	52.27	-00 00:52:16.000000	52.27
29081359	CS5692				CPLK	30.23 09-JUN-24 02.28.02.000000000 AM	09-JUN-24 03.19.25.000000000 AM	+00 00:51:23.000000	51.38	-00 00:51:23.000000	51.38
29082932	CS5691				CPLK	20.08 09-JUN-24 04.17.32,000000000 AM	09-JUN-24 05.00.38.000000000 AM	+00 00:43:06.000000	43.1	-00 00:43:06.000000	43.1
29187094	CS5691				CPLK	36.79 11-JUN-24 03.25.07.000000000 PM	11-JUN-24 04.03.20.000000000 PM	+00 00:38:13.000000	38.22	-00 00:38:13.000000	38.22
29187869	CS5692				CPLK	36.88 11-JUN-24 03.43.48.000000000 PM	11-JUN-24 04.13.52.000000000 PM	+00 00:30:04.000000	30.07	-00 00:30:04.000000	30.07
29188107	CS5695				CPLK	23.37 11-JUN-24 03.49.37.000000000 PM	11-JUN-24 04.09.43.000000000 PM	+00 00:20:06.000000	20.1	-00 00:20:06.000000	20.1
29188803	CS5691				CPLK	54.99 11-JUN-24 04.06.24.000000000 PM	11-JUN-24 05.33.39.000000000 PM	+00 01:27:15.000000	87.25	-00 01:27:15.000000	87.25
29189185	CS5694				CPLK	35.71 11-JUN-24 04.16.47.0000000000 PM	11-JUN-24 05.01.57.000000000 PM	+00 00:45:10.000000	45.17	-00 00:45:10.000000	45.17
29189733	CS5695				CPLK	104.3 11-JUN-24 04,30,52,0000000000 PM	11-JUN-24 05.31.51.000000000 PM	+00 01:00:59.000000	60.98	-00 01:00:59.000000	60.98
29193494	CS5692				CPLK	56.49 11-JUN-24 06.03.05.000000000 PM	11-JUN-24 06.56.39.000000000 PM	+00 00:53:34.000000	53.57	-00 00:53:34.000000	53.57
29194402	CS5694				CPLK	56.17 11-JUN-24 06.25,26,0000000000 PM	11-JUN-24 07.15.28.000000000 PM	+00 00:50:02.000000	50.03	-00 00:50:02.000000	50.03
29194836	CS5695				CPLK	14.17 11-JUN-24 06,36,10.000000000 PM	11-JUN-24 06.53.28.000000000 PM	+00 00:17:18.000000	17.3	-00 00:17:18.000000	17.3
29206864	CS5695				CPLK	42.33 12-JUN-24 01.19.52.000000000 AM	12-JUN-24 02.39.51.000000000 AM	+00 01:19:59.000000	79.98	-00 01:19:59.000000	79.98
29207059	CS5694				CPLK	19.16 12-JUN-24 01.32.23.000000000 AM	12-JUN-24 01.44.26.000000000 AM	+00 00:12:03.000000	12.05	-00 00:12:03.000000	12.05
29209260	CS5695				CPLK	27.36 12-JUN-24 04.31,02,000000000 AM	12-JUN-24 05.09.58.000000000 AM	+00 00:38:56.000000	38.93	-00 00:38:56.000000	38.93
29210227	CS5695				CPLK	22.83 12-JUN-24 06.03,43,0000000000 AM	12-JUN-24 06.34.15.000000000 AM	+00 00:30:32.000000	30.53	-00 00:30:32.000000	30.53
29211014	CS5691				CPLK	44.03 12-JUN-24 06.57.14.000000000 AM	12-JUN-24 07.58.51.000000000 AM	+00 01:01:37,000000	61.62	-00 01:01:37.000000	61.62
29215569	CS5695				CPLK	48.06 12-JUN-24 10.06.06.0000000000 AM	12-JUN-24 10.48.39.000000000 AM	+00 00:42:33.000000	42.55	-00 00:42:33.000000	42.55
29217238	CS5694				CPLK	54.11 12-JUN-24 10.57.16.000000000 AM	12-JUN-24 11.16.15.000000000 AM	+00 00:18:59.000000	18.98	-00 00:18:59.000000	18.98
29218736	CS5695				CPLK	66.02 12-JUN-24 11.38.03.000000000 AM	12-JUN-24 12.09.55.000000000 PM	+00 00:31:52.000000	31.87	-00 00:31:52.000000	31.87
29218903	CS5694				CPLK	54.83 12-JUN-24 11.42,42,0000000000 AM	12-JUN-24 01.09.28.000000000 PM	+00 01:26:46.000000	86.77	-00 01:26:46.000000	86.77
29221136	CS5695				CPLK	50.11 12-JUN-24 12.44.35.000000000 PM	12-JUN-24 01.02.35.000000000 PM	+00 00:18:00.000000	18	-00 00:18:00.000000	18
29222502	CS5695				CPLK	48.91 12-JUN-24 01.18.12.000000000 PM	12-JUN-24 02.35.23.000000000 PM	+00 01:17:11.000000	77.18	-00 01:17:11.000000	77.18
29224920	CS5694				CPLK	48.5 12-JUN-24 02.18.30.000000000 PM	12-JUN-24 02.36.36.000000000 PM	+00 00:18:06.000000	18.1	-00 00:18:06.000000	18.1
29226990	CS5692				CPLK	39.1 12-JUN-24 03.08.31.000000000 PM	12-JUN-24 04.01.09.000000000 PM	+00 00:52:38.000000	52.63	-00 00:52:38.000000	52.63
29231517	CS5691				CPLK	17.69 12-JUN-24 04.54.20.000000000 PM	12-JUN-24 05.16.54.000000000 PM	+00 00:22:34.000000	22.57	-00 00:22:34.000000	22.57
29233850	CS5695				CPLK	30.83 12-JUN-24 05.49,25.000000000 PM	12-JUN-24 06.00.54.000000000 PM	+00 00:11:29.000000	11.48	-00 00:11:29.000000	11.48
29234002	CS5692				CPLK	23.59 12-JUN-24 05.53,11.000000000 PM	12-JUN-24 06.27.55.000000000 PM	+00 00:34:44.000000	34.73	-00 00:34:44.000000	34.73
29236237	CS5694				CPLK	167.15 12-JUN-24 06.48.21.000000000 PM	12-JUN-24 08.01.36.000000000 PM	+00 01:13:15.000000	73.25	-00 01:13:15.000000	73.25
29237446	CS5695				CPLK	42.48 12-JUN-24 07.17.11.000000000 PM	12-JUN-24 08.05.29.000000000 PM	+00 00:48:18.000000	48.3	-00 00:48:18.000000	48.3
29240423	CS5691				CPLK	46.76 12-JUN-24 08.31.03.000000000 PM	12-JUN-24 09.42.16.000000000 PM	+00 01:11:13.000000		-00 01:11:13.000000	71.22
29241943	CS5695				CPLK	24.32 12-JUN-24 09.14.44.000000000 PM	12-JUN-24 09.31.58.000000000 PM	+00 00:17:14.000000	17.23	-00 00:17:14.000000	17.23
29242095	CS5694				CPLK	74.74 12-JUN-24 09.19.41.000000000 PM	12-JUN-24 09.59.21.000000000 PM	+00 00:39:40.000000	39.67	-00 00:39:40.000000	39.67
29353512	CS5695				CPLK	26.68 15-JUN-24 11.41.26.0000000000 AM	15-JUN-24 12.24.54.000000000 PM	+00 00:43:28.000000	43.47	-00 00:43:28.000000	43.47
29356883	CS5695				CPLK	93.07 15-JUN-24 12,52,22,000000000 PM	15-JUN-24 01.44.42.000000000 PM	+00 00:52:20.000000	52.33	-00 00:52:20.000000	52.33

	SESSION_ID	CHARGER_ID	ADDRESS	СПУ	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DITM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
29357203	CS5694				CPLK	47.54 15-JUN-2412.59.00.000000000 PM	15-JUN-24 01.16.11.000000000 PM	+00 00:17:11.000000	17.18	-00 00:17:11.000000	17.18
29357985	CS5692	3			CPLK	23.69 15-JUN-24 01.14.42.000000000 PM	15-JUN-24 01.34.48.000000000 PM	+00 00:20:06.000000	20.1	-00 00:20:06.000000	20.1
29358934	CS5694	9			CPLK	44.73 15-JUN-2401.33.25.000000000 PM	15-JUN-24 02.06.40.000000000 PM	+00 00:33:15.000000	33.25	-00 00:33:15.000000	33.25
29358950	CS5691				CPLK	53.43 15-JUN-2401.33.44.000000000 PM	15-JUN-24 02.19.20.000000000 PM	+00 00:45:36.000000	45.6	-00 00:45:36.000000	45.6
29360645	CS5695				CPLK	30.77 15-JUN-2402.08.39.000000000 PM	15-JUN-24 02.50.00,000000000 PM	+00 00:41:21.000000	41.35	-00 00:41:21.000000	41.35
29362325	CS5691				CPLK	32.67 15-JUN-24 02.42,52.000000000 PM	15-JUN-24 03.10.02.000000000 PM	+00 00:27:10.000000	27.17	-00 00:27:10.000000	27.17
34232387	CS5694				CPLK	53.1 23-SEP-24 10.05.40.000000000 PM	23-SEP-24 10.45.33.000000000 PM	+00 00:39:53.000000	39.88	-00 00:39:53.000000	39.88
34234516	CS5695				CPLK	33.78 23-SEP-24 11.18.17.0000000000 PM	23-SEP-24 11.36.08.000000000 PM	+00 00:17:51,000000	17.85	-00 00:17:51.000000	17.85
34234605	CS5692				CPLK	51.6 23-SEP-24 11.21.25.000000000 PM	24-SEP-24 12.46.37.000000000 AM	+00 01:25:12.000000	85.2	-00 01:25:12.000000	85.2
34235110	CS5695				CPLK	26.27 23-SEP-24 11.40.47.0000000000 PM	24-SEP-24 12.03.19.000000000 AM	+00 00:22:32,000000	22.53	-00 00:22:32.000000	22.53
34237107	CS5695				CPLK	16.25 24-SEP-24 01.21.05.0000000000 AM	24-SEP-24 01.34.16.000000000 AM	+00 00:13:11.000000	13.18	-00 00:13:11.000000	13.18
34237120	CS5692				CPLK	30.03 24-SEP-24 01.21.29.000000000 AM	24-SEP-24 02.10.34.000000000 AM	+00 00:49:05.000000	49.08	-00 00:49:05.000000	49.08
34237313	CS5691				CPLK	39.62 24-SEP-24 01.32.24.000000000 AM	24-SEP-24 02.29.29.000000000 AM	+00 00:57:05.000000	57.08	-00 00:57:05.000000	57.08
34240041	CS5692				CPLK	36.79 24-SEP-24 04.48.00.000000000 AM	24-SEP-24 06.02.45.000000000 AM	+00 01:14:45.000000	74.75	-00 01:14:45.000000	74.75
34241034	CS5694				CPLK	38.92 24-SEP-2406.03.17.0000000000 AM	24-SEP-24 06.40.56.000000000 AM	+00 00:37:39.000000	37.65	-00 00:37:39.000000	37.65
34241061	CS5695				CPLK	38.77 24-SEP-24 06.05.00.0000000000 AM	24-SEP-24 06.34.56.000000000 AM	+00 00:29:56.000000	29.93	-00 00:29:56.000000	29.93
34241805	CS5695				CPLK	56.25 24-SEP-24 06.48.18.000000000 AM	24-SEP-24 07.37.27.000000000 AM	+00 00:49:09.000000	49.15	-00 00:49:09.000000	49.15
34242295	CS5692				CPLK	38.44 24-SEP-2407.12.08.0000000000 AM	24-SEP-24 07.43.56.000000000 AM	+00 00:31:48.000000	31.8	-00 00:31:48.000000	31.8
34245576	CS5695				CPLK	67.3 24-SEP-24 09.18.43.0000000000 AM	24-SEP-24 09.42.24.000000000 AM	+00 00;23;41.000000	23.68	-00 00:23:41.000000	23.68
34245736	CS5691				CPLK	67.59 24-SEP-24 09.25.00.000000000 AM	24-SEP-24 10.54.56.000000000 AM	+00 01:29:56.000000	89.93	-00 01:29:56.000000	89.93
34586917	CS5691				CPLK	27.4 01-OCT-24 10.38.02.0000000000 AM	01-OCT-24 11.00.25.000000000 AM	+00 00:22:23.000000	22.38	-00 00:22:23.000000	22.38
34587810	CS5692				CPLK	52.15 01-OCT-24 10.59.12.000000000 AM	01-OCT-24 12.16.00.0000000000 PM	+00 01:16;48.000000	76.8	-00 01:16:48.000000	76.8
34594621	CS5691				CPLK	33.5 01-OCT-24 01.40.04.0000000000 PM	01-OCT-24 02.13.43.000000000 PM	+00 00:33:39,000000	33.65	-00 00:33:39.000000	33.65
34595423	CS5692				CPLK	22.55 01-OCT-24 02.00.19.0000000000 PM	01-OCT-24 02.35.18.000000000 PM	+00 00:34:59.000000	34.98	-00 00:34:59.000000	34.98
34597014	CS5691				CPLK	40.4 01-OCT-2402.36.44.0000000000 PM	01-OCT-24 03.05.15.000000000 PM	+00 00:28:31.000000	28.52	-00 00:28:31.000000	28.52
34597331	CS5692				CPLK	27.05 01-OCT-24 02.43.56.000000000 PM	01-OCT-24 03.08.02.000000000 PM	+00 00:24:06.000000	24.1	-00 00:24:06.000000	24.1
34601440	CS5691				CPLK	42.9 01-OCT-24 04.20.13.000000000 PM	01-OCT-24 04.54.27.000000000 PM	+00 00:34:14.000000	34.23	-00 00:34:14.000000	34.23
34603139	CS5691				CPLK	18.92 01-OCT-24 05.00.10.0000000000 PM	01-OCT-24 05.16.45.000000000 PM	+00 00:16:35.000000	16.58	-00 00:16:35.000000	16.58
34603160	CS5692				CPLK	10.37 01-OCT-24 05.00.43.0000000000 PM	01-OCT-24 05.09.45.000000000 PM	+00 00:09:02.000000	9.03	-00 00:09:02.000000	9.03
34603683	CS5692				CPLK	37.34 01-OCT-24 05.13.59.000000000 PM	01-OCT-24 06.10.56.000000000 PM	+00 00:56:57.000000	56.95	-00 00:56:57.000000	56.95
34606714	CS5692				CPLK	33.68 01-OCT-2406.23.45.000000000 PM	01-OCT-24 06.55.15.000000000 PM	+00 00:31:30.000000	31.5	-00 00:31:30.000000	31.5
34608231	CS5691				CPLK	34.39 01-OCT-2406.59.09.0000000000 PM	01-OCT-24 07.27.00.000000000 PM	+00 00:27:51.000000	27.85	-00 00:27:51.000000	27.85
34611795	CS5692				CPLK	60.27 01-OCT-24 08.20.29.000000000 PM	01-OCT-24 09.11.53.000000000 PM	+00 00:51:24.000000		-00 00:51:24.000000	51.4
34615159	CS5691				CPLK	16.72 01-OCT-24 09.49.53.000000000 PM	01-OCT-24 10.35.58.000000000 PM	+00 00:46:05.000000	46.08	-00 00:46:05.000000	46.08
34622567	CS5692				CPLK	37.08 02-OCT-24 03.27.55.000000000 AM	02-OCT-24 04.01.08.0000000000 AM	+00 00:33:13.000000	33.22	-00 00:33:13.000000	33.22
34627890	CS5692				CPLK	40.33 02-OCT-2408.30.42.000000000 AM	02-OCT-24 09.16.45.000000000 AM	+00 00:46:03.000000	46.05	-00 00:46:03.000000	46.05
34629457	CS5691				CPLK	61.14 02-OCT-24 09.25.49.000000000 AM	02-OCT-24 10.17.33.000000000 AM	+00 00:51:44.000000	51.73	-00 00:51:44.000000	51.73
34629882	CS5692				CPLK	35.67 02-OCT-24 09.39.20.000000000 AM	02-OCT-24 10.02.14.000000000 AM	+00 00:22:54.000000	22.9	-00 00:22:54.000000	22.9
34630896	CS5692				CPLK	8.52 02-OCT-24 10.07.28.000000000 AM	02-OCT-24 10.14.45.000000000 AM	+00 00:07:17.000000		-00 00:07:17.000000	7.28
34631785	CS5692				CPLK	23.9 02-OCT-24 10.29.31.000000000 AM	02-OCT-24 11.05.28.0000000000 AM	+00 00:35:57.000000	35.95	-00 00:35:57.000000	35.95
34634704	CS5691				CPLK	41.52 02-OCT-2411.41.29.000000000 AM	02-OCT-24 12.10.58.000000000 PM	+00 00:29:29.000000	29.48	-00 00:29:29.000000	29.48
34637390	CS5692				CPLK	42.74 02-OCT-24 12.44.27.000000000 PM	02-OCT-24 01.18.35.000000000 PM	+00 00:34:08.000000	34.13	-00 00:34:08.000000	34.13
34637457	CS5691				CPLK	86.95 02-OCT-24 12.45.51.000000000 PM	02-OCT-24 01.58.39.000000000 PM	+00 01:12:48.000000	72.8	-00 01:12:48.000000	72.8
34639956	CS5692				CPLK	21.76 02-OCT-24 01.44.14.0000000000 PM	02-OCT-24 02.18.49.000000000 PM	+00 00:34:35.000000	34.58	-00 00:34:35.000000	34.58
34641776	CS5691				CPLK	50.69 02-OCT-24 02.23.25.000000000 PM	02-OCT-24 03,25,20,000000000 PM	+00 01:01:55.000000	61.92	-00 01:01:55.000000	61.92
34643716	CS5692				CPLK	36.52 02-OCT-2403.05.39.000000000 PM	02-OCT-24 04.03.24.000000000 PM	+00 00:57:45.000000	57.75	-00 00:57:45.000000	57.75
34648159	CS5691				CPLK	61.19 02-OCT-2404.43.30.0000000000 PM		+00 00:55:04.000000		-00 00:55:04.000000	55.07
34649671	CS5692				CPLK	9.04 02-OCT-2405.18.47.000000000 PM		+00 00:07:51.000000		-00 00:07:51.000000	7.85
34651079	CS5691				CPLK	49.87 02-OCT-24 05.49.33.000000000 PM		+00 00:31:34.000000		-00 00:31:34.000000	31.57
34651775	CS5692				CPLK	14.06 02-OCT-2406.04.18.000000000 PM		+00 00:11:52,000000		-00 00:11:52.000000	11.87
35168729	CS5692				CPLK	46.95 13-OCT-2406.16.42.0000000000 AM		+00 01:22:47.000000		-00 01:22:47.000000	82.78
35170227	CS5691				CPLK	5.56 13-OCT-24 07.27.23.000000000 AM	13-OCT-24 07.40.34.000000000 AM	+00 00:13:11.000000	13.18	-00 00:13:11.000000	13.18
35172105	CS5692				CPLK	7.47 13-OCT-24 08.39.01.000000000 AM	13-OCT-24 08.49.14.000000000 AM	+00 00:10:13.000000	10.22	-00 00:10:13.000000	10.22

	SESSION_ID	CHARGER_ID	ADDRESS	СІТУ	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DITM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION	TOTAL DURATION MINUTES
35172690	CS5691				CPLK	38.83 13-OCT-2408.57.25.000000000 AM	13-OCT-24 09.25.26.000000000 AM	+00 00:28:01.000000		-00 00:28:01.000000	28.02
35172974	CS5692				CPLK	35.1 13-OCT-24 09.06.50.0000000000 AM	13-OCT-24 09.41.24.000000000 AM	+00 00:34:34.000000	34.57	-00 00:34:34.000000	34.57
35175903	CS5691				CPLK	23.8 13-OCT-24 10.19.44.000000000 AM	13-OCT-24 10.50.05.0000000000 AM	+00 00:30:21.000000	30.35	-00 00:30:21.000000	30.35
35175920	CS5692				CPLK	72.91 13-OCT-24 10.20.11.000000000 AM	13-OCT-24 11.16.42.000000000 AM	+00 00:56:31.000000	56.52	-00 00:56:31.000000	56.52
35177839	CS5691				CPLK	36.51 13-OCT-24 11.02.23.0000000000 AM	13-OCT-24 11.33.17.000000000 AM	+00 00:30:54.000000	30.9	-00 00:30:54.000000	30.9
35180556	CS5692				CPLK	37.46 13-OCT-2411.55.41.000000000 AM	13-OCT-24 12.37.18.000000000 PM	+00 00:41:37.000000	41.62	-00 00:41:37.000000	41.62
35183607	CS5691				CPLK	44.27 13-OCT-2412.51.32.000000000 PM	13-OCT-24 01.22.16.000000000 PM	+00 00:30:44.000000		-00 00:30:44.000000	30.73
35183637	CS5692				CPLK	38.07 13-OCT-24 12.52.15.000000000 PM	13-OCT-24 01,20,08,000000000 PM	+00 00:27:53.000000		-00 00:27:53.000000	27.88
35186678	CS5692				CPLK	42.15 13-OCT-24 01.47.37.000000000 PM	13-OCT-24 02.41.43.000000000 PM	+00 00:54:06.000000		-00 00:54:06.000000	54.1
35186788	CS5691				CPLK	38.55 13-OCT-24 01.49.17.0000000000 PM	13-OCT-24 02.36.52.000000000 PM	+00 00:47:35.000000		-00 00:47:35.000000	47.58
35189677	CS5691				CPLK	17.37 13-OCT-2402.39.54.000000000 PM	13-OCT-24 03.06.57.000000000 PM	+00 00:27:03.000000		-00 00:27:03.000000	27.05
35190650	CS5692				CPLK	120.56 13-OCT-24 02.56.37.000000000 PM	13-OCT-24 04,18,24,000000000 PM	+00 01:21:47.000000		-00 01:21:47.000000	81.78
35191587	CS5691				CPLK	35.68 13-OCT-24 03.12.07.0000000000 PM	13-OCT-24 03.46.18.0000000000 PM	+00 00:34:11.000000		-00 00:34:11.000000	34.18
35198638	CS5691				CPLK	29.97 13-OCT-24 05.21.41.000000000 PM	13-OCT-24 05.56.07.0000000000 PM	+00 00:34:26.000000		-00 00:34:26.000000	34.43
35199094	C\$5692				CPLK	25.7 13-OCT-24 05.30.21.0000000000 PM	13-OCT-24 05.55.53.0000000000 PM	+00 00:25:32.000000		-00 00:25:32.000000	25.53
35201892	CS5692				CPLK	47.88 13-OCT-24 06.22.31.0000000000 PM	13-OCT-24 07.35.42.0000000000 PM	+00 01:13:11.000000		-00 01:13:11.000000	73.18
35203799	CS5691				CPLK	25.34 13-OCT-24 07.01.08.000000000 PM	13-OCT-24 07.41.48.000000000 PM	+00 00:40:40.000000		-00 00:40:40.000000	40.67
35206991	CS5691				CPLK	38.75 13-OCT-24 08.09.07.0000000000 PM	13-OCT-24 08.55.02.000000000 PM	+00 00:45:55.000000		-00 00:45:55.000000	45.92
35208727	CS5692				CPLK	24.05 13-OCT-24 08.50,23.000000000 PM	13-OCT-24 09.10.31.000000000 PM	+00 00:20:08.000000		-00 00:45:55:000000	20.13
35211900	CS5692				CPLK	30.02 13-OCT-24 10.10.57.000000000 PM	13-OCT-24 10.55.39.000000000 PM	+00 00:20:08:000000		-00 00:44:42.000000	44.7
35221544	CS5692				CPLK	45.81 14-OCT-24 05.46.31.000000000 AM	14-OCT-24 06.29.31.0000000000 AM	+00 00:43:00.000000		-00 00:43:00.00000	43
35225615					CPLK	54.84 14-OCT-24 08.38.23.000000000 AM		+00 00:36:02.000000		-00 00:36:02.000000	36.03
	CS5692				CPLK		14-OCT-24 09.14.25.000000000 AM 14-OCT-24 09.07.13.000000000 AM	+00 00:33:02:000000			7.3
35226310	CS5691					4.16 14-OCT-24 08.59.55.0000000000 AM 45.15 14-OCT-24 09.16.59.000000000 AM		+00 00:47:51.000000		-00 00:07:18.000000	47.85
35226835	CS5692				CPLK		14-OCT-24 10.04.50.0000000000 AM			-00 00:47:51.000000	84.88
35226871	CS5691				CPLK	40.45 14-OCT-24 09.18.29.0000000000 AM	14-OCT-24 10.43.22.0000000000 AM	+00 01:24:53.000000		-00 01:24:53.000000	
35230377	CS5692	-			CPLK	150.08 14-OCT-24 10.45,38.0000000000 AM	14-OCT-24 12.45.28.0000000000 PM	+00 01:59:50.000000		-00 01:59:50.000000	119.83
35232790	CS5691				CPLK	50.01 14-OCT-24 11.38.08.0000000000 AM	14-OCT-24 12.35.29.0000000000 PM	+00 00:57:21.000000		-00 00:57:21.000000	57.35
35667440	CS5691				CPLK	49.29 23-OCT-24 07.02.54.0000000000 AM	23-OCT-24 07.36.23.0000000000 AM	+00 00:33:29.000000		-00 00:33:29.000000	33.48
35670533	CS5691				CPLK	43.97 23-OCT-24 09.06.28.0000000000 AM	23-OCT-24 10.08.30.0000000000 AM	+00 01:02:02.000000		-00 01:02:02.000000	62.03
35674884	CS5691				CPLK	60.36 23-OCT-2411.14.26.0000000000 AM	23-OCT-24 12.27.50.0000000000 PM	+00 01:13:24.000000		-00 01:13:24.000000	73.4
35677047	CS5692				CPLK	32.09 23-OCT-24 12.07.41.000000000 PM	23-OCT-24 12.43.05.0000000000 PM	+00 00:35:24.000000		-00 00:35:24.000000	35.4
35679060	CS5692				CPLK	33.98 23-OCT-24 12.55.04.000000000 PM	23-OCT-24 01.51.16.0000000000 PM	+00 00:56:12.000000		-00 00:56:12.000000	56.2
35681167	CS5691				CPLK	15.69 23-OCT-24 01.44.55.0000000000 PM	23-OCT-24 02.05.02.0000000000 PM	+00 00:20:07.000000		-00 00:20:07.000000	20.12
35681831	CS5692				CPLK	32.16 23-OCT-2401.59,36,0000000000 PM	23-OCT-24 03.07.03.000000000 PM	+00 01:07:27.000000		-00 01:07:27.000000	67.45
35683413	CS5691				CPLK	17.64 23-OCT-2402.34.12.0000000000 PM	23-OCT-24 02.54.54.0000000000 PM	+00 00:20:42.000000		-00 00:20:42.000000	20.7
35686004	CS5691				CPLK	40.12 23-OCT-24 03.31.07.000000000 PM	23-OCT-24 03.56.49.000000000 PM	+00 00:25:42.000000		-00 00:25:42.000000	25.7
35686793	CS5692				CPLK	17.33 23-OCT-24 03.49.38,0000000000 PM	23-OCT-24 04.23.12.0000000000 PM	+00 00:33:34.000000		-00 00:33:34.000000	33.57
35689474	CS5691				CPLK	44.84 23-OCT-2404.51.11.0000000000 PM	23-OCT-24 06.01.05.0000000000 PM	+00 01:09:54.000000		-00 01:09:54.000000	69.9
35692297	CS5692				CPLK	41.18 23-OCT-2405.55.20.000000000 PM	23-OCT-24 06.31.05.000000000 PM	+00 00:35:45.000000		-00 00:35:45.000000	35.75
35692734	CS5691				CPLK	34.69 23-OCT-2406.05,39.0000000000 PM	23-OCT-24 06.42.33.000000000 PM	+00 00:36:54.000000		-00 00:36:54.000000	36.9
35696090	CS5691				CPLK	31.12 23-OCT-24 07.22.16.000000000 PM	23-OCT-24 07.41.50.000000000 PM	+00 00:19:34.000000		-00 00:19:34.000000	19.57
35701720	CS5692				CPLK	41.82 23-OCT-24 09.50.28.000000000 PM	23-OCT-24 11.02.54.000000000 PM	+00 01:12:26.000000		-00 01:12:26.000000	72.43
35705267	CS5692				CPLK	96.74 23-OCT-24 11.44,47,000000000 PM	24-OCT-24 01.15.51.0000000000 AM	+00 01:31:04.000000		-00 01:31:04.000000	91.07
35710887	CS5692				CPLK	46.97 24-OCT-24 05.06.34.000000000 AM	24-OCT-24 06.20.01.000000000 AM	+00 01:13:27.000000		-00 01:13:27.000000	73.45
29362453	CS5692				CPLK	31.37 15-JUN-24 02.45.46.000000000 PM	15-JUN-24 03.28.57.000000000 PM	+00 00:43:11.000000		-00 00:43:11.000000	43.18
29362487	CS5694				CPLK	47.56 15-JUN-2402,46.28.000000000 PM	15-JUN-24 03.29.13.000000000 PM	+00 00:42:45.000000		-00 00:42:45.000000	42.75
29362904	CS5695				CPLK	17.59 15-JUN-2402.55.16.000000000 PM	15-JUN-24 03.03.11.000000000 PM	+00 00:07:55.000000		-00 00:07:55.000000	7.92
29363445	CS5695				CPLK	10.76 15-JUN-2403.06.32.000000000 PM	15-JUN-24 03.12.24.000000000 PM	+00 00:05:52.000000		-00 00:05:52.000000	5.87
29365169	CS5695				CPLK	48.03 15-JUN-24 03.40.39.000000000 PM	15-JUN-24 04.08.58.000000000 PM	+00 00:28:19.000000		-00 00:28:19.000000	28.32
29365632	CS5691				CPLK	48.78 15-JUN-24 03.49.14.0000000000 PM	15-JUN-24 04.34.57.000000000 PM	+00 00:45:43.000000		-00 00:45:43.000000	45.72
29366419	CS5692				CPLK	31.35 15-JUN-24 04.05.49.000000000 PM	15-JUN-24 04.42.17.000000000 PM	+00 00:36:28.000000		-00 00:36:28.000000	36.47
29368868	CS5695				CPLK	34.07 15-JUN-24 04.54.35.000000000 PM	15-JUN-24 05.43.03.000000000 PM	+00 00:48:28.000000	48.47	-00 00:48:28.000000	48.47
29369028	CS5694				CPLK	38.55 15-JUN-24 04.57.28.000000000 PM	15-JUN-24 05.11.15.000000000 PM	+00 00:13:47.000000	13.78	-00 00:13:47.000000	13.78

	SESSION_ID	CHARGER_ID	ADDRESS	CITY STATE Z	JURISDIC TION	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
29369662	CS5692				CPLK	16.26 15-JUN-24 05.09.41.000000000 PM	15-JUN-24 05.22.40.000000000 PM	+00 00:12:59.000000	12.98	-00 00:12:59.000000	12.98
29370321	CS5691		* <u>-</u>		CPLK	24.3 15-JUN-24 05.23.04.000000000 PM	15-JUN-24 05.51.09.000000000 PM	+00 00:28:05.000000	28.08	-00 00:28:05.000000	28.08
29370520	CS5694				CPLK	17.43 15-JUN-24 05,27,53,000000000 PM	15-JUN-24 05.45.13.000000000 PM	+00 00:17:20.000000	17.33	-00 00:17:20.000000	17.33
29372297	CS5692				CPLK	62.45 15-JUN-24 06.04.17.000000000 PM	15-JUN-24 07.22.51.000000000 PM	+00 01:18:34.000000	78.57	-00 01:18:34.000000	78.57
29372474	CS5695				CPLK	39.71 15-JUN-24 06.07.57.000000000 PM	15-JUN-24 07.16.15.000000000 PM	+00 01:08:18.000000	68.3	-00 01:08:18.000000	68.3
29378211	CS5695				CPLK	50.5 15-JUN-24 08.18.11.000000000 PM	15-JUN-24 08.40.58.000000000 PM	+00 00:22:47.000000	22.78	-00 00:22:47.000000	22.78
29381578	CS5691				CPLK	10.43 15-JUN-24 09.45.10.000000000 PM	15-JUN-24 09.54.06.000000000 PM	+00 00:08:56.000000	8.93	-00 00:08:56.000000	8.93
29388081	CS5692				CPLK	46.14 16-JUN-2401,36,25,0000000000 AM	16-JUN-24 02.48.09.000000000 AM	+00 01:11:44.000000	71.73	-00 01:11:44.000000	71.73
37915231	CS5695				CPLK	37.56 06-DEC-24 03.24.44.000000000 PM	06-DEC-24 03.44.12.000000000 PM	+00 00:19:28.000000	19.47	-00 00:19:28.000000	19.47
37916183	CS5694				CPLK	33.05 06-DEC-24 03.42.19.000000000 PM	06-DEC-24 04.57.04.000000000 PM	+00 01;14;45.000000	74.75	-00 01:14:45.000000	74.75
37917526	CS5695				CPLK	50.96 06-DEC-24 04.05.37.0000000000 PM	06-DEC-24 05.41.10.000000000 PM	+00 01:35:33.000000	95.55	-00 01:35:33.000000	95.55
37917899	CS5691				CPLK	40.18 06-DEC-2404.12.24.000000000 PM	06-DEC-24 05.02.42.000000000 PM	+00 00:50:18.000000	50.3	-00 00:50:18.000000	50.3
37919460	CS5692				CPLK	56.69 06-DEC-24 04.40.03.0000000000 PM	06-DEC-24 05.42.10.000000000 PM	+00 01:02:07.000000	62.12	-00 01:02:07.000000	62.12
37920596	CS5694				CPLK	38.47 06-DEC-24 05.02.09.000000000 PM	06-DEC-24 05.39.02.000000000 PM	+00 00:36:53.000000	36.88	-00 00:36:53.000000	36.88
37921267	CS5691				CPLK	34.23 06-DEC-24 05.14.04.0000000000 PM	06-DEC-24 05.39.47.000000000 PM	+00 00:25:43.000000	25.72	-00 00:25:43.000000	25.72
37922957	CS5695				CPLK	58.58 06-DEC-24 05.47.37.0000000000 PM	06-DEC-24 06.55.34.000000000 PM	+00 01:07:57.000000	67.95	-00 01:07:57.000000	67.95
37923212	CS5694				CPLK	50.34 06-DEC-2405.52.52.0000000000 PM	06-DEC-24 06.45.05.000000000 PM	+00 00:52:13.000000	52.22	-00 00:52:13.000000	52.22
38227806	CS5695				CPLK	29.25 12-DEC-24 05.22.02.0000000000 PM	12-DEC-24 05.38.01.000000000 PM	+00 00:15:59.000000	15.98	-00 00:15:59.000000	15.98
38231131	CS5694				CPLK	57.06 12-DEC-24 06.21.53.0000000000 PM	12-DEC-24 07.00.49.000000000 PM	+00 00:38:56.000000	38.93	-00 00:38:56.000000	38.93
38231495	CS5691				CPLK	34.68 12-DEC-2406.29.03.0000000000 PM	12-DEC-24 07.36.58.000000000 PM	+00 01:07:55.000000	67.92	-00 01:07:55.000000	67.92
38231631	CS5695				CPLK	29.59 12-DEC-2406.31.16.0000000000 PM	12-DEC-24 08.40.33.000000000 PM	+00 02:09:17.000000	129.28	-00 02:09:17.000000	129.28
38232668	CS5692				CPLK	40.64 12-DEC-24 06.52.20.000000000 PM	12-DEC-24 07.56,37,000000000 PM	+00 01:04:17.000000	64.28	-00 01:04:17.000000	64.28
38235166	CS5691				CPLK	47.31 12-DEC-24 07.40.46.000000000 PM	12-DEC-24 09.41.04.000000000 PM	+00 02:00:18.000000	120.3	-00 02:00:18.000000	120.3
38235290	CS5694				CPLK	66.87 12-DEC-24 07.43.36.000000000 PM	12-DEC-24 08.44.01.000000000 PM	+00 01:00:25.000000	60.42	-00 01:00:25.000000	60.42
38239425	CS5695				CPLK	32.23 12-DEC-24 09.10.10.0000000000 PM	12-DEC-24 10.04.11.000000000 PM	+00 00:54:01.000000	54.02	-00 00:54:01.000000	54.02
38242190	CS5692		- C /		CPLK	9.58 12-DEC-24 10.16.39.0000000000 PM	12-DEC-24 10.47.24.000000000 PM	+00 00:30:45.000000	30.75	-00 00:30:45.000000	30.75
38242909	CS5695				CPLK	44.19 12-DEC-24 10.35.14.000000000 PM	12-DEC-24 11.36.29,000000000 PM	+00 01:01:15.000000	61.25	-00 01:01:15.000000	61.25
38243559	CS5694				CPLK	57.42 12-DEC-24 10.53.02.0000000000 PM	12-DEC-24 11.47.27.000000000 PM	+00 00:54:25.000000	54.42	-00 00:54:25.000000	54.42
38247151	CS5692				CPLK	30.23 13-DEC-24 12.50.44.0000000000 AM	13-DEC-24 02.09.52.000000000 AM	+00 01:19:08.000000	79.13	-00 01:19:08.000000	79.13
38247375	CS5695				CPLK	6.6 13-DEC-2401.00.33.0000000000 AM	13-DEC-24 01.24.17.000000000 AM	+00 00:23:44.000000	23.73	-00 00:23:44.000000	23.73
38248068	CS5691				CPLK	29.23 13-DEC-24 01.29.37.0000000000 AM	13-DEC-24 02.31.43.000000000 AM	+00 01:02:06.000000		-00 01:02:06.000000	62.1
38249673	CS5695				CPLK	48.81 13-DEC-24 02.36.33.0000000000 AM	13-DEC-24 03.27.08.000000000 AM	+00 00:50:35.000000	50.58	-00 00:50:35.000000	50.58
38250305	CS5691				CPLK	50.63 13-DEC-2403.11.01.0000000000 AM	13-DEC-24 04.55.00.000000000 AM	+00 01:43:59.000000	103.98	-00 01:43:59.000000	103.98
38250778	CS5694				CPLK	52.5 13-DEC-24 03.41.49.000000000 AM	13-DEC-24 04.38.32.000000000 AM	+00 00:56:43.000000	56.72	-00 00:56:43.000000	56.72
38253499	CS5694				CPLK	35.16 13-DEC-24 06.06.27.0000000000 AM	13-DEC-24 06.56.33.000000000 AM	+00 00:50:06.000000		-00 00:50:06.000000	50.1
38256276	CS5695				CPLK	9.54 13-DEC-24 07.40.09.000000000 AM	13-DEC-24 07.50.01.000000000 AM	+00 00:09:52.000000	9.87	-00 00:09:52.000000	9.87
38257417	CS5695				CPLK	44.4 13-DEC-2408.12.07.0000000000 AM	13-DEC-24 09.17.28.000000000 AM	+00 01:05:21.000000	65.35	-00 01:05:21.000000	65.35
38257959	CS5694				CPLK	23.9 13-DEC-24 08.26.16.0000000000 AM	13-DEC-24 09.51.51.000000000 AM	+00 01:25:35.000000	85.58	-00 01:25:35.000000	85.58
38259242	CS5691				CPLK	29.03 13-DEC-24 08.55.54.000000000 AM	13-DEC-24 09.19.42.000000000 AM	+00 00:23:48.000000		-00 00:23:48.000000	23.8
38259583	CS5692				CPLK	26.18 13-DEC-24 09.04.04.0000000000 AM	13-DEC-24 09.30.02.000000000 AM	+00 00:25:58.000000	25.97	-00 00:25:58.000000	25.97
38261244	CS5695				CPLK	3.81 13-DEC-24 09.41.47.0000000000 AM	13-DEC-24 09.50.55.000000000 AM	+00 00:09:08.000000		-00 00:09:08.000000	9.13
38264918	CS5695				CPLK	59.4 13-DEC-24 10.54.44.000000000 AM	13-DEC-24 11.53.37.000000000 AM	+00 00:58:53.000000		-00 00:58:53.000000	58.88
38265276	CS5694				CPLK	53.95 13-DEC-24 11.01.14.000000000 AM	13-DEC-24 12.00.46.000000000 PM	+00 00:59:32.000000		-00 00:59:32.000000	59.53
38267134	CS5691				CPLK	47.91 13-DEC-24 11.33.46.0000000000 AM	13-DEC-24 12.13.51.000000000 PM	+00 00:40:05.000000	40.08	-00 00:40:05.000000	40.08
38267404	CS5692				CPLK	36.93 13-DEC-2411.38.50.0000000000 AM	13-DEC-24 12.35.40.000000000 PM	+00 00:56:50.000000		-00 00:56:50.000000	56.83
38269554	CS5694				CPLK	2.36 13-DEC-24 12.16.45.0000000000 PM	13-DEC-24 12.19.51.000000000 PM	+00 00:03:06.000000	3.1	-00 00:03:06.000000	3.1
38269864	CS5694				CPLK	12.96 13-DEC-24 12.22.10.000000000 PM	13-DEC-24 12.43.51.000000000 PM	+00 00:21:41.000000		-00 00:21:41.000000	21.68
38669740	CS5694				CPLK	11.79 20-DEC-24 06.51.37.000000000 PM	20-DEC-24 07.01.59.000000000 PM	+00 00:10:22,000000		-00 00:10:22.000000	10.37
38672452	CS5695				CPLK	22.8 20-DEC-2407.44.30.000000000 PM	20-DEC-24 08.38.34.000000000 PM	+00 00:54:04.000000		-00 00:54:04.000000	54.07
38672704	CS5692				CPLK	39.99 20-DEC-2407.50.05.0000000000 PM	20-DEC-24 08.32.18.000000000 PM	+00 00:42:13.000000		-00 00:42:13.000000	42.22
38673611	CS5691				CPLK	46.36 20-DEC-24 08.09.15.0000000000 PM	20-DEC-24 09.07.50.000000000 PM	+00 00:58:35.000000		-00 00:58:35.000000	58.58
38675122	CS5695				CPLK	47.12 20-DEC-24 08.41.36.000000000 PM	20-DEC-24 09.20.00.000000000 PM	+00 00:38:24.000000		-00 00:38:24.000000	38.4
38676134	CS5692				CPLK	14.84 20-DEC-2409.05.06.0000000000 PM	20-DEC-24 09.18.03.000000000 PM	+00 00:12:57.000000	12.95	-00 00:12:57.000000	12.95
			9								

	SESSION_ID	CHARGER_ID	ADDRESS	СІТУ	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
38677288	CS5692				CPLK	40.75 20-DEC-2409.33.58.000000000 PM	20-DEC-24 10.53.12.000000000 PM	+00 01:19:14.000000	79.23	-00 01:19:14.000000	79.23
38677690	CS5691				CPLK	56.36 20-DEC-24 09.43.45.000000000 PM	20-DEC-24 11.28.39.000000000 PM	+00 01:44:54.000000	104.9	-00 01:44:54.000000	104.9
38680222	CS5695	- 1			CPLK	27.15 20-DEC-24 10.48.59.000000000 PM	20-DEC-24 11.57.58.000000000 PM	+00 01:08:59.000000	68.98	-00 01:08:59.000000	68.98
38684604	CS5695				CPLK	75.88 21-DEC-24 01.09.48.000000000 AM	21-DEC-24 02.11.52.000000000 AM	+00 01:02:04.000000	62.07	-00 01:02:04.000000	62.07
38685296	CS5691				CPLK	38.32 21-DEC-2401.39.35.000000000 AM	21-DEC-24 02.12.19.000000000 AM	+00 00:32:44.000000	32.73	-00 00:32:44.000000	32.73
38693703	CS5691				CPLK	47.25 21-DEC-24 08.18.06.000000000 AM	21-DEC-24 08.59.45.000000000 AM	+00 00:41:39.000000	41.65	-00 00:41:39.000000	41.65
38694215	CS5692				CPLK	24.05 21-DEC-24 08.33.29.000000000 AM	21-DEC-24 09.50.15.000000000 AM	+00 01:16:46.000000	76.77	-00 01:16:46.000000	76.77
38695295	CS5695				CPLK	47.86 21-DEC-2409.00.31.000000000 AM	21-DEC-24 10.36.23.000000000 AM	+00 01:35:52.000000	95.87	-00 01:35:52.000000	95.87
38697695	CS5694				CPLK	44.98 21-DEC-2409.54.51.000000000 AM	21-DEC-24 10.12.31.000000000 AM	+00 00:17:40.000000	17.67	-00 00:17:40.000000	17.67
38697965	CS5692				CPLK	50.52 21-DEC-24 10.00.16.000000000 AM	21-DEC-24 11.09.31.000000000 AM	+00 01:09:15.000000	69.25	-00 01:09:15.000000	69.25
38698663	CS5694				CPLK	53.65 21-DEC-24 10.13.59.000000000 AM	21-DEC-24 10.37.09.000000000 AM	+00 00:23:10.000000	23.17	-00 00:23:10.000000	23.17
38700002	CS5695				CPLK	26.2 21-DEC-24 10.38.51.000000000 AM	21-DEC-24 11.03.06.000000000 AM	+00 00:24:15.000000	24.25	-00 00:24:15.000000	24.25
38700228	CS5694				CPLK	48.49 21-DEC-24 10.42,36,000000000 AM	21-DEC-24 12.50.12.000000000 PM	+00 02:07:36.000000	127.6	-00 02:07:36.000000	127.6
38701656	CS5695				CPLK	87.33 21-DEC-24 11.08.39.000000000 AM	21-DEC-24 12.44,32,000000000 PM	+00 01:35:53.000000	95.88	-00 01:35:53.000000	95.88
38701828	CS5692				CPLK	45.58 21-DEC-24 11.11.35.000000000 AM	21-DEC-24 11.56.17.000000000 AM	+00 00:44:42.000000	44.7	-00 00:44:42.000000	44.7
38703031	CS5691				CPLK	59.1 21-DEC-24 11.33.35.000000000 AM	21-DEC-24 12.22.39.000000000 PM	+00 00:49:04.000000	49.07	-00 00:49:04.000000	49.07
38706092	CS5692				CPLK	35.54 21-DEC-2412.23.15.000000000 PM	21-DEC-24 12.58.29.000000000 PM	+00 00:35:14.000000	35.23	-00 00:35:14.000000	35.23
38711778	CS5695				CPLK	55.12 21-DEC-24 01.57.17.0000000000 PM	21-DEC-24 02.33.15.000000000 PM	+00 00:35:58.000000	35.97	-00 00:35:58.000000	35.97
38716026	CS5695				CPLK	78.15 21-DEC-24 03.04.23.000000000 PM	21-DEC-24 04.34.34.000000000 PM	+00 01:30:11.000000	90.18	-00 01:30:11.000000	90.18
38716671	CS5692				CPLK	81.63 21-DEC-2403.14.44.000000000 PM	21-DEC-24 04.55.08.000000000 PM	+00 01:40:24.000000		-00 01:40:24.000000	100.4
38718418	CS5691				CPLK	66.83 21-DEC-2403.41.00.000000000 PM	21-DEC-24 05.06.14.000000000 PM	+00 01:25:14.000000	85.23	-00 01:25:14.000000	85.23
38719091	CS5694				CPLK	60.74 21-DEC-24 03.53.03.000000000 PM	21-DEC-24 04.57.43.000000000 PM	+00 01:04:40.000000		-00 01:04:40.000000	64.67
38721892	CS5695				CPLK	77.65 21-DEC-24 04.38.13.000000000 PM	21-DEC-24 05.11.38.000000000 PM	+00 00:33:25.000000	33.42	-00 00:33:25.000000	33.42
38723228	CS5694				CPLK	60.22 21-DEC-24 05.01.06.000000000 PM	21-DEC-24 05.45.34.000000000 PM	+00 00:44:28.000000		-00 00:44:28.000000	44.47
39221639	CS5695				CPLK	48.06 31-DEC-24 12.32.27.000000000 PM	31-DEC-24 12.57.16.000000000 PM	+00 00:24:49.000000		-00 00:24:49.000000	24.82
39222794	CS5694	4			CPLK	40.16 31-DEC-24 12.55.15.0000000000 PM	31-DEC-24 01.31.03.000000000 PM	+00 00:35:48.000000		-00 00:35:48.000000	35.8
39224598	CS5695				CPLK	24.96 31-DEC-24 01.26.04.000000000 PM	31-DEC-24 01.38.27,000000000 PM	+00 00:12:23.000000		-00 00:12:23.000000	12.38
39225121	CS5691				CPLK	44.61 31-DEC-24 01.36.06.0000000000 PM	31-DEC-24 02.21.27.000000000 PM	+00 00:45:21.000000		-00 00:45:21.000000	45.35
39225957	CS5695				CPLK	64.58 31-DEC-2401.51.32.000000000 PM	31-DEC-24 03.52.02.000000000 PM	+00 02:00:30.000000		-00 02:00:30.000000	120.5
39226909	CS5694				CPLK	50.72 31-DEC-24 02.09.00.000000000 PM	31-DEC-24 02.47.54.000000000 PM	+00 00:38:54.000000		-00 00:38:54.000000	38.9
39227976	CS5691				CPLK	38.15 31-DEC-24 02.29.44.000000000 PM	31-DEC-24 02.57.48.000000000 PM	+00 00:28:04.000000		-00 00:28:04.000000	28.07
37190404	CS5692				CPLK	78.79 22-NOV-24 10.13.06.000000000 PM	22-NOV-24 11.55.38.000000000 PM	+00 01:42:32.000000		-00 01:42:32.000000	102.53
37191736	CS5695				CPLK	10.21 22-NOV-24 10.50.03.000000000 PM	22-NOV-24 11.17.58.000000000 PM	+00 00:27:55.000000		-00 00:27:55.000000	27.92
37192392	CS5691				CPLK	13.07 22-NOV-24 11,17.43,0000000000 PM	22-NOV-24 11.33,34.000000000 PM	+00 00:15:51.000000		-00 00:15:51.000000	15.85
37192760	CS5695				CPLK	8.29 22-NOV-24 11.24.25.0000000000 PM	22-NOV-24 11.34.01.000000000 PM	+00 00:09:36.000000		-00 00:09:36.000000	9.6
37193528	CS5695				CPLK	52.81 22-NOV-24 11.47.02.0000000000 PM	23-NOV-24 12.16.19.0000000000 AM	+00 00:29:17.000000		-00 00:29:17.000000	29.28
37193780	CS5694				CPLK	61.86 22-NOV-2411.55.18.0000000000 PM	23-NOV-24 12,37,19,000000000 AM	+00 00:42:01.000000		-00 00:42:01.000000	42.02
37194888	CS5695				CPLK	51.08 23-NOV-24 12.34.11.000000000 AM	23-NOV-24 02.00.39.0000000000 AM	+00 01:26:28.000000		-00 01:26:28.000000	86.47
37195173	CS5694				CPLK	24.74 23-NOV-24 12.45.47.0000000000 AM	23-NOV-24 01.07.52.0000000000 AM	+00 00:22:05.000000		-00 00:22:05.000000	22.08
37195226	CS5692				CPLK	3.79 23-NOV-24 12.47.10.0000000000 AM	23-NOV-24 12.50,31,0000000000 AM	+00 00:03:21.000000		-00 00:03:21.000000	3.35
37195311	CS5691				CPLK	34 23-NOV-24 12.50.55.0000000000 AM	23-NOV-24 02.24.53.0000000000 AM	+00 01:33:58.000000		-00 01:33:58.000000	93.97
37195351	CS5692				CPLK	42.66 23-NOV-24 12.52.34.0000000000 AM	23-NOV-24 02.19.08.000000000 AM	+00 01:26:34.000000		-00 01:26:34.000000	86.57
37199838	CS5692				CPLK	39 23-NOV-24 04.38.42.0000000000 AM	23-NOV-24 05.48.04.0000000000 AM	+00 01:09:22.000000		-00 01:09:22.000000	69.37
37202199	CS5695				CPLK	36.96 23-NOV-24 06.37.40.0000000000 AM	23-NOV-24 07.21.12.0000000000 AM	+00 00:43:32.000000		-00 00:43:32.000000	43.53
37207158	CS5694				CPLK CPLK	34.94 23-NOV-24 09.16.48.0000000000 AM	23-NOV-24 10.21.34.000000000 AM 23-NOV-24 11.49.50.000000000 AM	+00 01:04:46.000000		-00 01:04:46.000000	64.77 43.83
37212195	CS5692					32.03 23-NOV-24 11.06.00.0000000000 AM		+00 00:43:50.000000		-00 00:43:50.000000	
37216331	CS5694				CPLK	59.18 23-NOV-24 12.24.01.000000000 PM				-00 00:47:54.000000	47.9
37216474	CS5692				CPLK	26.85 23-NOV-24 12.26.17.000000000 PM				-00 00:26:15.000000	26.25
37216616	CS5695				CPLK	31.44 23-NOV-24 12.28.36.000000000 PM				-00 00:15:01.000000	15.02
37217553	CS5691				CPLK CPLK	59.33 23-NOV-24 12.44.56.000000000 PM 35.42 23-NOV-24 12.52.02.000000000 PM		+00 00:42:39.000000		-00 00:42:39.000000	42.65 38.75
37217949 37218967	CS5695 CS5692				CPLK	36.48 23-NOV-24 01.08.52.0000000000 PM		+00 00:38:45.000000		-00 00:38:45.000000 -00 00:30:28.000000	30.47
	CS5692				CPLK	25.74 23-NOV-24 01.08.52.000000000 PM				-00 00:56:40.00000	56.67
37221027	C55092				CPLK	Z3.14 Z3-NOV-Z4 V1.43.31.00000000 PM	ZO-140/4-24 UZ,4U,31,0UUUUUUUU PM	***************************************	50.07	-00 00:30:40.000000	30.07

	SESSION_ID	CHARGER_ID	ADDRESS CITY	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
37222100	CS5695			CPLK	99.4 23-NOV-2402.03.37.000000000 PM	23-NOV-24 02.46.50.000000000 PM	+00 00:43:13.000000	43.22	-00 00:43:13.000000	43.22
37222445	CS5694			CPLK	45.88 23-NOV-24 02.09.38.000000000 PM	23-NOV-24 03.25.10.000000000 PM	+00 01:15:32.000000	75.53	-00 01:15:32.000000	75.53
37223497	CS5691			CPLK	22.42 23-NOV-24 02.27.28.000000000 PM	23-NOV-24 03.11.41.000000000 PM	+00 00:44:13.000000	44.22	-00 00:44:13.000000	44.22
37553137	CS5692			CPLK	46.37 29-NOV-2409.20.02.0000000000 PM	29-NOV-24 10.30.41.000000000 PM	+00 01;10:39.000000	70.65	-00 01:10:39.000000	70.65
37553413	CS5695			CPLK	68.62 29-NOV-24 09.26,57,000000000 PM	29-NOV-24 09.57.41.000000000 PM	+00 00:30:44.000000	30.73	-00 00:30:44.000000	30.73
37554125	CS5691			CPLK	8.8 29-NOV-24 09.45.41.000000000 PM	29-NOV-24 10.02.00.000000000 PM	+00 00:16:19.000000	16.32	-00 00:16:19.000000	16.32
37555962	CS5694			CPLK	5.09 29-NOV-24 10.32.03.0000000000 PM	29-NOV-24 10.36.35.000000000 PM	+00 00:04:32,000000	4.53	-00 00:04:32.000000	4.53
37556032	CS5692			CPLK	41.7 29-NOV-24 10.34.12.000000000 PM	29-NOV-24 11.13.17.000000000 PM	+00 00:39:05.000000	39.08	-00 00:39:05.000000	39.08
37556385	CS5695			CPLK	62.43 29-NOV-24 10.44.48.000000000 PM	30-NOV-24 12.35.01.000000000 AM	+00 01:50:13.000000	110.22	-00 01:50:13.000000	110.22
37558960	CS5694			CPLK	69.4 30-NOV-24 12.03.45.000000000 AM	30-NOV-24 12.35.27.000000000 AM	+00 00:31:42.000000	31.7	-00 00:31:42.000000	31.7
37560142	CS5691			CPLK	44.39 30-NOV-24 12.47.06.000000000 AM	30-NOV-24 02.40.26.0000000000 AM	+00 01:53:20,000000	113.33	-00 01:53:20.000000	113.33
37560657	CS5695			CPLK	22.07 30-NOV-24 01.09.22.000000000 AM	30-NOV-24 02.07.35.0000000000 AM	+00 00:58:13.000000	58.22	-00 00:58:13.000000	58.22
37565656	CS5694			CPLK	43.56 30-NOV-2405.34.09.000000000 AM	30-NOV-24 06.59.20.000000000 AM	+00 01:25:11.000000	85.18	-00 01:25:11.000000	85.18
37567014	CS5692			CPLK	34.34 30-NOV-24 06.39.25.000000000 AM	30-NOV-24 07.30.15.0000000000 AM	+00 00:50:50.000000	50.83	-00 00:50:50.000000	50.83
37568062	CS5695			CPLK	31 30-NOV-24 07.20.39.000000000 AM	30-NOV-24 08.18.02.000000000 AM	+00 00:57:23.000000	57.38	-00 00:57:23.000000	57.38
37568425	CS5691			CPLK	58.64 30-NOV-24 07.32.44,000000000 AM	30-NOV-24 08.42.04.000000000 AM	+00 01:09:20.000000	69.33	-00 01:09:20.000000	69.33
37570159	CS5694			CPLK	34.8 30-NOV-24 08.27.33.000000000 AM	30-NOV-24 09.33.00.000000000 AM	+00 01:05:27.000000	65.45	-00 01:05:27.000000	65.45
37571736	CS5695			CPLK	49.89 30-NOV-24 09.08.23.000000000 AM	30-NOV-24 09.56,13.000000000 AM	+00 00:47:50.000000	47.83	-00 00:47:50.000000	47.83
37573302	CS5692			CPLK	112.87 30-NOV-24 09.44.27.000000000 AM	30-NOV-24 11.38.55.000000000 AM	+00 01:54:28.000000	114.47	-00 01:54:28.000000	114.47
37573556	CS5694			CPLK	19.96 30-NOV-24 09.49.38.000000000 AM	30-NOV-24 10.10.15.0000000000 AM	+00 00:20:37.000000	20.62	-00 00:20:37.000000	20.62
37573713	CS5691			CPLK	73.48 30-NOV-24 09,53,07,0000000000 AM	30-NOV-24 10.57.21.000000000 AM	+00 01:04:14.000000	64.23	-00 01:04:14.000000	64.23
37574932	CS5695			CPLK	70.63 30-NOV-24 10.17.42.000000000 AM	30-NOV-24 11.12.12.0000000000 AM	+00 00:54:30.000000	54.5	-00 00:54:30.000000	54.5
37575148	CS5694			CPLK	3.12 30-NOV-24 10.22.32.000000000 AM	30-NOV-24 10.27.13.000000000 AM	+00 00:04:41.000000	4.68	-00 00:04:41.000000	4.68
37575522	CS5694			CPLK	40.74 30-NOV-24 10.30.39.000000000 AM	30-NOV-24 11.02.26.0000000000 AM	+00 00:31:47.000000	31.78	-00 00:31:47.000000	31.78
37578550	CS5691			CPLK	37.44 30-NOV-24 11.25.30.000000000 AM	30-NOV-24 12.24.48.000000000 PM	+00 00:59:18.000000	59.3	-00 00:59:18.000000	59.3
37580118	CS5692			CPLK	39.61 30-NOV-24 11.51.21.000000000 AM	30-NOV-24 01.21.34.000000000 PM	+00 01:30:13.000000	90.22	-00 01:30:13.000000	90.22
37580494	CS5694			CPLK	46.92 30-NOV-24 11.56.43.000000000 AM	30-NOV-24 12.17.28.000000000 PM	+00 00:20:45.000000	20.75	-00 00:20:45.000000	20.75
37580568	CS5695			CPLK	51.63 30-NOV-24 11.57.57.000000000 AM	30-NOV-24 12.22.00.000000000 PM	+00 00:24:03.000000	24.05	-00 00:24:03.000000	24.05
37581940	CS5694			CPLK	43.29 30-NOV-24 12.20,28,000000000 PM	30-NOV-24 12.44.43.000000000 PM	+00 00:24:15.000000	24.25	-00 00:24:15.000000	24.25
37582754	CS5695			CPLK	55.18 30-NOV-24 12.33.14.000000000 PM	30-NOV-24 01.13.06.000000000 PM	+00 00:39:52.000000	39.87	-00 00:39:52.000000	39.87
37584450	CS5691			CPLK	15.08 30-NOV-24 01.00.54.000000000 PM	30-NOV-24 01.16.05.000000000 PM	+00 00:15:11.000000	15.18	-00 00:15:11.000000	15.18
37585717	CS5694			CPLK	2.11 30-NOV-24 01.19.56.000000000 PM	30-NOV-24 01.22.05.000000000 PM	+00 00:02:09.000000	2.15	-00 00:02:09.000000	2.15
37586593	CS5695			CPLK	30.29 30-NOV-24 01.33.25.000000000 PM	30-NOV-24 01.57.49.000000000 PM	+00 00:24:24.000000	24.4	-00 00:24:24.000000	24.4
37888936	CS5694			CPLK	38.25 06-DEC-24 05.46.36.000000000 AM	06-DEC-24 06.46.17.000000000 AM	+00 00:59:41.000000	59.68	-00 00:59:41.000000	59.68
37890341	CS5692			CPLK	58.99 06-DEC-24 06.49.57.000000000 AM	06-DEC-24 08.50.22,000000000 AM	+00 02:00:25.000000	120.42	-00 02:00:25.000000	120.42
37893335	CS5695			CPLK	58.61 06-DEC-24 08.19.16.000000000 AM	06-DEC-24 09.18.46.000000000 AM	+00 00:59:30,000000	59.5	-00 00:59:30.000000	59.5
37893811	CS5691			CPLK	34.06 06-DEC-24 08.32.39.000000000 AM	06-DEC-24 09.05.04.000000000 AM	+00 00:32:25.000000	32.42	-00 00:32:25.000000	32.42
37894290	CS5694			CPLK	96.34 06-DEC-24 08.44.54.000000000 AM	06-DEC-24 09.32.36.000000000 AM	+00 00:47:42.000000	47.7	-00 00:47:42.000000	47.7
37900592	CS5694			CPLK	55.53 06-DEC-24 11.01.30.000000000 AM	06-DEC-24 12.45.27.000000000 PM	+00 01:43:57.000000	103.95	-00 01:43:57.000000	103.95
37900618	CS5692			CPLK	21.58 06-DEC-24 11.02.00.000000000 AM	06-DEC-24 11.39.43.000000000 AM	+00 00:37:43.000000	37.72	-00 00:37:43.000000	37.72
37900644	CS5695			CPLK	24.57 06-DEC-24 11.02.37.000000000 AM	06-DEC-24 11.59.56.000000000 AM	+00 00:57:19.000000	57.32	-00 00:57:19.000000	57.32
37901784	CS5691			CPLK	7.63 06-DEC-24 11.24.06.000000000 AM	06-DEC-24 11.41.41.000000000 AM	+00 00:17:35.000000	17.58	-00 00:17:35.000000	17.58
37902814	CS5692			CPLK	68.82 06-DEC-24 11.43.36.000000000 AM	06-DEC-24 12.33.43,000000000 PM	+00 00:50:07.000000	50.12	-00 00:50:07.000000	50.12
37902865	CS5691			CPLK	50.78 06-DEC-24 11.44.42.000000000 AM	06-DEC-24 12.37.47.000000000 PM	+00 00:53:05.000000	53.08	-00 00:53:05.000000	53.08
37905956	CS5695			CPLK	36.45 06-DEC-24 12.41,24,000000000 PM	06-DEC-24 01.36.32,000000000 PM	+00 00:55:08.000000	55.13	-00 00:55:08.000000	55.13
37906588	CS5694			CPLK	57.79 06-DEC-24 12.53.39,000000000 PM	06-DEC-24 01.34.30.000000000 PM	+00 00:40:51.000000	40.85	-00 00:40:51.000000	40.85
37907932	CS5692			CPLK	34.78 06-DEC-24 01.18.36.000000000 PM		+00 00:57:22.000000	57.37	-00 00:57:22.000000	57.37
37910002	CS5691			CPLK	29.54 06-DEC-24 01.55.49.000000000 PM		+00 00:29:28.000000	29.47	-00 00:29:28.000000	29.47
37910541	CS5694			CPLK	12.15 06-DEC-24 02.06.24,000000000 PM	06-DEC-24 02.22.52.000000000 PM	+00 00:16:28.000000	16.47	-00 00:16:28.000000	16.47
37911635	CS5692			CPLK	19.43 06-DEC-24 02.25.16.000000000 PM	06-DEC-24 02.41.59.000000000 PM	+00 00:16:43.000000	16.72	-00 00:16:43.000000	16.72
37911676	CS5695			CPLK	26.22 06-DEC-24 02.25.55.0000000000 PM	06-DEC-24 02.43.41.000000000 PM	+00 00:17:46.000000		-00 00:17:46.000000	17.77
37912370	CS5691			CPLK	33.82 06-DEC-24 02.37.45.000000000 PM	06-DEC-24 03.34.21.000000000 PM	+00 00:56:36,000000		-00 00:56:36.000000	56.6
37913468	CS5692			CPLK	40.19 06-DEC-24 02.56,26,000000000 PM	06-DEC-24 04.37.22.000000000 PM	+00 01:40:56.000000	100.93	-00 01:40:56.000000	100.93
										, 50

	SESSION_ID	CHARGER_ID	ADDRESS	СПУ	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION	TOTAL DURATION MINUTES
37913575	CS5694				CPLK	46.53 06-DEC-24 02.58.13.000000000 PM	06-DEC-24 03.26.28.000000000 PM	+00 00:28:15.000000		-00 00:28:15.000000	28.25
24975295	CS5694				CPLK	10.2 01-MAR-24 12.57.46.000000000 AM	01-MAR-24 01.50.11.000000000 AM	+00 00:52:25.000000	52.42	-00 00:52:25.000000	52.42
24978829	CS5694				CPLK	15.29 01-MAR-24 06.09.02.000000000 AM	01-MAR-24 06.36.59.000000000 AM	+00 00:27:57.000000	27.95	-00 00:27:57.000000	27.95
24982328	CS5691				CPLK	17.4 01-MAR-24 08.58.41.000000000 AM	01-MAR-24 09.20.25.000000000 AM	+00 00:21:44.000000	21.73	-00 00:21:44.000000	21.73
24983061	CS5695				CPLK	66.32 01-MAR-24 09.24.10.000000000 AM	01-MAR-24 10.17.43.000000000 AM	+00 00:53:33.000000	53.55	-00 00:53:33.000000	53.55
24985075	CS5695				CPLK	83.68 01-MAR-24 10.26.55.0000000000 AM	01-MAR-24 11.05.40.000000000 AM	+00 00:38:45.000000	38.75	-00 00:38:45.000000	38.75
24985700	CS5691				CPLK	23.77 01-MAR-24 10.43.30.0000000000 AM	01-MAR-24 11.25.02.000000000 AM	+00 00:41:32.000000	41.53	-00 00:41:32.000000	41.53
24988735	CS5695				CPLK	47.9 01-MAR-24 11.59.14.000000000 AM	01-MAR-24 01.36.50.000000000 PM	+00 01:37:36.000000	97.6	-00 01:37:36.000000	97.6
24988961	CS5692				CPLK	35.85 01-MAR-24 12.04.34.000000000 PM	01-MAR-24 01.11.55.000000000 PM	+00 01:07:21.000000	67.35	-00 01:07:21.000000	67.35
24989469	CS5694				CPLK	53.66 01-MAR-24 12.17.14.000000000 PM	01-MAR-24 01.39.18.000000000 PM	+00 01:22:04.000000	82.07	-00 01:22:04.000000	82.07
24992672	CS5692				CPLK	30 01-MAR-24 01.38.14.000000000 PM	01-MAR-24 02.41.32.000000000 PM	+00 01:03:18.000000	63.3	-00 01:03:18.000000	63.3
24992870	CS5695				CPLK	49.62 01-MAR-24 01.42.56.000000000 PM	01-MAR-24 02.08.32.000000000 PM	+00 00:25:36.000000	25.6	-00 00:25:36.000000	25.6
25043753	CS5692				CPLK	12.97 02-MAR-24 05.28.52.000000000 PM	02-MAR-24 05.45.17.000000000 PM	+00 00:16:25.000000	16.42	-00 00:16:25.000000	16.42
35712721	CS5692				CPLK	24.55 24-OCT-2406.53.50.0000000000 AM	24-OCT-24 07.10.13.000000000 AM	+00 00:16:23.000000	16.38	-00 00:16:23.000000	16.38
35712794	CS5691				CPLK	9.42 24-OCT-2406.57.18.000000000 AM	24-OCT-24 07.09.01.000000000 AM	+00 00:11:43.000000	11.72	-00 00:11:43.000000	11.72
35713215	CS5692				CPLK	12.4 24-OCT-24 07.17.18.000000000 AM	24-OCT-24 07.27.57.000000000 AM	+00 00:10:39.000000	10.65	-00 00:10:39.000000	10.65
35714444	CS5692				CPLK	29.39 24-OCT-2408.06.03.0000000000 AM	24-OCT-24 08.30.28.000000000 AM	+00 00:24:25.000000	24.42	-00 00:24:25.000000	24.42
35714794	CS5691				CPLK	37.39 24-OCT-2408.17.31.000000000 AM	24-OCT-24 09.03.56.000000000 AM	+00 00:46:25.000000	46.42	-00 00:46:25.000000	46.42
35717832	CS5691				CPLK	50.73 24-OCT-24 09.55.25.000000000 AM	24-OCT-24 10.31.43.0000000000 AM	+00 00:36:18.000000	36.3	-00 00:36:18.000000	36.3
35723376	CS5691				CPLK	23.88 24-OCT-24 12.07.29.000000000 PM	24-OCT-24 12.27.27.000000000 PM	+00 00:19:58.000000	19.97	-00 00:19:58.000000	19.97
35724086	CS5692				CPLK	25.55 24-OCT-24 12.24.02.000000000 PM	24-OCT-24 12.53.11.000000000 PM	+00 00:29:09.000000	29.15	-00 00:29:09.000000	29.15
35724505	CS5691				CPLK	1.6 24-OCT-24 12.33.40.000000000 PM	24-OCT-24 12.36.42.000000000 PM	+00 00:03:02.000000	3.03	-00 00:03:02.000000	3.03
35727524	CS5692				CPLK	26.25 24-OCT-2401.39.29.000000000 PM	24-OCT-24 02.25.02.000000000 PM	+00 00:45:33.000000	45.55	-00 00:45:33.000000	45.55
35727837	CS5691				CPLK	17.19 24-OCT-2401.46.52.000000000 PM	24-OCT-24 02.09.09.000000000 PM	+00 00:22:17.000000	22.28	-00 00:22:17.000000	22.28
35732343	CS5692				CPLK	42.39 24-OCT-2403.24.12.000000000 PM	24-OCT-24 04.10.19.000000000 PM	+00 00:46:07.000000	46.12	-00 00:46:07.000000	46.12
35735547	CS5692				CPLK	40.01 24-OCT-2404.34.32.000000000 PM	24-OCT-24 05.10.49.000000000 PM	+00 00:36:17.000000	36.28	-00 00:36:17.000000	36.28
36299674	CS5692				CPLK	26.19 04-NOV-24 08.20.32.000000000 PM	04-NOV-24 08.50.46.000000000 PM	+00 00:30:14.000000	30.23	-00 00:30:14.000000	30.23
36301413	CS5692				CPLK	37.03 04-NOV-24 09.12.49.000000000 PM	04-NOV-24 10.03.46.000000000 PM	+00 00:50:57.000000	50.95	-00 00:50:57.000000	50.95
36309133	CS5692				CPLK	9.67 05-NOV-24 03.18.48.000000000 AM	05-NOV-24 03.29.56.000000000 AM	+00 00:11:08.000000	11.13	-00 00:11:08.000000	11.13
36309285	CS5692				CPLK	45.99 05-NOV-24 03.31.45.000000000 AM	05-NOV-24 04.52,23.000000000 AM	+00 01:20:38.000000	80.63	-00 01:20:38.000000	80.63
36317503	CS5692				CPLK	43.45 05-NOV-24 09.57.04.000000000 AM	05-NOV-24 11.25.22.000000000 AM	+00 01:28:18.000000	88.3	-00 01:28:18.000000	88.3
36321248	CS5692				CPLK	21.76 05-NOV-24 11.27.47.000000000 AM	05-NOV-24 11.54.01.000000000 AM	+00 00:26:14.000000	26.23	-00 00:26:14.000000	26.23
36323526	CS5692				CPLK	32.36 05-NOV-24 12.22.15.000000000 PM	05-NOV-24 12.49.11.000000000 PM	+00 00:26:56.000000	26.93	-00 00:26:56.000000	26.93
36325320	CS5692				CPLK	106.53 05-NOV-24 01.02.31.000000000 PM	05-NOV-24 02.09.22.000000000 PM	+00 01:06:51.000000	66.85	-00 01:06:51.000000	66.85
36328253	CS5692				CPLK	59.43 05-NOV-24 02.11.36.000000000 PM	05-NOV-24 02.49,06.000000000 PM	+00 00:37:30.000000	37.5	-00 00:37:30.000000	37.5
36330815	CS5692				CPLK	23.65 05-NOV-24 03.10.47.000000000 PM	05-NOV-24 03.39.10.000000000 PM	+00 00:28:23.000000	28.38	-00 00:28:23.000000	28.38
36332480	CS5692				CPLK	45.54 05-NOV-24 03.46.09.000000000 PM	05-NOV-24 05.20.25.000000000 PM	+00 01:34:16.000000	94.27	-00 01:34:16.000000	94.27
36336730	CS5692				CPLK	27.44 05-NOV-24 05.23.35.000000000 PM	05-NOV-24 05.40,52.000000000 PM	+00 00:17:17.000000	17.28	-00 00:17:17.000000	17.28
36338129	CS5692				CPLK	56.9 05-NOV-24 05.58.20.000000000 PM	05-NOV-24 06.46.39.000000000 PM	+00 00:48:19.000000	48.32	-00 00:48:19.000000	48.32
36341022	CS5692				CPLK	57.28 05-NOV-24 07.10.29.000000000 PM	05-NOV-24 07.59.16.000000000 PM	+00 00:48:47.000000	48.78	-00 00:48:47.000000	48.78
36344303	CS5692				CPLK	53.19 05-NOV-24 08.39.36.000000000 PM	05-NOV-24 09.18.01.000000000 PM	+00 00:38:25.000000	38.42	-00 00:38:25.000000	38.42
36348353	CS5692				CPLK	27.09 05-NOV-24 11.03.43.000000000 PM	06-NOV-24 12.26.11.000000000 AM	+00 01:22:28.000000	82.47	-00 01:22:28.000000	82.47
36350732	CS5692				CPLK	26.08 06-NOV-24 01.00.50.000000000 AM	06-NOV-24 01.28.05.000000000 AM	+00 00:27:15.000000	27.25	-00 00:27:15.000000	27.25
36351177	CS5692				CPLK	22.38 06-NOV-24 01.30.11.000000000 AM	06-NOV-24 02.10.00.0000000000 AM	+00 00:39:49.000000	39.82	-00 00:39:49.000000	39.82
36354613	CS5692				CPLK	36.08 06-NOV-24 05.53.40.000000000 AM	06-NOV-24 06.38.47.000000000 AM	+00 00:45:07.000000	45.12	-00 00:45:07.000000	45.12
36355699	CS5692				CPLK	62.34 06-NOV-24 06.56.56.0000000000 AM	06-NOV-24 07.50.36.000000000 AM	+00 00:53:40.000000	53.67	-00 00:53:40.000000	53.67
36356992	CS5692				CPLK	42.41 06-NOV-24 07.52.38.000000000 AM	06-NOV-24 09.11.05.000000000 AM	+00 01:18:27.000000	78.45	-00 01:18:27.000000	78.45
36363810	CS5692				CPLK	39.19 06-NOV-24 11.10.26.000000000 AM	06-NOV-24 12.39,23,000000000 PM	+00 01:28:57.000000	88.95	-00 01:28:57.000000	88.95
36367855	CS5692				CPLK	40.15 06-NOV-24 12.44.07.000000000 PM	06-NOV-24 01.49.35.000000000 PM	+00 01:05:28.000000	65.47	-00 01:05:28.000000	65.47
36372513	CS5692				CPLK	18.88 06-NOV-24 02.30.18.000000000 PM	06-NOV-24 02.42.11.000000000 PM	+00 00:11:53.000000	11.88	-00 00:11:53.000000	11.88
36373880	CS5692				CPLK	44.97 06-NOV-24 03.04.04.0000000000 PM	06-NOV-24 03.35.08.000000000 PM	+00 00:31:04.000000	31.07	-00 00:31:04.000000	31.07
36376202	CS5692				CPLK	13.5 06-NOV-24 03.59.33.0000000000 PM	06-NOV-24 04.10.50.000000000 PM	+00 00:11:17.000000	11.28	-00 00:11:17.000000	11.28
36378666	CS5692				CPLK	10.37 06-NOV-24 04,56.03,0000000000 PM	06-NOV-24 05.08.19.000000000 PM	+00 00:12:16.000000	12.27	-00 00:12:16.000000	12.27

	SESSION_ID	CHARGER_ID ADDRESS	CITY STATE ZIP JURISDIC	USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	DURATION_HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
36380317	CS5692		CPLK	38.44 06-NOV-24 05.33.23.000000000 PM	06-NOV-24 06.16.45.000000000 PM	+00 00:43:22.000000	43.37	-00 00:43:22.000000	43.37
36385022	CS5692	_	CPLK	8.52 06-NOV-24 07.20.23.000000000 PM	06-NOV-24 07.29.55.000000000 PM	+00 00:09:32,000000	9.53	-00 00:09:32.000000	9.53
36386138	CS5692		CPLK	26.67 06-NOV-24 07.47.49.000000000 PM	06-NOV-24 08.15.27.000000000 PM	+00 00:27:38.000000	27.63	-00 00:27:38.000000	27.63
37058792	CS5692		CPLK	38.44 20-NOV-24 11.57.31.000000000 AM	20-NOV-24 12.51.53.000000000 PM	+00 00:54:22.000000	54.37	-00 00:54:22.000000	54.37
37062968	CS5692		CPLK	19.6 20-NOV-24 01.32.30.000000000 PM	20-NOV-24 01.55.20.000000000 PM	+00 00:22:50.000000		-00 00:22:50.000000	22.83
37067154	CS5692		CPLK	39.85 20-NOV-24 03.00.14.000000000 PM	20-NOV-24 03.48.35.000000000 PM	+00 00:48:21.000000	48.35	-00 00:48:21.000000	48.35
37069412	CS5692		CPLK	60.66 20-NOV-24 03.51.42.000000000 PM	20-NOV-24 04.50.08.000000000 PM	+00 00:58:26,000000	58.43	-00 00:58:26.000000	58.43
37073255	CS5692		CPLK	45.5 20-NOV-24 05.19.10.000000000 PM	20-NOV-24 05.52.17.000000000 PM	+00 00:33:07.000000	33.12	-00 00:33:07.000000	33.12
37075470	CS5692		CPLK	21.58 20-NOV-24 06.05.10.000000000 PM	20-NOV-24 06.24.08.000000000 PM	+00 00:18:58.000000	18.97	-00 00:18:58.000000	18.97
37077528	CS5692		CPLK	54.92 20-NOV-24 06.47.05.0000000000 PM	20-NOV-24 08.15.20.000000000 PM	+00 01:28:15.000000	88.25	-00 01:28:15.000000	88.25
37081382	CS5692		CPLK	52.46 20-NOV-24 08.17.42.000000000 PM	20-NOV-24 09.56.38.000000000 PM	+00 01:38:56,000000	98.93	-00 01:38:56.000000	98.93
37085845	CS5692		CPLK	43.62 20-NOV-24 10.16.02.000000000 PM	20-NOV-24 11.30.49.000000000 PM	+00 01:14:47.000000		-00 01:14:47.000000	74.78
37089446	CS5692		CPLK	37.31 21-NOV-24 12.18.34.000000000 AM	21-NOV-24 01.10.23.000000000 AM	+00 00:51:49.000000	51.82	-00 00:51:49.000000	51.82
37090660	CS5692		CPLK	59.12 21-NOV-24 01.13.22.000000000 AM	21-NOV-24 03.03.05.000000000 AM	+00 01;49;43,000000		-00 01:49:43.000000	109.72
37092983	CS5692		CPLK	35.18 21-NOV-24 03.28.10.000000000 AM	21-NOV-24 04.15.38.000000000 AM	+00 00:47:28.000000		-00 00:47:28.000000	47.47
37095663	CS5692		CPLK	33.01 21-NOV-24 06.22.55.0000000000 AM	21-NOV-24 07.09.29.000000000 AM	+00 00:46:34.000000	46.57	-00 00:46:34.000000	46.57
37096975	CS5692		CPLK	9.22 21-NOV-24 07.21.21.000000000 AM	21-NOV-24 07.29.11.000000000 AM	+00 00:07:50.000000	7.83	-00 00:07:50.000000	7.83
37097342	CS5692		CPLK	66.81 21-NOV-24 07.30.28.0000000000 AM	21-NOV-24 08.24.24.000000000 AM	+00 00:53:56.000000	53.93	-00 00:53:56.000000	53.93
37098995	CS5692		CPLK	20.99 21-NOV-24 08.25.53.000000000 AM	21-NOV-24 08.52,38.000000000 AM	+00 00:26:45.000000	26.75	-00 00:26:45.000000	26.75
37100104	CS5692		CPLK	9.7 21-NOV-24 08.58.01.000000000 AM	21-NOV-24 09.06.20.000000000 AM	+00 00:08:19.000000		-00 00:08:19.000000	8.32
37100954	CS5692		CPLK	48.35 21-NOV-2409.22.18.000000000 AM	21-NOV-24 11.02.40.000000000 AM	+00 01:40:22.000000	100.37	-00 01:40:22.000000	100.37
37107493	CS5692		CPLK	37.75 21-NOV-24 11.56.33.0000000000 AM	21-NOV-24 12.29.44.000000000 PM	+00 00:33:11.000000	33.18	-00 00:33:11.000000	33.18
37111120	CS5692		CPLK	31.59 21-NOV-24 01.10.46.000000000 PM	21-NOV-24 01.49.36.000000000 PM	+00 00:38:50,000000	38.83	-00 00:38:50.000000	38.83
37113248	CS5692		CPLK	48.45 21-NOV-2401.57.22.000000000 PM	21-NOV-24 02.51.08.000000000 PM	+00 00:53:46.000000		-00 00:53:46.000000	53.77
37117330	CS5692		CPLK	40.17 21-NOV-24 03.18.58.0000000000 PM	21-NOV-24 04.17.11.000000000 PM	+00 00;58;13.000000	58.22	-00 00:58:13.000000	58.22
37120693	CS5692		CPLK	42.53 21-NOV-24 04.26.53.0000000000 PM	21-NOV-24 05.04.56.000000000 PM	+00 00:38:03.000000	38.05	-00 00:38:03.000000	38.05
37124521	CS5692		CPLK	48.8 21-NOV-24 05.43.23.000000000 PM	21-NOV-24 06.45.31.000000000 PM	+00 01:02:08.000000	62.13	-00 01:02:08.000000	62.13
37128643	CS5692		CPLK	16.43 21-NOV-24 07.12.00.000000000 PM	21-NOV-24 07.24.47.000000000 PM	+00 00:12:47.000000	12.78	-00 00:12:47.000000	12.78
37131308	CS5692		CPLK	19.39 21-NOV-24 08.11.21.000000000 PM	21-NOV-24 08.27.35.000000000 PM	+00 00:16:14.000000	16.23	-00 00:16:14.000000	16.23
37133425	CS5692		CPLK	45.39 21-NOV-2409.02.19.000000000 PM	21-NOV-24 09.41.12.000000000 PM	+00 00:38:53.000000	38.88	-00 00:38:53.000000	38.88
37135004	CS5692		CPLK	25.65 21-NOV-24 09.43.49.000000000 PM	21-NOV-24 10.42.19.000000000 PM	+00 00:58:30.000000	58.5	-00 00:58:30.000000	58.5
37138229	CS5692		CPLK	35.3 21-NOV-24 11.17.40.000000000 PM	22-NOV-24 12.54.16.000000000 AM	+00 01:36:36.000000	96.6	-00 01:36:36.000000	96.6
37141076	CS5692		CPLK	46.88 22-NOV-24 12.57.44.000000000 AM	22-NOV-24 02.00.05.000000000 AM	+00 01:02:21.000000	62.35	-00 01:02:21.000000	62.35
37481773	CS5692		CPLK	22.02 28-NOV-24 02.34.43.000000000 PM	28-NOV-24 02.53,35.000000000 PM	+00 00:18:52.000000	18.87	-00 00:18:52.000000	18.87
37481862	CS5691		CPLK	46.76 28-NOV-2402.36.40.000000000 PM	28-NOV-24 03.51.25.000000000 PM	+00 01:14:45.000000	74.75	-00 01:14:45.000000	74.75
37486038	CS5692		CPLK	39.38 28-NOV-24 04.14.59.000000000 PM	28-NOV-24 04.53.25.000000000 PM	+00 00:38:26.000000		-00 00:38:26.000000	38.43
37489613	CS5694		CPLK	61.15 28-NOV-24 05.48.01.000000000 PM	28-NOV-24 06.13.54.000000000 PM	+00 00:25:53.000000		-00 00:25:53.000000	25.88
37489649	CS5691		CPLK	73.35 28-NOV-24 05.48.57.000000000 PM	28-NOV-24 07.11.04.000000000 PM	+00 01:22:07.000000	82.12	-00 01:22:07.000000	82.12
37491306	CS5695		CPLK	22.01 28-NOV-24 06.36.42.000000000 PM	28-NOV-24 06.44.48.000000000 PM	+00 00:08:06.000000		-00 00:08:06.000000	8.1
37491715	CS5692		CPLK	23.51 28-NOV-24 06.49.36.000000000 PM	28-NOV-24 07.17.54.000000000 PM	+00 00:28:18,000000	28.3	-00 00:28:18.000000	28.3
37492471	CS5694		CPLK	85.42 28-NOV-24 07.10.41.000000000 PM	28-NOV-24 08.28.36.000000000 PM	+00 01:17:55.000000	77.92	-00 01:17:55.000000	77.92
37493553	CS5695		CPLK	44.1 28-NOV-24 07.41.23.000000000 PM	28-NOV-24 08.26.26.000000000 PM	+00 00:45:03.000000	45.05	-00 00:45:03.000000	45.05
37494016	CS5692		CPLK	17.67 28-NOV-24 07.55.30.000000000 PM	28-NOV-24 08.10.33.000000000 PM	+00 00:15:03.000000	15.05	-00 00:15:03.000000	15.05
37494591	CS5692		CPLK	18.32 28-NOV-24 08.13.20.000000000 PM	28-NOV-24 08.48.39.000000000 PM	+00 00:35:19.000000	35.32	-00 00:35:19.000000	35.32
37495333	CS5694		CPLK	73.4 28-NOV-24 08.35.47.000000000 PM	28-NOV-24 09.30.44.000000000 PM	+00 00:54:57.000000	54.95	-00 00:54:57.000000	54.95
37496568	CS5695		CPLK	111.16 28-NOV-24 09.14.14.000000000 PM	28-NOV-24 10.17.56.000000000 PM	+00 01:03:42.000000	63.7	-00 01:03:42.000000	63.7
37497917	CS5694		CPLK	74.09 28-NOV-24 09.55.52.000000000 PM		+00 00:41:02.000000		-00 00:41:02.000000	41.03
23116482	CS5695		CPLK	39.49 10-JAN-24 08.34.01.000000000 PM	10-JAN-24 09.34.23.000000000 PM	+00 01:00:22,000000	60.37	-00 01:00:22.000000	60.37
23117723	CS5691		CPLK	12.04 10-JAN-24 09.19.28.000000000 PM	10-JAN-24 09.30.11.000000000 PM	+00 00;10:43.000000		-00 00:10:43.000000	10.72
23118653	CS5694		CPLK	16.51 10-JAN-24 09.55,26,000000000 PM	10-JAN-24 10.09.42.000000000 PM	+00 00:14:16.000000		-00 00:14:16.000000	14.27
23119260	CS5691	A. W	CPLK	5.73 10-JAN-24 10.17.12.000000000 PM	10-JAN-24 10.25.02.000000000 PM	+00 00:07:50,000000		-00 00:07:50.000000	7.83
25043847	CS5691		CPLK	46.96 02-MAR-24 05.30.49.000000000 PM		+00 01:03:08.000000	63.13	-00 01:03:08.000000	63.13
25047540	CS5695		CPLK	48.18 02-MAR-24 07.04.52.000000000 PM	02-MAR-24 08,41,03,000000000 PM	+00 01:36:11.000000	00 40	-00 01:36:11.000000	96.18

	SESSION_ID	CHARGER_ID	ADDRESS	СІТУ	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
25048493	CS5691				CPLK	18.17 02-MAR-24 07.31.17.000000000 PM	02-MAR-24 07.52.40.000000000 PM	+00 00:21:23.000000	21.38	-00 00:21:23.000000	21.38
25052804	CS5692				CPLK	30.51 02-MAR-24 09.43.41.000000000 PM	02-MAR-24 10.46.02.000000000 PM	+00 01:02:21.000000	62.35	-00 01:02:21.000000	62.35
25053010	CS5695	1			CPLK	44.65 02-MAR-24 09.51.14.000000000 PM	02-MAR-24 10.27.39.000000000 PM	+00 00:36:25.000000	36.42	-00 00:36:25.000000	36.42
25055620	CS5692				CPLK	22.66 02-MAR-24 11.35.32.000000000 PM	02-MAR-24 11.56.57.000000000 PM	+00 00:21:25.000000	21.42	-00 00:21:25.000000	21.42
25057505	CS5695				CPLK	54.66 03-MAR-24 01.17.39.000000000 AM	03-MAR-24 03.11.07.000000000 AM	+00 01;53;28,000000	113.47	-00 01:53:28,000000	113.47
25059762	CS5694				CPLK	43.75 03-MAR-24 04.49.16.000000000 AM	03-MAR-24 05.50.19.000000000 AM	+00 01:01:03.000000	61.05	-00 01:01:03.000000	61.05
25062386	C\$5695				CPLK	30.66 03-MAR-24 08.02.34.000000000 AM	03-MAR-24 09.03.38.000000000 AM	+00 01:01:04.000000	61.07	-00 01:01:04.000000	61.07
25062700	CS5694				CPLK	41.15 03-MAR-24 08.17.32.000000000 AM	03-MAR-24 08.58.55.000000000 AM	+00 00:41:23.000000	41.38	-00 00:41:23.000000	41.38
25064185	CS5691				CPLK	14.26 03-MAR-24 09.20.19.000000000 AM	03-MAR-24 09.55.51.000000000 AM	+00 00:35:32.000000	35.53	-00 00:35:32.000000	35.53
25069519	CS5692				CPLK	25.03 03-MAR-24 11.54.03.000000000 AM	03-MAR-24 12.45.14.000000000 PM	+00 00:51:11.000000	51.18	-00 00:51:11.000000	51.18
25070243	CS5691				CPLK	27.26 03-MAR-24 12.10.55.000000000 PM	03-MAR-24 12.41.41.000000000 PM	+00 00:30:46.000000	30.77	-00 00:30:46.000000	30.77
25070793	CS5695				CPLK	24.92 03-MAR-24 12.23.41.000000000 PM	03-MAR-24 12.53.30.000000000 PM	+00 00:29:49.000000	29.82	-00 00:29:49.000000	29.82
25072337	CS5694				CPLK	37.16 03-MAR-24 01.01.50.000000000 PM	03-MAR-24 01.15.04.000000000 PM	+00 00:13:14.000000	13.23	-00 00:13:14.000000	13.23
25072840	CS5695				CPLK	73.63 03-MAR-24 01.13.30.000000000 PM	03-MAR-24 01.52.33.000000000 PM	+00 00:39:03.000000	39.05	-00 00:39:03.000000	39.05
25073727	CS5692				CPLK	36.24 03-MAR-24 01.33.12.000000000 PM	03-MAR-24 02.01.36.000000000 PM	+00 00:28:24.000000	28.4	-00 00:28:24.000000	28.4
25074809	CS5695				CPLK	38.37 03-MAR-24 01.59.19.000000000 PM	03-MAR-24 02.55.32.000000000 PM	+00 00:56:13.000000	56.22	-00 00:56:13.000000	56.22
25075785	CS5694				CPLK	28.77 03-MAR-24 02.21.10.000000000 PM	03-MAR-24 02.33.29.000000000 PM	+00 00:12:19.000000	12.32	-00 00:12:19.000000	12.32
25076130	CS5691				CPLK	39.67 03-MAR-24 02,28,58,000000000 PM	03-MAR-24 03.29.01.000000000 PM	+00 01:00:03.000000	60.05	-00 01:00:03.000000	60.05
25076451	CS5692				CPLK	36.99 03-MAR-24 02,35,20,000000000 PM	03-MAR-24 03.36.02.000000000 PM	+00 01:00:42.000000	60.7	-00 01:00:42.000000	60.7
25078677	CS5695				CPLK	44.73 03-MAR-24 03.24.14.000000000 PM	03-MAR-24 04.18.30.000000000 PM	+00 00:54:16.000000	54.27	-00 00:54:16.000000	54.27
25081480	CS5691				CPLK	19.55 03-MAR-24 04.27.36.000000000 PM	03-MAR-24 05.02.14.000000000 PM	+00 00:34:38.000000	34.63	-00 00:34:38.000000	34.63
25081950	CS5692				CPLK	40.56 03-MAR-24 04.37.59.000000000 PM	03-MAR-24 05.38.17.000000000 PM	+00 01:00:18.000000	60.3	-00 01:00:18.000000	60.3
25083512	CS5694				CPLK	15.64 03-MAR-24 05.13.14.000000000 PM	03-MAR-24 05.23.22.000000000 PM	+00 00:10:08.000000	10.13	-00 00:10:08.000000	10.13
25083583	CS5691				CPLK	40.16 03-MAR-24 05.14.40.000000000 PM	03-MAR-24 05.52.24.000000000 PM	+00 00:37:44.000000	37.73	-00 00:37:44.000000	37.73
25087455	CS5692				CPLK	57.52 03-MAR-24 06,47,43.000000000 PM	03-MAR-24 07.37.21.000000000 PM	+00 00:49:38.000000	49.63	-00 00:49:38.000000	49.63
25087910	CS5691	4			CPLK	28.33 03-MAR-24 06.59.58.000000000 PM	03-MAR-24 07.58.23.000000000 PM	+00 00:58:25.000000	58.42	-00 00:58:25.000000	58.42
25088600	CS5695				CPLK	59.14 03-MAR-24 07,19.05.0000000000 PM	03-MAR-24 08.03.14.000000000 PM	+00 00:44:09.000000	44.15	-00 00:44:09.000000	44.15
25156136	CS5692				CPLK	48.09 05-MAR-24 06,04.38.000000000 PM	05-MAR-24 06.46.12.000000000 PM	+00 00:41:34.000000	41.57	-00 00:41:34.000000	41.57
25156964	CS5694				CPLK	24.17 05-MAR-24 06,27,38,0000000000 PM	05-MAR-24 07.11.21.000000000 PM	+00 00:43:43.000000	43.72	-00 00:43:43.000000	43.72
25162899	CS5694				CPLK	31.73 05-MAR-24 09.42.51.000000000 PM	05-MAR-24 10.07.16.000000000 PM	+00 00:24:25.000000	24.42	-00 00:24:25.000000	24.42
25163723	CS5695				CPLK	22.44 05-MAR-24 10.15.29.000000000 PM	05-MAR-24 10.44.28.000000000 PM	+00 00:28:59.000000	28.98	-00 00:28:59.000000	28.98
25173992	CS5692				CPLK	39.1 06-MAR-24 09.53.37.000000000 AM	06-MAR-24 10.54.45.000000000 AM	+00 01:01:08.000000	61.13	-00 01:01:08.000000	61.13
25177128	CS5692				CPLK	34.59 06-MAR-24 11.29.45.000000000 AM	06-MAR-24 12.31.40.000000000 PM	+00 01:01:55.000000	61.92	-00 01:01:55.000000	61.92
25177522	CS5695				CPLK	13.11 06-MAR-24 11.42.07.000000000 AM	06-MAR-24 12.29.58.000000000 PM	+00 00:47:51.000000	47.85	-00 00:47:51.000000	47.85
25177527	CS5694				CPLK	32.7 06-MAR-24 11,42,11,000000000 AM	06-MAR-24 12.33.49.000000000 PM	+00 00:51:38.000000	51.63	-00 00:51:38.000000	51.63
25180344	CS5695				CPLK	33.75 06-MAR-24 01.07.38.000000000 PM	06-MAR-24 01.45.57.000000000 PM	+00 00:38:19.000000	38.32	-00 00:38:19.000000	38.32
25182785	CS5692				CPLK	42.26 06-MAR-24 02.15,39,000000000 PM	06-MAR-24 03.08.19.000000000 PM	+00 00:52:40.000000	52.67	-00 00:52:40.000000	52.67
25185063	CS5692				CPLK	46.97 06-MAR-24 03.16.35.000000000 PM	06-MAR-24 04.18.03.000000000 PM	+00 01:01:28.000000	61.47	-00 01:01:28.000000	61.47
25185636	CS5691				CPLK	35.7 06-MAR-24 03.33,13.000000000 PM	06-MAR-24 04.37.31.000000000 PM	+00 01:04:18.000000	64.3	-00 01:04:18.000000	64.3
25185645	CS5695				CPLK	68.13 06-MAR-24 03.33,26,000000000 PM	06-MAR-24 04.12.03.000000000 PM	+00 00:38:37.000000	38.62	-00 00:38:37.000000	38.62
25186914	CS5694				CPLK	20.59 06-MAR-24 04.08.13.000000000 PM	06-MAR-24 04.35.16.000000000 PM	+00 00:27:03.000000	27.05	-00 00:27:03.000000	27.05
25189890	CS5694				CPLK	41.8 06-MAR-24 05.33.12.000000000 PM	06-MAR-24 06.06.10.000000000 PM	+00 00:32:58.000000	32.97	-00 00:32:58.000000	32.97
25191390	CS5691				CPLK	29.71 06-MAR-24 06.18.25.000000000 PM	06-MAR-24 07.19.02.000000000 PM	+00 01:00:37,000000	60.62	-00 01:00:37.000000	60.62
25192268	CS5694				CPLK	34.16 06-MAR-24 06.42.32.000000000 PM	06-MAR-24 07.24.54.000000000 PM	+00 00:42:22.000000	42.37	-00 00:42:22.000000	42.37
25193941	CS5692				CPLK	27.9 06-MAR-24 07.34.48.000000000 PM	06-MAR-24 08.33.04.000000000 PM	+00 00:58:16.000000	58.27	-00 00:58:16.000000	58.27
25195916	CS5695				CPLK	28.33 06-MAR-24 08.34.31,000000000 PM	06-MAR-24 09.46.14.000000000 PM	+00 01:11:43.000000	71.72	-00 01:11:43.000000	71.72
25201426	CS5695				CPLK	38.22 07-MAR-24 12.33.27.000000000 AM		+00 00:57:38.000000	57.63	-00 00:57:38.000000	57.63
25203900	CS5695				CPLK	3.93 07-MAR-24 04.21.29.000000000 AM	07-MAR-24 04.27.38.000000000 AM	+00 00:06:09.000000	6.15	-00 00:06:09.000000	6.15
25207299	CS5695				CPLK	63.97 07-MAR-24 08.26.18.0000000000 AM	07-MAR-24 09.26.00.000000000 AM	+00 00:59:42.000000	59.7	-00 00:59:42.000000	59.7
25212888	CS5695				CPLK	63.58 07-MAR-24 11.26.55.0000000000 AM		+00 00:38:36.000000	38.6	-00 00:38:36.000000	38.6
25213708	CS5691				CPLK	19.44 07-MAR-24 11.47.29.000000000 AM		+00 00:41:31.000000	41.52	-00 00:41:31.000000	41.52
25214847	CS5692				CPLK	22.22 07-MAR-24 12.19.12.000000000 PM	07-MAR-24 12.38.20.000000000 PM	+00 00:19:08.000000	19.13	-00 00:19:08.000000	19.13
25215893	CS5692				CPLK	29.66 07-MAR-24 12.46.10.000000000 PM	07-MAR-24 01.39.14.000000000 PM	+00 00:53:04.000000	53.07	-00 00:53:04.000000	53.07

25217681 25217910 25218595 25269064 25270896 25271079 25271844 25273911 25274890 25274950	CS5694 CS5691 CS5695 CS5692 CS5694 CS5694 CS5695 CS5691 CS5694 CS5692 CS5691 CS5691 CS5695 CS5695	TION CPLK CPLK CPLK CPLK CPLK CPLK CPLK CPLK	60.39 07-MAR-24 01.16.30.000000000 PM 19.81 07-MAR-24 01.33.16.000000000 PM 22.49 07-MAR-24 01.39.50.000000000 PM 44.5 07-MAR-24 01.56.35.000000000 PM 39.77 08-MAR-24 06.59.49.00000000 PM 34.16 08-MAR-24 07.49.48.00000000 PM 9.32 08-MAR-24 07.54.42.000000000 PM 61.77 08-MAR-24 08.17.34.00000000 PM 48.79 08-MAR-24 09.22.02.000000000 PM	07-MAR-24 02.30.23.000000000 PM 07-MAR-24 01.56.30.000000000 PM 07-MAR-24 02.08.38.000000000 PM 07-MAR-24 02.49.27.000000000 PM 08-MAR-24 07.16.45.00000000 PM 08-MAR-24 08.32.24.00000000 PM	DURATION_HMS +00 01:13:53.000000 +00 00:23:14.000000 +00 00:28:48.000000 +00 00:52:52.000000 +00 00:16:56.000000 +00 00:42:36.000000 +00 00:11:05.000000	23.23 28.8 52.87 16.93 42.6	-00 01:13:53.000000 -00 00:23:14.000000 -00 00:28:48.000000 -00 00:52:52.000000 -00 00:16:56.000000	73.88 23.23 28.8 52.87 16.93
25217910 25218595 25269064 25270896 25271079 25271844 25273911 25274890 25274950	CS5695 CS5692 CS5694 CS5694 CS5695 CS5691 CS5694 CS5692 CS5691 CS5695	CPLK CPLK CPLK CPLK CPLK CPLK CPLK CPLK	22.49 07-MAR-24 01.39.50.000000000 PM 44.5 07-MAR-24 01.56.35.000000000 PM 39.77 08-MAR-24 06.59.49.000000000 PM 34.16 08-MAR-24 07.49.48.000000000 PM 9.32 08-MAR-24 07.54.42.000000000 PM 61.77 08-MAR-24 08.17.34.00000000	07-MAR-24 02.08.38.000000000 PM 07-MAR-24 02.49.27.000000000 PM 08-MAR-24 07.16.45.000000000 PM 08-MAR-24 08.32.24.00000000 PM 08-MAR-24 08.05.47.00000000 PM	+00 00:28:48.000000 +00 00:52:52.000000 +00 00:16:56.000000 +00 00:42:36.000000	28.8 52.87 16.93 42.6	-00 00:28:48.000000 -00 00:52:52.000000 -00 00:16:56.000000	28.8 52.87 16.93
25218595 25269064 25270896 25271079 25271844 25273911 25274890 25274950	CS5692 CS5694 CS5695 CS5695 CS5691 CS5694 CS5692 CS5691	CPLK CPLK CPLK CPLK CPLK CPLK CPLK	44.5 07-MAR-24 01.56.35.000000000 PM 39.77 08-MAR-24 06.59.49.000000000 PM 34.16 08-MAR-24 07.49.48.000000000 PM 9.32 08-MAR-24 07.54.42.000000000 PM 61.77 08-MAR-24 08.17.34.000000000 PM	07-MAR-24 02.49.27.000000000 PM 08-MAR-24 07.16.45.000000000 PM 08-MAR-24 08.32.24.00000000 PM 08-MAR-24 08.05.47.00000000 PM	+00 00:52:52.000000 +00 00:16:56.000000 +00 00:42:36.000000	52.87 16.93 42.6	-00 00:52:52.000000 -00 00:16:56.000000	52.87 16.93
25269064 25270896 25271079 25271844 25273911 25274890 25274950	CS5694 CS5694 CS5695 CS5691 CS5694 CS5692 CS5691	CPLK CPLK CPLK CPLK CPLK	39.77 08-MAR-24 06.59.49.000000000 PM 34.16 08-MAR-24 07.49.48.000000000 PM 9.32 08-MAR-24 07.54.42.000000000 PM 61.77 08-MAR-24 08.17.34.000000000 PM	08-MAR-24 07.16.45.000000000 PM 08-MAR-24 08.32.24.00000000 PM 08-MAR-24 08.05.47.00000000 PM	+00 00:16:56.000000 +00 00:42:36.000000	16.93 42.6	-00 00:16:56.000000	16.93
25270896 25271079 25271844 25273911 25274890 25274950	CS5694 CS5695 CS5691 CS5694 CS5692 CS5691	CPLK CPLK CPLK CPLK	34.16 08-MAR-24 07.49.48,000000000 PM 9.32 08-MAR-24 07.54.42,000000000 PM 61.77 08-MAR-24 08.17.34,000000000 PM	08-MAR-24 08.32.24.000000000 PM 08-MAR-24 08.05.47.000000000 PM	+00 00:42:36.000000	42.6		
25271079 25271844 25273911 25274890 25274950	CS5695 CS5691 CS5694 CS5692 CS5691 CS5695	CPLK CPLK CPLK	9.32 08-MAR-24 07.54.42.000000000 PM 61.77 08-MAR-24 08.17.34.000000000 PM	08-MAR-24 08.05.47.000000000 PM				4
25271844 25273911 25274890 25274950	CS5691 CS5694 CS5692 CS5691 CS5695	CPLK CPLK	61.77 08-MAR-24 08.17.34.000000000 PM		+00 00:11:05.000000	11.08	-00 00:42:36.000000	42.6
25273911 25274890 25274950	CS5694 CS5692 CS5691 CS5695	CPLK		00 1110 0100 17 50 00000000000		11.00	-00 00:11:05.000000	11.08
25274890 25274950	CS5692 CS5691 CS5695		40 70 no MAD 24 no 22 no 000000000 DM	08-MAR-24 09.17.50.000000000 PM	+00 01:00:16.000000	60.27	-00 01:00:16.000000	60.27
25274950	CS5691 CS5695	CPLK	40.13 UB-MAR-24 U9.22.U2.UUUUUUUUU PM	08-MAR-24 10.36.51.000000000 PM	+00 01:14:49,000000	74.82	-00 01:14:49.000000	74.82
	CS5695		28.11 08-MAR-24 09.55.51.000000000 PM	08-MAR-24 10.58.05.000000000 PM	+00 01:02:14.000000	62.23	-00 01:02:14.000000	62.23
25275354		CPLK	33.13 08-MAR-24 09.58.08.000000000 PM	08-MAR-24 11.09.51.000000000 PM	+00 01:11:43.000000	71.72	-00 01:11:43.000000	71.72
	CS5695	CPLK	28.04 08-MAR-24 10.11.11.000000000 PM	08-MAR-24 11.07.56.000000000 PM	+00 00:56:45.000000	56.75	-00 00:56:45.000000	56.75
25278252		CPLK	15.27 09-MAR-24 12.03.38.000000000 AM	09-MAR-24 12.17.23.000000000 AM	+00 00:13:45.000000	13.75	-00 00:13:45.000000	13.75
25285431	CS5695	CPLK	44.49 09-MAR-24 08.17.49.000000000 AM	09-MAR-24 08.53.34.000000000 AM	+00 00:35:45.000000	35.75	-00 00:35:45.000000	35.75
25287502	CS5695	CPLK	19.96 09-MAR-24 09.34.53.000000000 AM	09-MAR-24 10.06.33.000000000 AM	+00 00:31:40.000000	31.67	-00 00:31:40.000000	31.67
25294048	CS5695	CPLK	65.79 09-MAR-24 12.22.14.000000000 PM	09-MAR-24 01.11.19.000000000 PM	+00 00:49:05.000000	49.08	-00 00:49:05.000000	49.08
25295294	CS5694	CPLK	26.25 09-MAR-24 12.51.13.000000000 PM	09-MAR-24 01.11.22.000000000 PM	+00 00:20:09.000000	20.15	-00 00:20:09.000000	20.15
25297061	CS5695	CPLK	19.02 09-MAR-24 01.30.19.000000000 PM	09-MAR-24 02.05.20.000000000 PM	+00 00:35:01.000000	35.02	-00 00:35:01.000000	35.02
25297219	CS5692	CPLK	34.63 09-MAR-24 01.34.21.000000000 PM	09-MAR-24 02.51.09.000000000 PM	+00 01:16:48.000000	76.8	-00 01:16:48.000000	76.8
25297464	CS5694	CPLK	49.33 09-MAR-24 01.39.01.000000000 PM	09-MAR-24 03.03.43.000000000 PM	+00 01:24:42.000000	84.7	-00 01:24:42.000000	84.7
25298394	CS5691	CPLK	38.83 09-MAR-24 01.58,34.000000000 PM	09-MAR-24 02.47.12.000000000 PM	+00 00:48:38.000000	48.63	-00 00:48:38.000000	48.63
25304788	CS5694	CPLK	23.28 09-MAR-24 04.19.31.000000000 PM	09-MAR-24 04.51.26.000000000 PM	+00 00:31:55.000000	31.92	-00 00:31:55.000000	31.92
25305866	CS5695	CPLK	30.8 09-MAR-24 04.42.49.000000000 PM	09-MAR-24 05.17.53.000000000 PM	+00 00:35:04.000000	35.07	-00 00:35:04.000000	35.07
23140129	CS5695	CPLK	69.98 11-JAN-24 02.28.55.000000000 PM	11-JAN-24 03.22.33.000000000 PM	+00 00:53:38.000000	53.63	-00 00:53:38.000000	53.63
23141117	CS5694	CPLK	29.98 11-JAN-24 02.53.54.000000000 PM	11-JAN-24 03.36.27.000000000 PM	+00 00:42:33.000000	42.55	-00 00:42:33.000000	42.55
23144725	CS5692	CPLK	19.49 11-JAN-24 04.29.41.000000000 PM	11-JAN-24 05.08.55.000000000 PM	+00 00:39:14.000000	39.23	-00 00:39:14.000000	39.23
23145430	CS5694	CPLK	65.97 11-JAN-24 04.47.08.000000000 PM	11-JAN-24 05.48.02.000000000 PM	+00 01:00:54.000000	60.9	-00 01:00:54.000000	60.9
23145690	CS5691	CPLK	42.04 11-JAN-24 04.53.32.000000000 PM	11-JAN-24 06.03.34.000000000 PM	+00 01:10:02.000000	70.03	-00 01:10:02.000000	70.03
23147543	CS5695	CPLK	34.97 11-JAN-24 05.41.12.000000000 PM	11-JAN-24 05.58.45.000000000 PM	+00 00:17:33.000000	17.55	-00 00:17:33.000000	17.55
23148106	CS5694	CPLK	42.3 11-JAN-24 05.57.02.000000000 PM	11-JAN-24 06.59.50.000000000 PM	+00 01:02:48.000000	62.8	-00 01:02:48.000000	62.8
	CS5692	CPLK	21.85 11-JAN-24 06.02.58.000000000 PM	11-JAN-24 06.45.57.000000000 PM	+00 00:42:59.000000		-00 00:42:59.000000	42.98
	CS5695	CPLK	48.99 11-JAN-24 06.19.14.000000000 PM	11-JAN-24 07.20.12.000000000 PM	+00 01:00:58.000000	60.97	-00 01:00:58.000000	60.97
	CS5691	CPLK	58.74 11-JAN-24 06.23.50.000000000 PM	11-JAN-24 07.10.15.000000000 PM	+00 00:46:25.000000		-00 00:46:25.000000	46.42
	CS5691	CPLK	60.19 11-JAN-24 07.15.10.000000000 PM	11-JAN-24 08.06.52.000000000 PM	+00 00:51:42,000000		-00 00:51:42.000000	51.7
	CS5692	CPLK	38 11-JAN-24 08.29.40.000000000 PM	11-JAN-24 09.30.01.000000000 PM	+00 01:00:21.000000		-00 01:00:21.000000	60.35
	CS5691	CPLK	42.14 11-JAN-24 09.38.11.000000000 PM	11-JAN-24 10.38.32.000000000 PM	+00 01:00:21.000000		-00 01:00:21.000000	60.35
	CS5695	CPLK	14.21 11-JAN-24 06.35.47.000000000 AM	11-JAN-24 07.00.59.000000000 AM	+00 00:25:12,000000		-00 00:25:12.000000	25.2
	CS5695	CPLK	53.03 11-JAN-24 07.32.31.000000000 AM	11-JAN-24 08.24.09.000000000 AM	+00 00:51:38.000000		-00 00:51:38.000000	51.63
	CS5692	CPLK	45.23 11-JAN-24 09.11.58.000000000 AM	11-JAN-24 10.02.49.000000000 AM	+00 00:50:51.000000		-00 00:50:51.000000	50.85
	CS5694	CPLK	33.35 11-JAN-24 09.39.23.000000000 AM	11-JAN-24 10.24.11.000000000 AM	+00 00:44:48,000000		-00 00:44:48.000000	44.8
	CS5695	CPLK	30.3 11-JAN-24 09.51.29.000000000 AM	11-JAN-24 10.52.30.000000000 AM	+00 01:01:01.000000		-00 01:01:01.000000	61.02
	CS5695	CPLK	16.36 11-JAN-24 10.57,19,000000000 AM	11-JAN-24 11.51.12.000000000 AM	+00 00:53:53.000000		-00 00:53:53.000000	53.88
	CS5692	CPLK	20.31 11-JAN-24 12.39.26.000000000 PM	11-JAN-24 01.07.40.000000000 PM	+00 00:28:14.000000		-00 00:28:14.000000	28.23
	CS5692	CPLK	24.32 11-JAN-24 02.14.17.000000000 PM	11-JAN-24 02.58.27.000000000 PM	+00 00:44:10.000000		-00 00:44:10.000000	44.17
	CS5691	CPLK	30.99 11-JAN-24 02.16.55.000000000 PM	11-JAN-24 03.02.42.000000000 PM	+00 00:45:47.000000		-00 00:45:47.000000	45.78
	CS5695	CPLK	26.79 12-JAN-24 01.46.17.000000000 PM	12-JAN-24 02.47.07.000000000 PM	+00 01:00:50.000000		-00 01:00:50.000000	60.83
	CS5691	CPLK	63.14 12-JAN-24 01.53.27.000000000 PM	12-JAN-24 02.56.04.000000000 PM	+00 01:02:37.000000		-00 01:02:37.000000	62.62
	CS5692	CPLK	17.37 12-JAN-24 01.55.52.000000000 PM	12-JAN-24 02.56.04.000000000 PM	+00 01:00:12.000000		-00 01:00:12.000000	60.2
	CS5695	CPLK	50.47 12-JAN-24 02.53.51.0000000000 PM	12-JAN-24 03.54.02.000000000 PM	+00 01:00:11.000000		-00 01:00:11.000000	60.18
	CS5692	CPLK	36.3 12-JAN-24 03.02.20.000000000 PM	12-JAN-24 04.03.02.000000000 PM	+00 01:00:42,000000		-00 01:00:42.000000	60.7
	CS5691	CPLK	44.25 12-JAN-24 03.05.57.0000000000 PM	12-JAN-24 04.05.53.000000000 PM	+00 00:59:56.000000		-00 00:59:56.000000	59.93
	CS5695	CPLK	48.27 12-JAN-24 04.05.31.000000000 PM	12-JAN-24 05.05.45.000000000 PM	+00 01:00:14.000000		-00 01:00:14.000000	60.23
23183282	CS5692	CPLK	9.89 12-JAN-24 04.05.41.000000000 PM	12-JAN-24 04.26.13.000000000 PM	+00 00:20:32.000000	20.53	-00 00:20:32.000000	20.53

	SESSION_ID	CHARGER_ID	ADDRESS C	TITY STATE ZIP TION	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION	TOTAL DURATION MINUTES
23183743	CS5691			CPLK	25.62 12-JAN-24 04.16.58.000000000 PM	12-JAN-24 04.36.49.000000000 PM	+00 00:19:51.000000	19.85	-00 00:19:51.000000	19.85
23184303	CS5692	1		CPLK	66.01 12-JAN-24 04.30.09.000000000 PM	12-JAN-24 05.26.21.000000000 PM	+00 00:56:12.000000	56.2	-00 00:56:12.000000	56.2
23186033	CS5695	9		CPLK	22.75 12-JAN-24 05.12.06.000000000 PM	12-JAN-24 05.23.27.000000000 PM	+00 00:11:21.000000	11.35	-00 00:11:21.000000	11.35
23186744	CS5695			CPLK	9.72 12-JAN-24 05.30.29,000000000 PM	12-JAN-24 05.39.24.000000000 PM	+00 00:08:55.000000	8.92	-00 00:08:55.000000	8.92
23187022	CS5691			CPLK	37.7 12-JAN-24 05.37.16.000000000 PM	12-JAN-24 06.39.07.000000000 PM	+00 01:01:51.000000	61.85	-00 01:01:51.000000	61.85
23188183	CS5695			CPLK	9.1 12-JAN-24 06.06.44.000000000 PM	12-JAN-24 06.31.23.000000000 PM	+00 00:24:39.000000	24.65	-00 00:24:39.000000	24.65
23188340	CS5692			CPLK	39.94 12-JAN-24 06.10.29.000000000 PM	12-JAN-24 07.11.01.000000000 PM	+00 01:00:32.000000	60.53	-00 01:00:32.000000	60.53
23191019	CS5695			CPLK	35.5 12-JAN-24 07.17.57.000000000 PM	12-JAN-24 08.19.05.000000000 PM	+00 01:01:08.000000	61.13	-00 01:01:08.000000	61.13
23191210	CS5691			CPLK	13.88 12-JAN-24 07.22.13.000000000 PM	12-JAN-24 07.35.53.000000000 PM	+00 00;13;40.000000	13.67	-00 00:13:40.000000	13.67
23192071	CS5691			CPLK	27.7 12-JAN-24 07.42.54.000000000 PM	12-JAN-24 08.07.47.000000000 PM	+00 00:24:53.000000	24.88	-00 00:24:53.000000	24.88
23192666	CS5692			CPLK	29.45 12-JAN-24 07.59.41.000000000 PM	12-JAN-24 09.00.02.000000000 PM	+00 01:00:21.000000	60.35	-00 01:00:21.000000	60.35
23194043	CS5695			CPLK	57.36 12-JAN-24 08.38.35.0000000000 PM	12-JAN-24 09.33.17.000000000 PM	+00 00:54:42.000000	54.7	-00 00:54:42.000000	54.7
23195119	CS5691			CPLK	27.08 12-JAN-24 09.11.26.000000000 PM	12-JAN-24 09.34.36.000000000 PM	+00 00:23:10.000000	23.17	-00 00:23:10.000000	23.17
23195636	CS5692			CPLK	30.58 12-JAN-24 09.27.34.000000000 PM	12-JAN-24 10.28.05.000000000 PM	+00 01:00:31.000000	60.52	-00 01:00:31.000000	60.52
23195957	CS5691			CPLK	15.83 12-JAN-24 09.37.37.0000000000 PM	12-JAN-24 10.04.56.000000000 PM	+00 00:27:19.000000	27.32	-00 00:27:19.000000	27.32
23195962	CS5695			CPLK	39.97 12-JAN-24 09.37.46,000000000 PM	12-JAN-24 09.57.36.000000000 PM	+00 00:19:50.000000	19.83	-00 00:19:50.000000	19.83
23196756	CS5695			CPLK	27.64 12-JAN-24 10.04.18.000000000 PM	12-JAN-24 11.05.01.000000000 PM	+00 01:00:43.000000	60.72	-00 01:00:43.000000	60.72
23197417	CS5692			CPLK	20.95 12-JAN-24 10.29.44.000000000 PM	12-JAN-24 11.30.01.000000000 PM	+00 01:00:17.000000	60.28	-00 01:00:17.000000	60.28
23198284	CS5691			CPLK	59.12 12-JAN-24 11.02.50.000000000 PM	12-JAN-24 11.47.57.000000000 PM	+00 00:45:07.000000	45.12	-00 00:45:07.000000	45.12
23203091	CS5692			CPLK	24.4 13-JAN-24 04.02.30.0000000000 AM	13-JAN-24 05.03.02.000000000 AM	+00 01:00:32.000000	60.53	-00 01:00:32.000000	60.53
23203665	CS5692			CPLK	9.49 13-JAN-24 05.05.45.0000000000 AM	13-JAN-24 05.38.12.000000000 AM	+00 00:32:27.000000	32.45	-00 00:32:27.000000	32.45
23205408	CS5695			CPLK	9.71 13-JAN-24 07.23.14.000000000 AM	13-JAN-24 07.47.42.000000000 AM	+00 00:24:28.000000	24.47	-00 00:24:28.000000	24.47
23207255	CS5692			CPLK	49.77 13-JAN-24 08.59.56.0000000000 AM	13-JAN-24 10.00.14.000000000 AM	+00 01:00:18.000000	60.3	-00 01:00:18.000000	60.3
23207508	CS5695			CPLK	66.26 13-JAN-24 09.09.36.0000000000 AM	13-JAN-24 10.09.43.000000000 AM	+00 01:00:07.000000	60.12	-00 01:00:07.000000	60.12
23208286	CS5691			CPLK	19.77 13-JAN-24 09.36.21.000000000 AM	13-JAN-24 10.08.54.000000000 AM	+00 00:32:33.000000	32.55	-00 00:32:33.000000	32.55
23212754	CS5695			CPLK	63.39 13-JAN-24 11.45.15.0000000000 AM	13-JAN-24 12.46.03.000000000 PM	+00 01:00:48.000000	60.8	-00 01:00:48.000000	60.8
23213478	CS5691			CPLK	17.28 13-JAN-24 12.04.02.000000000 PM	13-JAN-24 12.37.31.000000000 PM	+00 00:33:29.000000	33.48	-00 00:33:29.000000	33.48
23214016	CS5692			CPLK	34.4 13-JAN-24 12.17.03.0000000000 PM	13-JAN-24 01.04.20.000000000 PM	+00 00:47:17.000000	47.28	-00 00:47:17.000000	47.28
23215626	CS5695			CPLK	5.19 13-JAN-24 12.50.39,000000000 PM	13-JAN-24 01.04.08.000000000 PM	+00 00:13:29.000000	13.48	-00 00:13:29.000000	13.48
23216376	CS5691			CPLK	34.88 13-JAN-24 01.08.29.000000000 PM	13-JAN-24 02.10.12.000000000 PM	+00 01:01:43.000000	61.72	-00 01:01:43.000000	61.72
23217001	CS5695			CPLK	50.8 13-JAN-24 01.21.37.000000000 PM	13-JAN-24 01.57.23.000000000 PM	+00 00:35:46.000000	35.77	-00 00:35:46.000000	35.77
23217473	CS5692			CPLK	50.05 13-JAN-24 01.31.38.000000000 PM	13-JAN-24 02.33.05.000000000 PM	+00 01:01:27.000000	61.45	-00 01:01:27.000000	61.45
23218751	CS5695			CPLK	52.97 13-JAN-24 01.59.59.000000000 PM	13-JAN-24 04.07.36.000000000 PM	+00 02:07:37.000000	127.62	-00 02:07:37.000000	127.62
23219403	CS5691			CPLK	36.35 13-JAN-24 02.12,53.000000000 PM	13-JAN-24 02,42,37,000000000 PM	+00 00:29:44.000000	29.73	-00 00:29:44.000000	29.73
23220475	CS5692			CPLK	42.13 13-JAN-24 02.36.04.000000000 PM	13-JAN-24 03.31.21.000000000 PM	+00 00:55:17.000000	55.28	-00 00:55:17.000000	55.28
23220897	CS5691			CPLK	15.81 13-JAN-24 02.45.03.000000000 PM	13-JAN-24 03.39.45.000000000 PM	+00 00;54;42,000000	54.7	-00 00:54:42.000000	54.7
23223131	CS5692			CPLK	57.64 13-JAN-24 03.34.43.000000000 PM	13-JAN-24 04.35.37.000000000 PM	+00 01:00:54.000000	60.9	-00 01:00:54.000000	60.9
23225256	CS5695			CPLK	13.11 13-JAN-24 04.22.06.000000000 PM	13-JAN-24 05.23.04.000000000 PM	+00 01:00:58.000000	60.97	-00 01:00:58.000000	60.97
35460185	CS5692			CPLK	36.41 19-OCT-2412.36.55.0000000000 AM	19-OCT-24 01.30.11.000000000 AM	+00 00:53:16.000000	53.27	-00 00:53:16.000000	53.27
35463705	CS5692			CPLK	62.1 19-OCT-24 03.26,26,0000000000 AM	19-OCT-24 05.27.00.000000000 AM	+00 02:00:34.000000	120.57	-00 02:00:34.000000	120.57
35464654	CS5691			CPLK	55.83 19-OCT-2404.25.39.000000000 AM	19-OCT-24 05.19.11.000000000 AM	+00 00:53:32.000000	53.53	-00 00:53:32.000000	53.53
35467885	CS5692			CPLK	30.13 19-OCT-2407.11.22.000000000 AM	19-OCT-24 07.55.44.000000000 AM	+00 00:44:22.000000	44.37	-00 00:44:22.000000	44.37
35468583	CS5691			CPLK	75.5 19-OCT-24 07.40.41.0000000000 AM	19-OCT-24 08.52.26.000000000 AM	+00 01:11:45.000000	71.75	-00 01:11:45.000000	71.75
35472974	CS5691			CPLK	52.64 19-OCT-24 09.47.53.000000000 AM	19-OCT-24 10.25.15.0000000000 AM	+00 00:37:22.000000	37.37	-00 00:37:22.000000	37.37
35474115	CS5692			CPLK	19.29 19-OCT-24 10.14.05.0000000000 AM	19-OCT-24 10.30,20,0000000000 AM	+00 00:16:15.000000	16.25	-00 00:16:15.000000	16.25
35476255	CS5692			CPLK	39.93 19-OCT-24 10.58.11.000000000 AM	19-OCT-24 11.41.01.0000000000 AM	+00 00:42:50.000000	42.83	-00 00:42:50.000000	42.83
35481762	CS5692			CPLK	58.27 19-OCT-2412.43.57.000000000 PM		+00 00:44:37.000000	44.62	-00 00:44:37.000000	44.62
35483087	CS5691			CPLK	41.48 19-OCT-2401.08.54.000000000 PM	19-OCT-24 01.44.25.000000000 PM	+00 00:35:31.000000		-00 00:35:31.000000	35.52
35485853	CS5692			CPLK	62.79 19-OCT-24 02.00,00.0000000000 PM	19-OCT-24 02.51.25.000000000 PM	+00 00:51:25.000000		-00 00:51:25.000000	51.42
35485956	CS5691			CPLK	16.67 19-OCT-24 02.01.48.000000000 PM	19-OCT-24 02.25.16.000000000 PM	+00 00:23:28.000000	23.47	-00 00:23:28.000000	23.47
35488745	CS5691			CPLK	45.73 19-OCT-2402,52,59,0000000000 PM	19-OCT-24 03.27.30.000000000 PM	+00 00:34:31.000000		-00 00:34:31.000000	34.52
35489166	CS5692			CPLK	15.1 19-OCT-24 03.00.03.000000000 PM	19-OCT-24 03.20.23.000000000 PM	+00 00:20:20.000000	20.33	-00 00:20:20.000000	20.33
35491757	CS5692			CPLK	48.16 19-OCT-24 03.48.17.0000000000 PM	19-OCT-24 04.44.35.000000000 PM	+00 00:56:18.000000	56.3	-00 00:56:18.000000	56.3
		34								

	SESSION_ID	CHARGER_ID	ADDRESS	CITY STATE	ZIP JURISDIC TION	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
35493405	CS5691				CPLK	17.08 19-OCT-2404.19.31.000000000 PM	19-OCT-24 04.50.16.000000000 PM	+00 00:30:45.000000		-00 00:30:45.000000	30.75
35495177	CS5691				CPLK	56.82 19-OCT-24 04.51.55.000000000 PM	19-OCT-24 06.08.02.000000000 PM	+00 01:16:07.000000	76.12	-00 01:16:07.000000	76.12
35495394	CS5692				CPLK	36.14 19-OCT-2404.55.36.000000000 PM	19-OCT-24 05.43.49.000000000 PM	+00 00:48:13.000000	48.22	-00 00:48:13.000000	48.22
35498089	CS5692				CPLK	49.4 19-OCT-2405.48.04.000000000 PM	19-OCT-24 06.19.15.000000000 PM	+00 00:31:11.000000	31.18	-00 00:31:11.000000	31.18
35499224	CS5691				CPLK	44.93 19-OCT-2406.11.34.000000000 PM	19-OCT-24 07.02.43.000000000 PM	+00 00:51:09.000000	51.15	-00 00:51:09.000000	51.15
35501953	CS5691				CPLK	22.55 19-OCT-2407.07.31.000000000 PM	19-OCT-24 07.36.20.000000000 PM	+00 00:28:49.000000	28.82	-00 00:28:49.000000	28.82
35736677	CS5691				CPLK	66.03 24-OCT-2404.59.28.000000000 PM	24-OCT-24 05.41.13.000000000 PM	+00 00:41:45.000000	41.75	-00 00:41:45.000000	41.75
35741673	CS5692				CPLK	62.21 24-OCT-2406.49.54.000000000 PM	24-OCT-24 07.42.39.000000000 PM	+00 00:52:45.000000	52.75	-00 00:52:45.000000	52.75
35745972	CS5691				CPLK	51.22 24-OCT-24 08.28.51.000000000 PM	24-OCT-24 09.05.21.000000000 PM	+00 00:36:30.000000	36.5	-00 00:36:30.000000	36.5
35750489	CS5692				CPLK	27.49 24-OCT-24 10.30.11.000000000 PM	24-OCT-24 11.08.09.000000000 PM	+00 00:37:58.000000	37.97	-00 00:37:58.000000	37.97
35753450	CS5691				CPLK	81.02 25-OCT-24 12.07.08.000000000 AM	25-OCT-24 01.25.26.0000000000 AM	+00 01:18:18.000000	78.3	-00 01:18:18.000000	78.3
35753480	CS5692				CPLK	44.65 25-OCT-2412.08.13,000000000 AM	25-OCT-24 12.48.16.000000000 AM	+00 00:40:03.000000	40.05	-00 00:40:03.000000	40.05
35755522	CS5692				CPLK	50.32 25-OCT-24 01.43.54.000000000 AM	25-OCT-24 03.02.55.0000000000 AM	+00 01:19:01.000000	79.02	-00 01:19:01.000000	79.02
35756546	CS5691				CPLK	34.71 25-OCT-2402.30.02.0000000000 AM	25-OCT-24 03.12.28.0000000000 AM	+00 00:42:26.000000	42.43	-00 00:42:26.000000	42.43
35757321	CS5692				CPLK	49.23 25-OCT-2403.18.15.000000000 AM	25-OCT-24 04.45.15.000000000 AM	+00 01:27:00.000000	87	-00 01:27:00.000000	87
35757441	CS5691				CPLK	46.84 25-OCT-2403.25.59.0000000000 AM	25-OCT-24 04.06.52.0000000000 AM	+00 00:40:53.000000	40.88	-00 00:40:53.000000	40.88
35759725	CS5692				CPLK	30.52 25-OCT-2405.51.57.000000000 AM	25-OCT-24 06.25.40.000000000 AM	+00 00:33:43.000000	33.72	-00 00:33:43.000000	33.72
35759820	CS5691				CPLK	44.02 25-OCT-2405.57.26.000000000 AM	25-OCT-24 06.43.07.000000000 AM	+00 00:45:41.000000	45.68	-00 00:45:41.000000	45.68
35762031	CS5691				CPLK	18.52 25-OCT-24 07.37.52.000000000 AM	25-OCT-24 08.00.44.000000000 AM	+00 00:22:52.000000	22.87	-00 00:22:52.000000	22.87
35762520	CS5692				CPLK	78.27 25-OCT-24 07.56.29.0000000000 AM	25-OCT-24 09.10.46.000000000 AM	+00 01:14:17.000000	74.28	-00 01:14:17.000000	74.28
35764241	CS5691				CPLK	39.7 25-OCT-24 08.48.32.000000000 AM	25-OCT-24 09.53.00.0000000000 AM	+00 01:04:28.000000	64.47	-00 01:04:28.000000	64.47
23155872	CS5695				CPLK	43.81 11-JAN-24 09.44.37.000000000 PM	11-JAN-24 10.46.02.000000000 PM	+00 01:01:25.000000	61.42	-00 01:01:25.000000	61.42
23157360	CS5691				CPLK	6.75 11-JAN-24 10.41.12.000000000 PM	11-JAN-24 10.56.29.000000000 PM	+00 00:15:17.000000	15.28	-00 00:15:17.000000	15.28
23160673	CS5691				CPLK	25.66 12-JAN-24 01.41.24.000000000 AM	12-JAN-24 02.12,28.000000000 AM	+00 00:31:04.000000	31.07	-00 00:31:04.000000	31.07
23163480	CS5695				CPLK	18.19 12-JAN-24 06.22.30.000000000 AM	12-JAN-24 06.57.51.000000000 AM	+00 00:35:21.000000	35.35	-00 00:35:21.000000	35.35
23165307	CS5692				CPLK	41.52 12-JAN-24 08.04.42.000000000 AM	12-JAN-24 09.05.02.000000000 AM	+00 01:00:20.000000	60.33	-00 01:00:20.000000	60.33
23165343	CS5695				CPLK	35.16 12-JAN-24 08.06.16.000000000 AM	12-JAN-24 08.47.50.000000000 AM	+00 00:41:34.000000	41.57	-00 00:41:34.000000	41.57
23166279	CS5694				CPLK	51.86 12-JAN-24 08.45.08.000000000 AM	12-JAN-24 09.26.53.000000000 AM	+00 00:41:45.000000	41.75	-00 00:41:45.000000	41.75
23166599	CS5695				CPLK	29.55 12-JAN-24 08.58.11.000000000 AM	12-JAN-24 09.43.12.000000000 AM	+00 00:45:01.000000	45.02	-00 00:45:01.000000	45.02
23167681	CS5692				CPLK	25.42 12-JAN-24 09.35.23.0000000000 AM	12-JAN-24 10.35.33.000000000 AM	+00 01:00:10.000000	60.17	-00 01:00:10.000000	60.17
23169375	CS5695				CPLK	36.64 12-JAN-24 10.25.38.000000000 AM	12-JAN-24 11.26.05.000000000 AM	+00 01:00:27.000000	60.45	-00 01:00:27.000000	60.45
23169849	CS5692				CPLK	18.85 12-JAN-24 10.37.22.000000000 AM	12-JAN-24 11.25.23.000000000 AM	+00 00:48:01.000000	48.02	-00 00:48:01.000000	48.02
23171833	CS5695				CPLK	18 12-JAN-24 11.27.32,0000000000 AM	12-JAN-24 12.29.29.000000000 PM	+00 01:01:57.000000	61.95	-00 01:01:57.000000	61.95
23172318	CS5694				CPLK	33.33 12-JAN-24 11.39.50,0000000000 AM	12-JAN-24 12.21.45.000000000 PM	+00 00:41:55.000000	41.92	-00 00:41:55.000000	41.92
23172457	CS5692				CPLK	65.92 12-JAN-24 11.42.53.000000000 AM	12-JAN-24 12.43.22.000000000 PM	+00 01:00:29,000000	60.48	-00 01:00:29.000000	60.48
23173276	CS5691				CPLK	63.52 12-JAN-24 12.05.23.000000000 PM	12-JAN-24 01.06.02.000000000 PM	+00 01:00:39.000000	60.65	-00 01:00:39.000000	60.65
23175061	CS5692				CPLK	28.8 12-JAN-24 12.49.36,000000000 PM	12-JAN-24 01.51.35.000000000 PM	+00 01:01:59.000000	61.98	-00 01:01:59.000000	61.98
23175865	CS5691				CPLK	5.69 12-JAN-24 01.10.57.000000000 PM	12-JAN-24 01.51.05.000000000 PM	+00 00:40:08.000000	40.13	-00 00:40:08.000000	40.13
23176304	CS5694				CPLK	31.1 12-JAN-24 01.22.10.000000000 PM	12-JAN-24 01.44.37.000000000 PM	+00 00:22:27.000000	22.45	-00 00:22:27.000000	22.45
34715055	CS5692				CPLK	41.98 04-OCT-2401.29.56.000000000 AM	04-OCT-24 01.59.12.000000000 AM	+00 00:29:16.000000	29.27	-00 00:29:16.000000	29.27
34718942	CS5691				CPLK	22.28 04-OCT-24 05.35.09.000000000 AM	04-OCT-24 05.53.21.000000000 AM	+00 00:18:12.000000	18.2	-00 00:18:12.000000	18.2
34719304	CS5691				CPLK	34.23 04-OCT-2405.56.24.000000000 AM	04-OCT-24 06.27.36.000000000 AM	+00 00:31:12.000000	31.2	-00 00:31:12.000000	31.2
34722602	CS5692				CPLK	47.43 04-OCT-24 08.17.57.000000000 AM	04-OCT-24 09.49.39.000000000 AM	+00 01:31:42.000000	91.7	-00 01:31:42.000000	91.7
34724014	CS5691				CPLK	53.64 04-OCT-24 09.01.36.000000000 AM	04-OCT-24 09.46.28.000000000 AM	+00 00:44:52.000000	44.87	-00 00:44:52.000000	44.87
34727880	CS5691				CPLK	7.23 04-OCT-24 10.45.07.000000000 AM	04-OCT-24 10.51.17.000000000 AM	+00 00:06:10.000000	6.17	-00 00:06:10.000000	6.17
34925389	CS5692				CPLK	55.08 08-OCT-24 08.07.15.000000000 AM	08-OCT-24 08.57.51.000000000 AM	+00 00:50:36.000000	50.6	-00 00:50:36.000000	50.6
34925603	CS5691				CPLK	15.18 08-OCT-24 08.14.43.000000000 AM	08-OCT-24 08.27.55.000000000 AM	+00 00:13:12.000000	13.2	-00 00:13:12.000000	13.2
34926999	CS5691				CPLK	36 08-OCT-24 09.03.07.000000000 AM		+00 00:30:00.000000	30	-00 00:30:00.000000	30
34928496	CS5691				CPLK	64.09 08-OCT-24 09.50.22,000000000 AM	08-OCT-24 10.42.33.000000000 AM	+00 00:52:11.000000	52.18	-00 00:52:11.000000	52.18
34932126	CS5692				CPLK	46.01 08-OCT-24 11.20.57.000000000 AM	08-OCT-24 12.06.45.000000000 PM	+00 00:45:48.000000	45.8	-00 00:45:48.000000	45.8
34933015	CS5691				CPLK	47.99 08-OCT-24 11.42.09.000000000 AM	08-OCT-24 12.43.50.000000000 PM	+00 01:01:41.000000	61.68	-00 01:01:41.000000	61.68
34935087	CS5692				CPLK	3.22 08-OCT-24 12.28.48.000000000 PM	08-OCT-24 12.53.01.000000000 PM	+00 00:24:13.000000	24.22	-00 00:24:13.000000	24.22
34936295	CS5692				CPLK	15.71 08-OCT-24 12.55.48.000000000 PM	08-OCT-24 01.14.05.000000000 PM	+00 00:18:17.000000	18.28	-00 00:18:17.000000	18.28
		4									

\$417.00 \$417	TION TOTAL DURATION MINUTES
Septimbro Control Co	00000 41.38
1948-1959 CSS961	00000 52.72
1444-172 CSSSS1	00000 25.42
1944-077 C55961 CFLK 29.98 (PG-CT-2469.81.81.00000000004) PG-CT-246.81.81.80000000004 PG-CT-246.81.81.8000000004 PG-CT	00000 32.28
Selection Sele	00000 13.05
24484999 C59902 CFK 5.0 5991 C	00000 27.25
1948 175 CS991	00000 30.9
\$485159	00000 17.77
1981-1229 C55962 CPLK 7.3.4 o- DCT-24 oF 3.4.5 a.0000000000PM 00 0 0 5.1.5 a.000000 3.1.2.2 c.00 0 1.1.5 a.0000000000 3.1.2.2 c.00 0 1.1.5 a.000000000 3.1.2.2 c.00 0 1.1.5 a.0000000000 3.1.2.2 c.00 0 1.1.5 a.00000000000 3.1.2.2 c.00 0 1.1.5 a.00000000000 3.1.2.2 c.00 0 1.1.5 a.00000000000000000000000000000000000	00000 41.07
1945-1949 CS5991	00000 33.62
ABBRIDGE CSS992	00000 31.92
Septimizer Sep	00000 69.62
Septiment Sept	00000 24.62
34961996	00000 91.08
\$46,073	00000 82.47
3496914 C\$5902 CPLK 41.04 or 0.00000000 AM 48.73 or 0.00000000 AM 41.00000000 AM 43.69 or 0.00000000 AM 43.69 or 0.00000000 AM 43.69 or 0.00000000 AM 43.69 or 0.0000000000000000000000000000000000	00000 52.05
34868438 C\$5691 CPLK 51.01 (00-CT-2460-0A, 25.00-00000000 AM 00-CT-24 (07-28.5) (000000000 AM 00-CT-24 (07-28.5) (000000000 AM 00-CT-24 (07-28.5) (000000000 AM 00-CT-24 (07-28.5) (000000000 AM 00-CT-24 (07-28.5) (00000000 AM 00-CT-24 (07-28.5) (000000000 AM 00-CT-24 (07-28.5) (00000000 AM 00-CT-24 (07-28.5) (00-CT-24 (07-28.5) (00000000 AM 00-CT-24 (07-28.5) (00-CT-24 (07-28.	00000 46.78
\$489673 \$289	00000 38.85
CFK S5961 CFK S5962 CFK S5.99	00000 40.3
3879/214 CSS962 CPLK 43.63 PO.CTT-2408, 28.45, 2000000000 PM 40.08.281, 10.00000 39.22 O.00.281, 10.00000 39.32 O.00.281, 10.000000 39.32 O.00.281, 10.00000 39.32 O.00.281, 10.00000 39.300000 39.32 O.00.281, 10.00000 39.32 O.00.281, 10.000000 39.32 O.00.281, 10.00000 39.32 O.00.281, 10.000000 39.32 O.00.281, 10.00000 39.32 O.00.281, 10.00000 39.32 O.00.281, 10.000000 39.32 O.00.281, 10.000000 39.32 O.00.281, 10.000000 39.32 O.00.281, 10.0000000 39.32 O.00.281, 10.000000 39.32 O.00.281, 10.0000000 39.32 O.00.281, 10.00000000 39.32 O.00.281, 10.00000000 39.32 O.00.281, 10.000000000 39.32 O.0000000000 39.32 O.000000000 39.32 O.00000000000 39.32 O.000000000000 39.32 O.000000000000000000000000000000000000	
S9905486	00000 48.87
CPLK A9.33 11-CCT-240 83.102.000000000 A9.40.28.0000000 A9.42.36.0000000 A9.43.30 0004-226.000000 A9.43.30 0004-226.000000 A9.43.30 0004-226.000000000000 A9.43.30 0004-226.00000000000000000000000000000000000	00000 39.32
S109788	00000 102.07
SS1090938 CS5691 CPLK 50.5 12-OCT-24 12.4.11.00000000000 CPLK 50.5 12-OCT-24 12.4.72.0000000000 CPLK 50.5 12-OCT-24 12.72.000000000 CPLK 50.5 12-OCT-24 12.72.0000000000000000000000000000000000	
S1919175 CS5891 CPLK 6.64 12-CT-24 12.47,26,000000000 AM 12-CT-24 19,25,6,000000000 AM 10-00-11530,00000 31 02-000-11530,00000 31 02-000-11530,00000 31 02-000-11530,00000000 AM 10-00-11530,000000 AM 10-00-11530,00000000 AM 10-00-11530,0000000 AM 10-00-11530,000000 AM 10-00-11530,00000 AM 10-00-11530,000000 AM 10-00-11530,000000 AM 10-00-11530,00000 AM 10-00-11530,00000 AM 10-00-11530,00000 AM 10-00-11530,000000 AM 1	00000 59.85
SELECTION CS892 CPLK 6.59 12-OCT-2405.85.7.00000000 AM 12-OCT-2406.0000000 AM 12-OCT-2406.0000000 AM 12-OCT-2406.0000000 AM 12-OCT-2406.00000000 AM 12-OCT-2406.0000000 AM 12-OCT-2406.00000000 AM 12-OCT-2406.0000000 AM 12-OCT-2406.0000000 AM 12-OCT-2406.000000 AM 12-OCT-2406.0000000 AM 12-OCT-2406.000000 AM 12-OCT-2406.0000000 AM 12-OCT-2406.000000 AM 12-OCT-2406.000000 AM 12-OCT-2406.000000 AM 12-OCT-2406.000000 AM 12-OCT-2406.000000 AM 12-OCT-2406.000000 AM 12-OCT-2406.0000000 AM 12-OCT-2406.000000 AM 12-OCT-2406.0000000 AM 12-OCT-2406.00000000 AM 12-OCT-2406.00000000000000000000000000000000000	
S117102	00000 15.5
S1171752	
S11988 C\$5892 CPLK S1.83 12-OCT-24 01.80.24.0000000 AM 2-OCT-24 10.50.07.00000000 AM 0-00 11.234.000000 83.72 - 00.012343.0000 83.5127083 C\$5891 CPLK 28.3 12-OCT-24 11.82.09.00000000 AM 2-OCT-24 11.50.50.00000000 AM 0-00 00.05304.00000 35.07 - 000 03.504.000 35.07 - 000 03.504.0000 17.77 - 000 01.7746.000000 17.77 - 000 01.7746.000000 17.77 - 000 01.7746.000000 17.77 - 000 01.7746.000000 17.77 - 000 01.7746.000000 17.77 - 000 01.7746.000000 17.77 - 000 01.7746.000000 17.77 - 000 01.7746.000000 17.77 - 000 01.7746.000000 17.77 - 000 01.7746.000000 17.77 - 000 01.7746.000000 17.77 - 000 01.7746.000000 17.77 - 000 01.7746.000000 17.77 - 000 01.7746.000000 17.77 - 000 01.7746.0000000 17.77 - 000 01.7746.0000000 17.77 - 000 01.7746.0000000 17.77 - 000 01.7746.0000000 17.77 - 000 01.7746.0000000 17.77 - 000 01.7746.0000000 17.77 - 000 01.7746.0000000 17.77 - 000 01.7746.0000000 17.77 - 000 01.7746.0000000 17.77 - 000 01.7746.0000000 17.77 - 000 01.7746.0000000 17.77 - 000 01.7746.0000000 17.77 - 000 01.7746.0000000 17.77 - 000 01.7746.000000000 17.77 - 000 01.7746.000000000 17.77 - 000 01.7746.00000000 17.	
\$3127752	
S5127983 CS5692 CPLK 28.3 12-OCT-24 11.52.09.0000000 PM 12-OCT-24 12.9.55.0000000 PM 12-OCT-24 12.15.2.09.0000000 PM 12-OCT-24 12.15.2.09.0000000 PM 12-OCT-24 11.52.09.0000000 PM 12-OCT-24 11.52.09.000000 PM 12-OCT-24 11.52.09.0000000 PM 12-OCT-24 11.52.09.000000 PM 12-OCT-24 11.52.09.0000000 PM 12-OCT-24 11.52.09.000000 PM 12-OCT-24 11.52.0000000 PM 12-OCT-24 11.52.09.000000 PM 12-OCT-24 11.52.0000000 PM 12-OCT-24 11.52.0000000 PM 12-OCT-24 11.52.0000000 PM 12-OCT-24 11.52.00000000 PM 12-OCT-24 11.52.0000000 PM 12-OCT-24 11.52.00000000 PM 12-OCT-24 11.52.00000000 PM 12-OCT-24 11.52.000000000 PM 12-OCT-24 11.52.00000000 PM 12-OCT-24 11.52.000	
\$35127943	
\$5130047	
\$5132190	
S5132210 CS5692 CPLK 6.59 12-OCT-2401.31.06.00000000 PM CPLK 66.01 12-OCT-2401.31.06.00000000 PM CPLK C	
S5134770 CS5691 CPLK 66.01 12-OCT-24 02.17.50.0000000 PM 12-OCT-24 03.24.55.00000000 PM +00 01:07:05.00000 67.08 -00 01:07:05.0000 57.08 -00 01:07:07:07:07:07:07:07:07:07:07:07:07:07:	
CPLK 63 12-OCT-24 03.91.50.00000000 PM 12-OCT-24 03.19.26.00000000 PM 400 00:40:11.00000 40.18 -00 00:40:11.00000 35.140.0000000 PM 400 00:30:39.00000 33.65 -00 00:30:39.00000 33.65 -00 00:30:39.000000 33.65 -00 00:30:39.0000000 35.144741 CS5691 CCPLK 65.43 12-OCT-24 05.23.02.00000000 PM 12-OCT-24 05.44.00000000 PM 400 00:35:144.00000000 PM 400 00:35:30.000000 PM 400 00:35:30.0000000 PM 400 00:35:30.000000 PM 400 00:35:30.000000 PM 400 00:35:30.000000 PM 400 00:35:30.0000000 PM 400 00:35:30.00000000 PM 400 00:35:30.00000000 PM 400 00:35:30.00000000 PM 400 00:35:30.000000000 PM 400 00:35:30.00000000000 PM 400 00:35:30.0000000000000000000000000000000	
CPLK	
S143427 CS5692 CPLK S9.66 12-OCT-24 04.57,18.00000000 PM 12-OCT-24 05.49.02.00000000 PM +00 00:51:44.0000 51.73 -00 00:51:44.0000 35144741 CS5691 CS5692 CPLK 22.98 12-OCT-24 06.02.31.00000000 PM 12-OCT-24 06.24.46.00000000 PM +00 01:38:01.00000 98.02 -00 01:38:01.0000 35148789 CS5692 CPLK 46.34 12-OCT-24 06.43.34.00000000 PM 12-OCT-24 07.32.25.00000000 PM +00 00:22:15.00000 22.25 -00 00:22:15.0000 35150596 CS5691 CS5691 CS5692 CPLK 64.86 12-OCT-24 07.37.55.00000000 PM 12-OCT-24 08.33.33.00000000 PM +00 00:28:03.00000 28.05 -00 00:28:03.00000 28.05 -00 00:28:03.000	
35144741 CS5691 65.43 12-OCT-24 05.23.02.00000000 PM 12-OCT-24 07.01.03.0000000 PM +00 01:38:01.00000 98.02 -00 01:38:01.000 35146765 CS5692 12-OCT-24 06.02.31.00000000 PM 12-OCT-24 06.24.46.00000000 PM +00 00:22:15.00000 22.25 -00 00:22:15.000 35148789 CS5692 46.34 12-OCT-24 06.43.34.00000000 PM 12-OCT-24 07.32.25.00000000 PM +00 00:48:51.00000 48.85 -00 00:48:51.000 35150596 CS5691 33.52 12-OCT-24 07.20.00.000000000 PM 12-OCT-24 07.48.03.00000000 PM +00 00:28:03.00000 28.05 -00 00:28:03.000 35151410 CS5692 CS5691 12-OCT-24 07.37.55.000000000 PM 12-OCT-24 08.33.33.00000000 PM +00 00:55:38.00000 55.63 -00 00:55:38.000 35153252 CS5691 CS5692 CPLK 24.79 12-OCT-24 08.57.37.000000000 PM 12-OCT-24 09.14.51.00000000 PM +00 00:54:39.00000 54.65 -00 00:54:39.000 35154808 CS5692 CPLK 43.38 12-OCT-24 09.17.32.00000000 PM 12-OCT-24 09.58.46.000000000 PM +00 01:01:09.00000 61.15 -00 01:01:09.000 35155684 CS5691 CS5691 20.000.000000 PM 12-OCT-24 09.17	
35146765 CS5692 CPLK 22.98 12-OCT-24 06.02.31.000000000 PM 12-OCT-24 06.24.46.000000000 PM +00 00:22:15.000000 22.25 -00 00:22:15.000 35148789 CS5692 46.34 12-OCT-24 06.43.34.00000000 PM 12-OCT-24 07.32.25.00000000 PM +00 00:48:51.00000 48.85 -00 00:48:51.000 35150596 CS5691 12-OCT-24 07.20.00.00000000 PM 12-OCT-24 07.48.03.00000000 PM +00 00:28:03.00000 28.05 -00 00:28:03.000 35151410 CS5692 CS5691 12-OCT-24 07.37.55.00000000 PM 12-OCT-24 08.33.33.00000000 PM +00 00:55:38.00000 55.63 -00 00:55:38.000 35153252 CS5691 CS5692 CPLK 24.79 12-OCT-24 08.20.12.00000000 PM 12-OCT-24 09.14.51.00000000 PM +00 00:54:39.00000 54.65 -00 00:54:39.000 35154808 CS5692 CPLK 43.38 12-OCT-24 08.57.37.00000000 PM 12-OCT-24 09.58.46.000000000 PM +00 01:01:09.00000 61.15 -00 01:01:09.000 35155684 CS5691 CS5691 12-OCT-24 09.17.32.00000000 PM 12-OCT-24 09.17.32.00000000 PM +00 00:49:17.00000 49.28 -00 00:49:17.000	
35148789 CS5692 46.34 12-OCT-2406.43.34.00000000 PM 12-OCT-2407.32.25.00000000 PM +00 00:48:51.00000 48.85 -00 00:48:51.000 35150596 CS5691 33.52 12-OCT-2407.20.00.00000000 PM 12-OCT-2407.48.03.0000000 PM +00 00:28:03.00000 28.05 -00 00:28:03.000 35151410 CS5692 CPLK 64.86 12-OCT-2407.37.55.00000000 PM 12-OCT-2408.33.33.00000000 PM +00 00:55:38.00000 55.63 -00 00:55:38.000 35153252 CS5691 12-OCT-2408.20.12.00000000 PM 12-OCT-2409.14.51.00000000 PM +00 00:54:39.00000 54.65 -00 00:54:39.000 35154808 CS5692 CPLK 43.38 12-OCT-2408.57.37.00000000 PM 12-OCT-24 09.58.46.00000000 PM +00 01:01:09.00000 61.15 -00 01:01:09.000 35155684 CS5691 CS5691 12-OCT-24 09.17.32.00000000 PM 12-OCT-24 09.17.32.00000000 PM +00 00:49:17.00000 49.28 -00 00:49:17.000	
35150596 CS5691 33.52 12-OCT-24 07.20.00.000000000 PM 12-OCT-24 07.48,03.00000000 PM +00 00:28:03.00000 28.05 -00 00:28:03.000 35151410 CS5692 64.86 12-OCT-24 07.37.55.00000000 PM 12-OCT-24 08.33.33.00000000 PM +00 00:55:38.00000 55.63 -00 00:55:38.000 35153252 CS5691 12-OCT-24 08.20.12.00000000 PM 12-OCT-24 09.14.51.00000000 PM +00 00:54:39.0000 54.65 -00 00:54:39.000 35154808 CS5692 CPLK 43.38 12-OCT-24 09.57.37.00000000 PM 12-OCT-24 09.58.46.00000000 PM +00 01:01:09.00000 61.15 -00 01:01:09.000 35155684 CS5691 CS5691 12-OCT-24 09.17.32.00000000 PM 12-OCT-24 10.64.90.0000000 PM +00 00:49:17.00000 49.28 -00 00:49:17.000	
35151410 CS5692 64.86 12-OCT-24 07.37.55.000000000 PM 12-OCT-24 08.33.33.00000000 PM +00 00:55:38.00000 55.63 -00 00:55:38.000 35153252 CS5691 12-OCT-24 08.20.12.00000000 PM 12-OCT-24 09.14.51.00000000 PM +00 00:54:39.0000 54.65 -00 00:54:39.000 35154808 CS5692 12-OCT-24 09.57.37.00000000 PM 12-OCT-24 09.58.46.00000000 PM +00 01:01:09.00000 +00 01:01:09.00000 61.15 -00 01:01:09.000 35155684 CS5691 12-OCT-24 09.17.32.00000000 PM 12-OCT-24 09.17.32.00000000 PM +00 00:49:17.00000 49.28 -00 00:49:17.000	
35153252 CS5691 24.79 12-OCT-2408.20.12.000000000 PM 12-OCT-2409.14.51.000000000 PM +00 00:54:39,000000 54.65 -00 00:54:39,000 35154808 CS5692 43.38 12-OCT-2409.17.32.00000000 PM 12-OCT-2409.58.46.00000000 PM +00 01:01:09,00000 61.15 -00 01:01:09.000 35155684 CS5691 +00 00:49:17.000000 PM 12-OCT-2409.17.32.00000000 PM +00 00:49:17.000000 49.28 -00 00:49:17.000	
35154808 CS5692 CS5692 12-OCT-24 08.57.37.000000000 PM 12-OCT-24 09.58.46.000000000 PM +00 01:01:09.00000	
35155684 CS5691 CS5691 12-OCT-24 09.17.32.000000000 PM 12-OCT-24 10.06.49.00000000 PM +00 00:49:17.000000 49.28 -00 00:49:17.000000 49.28 -00 00:49:17.000000000 PM +00 00:49:17.0000000000 PM +00 00:49:17.0000000000 PM +00 00:49:17.00000000000 PM +00 00:49:17.00000000000 PM +00 00:49:17.00000000000 PM +00 00:49:17.000000000000 PM +00 00:49:17.00000000000000 PM +00 00:49:17.00000000000000 PM +00 00:49:17.000000000000000 PM +00 00:49:17.00000000000000 PM +00 00:49:17.00000000000000 PM +00 00:49:17.00000000000000 PM +00 00:49:17.00000000000000 PM +00 00:49:17.000000000000000000000000000000000000	
35157727 CS5692 CPLK 54.91 12-OCT-24 10.08.44.000000000 PM 12-OCT-24 11.42.38.00000000 PM +00 01:33:54.00000 93.9 -00 01:33:54.000	
35162463 CS5691 CS5691 47.96 13-OCT-24 12.42.20.000000000 AM 13-OCT-24 01.28.57.000000000 AM +00 00:46:37.000000 46.62 -00 00:46:37.000	
35164991 CS5692 CPLK 40.37 13-OCT-24 02.34.22.000000000 AM 13-OCT-24 04.09.01.000000000 AM +00 01:34:39.000000 94.65 -00 01:34:39.000	
35439738 CS5691 CPLK 30.37 18-OCT-24 04.32.00.00000000 PM 18-OCT-24 04.51.15.0000000 PM +00 00:19:15.00000 19.25 -00 00:19:15.000	00000 19.25

	SESSION_ID	CHARGER_ID	ADDRESS	CITY	STATE ZIP JURISDIC	USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION_HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
35440224	CS5692				CPLK	39.47 18-OCT-24 04.40.54.000000000 PM	18-OCT-24 05.20.55.000000000 PM	+00 00:40:01.000000	40.02	-00 00:40:01.000000	40.02
35442042	CS5691				CPLK	56.13 18-OCT-24 05.15.33.0000000000 PM	18-OCT-24 07.00.37.000000000 PM	+00 01:45:04.000000	105.07	-00 01:45:04.000000	105.07
35443838	CS5692				CPLK	29.57 18-OCT-24 05.51.42.000000000 PM	18-OCT-24 06.37.05.000000000 PM	+00 00:45:23.000000	45.38	-00 00:45:23.000000	45.38
35448603	CS5691				CPLK	75.51 18-OCT-24 07.26.03,000000000 PM	18-OCT-24 08.36.47.0000000000 PM	+00 01:10:44.000000	70.73	-00 01:10:44.000000	70.73
35453029	CS5691				CPLK	50.6 18-OCT-24 09.06.12.000000000 PM	18-OCT-24 10.28,08,0000000000 PM	+00 01:21:56.000000	81.93	-00 01;21:56.000000	81.93
35455593	CS5692				CPLK	32.71 18-OCT-24 10.13.09.000000000 PM	18-OCT-24 11.04.54.0000000000 PM	+00 00:51:45.000000	51.75	-00 00:51:45.000000	51.75
35765246	CS5692				CPLK	40 25-OCT-24 09.15.42.000000000 AM	25-OCT-24 10.00.34.0000000000 AM	+00 00:44:52.000000	44.87	-00 00:44:52.000000	44.87
35775889	CS5692				CPLK	52.47 25-OCT-24 01.02.59.000000000 PM	25-OCT-24 02.18.14.000000000 PM	+00 01:15:15.000000	75.25	-00 01:15:15.000000	75.25
35776017	CS5691				CPLK	19.34 25-OCT-2401.05.43.000000000 PM	25-OCT-24 01.40.47.000000000 PM	+00 00:35:04.000000	35.07	-00 00:35:04.000000	35.07
35780722	CS5692				CPLK	19.9 25-OCT-2402.36.21.000000000 PM	25-OCT-24 02.58.42.000000000 PM	+00 00:22:21.000000	22.35	-00 00:22:21.000000	22.35
35781537	CS5691				CPLK	28.74 25-OCT-2402.52.14.000000000 PM	25-OCT-24 03.30.30.000000000 PM	+00 00:38:16.000000	38.27	-00 00:38:16.000000	38.27
35782624	CS5692				CPLK	45.55 25-OCT-2403.12.17.000000000 PM	25-OCT-24 04.25.52.000000000 PM	+00 01:13:35.000000	73.58	-00 01:13:35.000000	73.58
35784349	CS5691				CPLK	21.23 25-OCT-24 03.44.52.000000000 PM	25-OCT-24 04.37.16.000000000 PM	+00 00:52:24.000000	52.4	-00 00:52:24.000000	52.4
35786710	CS5692				CPLK	20.5 25-OCT-24 04.32.32.000000000 PM	25-OCT-24 04.45.29.000000000 PM	+00 00:12:57.000000		-00 00:12:57.000000	12.95
35787938	CS5691				CPLK	32.41 25-OCT-2404.56.19.000000000 PM	25-OCT-24 05.47.37.000000000 PM	+00 00:51:18.000000	51.3	-00 00:51:18.000000	51.3
35788640	CS5692				CPLK	7.89 25-OCT-2405.10.37.000000000 PM	25-OCT-24 05.15.40.000000000 PM	+00 00:05:03.000000	5.05	-00 00:05:03.000000	5.05
35789073	CS5692				CPLK	5.87 25-OCT-24 05.19.09.000000000 PM	25-OCT-24 05.24.54.000000000 PM	+00 00:05:45.000000	5.75	-00 00:05:45.000000	5.75
35791653	CS5691				CPLK	67.43 25-OCT-2406.11.20.000000000 PM	25-OCT-24 07.18.53.000000000 PM	+00 01:07:33.000000	67.55	-00 01:07:33.000000	67.55
35792574	CS5692				CPLK	48.09 25-OCT-2406.32.06.000000000 PM	25-OCT-24 07.20.26.000000000 PM	+00 00:48:20.000000	48.33	-00 00:48:20.000000	48.33
35795623	CS5691				CPLK	40.21 25-OCT-2407.38.55.000000000 PM	25-OCT-24 08.13.46.000000000 PM	+00 00:34:51.000000	34.85	-00 00:34:51.000000	34.85
35797387	CS5691				CPLK	47.94 25-OCT-2408.18.27.000000000 PM	25-OCT-24 08.55.46.000000000 PM	+00 00:37:19.000000	37.32	-00 00:37:19.000000	37.32
36029031	CS5692				CPLK	41.46 30-OCT-2402.23.48.000000000 PM	30-OCT-24 03.00.57.000000000 PM	+00 00:37:09.000000	37.15	-00 00:37:09.000000	37.15
36031061	CS5692				CPLK	31.32 30-OCT-2403.09.28.000000000 PM	30-OCT-24 03.31.46.000000000 PM	+00 00:22:18.000000	22.3	-00 00:22:18.000000	22.3
36033524	CS5691				CPLK	17.29 30-OCT-24 04.04.41.000000000 PM	30-OCT-24 04.24.02.000000000 PM	+00 00:19:21.000000		-00 00:19:21.000000	19.35
36038191	CS5692				CPLK	20.01 30-OCT-24 05.45.29.000000000 PM	30-OCT-24 06.08.08.0000000000 PM	+00 00:22:39.000000	22.65	-00 00:22:39.000000	22.65
36041060	CS5692		2 / L		CPLK	32.88 30-OCT-24 06.49.25.000000000 PM	30-OCT-24 07.41.23.000000000 PM	+00 00:51:58.000000	51.97	-00 00:51:58.000000	51.97
36041196	CS5691				CPLK	40.71 30-OCT-2406.52.14.000000000 PM	30-OCT-24 07.27.13.000000000 PM	+00 00:34:59.000000	34.98	-00 00:34:59.000000	34.98
36047333	CS5691				CPLK	17.65 30-OCT-24 09.24.26.000000000 PM	30-OCT-24 09.44.39.000000000 PM	+00 00:20:13.000000	20.22	-00 00:20:13.000000	20.22
36052152	CS5691				CPLK	33.78 30-OCT-2411.57.11.000000000 PM	31-OCT-24 01.17.45.000000000 AM	+00 01:20:34.000000	80.57	-00 01:20:34.000000	80.57
36054099	CS5692				CPLK	37.46 31-OCT-2401.24.41.000000000 AM	31-OCT-24 02.24.21.000000000 AM	+00 00:59:40.000000	59.67	-00 00:59:40.000000	59.67
36058380	CS5692				CPLK	56.16 31-OCT-2406.02.59.000000000 AM	31-OCT-24 07.00.03.000000000 AM	+00 00:57:04.000000		-00 00:57:04.000000	57.07
36058880	CS5691				CPLK	41.81 31-OCT-2406.30.48.000000000 AM	31-OCT-24 06.56.59.000000000 AM	+00 00:26:11.000000	26.18	-00 00:26:11.000000	26.18
36061317	CS5692				CPLK	36.36 31-OCT-2408.10.56.000000000 AM	31-OCT-24 09.00.32.000000000 AM	+00 00:49:36.000000	49.6	-00 00:49:36.000000	49.6
36063872	CS5691				CPLK	31.08 31-OCT-24 09.30.14.000000000 AM	31-OCT-24 10.20.31.000000000 AM	+00 00:50:17.000000		-00 00:50:17.000000	50.28
36064687	CS5692				CPLK	65.58 31-OCT-24 09.53.34,000000000 AM	31-OCT-24 10.39.56.000000000 AM	+00 00:46:22.000000	46.37	-00 00:46:22.000000	46.37
36069296	CS5692				CPLK	3.62 31-OCT-24 11.39.42.000000000 AM	31-OCT-24 11.46.01.0000000000 AM	+00 00:06:19.000000		-00 00:06:19.000000	6.32
36072854	CS5691				CPLK	11.04 31-OCT-24 12.55.54.000000000 PM	31-OCT-24 01.06.05.0000000000 PM	+00 00:10:11.000000		-00 00:10:11.000000	10.18
36074852	CS5691				CPLK	35.59 31-OCT-2401.38.01.000000000 PM	31-OCT-24 02.07.54.000000000 PM	+00 00:29:53.000000	29.88	-00 00:29:53.000000	29.88
36076316	CS5692				CPLK	28.73 31-OCT-2402.08.51.000000000 PM	31-OCT-24 02.26.52.000000000 PM	+00 00:18:01.000000	18.02	-00 00:18:01.000000	18.02
36079291	CS5692				CPLK	93.61 31-OCT-2403.10.01.000000000 PM	31-OCT-24 04.10.49.0000000000 PM	+00 01:00:48.000000	60.8	-00 01:00:48.000000	60.8
36080286	CS5691				CPLK	64.06 31-OCT-2403.31.37.000000000 PM	31-OCT-24 04.23.35.000000000 PM	+00 00:51:58.000000	51.97	-00 00:51:58.000000	51.97
36088546	CS5692				CPLK	13.08 31-OCT-2406.39.06.000000000 PM	31-OCT-24 07.13.10.000000000 PM	+00 00:34:04.000000	34.07	-00 00:34:04.000000	34.07
36089491	CS5691				CPLK	44.87 31-OCT-2407.01.16.000000000 PM	31-OCT-24 07.45.09.000000000 PM	+00 00:43:53.000000	43.88	-00 00:43:53.000000	43.88
36090466	CS5692				CPLK	57.22 31-OCT-24 07.26.07.000000000 PM	31-OCT-24 08.22.27.000000000 PM	+00 00:56:20.000000	56.33	-00 00:56:20.000000	56.33
36094404	CS5691				CPLK	56.19 31-OCT-2409.11.36.000000000 PM	31-OCT-24 10.01.35.000000000 PM	+00 00:49:59.000000		-00 00:49:59.000000	49.98
36094867	CS5692				CPLK	51.98 31-OCT-2409.27.28.000000000 PM		+00 00:37:53.000000		-00 00:37:53.000000	37.88
36098819	CS5692				CPLK	38.94 31-OCT-2411.39.36.000000000 PM	01-NOV-24 01.07.57.000000000 AM	+00 01:28:21.000000		-00 01:28:21.000000	88.35
36100617	CS5691				CPLK	55.27 01-NOV-24 12.49.45.000000000 AM	01-NOV-24 01.43.20.000000000 AM	+00 00:53:35.000000		-00 00:53:35.000000	53.58
36101643	CS5692				CPLK	15.6 01-NOV-24 01.34.21.000000000 AM		+00 00:18:17.000000		-00 00:18:17.000000	18.28
23225875	CS5691				CPLK	27.84 13-JAN-24 04.35.08.000000000 PM	13-JAN-24 05.36.02.000000000 PM	+00 01:00:54.000000	60.9	-00 01:00:54.000000	60.9
23226727	CS5692				CPLK	36.82 13-JAN-24 04.56.37.000000000 PM	13-JAN-24 05.47.42.000000000 PM	+00 00:51:05.000000		-00 00:51:05.000000	51.08
23227999	CS5695				CPLK	10.68 13-JAN-24 05.24.38.000000000 PM	13-JAN-24 05.39.16.000000000 PM	+00 00:14:38.000000	14.63	-00 00:14:38.000000	14.63
23229101	CS5695				CPLK	30.63 13-JAN-24 05.50.22,000000000 PM	13-JAN-24 06.26.06.000000000 PM	+00 00:35:44.000000	35.73	-00 00:35:44.000000	35.73

	SESSION_ID	CHARGER_ID	ADDRESS	СПУ	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
23230650	CS5695				CPLK	36.28 13-JAN-24 06.29.08.000000000 PM	13-JAN-24 07.31.07.000000000 PM	+00 01:01:59.000000	61.98	-00 01:01:59.000000	61.98
23230843	CS5691				CPLK	18.74 13-JAN-24 06.33.45.000000000 PM	13-JAN-24 06.49.14.000000000 PM	+00 00:15:29.000000	15.48	-00 00:15:29.000000	15.48
23234076	CS5695				CPLK	30.2 13-JAN-24 07.57.56.000000000 PM	13-JAN-24 08.58.45.000000000 PM	+00 01:00:49.000000	60.82	-00 01:00:49.000000	60.82
23236119	CS5695				CPLK	10.99 13-JAN-24 09.00.52.000000000 PM	13-JAN-24 09.35.46.000000000 PM	+00 00:34:54.000000	34.9	-00 00:34:54.000000	34.9
23237607	CS5695				CPLK	32.92 13-JAN-24 09.50.57.000000000 PM	13-JAN-24 10.51.01.000000000 PM	+00 01:00:04.000000	60.07	-00 01:00:04.000000	60.07
23237662	CS5692				CPLK	31.13 13-JAN-24 09.53.05.000000000 PM	13-JAN-24 10.51.34.000000000 PM	+00 00:58:29.000000	58.48	-00 00:58:29.000000	58.48
23237763	CS5691				CPLK	20.83 13-JAN-24 09.56.38.000000000 PM	13-JAN-24 10.36.25.000000000 PM	+00 00:39:47.000000	39.78	-00 00:39:47.000000	39.78
23238832	CS5691				CPLK	55.91 13-JAN-24 10.38.43.000000000 PM	13-JAN-24 11.26.26.000000000 PM	+00 00:47:43.000000	47.72	-00 00:47:43.000000	47.72
23239202	CS5695				CPLK	12.6 13-JAN-24 10.52.46.000000000 PM	13-JAN-24 11.30.03.000000000 PM	+00 00:37:17.000000	37.28	-00 00:37:17.000000	37.28
23239263	CS5692				CPLK	22.55 13-JAN-24 10.55.00.000000000 PM	13-JAN-24 11.27.03.000000000 PM	+00 00:32:03.000000	32.05	-00 00:32:03.000000	32.05
23240188	CS5691				CPLK	14.83 13-JAN-24 11.32.40.000000000 PM	14-JAN-24 12.34.04.000000000 AM	+00 01:01:24.000000	61.4	-00 01:01:24.000000	61.4
23240423	CS5695				CPLK	37.67 13-JAN-24 11.41.29.000000000 PM	14-JAN-24 12.39.11.000000000 AM	+00 00:57:42.000000	57.7	-00 00:57:42.000000	57.7
23242031	CS5692				CPLK	24.81 14-JAN-24 01.02.57.000000000 AM	14-JAN-24 02.04.01.000000000 AM	+00 01:01:04.000000	61.07	-00 01:01:04.000000	61.07
23242996	CS5692				CPLK	15.74 14-JAN-24 02.05.25.0000000000 AM	14-JAN-24 03.06.01.000000000 AM	+00 01:00:36.000000	60.6	-00 01:00:36.000000	60.6
23243864	CS5692				CPLK	3.86 14-JAN-24 03.08.06.0000000000 AM	14-JAN-24 03.34.22.000000000 AM	+00 00:26:16.000000	26.27	-00 00:26:16.000000	26.27
23245466	CS5692				CPLK	25.18 14-JAN-24 05.35,38,0000000000 AM	14-JAN-24 06.38.03.000000000 AM	+00 01:02:25.000000	62.42	-00 01:02:25.000000	62.42
23246188	CS5692				CPLK	16 14-JAN-24 06.39.40.000000000 AM	14-JAN-24 07.41.05.000000000 AM	+00 01:01:25.000000	61.42	-00 01:01:25.000000	61.42
23247114	CS5695				CPLK	45.76 14-JAN-24 07.44.36.000000000 AM	14-JAN-24 08.44.37.000000000 AM	+00 01:00:01.000000	60.02	-00 01:00:01.000000	60.02
23249259	CS5692				CPLK	48.67 14-JAN-24 09.23.21.000000000 AM	14-JAN-24 10.23.37.000000000 AM	+00 01:00:16.000000	60.27	-00 01:00:16.000000	60.27
23249478	CS5695				CPLK	36.97 14-JAN-24 09.31.27.000000000 AM	14-JAN-24 10.32.02.000000000 AM	+00 01:00:35.000000	60.58	-00 01:00:35.000000	60.58
23250409	CS5691				CPLK	63.79 14-JAN-24 10.02.30.000000000 AM	14-JAN-24 11.06.13.000000000 AM	+00 01:03:43.000000	63.72	-00 01:03:43.000000	63.72
23251940	CS5692				CPLK	5.39 14-JAN-24 10.46.07.0000000000 AM	14-JAN-24 11.18.29.000000000 AM	+00 00:32:22.000000	32.37	-00 00:32:22.000000	32.37
23253283	CS5695				CPLK	67.82 14-JAN-24 11.21.08.000000000 AM	14-JAN-24 12.23.03.000000000 PM	+00 01:01:55.000000	61.92	-00 01:01:55.000000	61.92
23253292	CS5692				CPLK	3.94 14-JAN-24 11.21.27.000000000 AM	14-JAN-24 11.36.54.000000000 AM	+00 00:15:27.000000	15.45	-00 00:15:27.000000	15.45
23253333	CS5691				CPLK	26.04 14-JAN-24 11.22.51.000000000 AM	14-JAN-24 12.23.03.000000000 PM	+00 01:00:12.000000	60.2	-00 01:00:12.000000	60.2
23253975	CS5692				CPLK	2.06 14-JAN-24 11.38.09.000000000 AM	14-JAN-24 11.46.21.000000000 AM	+00 00:08:12.000000	8.2	-00 00:08:12.000000	8.2
23255531	CS5692				CPLK	31.98 14-JAN-24 12.13.44.000000000 PM	14-JAN-24 01.14.08.000000000 PM	+00 01:00:24.000000	60.4	-00 01:00:24.000000	60.4
23257073	CS5691	5.7			CPLK	12.07 14-JAN-24 12.45.15.000000000 PM	14-JAN-24 01.02.00.000000000 PM	+00 00:16:45.000000	16.75	-00 00:16:45.000000	16.75
23257701	CS5695				CPLK	51.6 14-JAN-24 12.59.42.000000000 PM	14-JAN-24 02.00.20.000000000 PM	+00 01:00:38.000000	60.63	-00 01:00:38.000000	60.63
23258915	CS5691				CPLK	57.48 14-JAN-24 01.27.26.000000000 PM	14-JAN-24 02.08.59.000000000 PM	+00 00:41:33.000000	41.55	-00 00:41:33.000000	41.55
23259754	CS5692				CPLK	30.61 14-JAN-24 01.45.08.000000000 PM	14-JAN-24 02.46.07.000000000 PM	+00 01:00:59.000000		-00 01:00:59.000000	60.98
23260827	CS5695				CPLK	66.02 14-JAN-24 02.08.59.000000000 PM	14-JAN-24 02.51.56.000000000 PM	+00 00:42:57,000000		-00 00:42:57.000000	42.95
23262690	CS5691				CPLK	49.6 14-JAN-24 02.48.47.000000000 PM	14-JAN-24 03.51.04.000000000 PM	+00 01:02:17.000000		-00 01:02:17.000000	62.28
23262801	CS5692				CPLK	18.49 14-JAN-24 02.50,53.000000000 PM	14-JAN-24 03.51.04.000000000 PM	+00 01:00:11.000000		-00 01:00:11.000000	60.18
23263279	CS5695				CPLK	40.29 14-JAN-24 03.00.31.000000000 PM	14-JAN-24 04.01.04.000000000 PM	+00 01:00:33.000000		-00 01:00:33.000000	60.55
23266312	CS5691				CPLK	39.93 14-JAN-24 04.04.19.000000000 PM	14-JAN-24 05.04.48.000000000 PM	+00 01:00:29.000000		-00 01:00:29.000000	60.48
23266710	CS5695				CPLK	23.51 14-JAN-24 04.12.43.000000000 PM	14-JAN-24 05.14.05.000000000 PM	+00 01:01:22.000000		-00 01:01:22.000000	61.37
23268926	CS5692				CPLK	45.51 14-JAN-24 05.01.37.000000000 PM	14-JAN-24 05.55.50.000000000 PM	+00 00:54:13.000000		-00 00:54:13.000000	54.22
23269680	CS5695				CPLK	18.19 14-JAN-24 05.16.52.0000000000 PM	14-JAN-24 06.18.09.000000000 PM	+00 01:01:17.000000		-00 01:01:17.000000	61.28
23271795	CS5692				CPLK	32.23 14-JAN-24 06.05.11.000000000 PM	14-JAN-24 07.07.04.000000000 PM	+00 01:01:53.000000		-00 01:01:53.000000	61.88
23272089	CS5691				CPLK	37.4 14-JAN-24 06.11.53.0000000000 PM	14-JAN-24 07.13.38.000000000 PM	+00 01:01:45.000000		-00 01:01:45.000000	61.75
23272549	CS5695				CPLK	21.51 14-JAN-24 06.23.35.000000000 PM	14-JAN-24 07.24.04.000000000 PM	+00 01:00:29.000000		-00 01:00:29.000000	60.48
23274604	CS5691				CPLK	20.14 14-JAN-24 07.16.53.0000000000 PM	14-JAN-24 08.16,59.000000000 PM	+00 01:00:06.000000		-00 01:00:06.000000	60.1
23274999	CS5692				CPLK	42.35 14-JAN-24 07.27.11.000000000 PM	14-JAN-24 08.28.06.000000000 PM	+00 01:00:55.000000		-00 01:00:55.000000	60.92
35457522	CS5691				CPLK	47.92 18-OCT-2411.07.31.0000000000 PM	18-OCT-24 11.51.22.000000000 PM	+00 00:43:51.000000		-00 00:43:51.000000	43.85
35457634	C\$5692				CPLK	60.43 18-OCT-24 11.10.30.000000000 PM	18-OCT-24 11.48.32.0000000000 PM	+00 00:38:02.000000		-00 00:38:02.000000	38.03
25310519	CS5695				CPLK	42.9 09-MAR-24 06.27.33.0000000000 PM		+00 00:20:11.000000		-00 00:20:11.000000	20.18
25311433	CS5691				CPLK	48.02 09-MAR-24 06.51.06.0000000000 PM		+00 00:53:21.000000		-00 00:53:21.000000	53.35
25312062	CS5692				CPLK	7.43 09-MAR-24 07.08.39.0000000000 PM		+00 00:11:58.000000		-00 00:11:58.000000	11.97
25312818	C\$5692				CPLK	29.96 09-MAR-24 07.28.23.0000000000 PM		+00 00:31:21.000000		-00 00:31:21.000000	31.35
25315812	C\$5695				CPLK	26.5 09-MAR-24 08.53.28.0000000000 PM		+00 00:36:10.000000		-00 00:36:10.000000	36.17
25318548	C\$5695				CPLK	46.05 09-MAR-24 10.25.34.000000000 PM		+00 01:00:44.000000		-00 01:00:44.000000	60.73
25318912	CS5694	A 7 a 1			CPLK	28.06 09-MAR-24 10.39.40.000000000 PM	09-MAR-24 11.09.26.000000000 PM	+00 00:29:46.000000	29.77	-00 00:29:46.000000	29.77
		- 4									

	SESSION_ID	CHARGER_ID	ADDRESS	CITY	STATE ZIP JURISDIC	USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
25320008	CS5691				CPLK	34.44 09-MAR-24 11.21.53.000000000 PM	09-MAR-24 11.51.45.000000000 PM	+00 00:29:52.000000	29.87	-00 00:29:52.000000	29.87
25327720	CS5692				CPLK	32.85 10-MAR-24 08.47.20.000000000 AM	10-MAR-24 09.49.01.000000000 AM	+00 01:01:41.000000	61.68	-00 01:01:41.000000	61.68
25328067	CS5694				CPLK	73.03 10-MAR-24 09.02.21.000000000 AM	10-MAR-24 09.43.54.000000000 AM	+00 00:41:33.000000	41.55	-00 00:41:33.000000	41.55
25329401	CS5692				CPLK	13.78 10-MAR-24 09,51,50.000000000 AM	10-MAR-24 10.51.34.000000000 AM	+00 00:59:44.000000	59.73	-00 00:59:44.000000	59.73
25375012	CS5691				CPLK	35.07 11-MAR-24 11.40.43.0000000000 AM	11-MAR-24 12.37.02.000000000 PM	+00 00:56:19.000000	56.32	-00 00:56:19.000000	56.32
25376848	CS5694				CPLK	12.89 11-MAR-24 12.31.43.000000000 PM	11-MAR-24 01.06.39.000000000 PM	+00 00:34:56.000000	34.93	-00 00:34:56.000000	34.93
25378382	CS5695				CPLK	42.25 11-MAR-24 01.11.27.000000000 PM	11-MAR-24 01.35.32.000000000 PM	+00 00:24:05.000000	24.08	-00 00:24:05.000000	24.08
25380102	CS5695				CPLK	54.45 11-MAR-24 01.57.26.000000000 PM	11-MAR-24 02.32.07.000000000 PM	+00 00:34:41.000000	34.68	-00 00:34:41.000000	34.68
25382367	CS5691				CPLK	18.42 11-MAR-24 02.54,35.000000000 PM	11-MAR-24 03.13.53.000000000 PM	+00 00:19:18.000000	19.3	-00 00:19:18.000000	19.3
25383085	CS5692				CPLK	36.9 11-MAR-24 03.11.12.000000000 PM	11-MAR-24 04.18.53.000000000 PM	+00 01:07:41.000000	67.68	-00 01:07:41.000000	67.68
25385962	CS5692				CPLK	26.64 11-MAR-24 04.22,50.000000000 PM	11-MAR-24 04.46.55.000000000 PM	+00 00:24:05.000000	24.08	-00 00:24:05.000000	24.08
25387763	CS5692				CPLK	8.36 11-MAR-24 05.09.29.000000000 PM	11-MAR-24 05.19.28.000000000 PM	+00 00:09:59.000000	9.98	-00 00:09:59.000000	9.98
25388302	CS5694				CPLK	2.27 11-MAR-24 05.23,30.000000000 PM	11-MAR-24 05.26.24.000000000 PM	+00 00:02:54.000000	2.9	-00 00:02:54.000000	2.9
25388556	CS5691				CPLK	24.1 11-MAR-24 05.29.30.000000000 PM	11-MAR-24 06.19.02.000000000 PM	+00 00:49:32.000000	49.53	-00 00:49:32.000000	49.53
25388977	CS5695				CPLK	19.07 11-MAR-24 05.41.20.000000000 PM	11-MAR-24 06.03.57.000000000 PM	+00 00:22:37.000000	22.62	-00 00:22:37.000000	22.62
25394157	CS5695				CPLK	44.12 11-MAR-24 08,35.56.000000000 PM	11-MAR-24 09.36.01.000000000 PM	+00 01:00:05.000000	60.08	-00 01:00:05.000000	60.08
25395062	CS5691				CPLK	8.65 11-MAR-24 08.56,54.000000000 PM	11-MAR-24 09.09.33.000000000 PM	+00 00:12:39.000000	12.65	-00 00:12:39.000000	12.65
25403665	CS5695				CPLK	37.09 12-MAR-24 06.19.51.000000000 AM	12-MAR-24 07.34.36.000000000 AM	+00 01:14:45.000000	74.75	-00 01:14:45.000000	74.75
25404645	CS5694				CPLK	46.24 12-MAR-24 07.32,59.000000000 AM	12-MAR-24 08.00.46.000000000 AM	+00 00:27:47.000000	27.78	-00 00:27:47.000000	27.78
25406715	CS5692				CPLK	30.52 12-MAR-24 09.16.50.000000000 AM	12-MAR-24 10.09.12.000000000 AM	+00 00:52:22.000000	52.37	-00 00:52:22.000000	52.37
25407991	CS5691				CPLK	11.83 12-MAR-24 10.07.13.000000000 AM	12-MAR-24 10.24.30.000000000 AM	+00 00:17:17.000000	17.28	-00 00:17:17.000000	17.28
25408495	CS5692				CPLK	25.34 12-MAR-24 10.24.52,000000000 AM	12-MAR-24 11.09.34.000000000 AM	+00 00:44:42.000000	44.7	-00 00:44:42.000000	44.7
25410742	CS5694				CPLK	20.5 12-MAR-24 11.38.39.000000000 AM	12-MAR-24 12.06.17.000000000 PM	+00 00:27:38.000000	27.63	-00 00:27:38.000000	27.63
25411199	CS5695				CPLK	42.58 12-MAR-24 11.50.14.000000000 AM	12-MAR-24 12.15.15.000000000 PM	+00 00:25:01.000000	25.02	-00 00:25:01.000000	25.02
25413509	CS5695				CPLK	56.24 12-MAR-24 12.57.40.000000000 PM	12-MAR-24 01.26.46.000000000 PM	+00 00:29:06.000000	29.1	-00 00:29:06.000000	29.1
25413648	CS5691				CPLK	50.07 12-MAR-24 01.01.20.000000000 PM	12-MAR-24 02.25.40.000000000 PM	+00 01:24:20.000000	84.33	-00 01:24:20.000000	84.33
25415408	CS5692				CPLK	58.94 12-MAR-24 01.48.27.000000000 PM	12-MAR-24 03.01.26.000000000 PM	+00 01:12:59.000000	72.98	-00 01:12:59.000000	72.98
25415733	CS5695				CPLK	33.23 12-MAR-24 01.57.29.000000000 PM	12-MAR-24 02.33.53.000000000 PM	+00 00:36:24.000000	36.4	-00 00:36:24.000000	36.4
25417699	CS5695				CPLK	32.3 12-MAR-24 03.10.20.000000000 PM	12-MAR-24 04.00.01.000000000 PM	+00 00:49:41.000000	49.68	-00 00:49:41.000000	49.68
25421357	CS5691				CPLK	41.32 12-MAR-24 05.08.13.000000000 PM	12-MAR-24 06.06.55.000000000 PM	+00 00:58:42.000000	58.7	-00 00:58:42.000000	58.7
25421441	CS5695				CPLK	77.24 12-MAR-24 05.10.16.000000000 PM	12-MAR-24 05.37.05.000000000 PM	+00 00:26:49.000000	26.82	-00 00:26:49.000000	26.82
25422255	CS5692				CPLK	24.71 12-MAR-24 05,31,30,000000000 PM	12-MAR-24 06.11.36.000000000 PM	+00 00:40:06.000000	40.1	-00 00:40:06.000000	40.1
25424378	CS5695				CPLK	31.28 12-MAR-24 06.28.38.000000000 PM	12-MAR-24 06.54.51.000000000 PM	+00 00:26:13.000000	26.22	-00 00:26:13.000000	26.22
25424724	CS5694				CPLK	41.72 12-MAR-24 06.37.29.000000000 PM	12-MAR-24 06.55.38.000000000 PM	+00 00:18:09.000000	18.15	-00 00:18:09.000000	18.15
25488787	CS5694				CPLK	21.1 14-MAR-24 02,31.29,000000000 PM	14-MAR-24 03.11.10.000000000 PM	+00 00:39:41.000000	39.68	-00 00:39:41.000000	39.68
25489399	CS5692				CPLK	29.31 14-MAR-24 02,47.56,000000000 PM	14-MAR-24 03.17.35.000000000 PM	+00 00:29:39.000000	29.65	-00 00:29:39.000000	29.65
25491033	CS5694				CPLK	22.62 14-MAR-24 03.27.32.000000000 PM	14-MAR-24 03.37.50.000000000 PM	+00 00:10:18.000000	10.3	-00 00:10:18.000000	10.3
25493080	CS5695				CPLK	76.71 14-MAR-24 04.18,24.000000000 PM	14-MAR-24 05.00.54.000000000 PM	+00 00:42:30.000000	42.5	-00 00:42:30.000000	42.5
25493544	CS5691				CPLK	28.45 14-MAR-24 04.30.44.000000000 PM	14-MAR-24 05.12.33.000000000 PM	+00 00:41:49.000000	41.82	-00 00:41:49.000000	41.82
25497672	CS5691				CPLK	43.26 14-MAR-24 06.17,25,000000000 PM	14-MAR-24 07.14.07.000000000 PM	+00 00:56:42.000000	56.7	-00 00:56:42.000000	56.7
25497794	CS5694				CPLK	33.36 14-MAR-24 06.20.21.000000000 PM	14-MAR-24 06.55.47.000000000 PM	+00 00:35:26.000000	35.43	-00 00:35:26.000000	35.43
25498221	CS5692				CPLK	35.63 14-MAR-24 06.31.54.000000000 PM	14-MAR-24 07.17.05.000000000 PM	+00 00:45:11.000000	45.18	-00 00:45:11.000000	45.18
25498374	CS5695				CPLK	21.03 14-MAR-24 06.37.12.000000000 PM	14-MAR-24 06.59.42.000000000 PM	+00 00:22:30.000000	22.5	-00 00:22:30.000000	22.5
25502184	CS5695				CPLK	28.07 14-MAR-24 08.32.26.000000000 PM	14-MAR-24 08.50.17.000000000 PM	+00 00:17:51.000000	17.85	-00 00:17:51.000000	17.85
25502867	CS5695				CPLK	35.8 14-MAR-24 08.52,48.0000000000 PM	14-MAR-24 09.12.29.000000000 PM	+00 00:19:41.000000	19.68	-00 00:19:41.000000	19.68
25504459	CS5695				CPLK	44.68 14-MAR-24 09.45.30.000000000 PM	14-MAR-24 11.14.45.000000000 PM	+00 01:29:15.000000	89.25	-00 01:29:15.000000	89.25
25511443	CS5691				CPLK	45.53 15-MAR-24 04.53,35,0000000000 AM	15-MAR-24 06.01.36.000000000 AM	+00 01:08:01.000000	68.02	-00 01:08:01.000000	68.02
25517600	CS5691				CPLK	36.93 15-MAR-24 10.22,16.0000000000 AM	15-MAR-24 11.23.02.000000000 AM	+00 01:00:46.000000	60.77	-00 01:00:46.000000	60.77
25517609	CS5692				CPLK	41.42 15-MAR-24 10.22.46.000000000 AM	15-MAR-24 11.48.03.000000000 AM	+00 01:25:17.000000	85.28	-00 01:25:17.000000	85.28
25518384	CS5695				CPLK	20.01 15-MAR-24 10.43.37.000000000 AM	15-MAR-24 10.57.27.000000000 AM	+00 00:13:50.000000	13.83	-00 00:13:50.000000	13.83
25520487	CS5695				CPLK	81.99 15-MAR-24 11.41.15.0000000000 AM	15-MAR-24 12.20.00.000000000 PM	+00 00:38:45.000000	38.75	-00 00:38:45.000000	38.75
25525148	CS5692				CPLK	39.92 15-MAR-24 01.36.47.000000000 PM	15-MAR-24 02.30.24.000000000 PM	+00 00:53:37.000000	53.62	-00 00:53:37.000000	53.62
	CS5695				CPLK	24.71 15-MAR-24 02.59.22.000000000 PM	45 MAD 04 00 40 07 000000000 DM	+00 00:18:45.000000	10.70	-00 00:18:45,000000	18.75

	SESSION_ID	CHARGER ID	ADDRESS	СІТУ	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
25531210	CS5695				CPLK	44.55 15-MAR-24 03.58.31.000000000 PM	15-MAR-24 04.18.41.000000000 PM	+00 00:20:10.000000	20.17	-00 00:20:10.000000	20.17
25531608	CS5694	1			CPLK	36.12 15-MAR-24 04.07.47.000000000 PM	15-MAR-24 05.56.44.000000000 PM	+00 01:48:57.000000	108.95	-00 01:48:57.000000	108.95
25533187	CS5691	- 9			CPLK	42.38 15-MAR-24 04.46.17.000000000 PM	15-MAR-24 06.08.40.000000000 PM	+00 01:22:23.000000	82.38	-00 01:22:23.000000	82.38
25540073	CS5692				CPLK	44.74 15-MAR-24 07.43.19.000000000 PM	15-MAR-24 08.44.02.000000000 PM	+00 01:00:43.000000	60.72	-00 01:00:43.000000	60.72
25540533	CS5695				CPLK	29.81 15-MAR-24 07.54.54.000000000 PM	15-MAR-24 08.58.39.000000000 PM	+00 01:03:45.000000	63.75	-00 01:03:45.000000	63.75
25540698	CS5691				CPLK	46.36 15-MAR-24 07.59.37.000000000 PM	15-MAR-24 09.00.06.000000000 PM	+00 01:00:29,000000	60.48	-00 01:00:29.000000	60.48
25542299	CS5692				CPLK	14.59 15-MAR-24 08.45.11.000000000 PM	15-MAR-24 09.37.39.000000000 PM	+00 00:52:28.000000	52.47	-00 00:52:28.000000	52.47
25542855	CS5694				CPLK	53.41 15-MAR-24 09.01.20.000000000 PM	15-MAR-24 09.26.31.000000000 PM	+00 00:25:11.000000	25.18	-00 00:25:11.000000	25.18
25543127	CS5691				CPLK	8.26 15-MAR-24 09.09.25.000000000 PM	15-MAR-24 09.30.56.000000000 PM	+00 00:21:31.000000	21.52	-00 00:21:31.000000	21.52
25543416	CS5695				CPLK	48.61 15-MAR-24 09.18.57.0000000000 PM	15-MAR-24 09.42.18.000000000 PM	+00 00:23:21.000000	23.35	-00 00:23:21.000000	23.35
25544112	CS5694				CPLK	34.55 15-MAR-24 09.40,39.0000000000 PM	15-MAR-24 10.10.37.000000000 PM	+00 00:29:58.000000	29.97	-00 00:29:58.000000	29.97
25584628	CS5695				CPLK	74.78 16-MAR-24 09.01.08.000000000 PM	16-MAR-24 09.29.48.000000000 PM	+00 00:28:40.000000	28.67	-00 00:28:40.000000	28.67
25585202	CS5694				CPLK	14.51 16-MAR-24 09.17.10.000000000 PM	16-MAR-24 09.23.51.000000000 PM	+00 00:06;41,000000	6.68	-00 00:06:41.000000	6.68
25585300	CS5691				CPLK	38.86 16-MAR-24 09.19.48.000000000 PM	16-MAR-24 10.12.28.000000000 PM	+00 00:52:40.000000	52.67	-00 00:52:40.000000	52.67
25586459	CS5692				CPLK	16.8 16-MAR-24 09.56.15.000000000 PM	16-MAR-24 10.42.04.000000000 PM	+00 00:45:49.000000	45.82	-00 00:45:49.000000	45.82
25589712	CS5691				CPLK	58.41 16-MAR-24 11.54.33.000000000 PM	17-MAR-24 02.04.27.000000000 AM	+00 02:09:54.000000	129.9	-00 02:09:54.000000	129.9
25599118	CS5695				CPLK	42.78 17-MAR-24 09.38.45.000000000 AM	17-MAR-24 10.40.02.000000000 AM	+00 01:01:17,000000	61.28	-00 01:01:17.000000	61.28
30379960	CS5695				CPLK	39.05 07-JUL-24 08.38.56.000000000 AM	07-JUL-24 09.11.01.000000000 AM	+00 00:32:05.000000	32.08	-00 00:32:05.000000	32.08
30380289	CS5692				CPLK	51.76 07-JUL-24 08.50.11.000000000 AM	07-JUL-24 09.32,43.000000000 AM	+00 00:42:32.000000	42.53	-00 00:42:32.000000	42.53
30383912	CS5695				CPLK	28.48 07-JUL-24 10.31.53.000000000 AM	07-JUL-24 10.47.02.000000000 AM	+00 00:15:09,000000	15.15	-00 00:15:09.000000	15.15
30384247	CS5692				CPLK	42.8 07-JUL-24 10.40.20.000000000 AM	07-JUL-24 11.30.21.000000000 AM	+00 00:50:01.000000	50.02	-00 00:50:01.000000	50.02
30384377	CS5691				CPLK	47.48 07-JUL-24 10.43.49.000000000 AM	07-JUL-24 11.57.42.000000000 AM	+00 01:13:53.000000	73.88	-00 01:13:53.000000	73.88
30385912	CS5695				CPLK	33.7 07-JUL-24 11.18.27.000000000 AM	07-JUL-24 12.01.49.000000000 PM	+00 00:43:22.000000		-00 00:43:22.000000	43.37
30389938	CS5695				CPLK	42.8 07-JUL-24 12.41.11.000000000 PM	07-JUL-24 12.59.23,000000000 PM	+00 00:18:12.000000		-00 00:18:12.000000	18.2
30390848	CS5692				CPLK	13.74 07-JUL-24 12.57.20.000000000 PM	07-JUL-24 01.17.38.000000000 PM	+00 00:20:18.000000		-00 00:20:18.000000	20.3
30391488	CS5695				CPLK	40.53 07-JUL-24 01.09.46.000000000 PM	07-JUL-24 01.34.18.000000000 PM	+00 00:24:32.000000		-00 00:24:32.000000	24.53
30392186	CS5692				CPLK	55.23 07-JUL-24 01.23.15.000000000 PM	07-JUL-24 02,44.15,000000000 PM	+00 01:21:00.000000	81	-00 01:21:00.000000	81
30392866	CS5695	> 1			CPLK	28.1 07-JUL-24 01.35.38.000000000 PM	07-JUL-24 01.55.36.000000000 PM	+00 00:19:58.000000		-00 00:19:58.000000	19.97
30394537	CS5691				CPLK	32.57 07-JUL-24 02.04.58.000000000 PM	07-JUL-24 02.49.42.000000000 PM	+00 00:44:44.000000		-00 00:44:44.000000	44.73
23275353	CS5695				CPLK	31.1 14-JAN-24 07.36.23.000000000 PM	14-JAN-24 08.37.41.000000000 PM	+00 01:01:18.000000		-00 01:01:18.000000	61.3
23277687	CS5695				CPLK	6.9 14-JAN-24 08.41.51.000000000 PM	14-JAN-24 09.00.08.000000000 PM	+00 00:18:17.000000		-00 00:18:17.000000	18.28
23286316	CS5692				CPLK	10.85 15-JAN-24 04.15.20.0000000000 AM	15-JAN-24 05.04.06.000000000 AM	+00 00:48:46.000000		-00 00:48:46.000000	48.77
23287181	CS5692				CPLK	25.3 15-JAN-24 05.38.26.0000000000 AM	15-JAN-24 06.40.02.000000000 AM	+00 01:01:36.000000		-00 01:01:36.000000	61.6
23287514	CS5695				CPLK	11.51 15-JAN-24 06.12.17.0000000000 AM	15-JAN-24 06.50.51.000000000 AM	+00 00:38:34.000000		-00 00:38:34.000000	38.57
23287813	CS5691				CPLK	8.06 15-JAN-24 06.35.29.0000000000 AM	15-JAN-24 06.51.48.000000000 AM	+00 00:16:19.000000		-00 00:16:19.000000	16.32
23288134	C\$5695				CPLK	5.88 15-JAN-24 06.57.03.0000000000 AM	15-JAN-24 07.06.52.000000000 AM	+00 00:09:49.000000		-00 00:09:49.000000	9.82
23289519	CS5695				CPLK	55.6 15-JAN-24 08.13.20.0000000000 AM	15-JAN-24 09.14.24.000000000 AM	+00 01:01:04.000000		-00 01:01:04.000000	61.07
23292137	CS5695				CPLK	49.13 15-JAN-24 09.51.57.0000000000 AM	15-JAN-24 10.49.41.000000000 AM	+00 00:57:44.000000		-00 00:57:44.000000	57.73
23292868	CS5692				CPLK	63.58 15-JAN-24 10.13.56.0000000000 AM	15-JAN-24 11.14.01.000000000 AM	+00 01:00:05.000000		-00 01:00:05.000000	60.08
23294761	CS5691				CPLK	6.97 15-JAN-24 11.09.44.0000000000 AM	15-JAN-24 11.27.46.000000000 AM	+00 00:18:02,000000		-00 00:18:02.000000	18.03
23295792	CS5692				CPLK	24.92 15-JAN-24 11.36.37.000000000 AM	15-JAN-24 12.15.44.000000000 PM	+00 00:39:07.000000		-00 00:39:07.000000	39.12
23296056	C\$5695				CPLK	58.38 15-JAN-24 11.42.22.000000000 AM	15-JAN-24 12,42,33,000000000 PM	+00 01:00:11.000000		-00 01:00:11.000000	60.18
23297276	CS5691				CPLK	22.09 15-JAN-24 12.12.11.0000000000 PM	15-JAN-24 01.12.05.000000000 PM	+00 00:59:54.000000		-00 00:59:54.000000 -00 00:59:56.000000	59.9
23298665	CS5692				CPLK	27.33 15-JAN-24 12.43.05.0000000000 PM	15-JAN-24 01.43.01.000000000 PM	+00 00:59:56.000000			59.93
23299652	CS5695				CPLK CPLK	8.13 15-JAN-24 01.07,07.0000000000 PM	15-JAN-24 01.27,36.000000000 PM 15-JAN-24 02.30.14.00000000 PM	+00 00:20:29.000000 +00 00:56:44.000000		-00 00:20:29.000000	20.48 56.73
23300879	CS5691					36.37 15-JAN-24 01.33.30.0000000000 PM				-00 00:56:44.000000	
23301360	CS5695				CPLK	35.41 15-JAN-24 01.43.52.0000000000 PM	15-JAN-24 02.46.06.000000000 PM	+00 01:02:14.000000		-00 01:02:14.000000	62.23
23301901	CS5692				CPLK	42.93 15-JAN-24 01.56.04.0000000000 PM	15-JAN-24 02.45.55.000000000 PM	+00 00:49:51.000000		-00 00:49:51.000000	49.85
23304746	CS5692				CPLK	23.27 15-JAN-24 02.59.59.0000000000 PM	15-JAN-24 04.00.18.000000000 PM	+00 01:00:19.000000		-00 01:00:19.000000	60.32
23305379	CS5691				CPLK	3.19 15-JAN-24 03.14.48.000000000 PM	15-JAN-24 03.22.17.000000000 PM	+00 00:07:29.000000 +00 00:31:39.000000		-00 00:07:29.000000	7.48
23305463 23305766	CS5695 CS5691				CPLK CPLK	32.58 15-JAN-24 03.16.40.000000000 PM 55.79 15-JAN-24 03.24.49.00000000 PM	15-JAN-24 03.48.19.000000000 PM			-00 00:31:39.000000 -00 00:50:33.000000	31.65 50.55
		1.0			CPLK	52.14 15-JAN-24 03.56.18.000000000 PM	15-JAN-24 04.15.22.000000000 PM	+00 00:50:33.000000			
23307224	CS5695				CPLK	32. 14 13-JMN-24 U3.30,18,UUUUUUUUU PM	15-JAN-24 05.49.20.000000000 PM	+00 01:53:02.000000	113.03	-00 01:53:02.000000	113.03

	SESSION_ID	CHARGER_ID	ADDRESS	СПУ	STATE ZIP JURISDIC	ENERGY USAGE	CONNECTION_START_DTTM	CONNECTION END DITM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
23307764	CS5692				CPLK		IAN-24 04.08.50.000000000 PM	15-JAN-24 04.35.00.000000000 PM	+00 00:26:10.000000		-00 00:26:10.000000	26.17
23308169	CS5691		1.		CPLK	19.03 15-J	IAN-24 04.18.31.000000000 PM	15-JAN-24 05.20.02.000000000 PM	+00 01:01:31.000000	61.52	-00 01:01:31.000000	61.52
23309034	CS5692				CPLK	23.57 15-J	IAN-24 04.37.47.000000000 PM	15-JAN-24 05.39.01.000000000 PM	+00 01:01:14.000000	61.23	-00 01:01:14.000000	61.23
23311642	CS5691				CPLK	23.97 15-J	IAN-24 05.34.58.000000000 PM	15-JAN-24 06.23.00.000000000 PM	+00 00:48:02.000000	48.03	-00 00:48:02.000000	48.03
23312301	CS5692				CPLK		IAN-24 05.50.44.000000000 PM	15-JAN-24 06.52.03.000000000 PM	+00 01:01:19.000000	61.32	-00 01:01:19.000000	61.32
23313072	CS5695				CPLK	50.13 15-J	AN-24 06.11.14.000000000 PM	15-JAN-24 06.58.30.000000000 PM	+00 00:47:16.000000	47.27	-00 00:47:16.000000	47.27
29391229	CS5695				CPLK	41.84 16-J	IUN-24 05.13.34.000000000 AM	16-JUN-24 06.13.12.000000000 AM	+00 00:59:38.000000	59.63	-00 00:59:38.000000	59.63
29394497	CS5695				CPLK	39.82 16-J	UN-24 08.26.58.000000000 AM	16-JUN-24 08.44.47.000000000 AM	+00 00:17:49.000000	17.82	-00 00:17:49.000000	17.82
29394690	CS5692				CPLK	48.89 16-J	UN-24 08.35.18.000000000 AM	16-JUN-24 09.13.50.000000000 AM	+00 00:38:32.000000	38.53	-00 00:38:32.000000	38.53
29394719	CS5691				CPLK	48.3 16-J	UN-24 08.36.39.000000000 AM	16-JUN-24 09.18.24.000000000 AM	+00 00:41:45.000000	41.75	-00 00:41:45.000000	41.75
29397111	CS5695				CPLK	71.87 16-J	UN-24 09.55.45.000000000 AM	16-JUN-24 10.29.06.000000000 AM	+00 00:33:21.000000	33.35	-00 00:33:21.000000	33.35
29535894	CS5695				CPLK	31.89 19-J	UN-24 01.27.57.000000000 PM	19-JUN-24 01.39.55.000000000 PM	+00 00:11:58.000000	11.97	-00 00:11:58.000000	11.97
29536865	CS5695				CPLK	54.38 19-J	UN-24 01.51.18.000000000 PM	19-JUN-24 02.08.31.000000000 PM	+00 00:17:13.000000	17.22	-00 00:17:13.000000	17.22
29537922	CS5694				CPLK	60.18 19-1	UN-24 02.14.26.000000000 PM	19-JUN-24 02.39.43.000000000 PM	+00 00:25:17,000000	25.28	-00 00:25:17.000000	25.28
29538167	CS5692				CPLK	44.07 19-1	UN-24 02.19.57.000000000 PM	19-JUN-24 03.45.35.000000000 PM	+00 01:25:38.000000	85.63	-00 01:25:38.000000	85.63
29538467	CS5691				CPLK	38.67 19-J	UN-24 02.27.26.000000000 PM	19-JUN-24 03.29.54.000000000 PM	+00 01:02:28.000000	62.47	-00 01:02:28.000000	62.47
29539307	CS5695				CPLK	85.28 19-J	IUN-24 02.46.16.000000000 PM	19-JUN-24 03.44.47.000000000 PM	+00 00:58:31.000000	58.52	-00 00:58:31.000000	58.52
29542484	CS5695				CPLK	33.72 19-J	UN-24 03.57.31.000000000 PM	19-JUN-24 04.12.18.000000000 PM	+00 00:14:47.000000	14.78	-00 00:14:47.000000	14.78
29543193	CS5692				CPLK	26.98 19-J	UN-24 04.15.15.000000000 PM	19-JUN-24 04.38.59.000000000 PM	+00 00:23:44.000000	23.73	-00 00:23:44.000000	23.73
29543734	CS5694				CPLK	38.29 19-J	IUN-24 04.27.21.000000000 PM	19-JUN-24 04.48.53.000000000 PM	+00 00:21:32.000000	21.53	-00 00:21:32.000000	21.53
29543736	CS5695				CPLK	30.7 19-J	UN-24 04.27.28.000000000 PM	19-JUN-24 04,40.12,000000000 PM	+00 00:12:44.000000	12.73	-00 00:12:44.000000	12.73
29544227	CS5691				CPLK	39.22 19-J	UN-24 04.38.08.000000000 PM	19-JUN-24 05.34.30.000000000 PM	+00 00:56:22.000000	56.37	-00 00:56:22.000000	56.37
29544480	CS5695				CPLK	44.05 19-1	IUN-24 04.43.58.000000000 PM	19-JUN-24 05.06.42.000000000 PM	+00 00:22:44.000000	22.73	-00 00:22:44.000000	22.73
29544838	CS5692				CPLK	2.58 19-J	UN-24 04.51.22.000000000 PM	19-JUN-24 04.53.06.000000000 PM	+00 00:01:44.000000	1.73	-00 00:01:44.000000	1.73
29545009	CS5694				CPLK	30.8 19-J	IUN-24 04.56.12.000000000 PM	19-JUN-24 05.26.30.000000000 PM	+00 00:30:18.000000	30.3	-00 00:30:18.000000	30.3
29546051	CS5695				CPLK	49.55 19-1	UN-24 05.20.32.000000000 PM	19-JUN-24 05.45.26.000000000 PM	+00 00:24:54.000000	24.9	-00 00:24:54.000000	24.9
29547920	CS5691				CPLK	47.64 19-1	UN-24 06.06.57.000000000 PM	19-JUN-24 07.13.34.000000000 PM	+00 01:06:37,000000	66.62	-00 01:06:37.000000	66.62
29550199	CS5692				CPLK	52.48 19-J	UN-24 07.02.58.000000000 PM	19-JUN-24 08.08.32.000000000 PM	+00 01:05:34.000000	65.57	-00 01:05:34.000000	65.57
29551566	CS5694				CPLK	13.56 19-J	UN-24 07.35.00.000000000 PM	19-JUN-24 07.50.32,000000000 PM	+00 00:15:32.000000	15.53	-00 00:15:32.000000	15.53
29553424	CS5695				CPLK	64.94 19-J	IUN-24 08.21.19.000000000 PM	19-JUN-24 09.20.07.000000000 PM	+00 00:58:48.000000	58.8	-00 00:58:48.000000	58.8
29554399	CS5692				CPLK	31.02 19-J	UN-24 08.46.35.000000000 PM	19-JUN-24 09.36.24.000000000 PM	+00 00:49:49.000000	49.82	-00 00:49:49.000000	49.82
29556045	CS5691				CPLK	87.9 19-1	UN-24 09.34.00.000000000 PM	19-JUN-24 11.10.13.000000000 PM	+00 01:36:13.000000	96.22	-00 01:36:13.000000	96.22
29556762	CS5695				CPLK	40.58 19-J	IUN-24 09.57.09.000000000 PM	19-JUN-24 10.10.25.000000000 PM	+00 00:13:16.000000	13.27	-00 00:13:16.000000	13.27
29557136	CS5692				CPLK	44.42 19-1	UN-24 10.09.28.000000000 PM	19-JUN-24 11.02.59.000000000 PM	+00 00:53:31,000000	53.52	-00 00:53:31.000000	53.52
29563925	CS5695				CPLK	25.69 20-J	IUN-24 04.12.34.000000000 AM	20-JUN-24 04.22.50.000000000 AM	+00 00:10:16.000000	10.27	-00 00:10:16.000000	10.27
29564524	CS5695				CPLK	22.31 20-J	UN-24 05.13.39.000000000 AM	20-JUN-24 05.19.48.000000000 AM	+00 00:06:09.000000	6.15	-00 00:06:09.000000	6.15
29565008	CS5695				CPLK	76.41 20-J	IUN-24 05.48.52.000000000 AM	20-JUN-24 06.32.30.000000000 AM	+00 00:43:38.000000	43.63	-00 00:43:38.000000	43.63
29567225	CS5695				CPLK	47.46 20-J	UN-24 07.53.25.000000000 AM	20-JUN-24 08.28.28.000000000 AM	+00 00:35:03.000000	35.05	-00 00:35:03.000000	35.05
29567248	CS5694				CPLK	47.6 20-J	UN-24 07.54.22.000000000 AM	20-JUN-24 09.05.54.000000000 AM	+00 01:11:32.000000	71.53	-00 01:11:32.000000	71.53
29568712	CS5695				CPLK	35.01 20-1	UN-24 08.49.54.000000000 AM	20-JUN-24 09.11.56.000000000 AM	+00 00:22:02.000000	22.03	-00 00:22:02.000000	22.03
29569068	CS5691				CPLK	38.82 20-J	IUN-24 09.02.35.000000000 AM	20-JUN-24 09.43.17.000000000 AM	+00 00:40:42.000000	40.7	-00 00:40:42.000000	40.7
29657703	CS5694				CPLK	58.23 22-J	UN-24 05.42,59.000000000 AM	22-JUN-24 07.16.03.000000000 AM	+00 01:33:04.000000	93.07	-00 01:33:04.000000	93.07
29659435	CS5691				CPLK	79.17 22-1	UN-24 07.20.28.000000000 AM	22-JUN-24 08.24.31.000000000 AM	+00 01:04:03.000000	64.05	-00 01:04:03.000000	64.05
29660212	CS5692				CPLK	36.8 22-J	UN-24 07.57.19.000000000 AM	22-JUN-24 08.42.53.000000000 AM	+00 00:45:34.000000	45.57	-00 00:45:34.000000	45.57
29661049	CS5694				CPLK	57.58 22-J	UN-24 08.30.49.000000000 AM	22-JUN-24 09.04.28.000000000 AM	+00 00:33:39.000000	33.65	-00 00:33:39.000000	33.65
29662286	CS5691				CPLK	38.1 22-J	UN-24 09.10.56.000000000 AM	22-JUN-24 09.41.51.000000000 AM	+00 00:30:55.000000	30.92	-00 00:30:55.000000	30.92
29662539	CS5692				CPLK	24.48 22-J	UN-24 09.17.21.000000000 AM	22-JUN-24 09.45.59.000000000 AM	+00 00:28:38.000000	28.63	-00 00:28:38.000000	28.63
29666199	CS5695				CPLK	41.95 22-1	UN-24 10.50.58.000000000 AM	22-JUN-24 11.12.04.000000000 AM	+00 00:21:06,000000	21.1	-00 00:21:06.000000	21.1
29668299	CS5695				CPLK	65.69 22-J	IUN-24 11,37.23.000000000 AM	22-JUN-24 12.03.00.000000000 PM	+00 00:25:37.000000	25.62	-00 00:25:37.000000	25.62
29668582	CS5692				CPLK	13.67 22-J	UN-24 11.44.23.000000000 AM	22-JUN-24 11.58.24.000000000 AM	+00 00:14:01.000000	14.02	-00 00:14:01.000000	14.02
29669700	CS5694				CPLK	28.9 22-J	IUN-24 12.10.41.000000000 PM	22-JUN-24 12.31.29.000000000 PM	+00 00:20:48.000000	20.8	-00 00:20:48.000000	20.8
29670133	CS5691				CPLK	36.3 22-J	UN-24 12.19.35.000000000 PM	22-JUN-24 01.06.11.000000000 PM	+00 00:46:36.000000	46.6	-00 00:46:36.000000	46.6
29670560	CS5695				CPLK	21.15 22-J	IUN-24 12.28.02.000000000 PM	22-JUN-24 12,42,49,000000000 PM	+00 00:14:47.000000	14.78	-00 00:14:47.000000	14.78

	SESSION_ID	CHARGER_ID	ADDRESS	СІТУ	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
29670827	CS5694				CPLK	5.22 22-JUN-2412.33.34.000000000 PM	22-JUN-24 12.44.13.000000000 PM	+00 00:10:39.000000	10.65	-00 00:10:39.000000	10.65
29671634	CS5695				CPLK	4.82 22-JUN-24 12.51.29.000000000 PM	22-JUN-24 12.56.20.000000000 PM	+00 00:04:51.000000	4.85	-00 00:04:51.000000	4.85
29671902	CS5692	9			CPLK	47.88 22-JUN-24 12.56.42.000000000 PM	22-JUN-24 02.21.51.000000000 PM	+00 01:25:09.000000	85.15	-00 01:25:09.000000	85.15
29673507	CS5695				CPLK	52.33 22-JUN-2401.29.12.000000000 PM	22-JUN-24 02.30.57.000000000 PM	+00 01:01:45.000000	61.75	-00 01:01:45.000000	61.75
29675445	CS5691				CPLK	36.79 22-JUN-24 02.04.56.000000000 PM	22-JUN-24 02.32.43.000000000 PM	+00 00:27:47.000000	27.78	-00 00:27:47.000000	27.78
29675462	CS5694				CPLK	37.76 22-JUN-2402.05.19.000000000 PM	22-JUN-24 02.35.07.000000000 PM	+00 00:29:48.000000	29.8	-00 00:29:48.000000	29.8
29677255	CS5692				CPLK	62.12 22-JUN-2402.39.11.000000000 PM	22-JUN-24 04.07.10.000000000 PM	+00 01:27:59.000000	87.98	-00 01:27:59.000000	87.98
29677945	CS5694				CPLK	27.26 22-JUN-2402.51.51.000000000 PM	22-JUN-24 03.16.55.000000000 PM	+00 00:25:04.000000	25.07	-00 00:25:04.000000	25.07
29678128	CS5695				CPLK	88.92 22-JUN-2402.55.05.0000000000 PM	22-JUN-24 03.51.02.000000000 PM	+00 00:55:57.000000	55.95	-00 00:55:57.000000	55.95
29678385	CS5691				CPLK	10.19 22-JUN-2402.59.36.000000000 PM	22-JUN-24 03.24.15.000000000 PM	+00 00:24:39.000000	24.65	-00 00:24:39.000000	24.65
29679902	CS5691				CPLK	40.68 22-JUN-2403.27.22.000000000 PM	22-JUN-24 04.24.07.000000000 PM	+00 00:56:45.000000	56.75	-00 00:56:45.000000	56.75
29681562	CS5695				CPLK	69.16 22-JUN-2403.59.53.000000000 PM	22-JUN-24 04.45.22.000000000 PM	+00 00:45:29.000000	45.48	-00 00:45:29.000000	45.48
29682415	CS5692				CPLK	3.29 22-JUN-24 04.16.55.000000000 PM	22-JUN-24 04.20.01.000000000 PM	+00 00:03:06.000000	3.1	-00 00:03:06.000000	3.1
30395671	CS5695				CPLK	55.51 07-JUL-24 02.24.56.000000000 PM	07-JUL-24 02.45.22.000000000 PM	+00 00:20:26.000000	20.43	-00 00:20:26.000000	20.43
30396931	CS5692				CPLK	42.05 07-JUL-24 02.47.37.000000000 PM	07-JUL-24 03.45.15.000000000 PM	+00 00:57:38.000000	57.63	-00 00:57:38.000000	57.63
30400979	CS5695				CPLK	98.49 07-JUL-24 04.00.05.000000000 PM	07-JUL-24 04.59.26.000000000 PM	+00 00:59:21.000000	59.35	-00 00:59:21.000000	59.35
30403690	CS5692				CPLK	45.47 07-JUL-24 04.49.19.000000000 PM	07-JUL-24 05.48.56.000000000 PM	+00 00:59:37.000000	59.62	-00 00:59:37.000000	59.62
30406549	CS5695				CPLK	28.53 07-JUL-24 05.42.57.0000000000 PM	07-JUL-24 06.36.22.000000000 PM	+00 00:53:25.000000	53.42	-00 00:53:25.000000	53.42
30407655	CS5692				CPLK	44.64 07-JUL-24 06.04.37.000000000 PM	07-JUL-24 07.22.13.000000000 PM	+00 01:17:36.000000	77.6	-00 01:17:36.000000	77.6
30408956	CS5691				CPLK	45.89 07-JUL-24 06.28.08.000000000 PM	07-JUL-24 07.31.18.000000000 PM	+00 01:03:10.000000		-00 01:03:10.000000	63.17
30410934	CS5695				CPLK	67.05 07-JUL-24 07.09.13.000000000 PM	07-JUL-24 07.40.49.000000000 PM	+00 00:31:36.000000	31.6	-00 00:31:36.000000	31.6
30415063	CS5695				CPLK	50.07 07-JUL-24 08.34.56.000000000 PM	07-JUL-24 09.10.43.000000000 PM	+00 00:35:47,000000	35.78	-00 00:35:47.000000	35.78
30416658	CS5692				CPLK	28.21 07-JUL-24 09.14.56.000000000 PM	07-JUL-24 10.03.18.000000000 PM	+00 00:48:22.000000	48.37	-00 00:48:22.000000	48.37
30422089	CS5692				CPLK	24.22 07-JUL-24 11.40.30.000000000 PM	08-JUL-24 12.08.09.000000000 AM	+00 00:27:39.000000	27.65	-00 00:27:39.000000	27.65
30424442	CS5695				CPLK	24.13 08-JUL-24 01.12.49.000000000 AM	08-JUL-24 01.43.56.000000000 AM	+00 00:31:07.000000	31.12	-00 00:31:07.000000	31.12
30666213	CS5695				CPLK	26.71 13-JUL-24 10.46.15.000000000 AM	13-JUL-24 11.33.08.000000000 AM	+00 00:46:53.000000		-00 00:46:53.000000	46.88
30666445	CS5691				CPLK	78.8 13-JUL-24 10.51.28.000000000 AM	13-JUL-24 11.57.48.000000000 AM	+00 01:06:20,000000	66.33	-00 01:06:20.000000	66.33
30667755	CS5692				CPLK	29.49 13-JUL-24 11.20.33.000000000 AM	13-JUL-24 11.55.39.000000000 AM	+00 00:35:06.000000		-00 00:35:06.000000	35.1
30670446	CS5695				CPLK	36.44 13-JUL-24 12.15.30,000000000 PM	13-JUL-24 12.35.34.000000000 PM	+00 00:20:04.000000		-00 00:20:04.000000	20.07
30671625	CS5692				CPLK	20.98 13-JUL-24 12.37.13.000000000 PM	13-JUL-24 01.08.11.000000000 PM	+00 00:30:58.000000		-00 00:30:58.000000	30.97
30675068	CS5695				CPLK	65.82 13-JUL-24 01.46.31.000000000 PM	13-JUL-24 02.18.48.000000000 PM	+00 00:32:17.000000		-00 00:32:17.000000	32.28
30675878	CS5692				CPLK	30.45 13-JUL-24 02.02.09.000000000 PM	13-JUL-24 02.45.18.000000000 PM	+00 00:43:09.000000		-00 00:43:09.000000	43.15
30676217	CS5691				CPLK	28.47 13-JUL-24 02.08.19.000000000 PM	13-JUL-24 02.47.54.000000000 PM	+00 00:39:35.000000		-00 00:39:35.000000	39.58
30677300	CS5695				CPLK	61.26 13-JUL-24 02.27.33.000000000 PM	13-JUL-24 02.48.50.000000000 PM	+00 00:21:17.000000		-00 00:21:17.000000	21.28
30679569	CS5692				CPLK	31.84 13-JUL-24 03.10.33.0000000000 PM	13-JUL-24 03.59.18.000000000 PM	+00 00:48:45.000000		-00 00:48:45.000000	48.75
30681346	C\$5695				CPLK	44.72 13-JUL-24 03.43.05.0000000000 PM	13-JUL-24 04.44.32.000000000 PM	+00 01:01:27.000000		-00 01:01:27.000000	61.45
30681462	CS5691				CPLK	43.44 13-JUL-24 03.45.13.000000000 PM	13-JUL-24 04.50.01.000000000 PM	+00 01:04:48.000000		-00 01:04:48.000000	64.8
30682146	CS5694				CPLK	52.35 13-JUL-24 03.58.22.000000000 PM	13-JUL-24 05.01.26.000000000 PM	+00 01:03:04.000000		-00 01:03:04.000000	63.07
30682843	CS5692				CPLK	54.31 13-JUL-24 04.10.58.0000000000 PM	13-JUL-24 05.35.08.000000000 PM	+00 01:24:10.000000		-00 01:24:10.000000	84.17
30684990	CS5695				CPLK	64.7 13-JUL-24 04.50.08.0000000000 PM	13-JUL-24 05.27.21.000000000 PM	+00 00:37:13.000000		-00 00:37:13.000000	37.22
30685216	CS5691				CPLK	15.58 13-JUL-24 04.54.07.0000000000 PM	13-JUL-24 05.12.44.000000000 PM	+00 00:18:37.000000		-00 00:18:37.000000	18.62
30687303	CS5695				CPLK	10.98 13-JUL-24 05.33.07.000000000 PM	13-JUL-24 05.42.40.000000000 PM	+00 00:09:33.000000		-00 00:09:33.000000	9.55
30688213	CS5695				CPLK	35.33 13-JUL-24 05.51.12.0000000000 PM	13-JUL-24 06.38.47.000000000 PM	+00 00:47:35.000000		-00 00:47:35.000000	47.58
30689294	CS5694				CPLK	41.6 13-JUL-24 06.13.45.0000000000 PM	13-JUL-24 06.52.23.000000000 PM	+00 00:38:38.000000		-00 00:38:38.000000	38.63
30689606	CS5691				CPLK	41.01 13-JUL-24 06.19.18.0000000000 PM	13-JUL-24 07.17.45.000000000 PM	+00 00:58:27.000000		-00 00:58:27.000000	58.45
30691105	CS5695				CPLK	48.91 13-JUL-24 06.51.24.000000000 PM	13-JUL-24 07.23.00.000000000 PM	+00 00:31:36.000000		-00 00:31:36.000000	31.6
30692188	CS5692				CPLK	28 13-JUL-24 07.13.13.000000000 PM	13-JUL-24 08.10.15.000000000 PM	+00 00:57:02.000000		-00 00:57:02.000000	57.03
30692322	CS5694				CPLK	49.15 13-JUL-24 07.15.59.000000000 PM	13-JUL-24 07.34.13.000000000 PM	+00 00:18:14.000000		-00 00:18:14.000000	18.23
30692582	CS5691				CPLK	31.4 13-JUL-24 07.21.17.000000000 PM	13-JUL-24 07.46.42.000000000 PM	+00 00:25:25.000000		-00 00:25:25.000000	25.42
30694385	CS5695				CPLK	29.4 13-JUL-24 07.59.05.0000000000 PM	13-JUL-24 08.29.27.000000000 PM	+00 00:30:22.000000		-00 00:30:22.000000 -00 00:33:59.000000	30.37
30694634 30695169	CS5694 CS5692				CPLK CPLK	52.02 13-JUL-24 08.04.37.000000000 PM 38.27 13-JUL-24 08.17.06.000000000 PM	13-JUL-24 08.38,36.000000000 PM 13-JUL-24 08.56,46.000000000 PM	+00 00:33:59.000000 +00 00:39:40.000000		-00 00:33:59.000000	33.98 39.67
					CPLK			+00 00:39:40.000000			88.75
30696451	CS5695				CPLK	54.3 13-JUL-24 08.46.57,0000000000 PM	13-JUL-24 10.15.42.000000000 PM	+00 01;26;45.000000	08.75	-00 01:28:45.000000	00.15

	SESSION_ID	CHARGER_ID	ADDRESS	СІТУ	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DITM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION	TOTAL DURATION MINUTES
30698311	CS5692				CPLK	38.42 13-JUL-24 09.32.11.000000000 PM	13-JUL-24 10.17.57.000000000 PM	+00 00:45:46.000000		-00 00:45:46.000000	45.77
30700347	CS5692				CPLK	29.03 13-JUL-24 10.27.16.000000000 PM	13-JUL-24 11.13.42.000000000 PM	+00 00:46:26.000000	46.43	-00 00:46:26.000000	46.43
30966403	CS5694				CPLK	38.69 19-JUL-24 03.45.47.000000000 PM	19-JUL-24 04.11.11.000000000 PM	+00 00:25:24.000000	25.4	-00 00:25:24.000000	25.4
30966869	CS5695				CPLK	16.02 19-JUL-24 03.54.12.000000000 PM	19-JUL-24 04.15.43.000000000 PM	+00 00:21:31.000000	21.52	-00 00:21:31.000000	21.52
30968172	CS5695				CPLK	17.73 19-JUL-24 04.18.40.000000000 PM	19-JUL-24 04.31.50.000000000 PM	+00 00:13:10.000000	13.17	-00 00:13:10.000000	13.17
30968667	CS5692				CPLK	30.23 19-JUL-24 04.27.10.000000000 PM	19-JUL-24 04.51.12.000000000 PM	+00 00:24:02.000000	24.03	-00 00:24:02.000000	24.03
30969299	CS5695				CPLK	43.97 19-JUL-24 04.39.03.0000000000 PM	19-JUL-24 05.05.04.000000000 PM	+00 00:26:01.000000	26.02	-00 00:26:01.000000	26.02
30970283	CS5692				CPLK	48.6 19-JUL-24 04.57.50.000000000 PM	19-JUL-24 05.31.34.000000000 PM	+00 00:33:44.000000	33.73	-00 00:33:44.000000	33.73
30971522	CS5695				CPLK	41.19 19-JUL-2405.19.57.000000000 PM	19-JUL-24 05.32.42.000000000 PM	+00 00:12:45.000000	12.75	-00 00:12:45.000000	12.75
30972155	CS5691				CPLK	34.44 19-JUL-24 05.32.06.000000000 PM	19-JUL-24 06.18.49.000000000 PM	+00 00:46:43.000000	46.72	-00 00:46:43.000000	46.72
30972651	CS5695				CPLK	54.33 19-JUL-24 05.42.21.000000000 PM	19-JUL-24 06.03.13.000000000 PM	+00 00:20:52.000000	20.87	-00 00:20:52.000000	20.87
30972817	CS5694				CPLK	48.88 19-JUL-24 05.45.29.000000000 PM	19-JUL-24 06.15.41.000000000 PM	+00 00:30:12.000000	30.2	-00 00:30:12.000000	30.2
23906788	CS5695				CPLK	37.24 01-FEB-24 02,51.58,000000000 AM	01-FEB-24 03.39.49,000000000 AM	+00 00:47:51.000000	47.85	-00 00:47:51.000000	47.85
23909382	CS5692				CPLK	32.86 01-FEB-24 07.10.37.000000000 AM	01-FEB-24 07.31.10.000000000 AM	+00 00:20:33.000000	20.55	-00 00:20:33.000000	20.55
23909912	CS5695				CPLK	40.65 01-FEB-24 07.45.51.000000000 AM	01-FEB-24 08.13.12.000000000 AM	+00 00:27:21.000000	27.35	-00 00:27:21.000000	27.35
23910566	CS5692				CPLK	17.6 01-FEB-24 08.21.41.000000000 AM	01-FEB-24 08.44.50.000000000 AM	+00 00:23:09.000000	23.15	-00 00:23:09.000000	23.15
23910849	CS5694				CPLK	50.87 01-FEB-24 08.35.48,000000000 AM	01-FEB-24 09.19.17.000000000 AM	+00 00:43:29.000000	43.48	-00 00:43:29.000000	43.48
23913682	CS5695				CPLK	56.3 01-FEB-24 10.30.04.000000000 AM	01-FEB-24 11.04.15.000000000 AM	+00 00:34:11.000000	34.18	-00 00:34:11.000000	34.18
23914157	CS5692				CPLK	30.42 01-FEB-24 10.45.33.0000000000 AM	01-FEB-24 11.50.53.000000000 AM	+00 01:05:20.000000	65.33	-00 01:05:20.000000	65.33
23914823	CS5695				CPLK	53.7 01-FEB-24 11.08.09.000000000 AM	01-FEB-24 11.46.37.000000000 AM	+00 00:38:28.000000	38.47	-00 00:38:28.000000	38.47
23914913	CS5694				CPLK	57.68 01-FEB-24 11.10.21.000000000 AM	01-FEB-24 12.03.57.000000000 PM	+00 00:53:36.000000	53.6	-00 00:53:36.000000	53.6
23917607	CS5692				CPLK	33.04 01-FEB-24 12.29.24.000000000 PM	01-FEB-24 01.13.59.000000000 PM	+00 00:44:35.000000	44.58	-00 00:44:35.000000	44.58
23917781	CS5694				CPLK	63.07 01-FEB-24 12.34.19.000000000 PM	01-FEB-24 01.40.09.000000000 PM	+00 01:05:50.000000	65.83	-00 01:05:50.000000	65.83
23920190	CS5695				CPLK	34.2 01-FEB-24 01.43.24.000000000 PM	01-FEB-24 03.29.50.000000000 PM	+00 01:46:26.000000	106.43	-00 01:46:26.000000	106.43
23921112	CS5694				CPLK	28.33 01-FEB-24 02.07.37.000000000 PM	01-FEB-24 02.41.05.000000000 PM	+00 00:33:28.000000	33.47	-00 00:33:28.000000	33.47
23921784	CS5692				CPLK	44.91 01-FEB-24 02.25.04.000000000 PM	01-FEB-24 02.59.59.000000000 PM	+00 00:34:55.000000	34.92	-00 00:34:55.000000	34.92
23922682	CS5694				CPLK	33.74 01-FEB-24 02.49.06.000000000 PM	01-FEB-24 03.36.52,000000000 PM	+00 00:47:46.000000	47.77	-00 00:47:46.000000	47.77
23925815	CS5695				CPLK	53.87 01-FEB-24 04.16.40.000000000 PM	01-FEB-24 04.52.40.000000000 PM	+00 00:36:00.000000	36	-00 00:36:00.000000	36
23926234	CS5694				CPLK	31.78 01-FEB-24 04.27.22,000000000 PM	01-FEB-24 05.30.58,000000000 PM	+00 01:03:36.000000	63.6	-00 01:03:36.000000	63.6
23928897	CS5692				CPLK	25.26 01-FEB-24 05.42.10.000000000 PM	01-FEB-24 06,20.42.000000000 PM	+00 00:38:32.000000	38.53	-00 00:38:32.000000	38.53
23931641	CS5695				CPLK	44.01 01-FEB-24 07.00.12.000000000 PM	01-FEB-24 07.32.47.000000000 PM	+00 00:32:35,000000	32.58	-00 00:32:35.000000	32.58
23932625	CS5692				CPLK	44.05 01-FEB-24 07.31.57.000000000 PM	01-FEB-24 08.34.06,000000000 PM	+00 01:02:09.000000	62.15	-00 01:02:09.000000	62.15
23937388	CS5694				CPLK	36.34 01-FEB-24 10.18.57.000000000 PM	01-FEB-24 11.19.03.000000000 PM	+00 01:00:06.000000	60.1	-00 01:00:06.000000	60.1
23938064	CS5695				CPLK	72.81 01-FEB-24 10.50.06.000000000 PM	01-FEB-24 11.53.50,000000000 PM	+00 01:03:44.000000	63.73	-00 01:03:44.000000	63.73
23938791	CS5694				CPLK	2.9 01-FEB-24 11.21.44.000000000 PM	01-FEB-24 11.30.12,000000000 PM	+00 00:08:28.000000	8.47	-00 00:08:28.000000	8.47
23943275	CS5694				CPLK	36.76 02-FEB-24 05.51.25.000000000 AM	02-FEB-24 06.50.43.000000000 AM	+00 00:59:18.000000	59.3	-00 00:59:18.000000	59.3
23945462	CS5692				CPLK	39.88 02-FEB-24 08.16.44.000000000 AM	02-FEB-24 09.06.52.000000000 AM	+00 00:50:08.000000	50.13	-00 00:50:08.000000	50.13
23949769	CS5692				CPLK	11.63 02-FEB-24 10.51.43.000000000 AM	02-FEB-24 11.01.16.000000000 AM	+00 00:09:33.000000	9.55	-00 00:09:33.000000	9.55
23950457	CS5694				CPLK	34.63 02-FEB-24 11.11.39.000000000 AM	02-FEB-24 11.48.24.000000000 AM	+00 00:36:45,000000	36.75	-00 00:36:45.000000	36.75
23952747	CS5695				CPLK	10.29 02-FEB-24 12.14.32.000000000 PM	02-FEB-24 12.43.54.000000000 PM	+00 00:29:22.000000	29.37	-00 00:29:22.000000	29.37
23954552	CS5692				CPLK	1.32 02-FEB-24 01.00.19.000000000 PM	02-FEB-24 01.02.03.000000000 PM	+00 00:01:44.000000	1.73	-00 00:01:44.000000	1.73
23954691	CS5694				CPLK	48.66 02-FEB-24 01.04.01.000000000 PM	02-FEB-24 02.46.44.000000000 PM	+00 01:42:43.000000	102.72	-00 01:42:43.000000	102.72
23954714	CS5692				CPLK	1.16 02-FEB-24 01.04.38.000000000 PM	02-FEB-24 01.06.55,000000000 PM	+00 00:02:17.000000	2.28	-00 00:02:17.000000	2.28
23954971	CS5695				CPLK	102.75 02-FEB-24 01.11.38.000000000 PM	02-FEB-24 02.13.23.000000000 PM	+00 01:01:45.000000	61.75	-00 01:01:45.000000	61.75
23955141	CS5691				CPLK	1.42 02-FEB-24 01.15.06.000000000 PM	02-FEB-24 01.18.36,000000000 PM	+00 00:03:30.000000	3.5	-00 00:03:30.000000	3.5
23957926	CS5691				CPLK	26.82 02-FEB-24 02.24.26.000000000 PM	02-FEB-24 02.57.33.000000000 PM	+00 00:33:07.000000	33.12	-00 00:33:07.000000	33.12
23963050	CS5695				CPLK	44.81 02-FEB-24 04.32.04.000000000 PM	02-FEB-24 04.57.09.000000000 PM	+00 00:25:05,000000	25.08	-00 00:25:05.000000	25.08
23964385	CS5695				CPLK	61.96 02-FEB-24 05.07.00.000000000 PM	02-FEB-24 05.41.06.000000000 PM	+00 00:34:06.000000	34.1	-00 00:34:06.000000	34.1
23965523	CS5692				CPLK	32.68 02-FEB-24 05.37.44.000000000 PM	02-FEB-24 06.38.05.000000000 PM	+00 01:00:21.000000	60.35	-00 01:00:21.000000	60.35
23967065	CS5694				CPLK	59.82 02-FEB-24 06.20.34.000000000 PM	02-FEB-24 07.04.58.000000000 PM	+00 00:44:24.000000	44.4	-00 00:44:24.000000	44.4
23967952	CS5692				CPLK	9.74 02-FEB-24 06.44.50.000000000 PM	02-FEB-24 07.25.15.000000000 PM	+00 00:40:25.000000	40.42	-00 00:40:25.000000	40.42
29683550	CS5691				CPLK	31.49 22-JUN-24 04.40.12.000000000 PM	22-JUN-24 05.00.15.000000000 PM	+00 00:20:03.000000	20.05	-00 00:20:03.000000	20.05
29683736	CS5692				CPLK	37.76 22-JUN-24 04.43.45.000000000 PM	22-JUN-24 05.12.08.000000000 PM	+00 00:28:23.000000	28.38	-00 00:28:23.000000	28.38

SES	SSION_ID CHARGER_ID	ADDRESS CITY	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DITM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION	TOTAL DURATION MINUTES
29683941	CS5694		CPLK	54.49 22-JUN-24 04.48.24.000000000 PM	22-JUN-24 05.09.39.000000000 PM	+00 00:21:15.000000		-00 00:21:15.000000	21.25
29684744	CS5691	· .	CPLK	42.89 22-JUN-24 05.02,38.000000000 PM	22-JUN-24 06.26.23.000000000 PM	+00 01:23:45.000000	83.75	-00 01:23:45.000000	83.75
29684980	CS5695		CPLK	48.63 22-JUN-2405.06.25.000000000 PM	22-JUN-24 05.43.14.000000000 PM	+00 00:36:49.000000	36.82	-00 00:36:49.000000	36.82
29774023	CS5695		CPLK	42.5 24-JUN-24 01.09.39.000000000 PM	24-JUN-24 02.28.19.000000000 PM	+00 01:18:40.000000	78.67	-00 01:18:40.000000	78.67
29774219	CS5691		CPLK	24.67 24-JUN-24 01.13.53.000000000 PM	24-JUN-24 01.53.33.000000000 PM	+00 00:39:40.000000	39.67	-00 00:39:40.000000	39.67
29774743	CS5694		CPLK	45.61 24-JUN-24 01.25.28.000000000 PM	24-JUN-24 02.40.37.000000000 PM	+00 01:15:09.000000	75.15	-00 01:15:09.000000	75.15
29776550	CS5691		CPLK	52.01 24-JUN-24 02.06.37.000000000 PM	24-JUN-24 03.40.40.000000000 PM	+00 01:34:03.000000	94.05	-00 01:34:03.000000	94.05
29777661	CS5695		CPLK	46.42 24-JUN-2402,31,46,000000000 PM	24-JUN-24 03.09.04.000000000 PM	+00 00:37:18.000000	37.3	-00 00:37:18.000000	37.3
29778205	CS5692		CPLK	62.08 24-JUN-24 02.43.33.000000000 PM	24-JUN-24 03.41.10.000000000 PM	+00 00:57:37.000000	57.62	-00 00:57:37.000000	57.62
29779374	CS5694		CPLK	40.77 24-JUN-2403.08.24.000000000 PM	24-JUN-24 03.24.49.000000000 PM	+00 00:16:25.000000	16.42	-00 00:16:25.000000	16.42
29779650	CS5695		CPLK	35.43 24-JUN-24 03.14.27.000000000 PM	24-JUN-24 03.49.21.000000000 PM	+00 00:34:54.000000	34.9	-00 00:34:54.000000	34.9
29782537	CS5692		CPLK	34.86 24-JUN-24 04.19.35.000000000 PM	24-JUN-24 05.11.50.000000000 PM	+00 00:52:15.000000	52.25	-00 00:52:15.000000	52.25
29782937	CS5694		CPLK	51.08 24-JUN-24 04.28.53,000000000 PM	24-JUN-24 04.45.13.000000000 PM	+00 00:16:20.000000	16.33	-00 00:16:20.000000	16.33
29783969	CS5691		CPLK	15 24-JUN-24 04.50.58.000000000 PM	24-JUN-24 05.07.25.000000000 PM	+00 00:16:27.000000	16.45	-00 00:16:27.000000	16.45
23422073	CS5692		CPLK	64 18-JAN-24 04.20.55.000000000 PM	18-JAN-24 05.23.09.000000000 PM	+00 01:02:14.000000	62.23	-00 01:02:14.000000	62.23
23424000	CS5695		CPLK	53.8 18-JAN-24 05.09.03.000000000 PM	18-JAN-24 05.36.17.000000000 PM	+00 00:27:14.000000	27.23	-00 00:27:14.000000	27.23
23425145	CS5695		CPLK	28.9 18-JAN-24 05.39.58.000000000 PM	18-JAN-24 06.09.36.000000000 PM	+00 00:29:38.000000	29.63	-00 00:29:38.000000	29.63
23430614	CS5695		CPLK	64.29 18-JAN-24 08.10.41.000000000 PM	18-JAN-24 08.50.55.000000000 PM	+00 00:40:14.000000	40.23	-00 00:40:14.000000	40.23
23432733	CS5695		CPLK	93.44 18-JAN-24 09.17.45.000000000 PM	18-JAN-24 09.56.15.000000000 PM	+00 00:38:30.000000	38.5	-00 00:38:30.000000	38.5
23435575	CS5695		CPLK	62.2 18-JAN-24 11.16.18.000000000 PM	19-JAN-24 12.05.27.000000000 AM	+00 00:49:09.000000	49.15	-00 00:49:09.000000	49.15
23440790	CS5695		CPLK	24.13 19-JAN-24 06.13.51.000000000 AM	19-JAN-24 07.04.28.000000000 AM	+00 00:50:37.000000	50.62	-00 00:50:37.000000	50.62
23443437	CS5692		CPLK	39.12 19-JAN-24 08.48.24.000000000 AM	19-JAN-24 09.49.07.000000000 AM	+00 01:00:43.000000	60.72	-00 01:00:43.000000	60.72
23443852	CS5695		CPLK	21.33 19-JAN-24 09.06.19.000000000 AM	19-JAN-24 09.27.55.000000000 AM	+00 00:21:36.000000	21.6	-00 00:21:36.000000	21.6
23446297	CS5695		CPLK	26.16 19-JAN-24 10.30.27.000000000 AM	19-JAN-24 11.09.38.000000000 AM	+00 00:39:11.000000	39.18	-00 00:39:11.000000	39.18
23447535	CS5692		CPLK	36.92 19-JAN-24 11.05.28.000000000 AM	19-JAN-24 11.44.31.000000000 AM	+00 00:39:03.000000	39.05	-00 00:39:03.000000	39.05
23447981	CS5695		CPLK	66.14 19-JAN-24 11.18.38.000000000 AM	19-JAN-24 11.59.11.000000000 AM	+00 00:40:33.000000	40.55	-00 00:40:33.000000	40.55
23450212	CS5695		CPLK	31.88 19-JAN-24 12.20.06.000000000 PM	19-JAN-24 01.21.31.000000000 PM	+00 01:01:25.000000	61.42	-00 01:01:25.000000	61.42
23450354	CS5692		CPLK	40.78 19-JAN-24 12.23.44.000000000 PM	19-JAN-24 12.53.44.000000000 PM	+00 00:30:00.000000	30	-00 00:30:00.000000	30
23451682	CS5692		CPLK	23.45 19-JAN-24 12.59.34.000000000 PM	19-JAN-24 01.29.07.000000000 PM	+00 00:29:33.000000	29.55	-00 00:29:33.000000	29.55
29804902	CS5695		CPLK	53.85 25-JUN-2406.21.16.0000000000 AM	25-JUN-24 06.46.13.000000000 AM	+00 00:24:57.000000	24.95	-00 00:24:57.000000	24.95
29805361	CS5694		CPLK	63.19 25-JUN-24 06.51.09.000000000 AM	25-JUN-24 07.25.37.000000000 AM	+00 00:34:28.000000	34.47	-00 00:34:28.000000	34.47
29806200	CS5691		CPLK	38.68 25-JUN-24 07.35.43.000000000 AM	25-JUN-24 08.24.56.000000000 AM	+00 00:49:13.000000	49.22	-00 00:49:13.000000	49.22
29806399	CS5692		CPLK	45.98 25-JUN-24 07.46.10.000000000 AM	25-JUN-24 08.29.01.000000000 AM	+00 00:42:51.000000	42.85	-00 00:42:51.000000	42.85
29807364	CS5695		CPLK	35.79 25-JUN-24 08,28,58,0000000000 AM	25-JUN-24 08.48.15,000000000 AM	+00 00:19:17.000000	19.28	-00 00:19:17.000000	19.28
29807520	CS5692		CPLK	14.26 25-JUN-2408.35.22.000000000 AM	25-JUN-24 08.47.57.000000000 AM	+00 00:12:35.000000	12.58	-00 00:12:35.000000	12.58
29928922	CS5695		CPLK	23.65 27-JUN-24 09.23.58.000000000 PM	27-JUN-24 10.03.01.000000000 PM	+00 00:39:03.000000	39.05	-00 00:39:03.000000	39.05
29928934	CS5694		CPLK	44.54 27-JUN-24 09.24,20.000000000 PM	27-JUN-24 10.14.31.000000000 PM	+00 00:50:11.000000	50.18	-00 00:50:11.000000	50.18
29932963	CS5695		CPLK	22.15 27-JUN-24 11.24.53.000000000 PM	27-JUN-24 11.42.14.000000000 PM	+00 00:17:21.000000	17.35	-00 00:17:21.000000	17.35
29935243	CS5694		CPLK	53.54 28-JUN-24 12.49.36.000000000 AM	28-JUN-24 02.41.22.000000000 AM	+00 01:51:46.000000	111.77	-00 01:51:46.000000	111.77
29938257	CS5692		CPLK	63.43 28-JUN-24 04.12.39.000000000 AM	28-JUN-24 05.28.21.000000000 AM	+00 01:15:42.000000	75.7	-00 01:15:42.000000	75.7
29938282	CS5691		CPLK	61.25 28-JUN-24 04.14.57.000000000 AM	28-JUN-24 05.49.52.000000000 AM	+00 01:34:55.000000	94.92	-00 01:34:55.000000	94.92
29939412	CS5692		CPLK	55.58 28-JUN-24 05.39.11.000000000 AM	28-JUN-24 06.20.07.000000000 AM	+00 00:40:56.000000	40.93	-00 00:40:56.000000	40.93
29939686	CS5695		CPLK	41.2 28-JUN-24 05.56.31.000000000 AM	28-JUN-24 07.01.06.000000000 AM	+00 01:04:35.000000	64.58	-00 01:04:35.000000	64.58
29940976	CS5694		CPLK	48.38 28-JUN-24 07.11.18.0000000000 AM	28-JUN-24 07.56.05.000000000 AM	+00 00:44:47.000000	44.78	-00 00:44:47.000000	44.78
29941253	CS5692		CPLK	35.58 28-JUN-24 07.24.47.000000000 AM	28-JUN-24 08.25.21.000000000 AM	+00 01:00:34.000000	60.57	-00 01:00:34.000000	60.57
29942209	CS5695		CPLK	11.08 28-JUN-24 08.04.07.000000000 AM	28-JUN-24 08.09.59.000000000 AM	+00 00:05:52.000000	5.87	-00 00:05:52.000000	5.87
29942786	CS5695		CPLK	4.3 28-JUN-24 08.25.00.000000000 AM	28-JUN-24 08.40.40.000000000 AM	+00 00:15:40.000000	15.67	-00 00:15:40.000000	15.67
29944369	CS5694		CPLK	63.06 28-JUN-24 09.14.08.000000000 AM	28-JUN-24 09.53.25.000000000 AM	+00 00:39:17.000000	39.28	-00 00:39:17.000000	39.28
29945015	CS5692		CPLK	53.03 28-JUN-24 09.33.41.000000000 AM	28-JUN-24 10.51.39.000000000 AM	+00 01:17:58.000000	77.97	-00 01:17:58.000000	77.97
29945913	CS5694		CPLK	42.65 28-JUN-24 09.58,38,0000000000 AM	28-JUN-24 10.31.36.000000000 AM	+00 00:32:58.000000	32.97	-00 00:32:58.000000	32.97
29945999	CS5691		CPLK	11.16 28-JUN-24 10.00.52.000000000 AM	28-JUN-24 10.19.17.000000000 AM	+00 00:18:25.000000	18.42	-00 00:18:25.000000	18.42
29948993	CS5694		CPLK	40.49 28-JUN-24 11.19.54.000000000 AM	28-JUN-24 12.02.18.000000000 PM	+00 00:42:24.000000	42.4	-00 00:42:24.000000	42.4
29950641	CS5695		CPLK	79.93 28-JUN-24 11.59.17.000000000 AM	28-JUN-24 12.46.43.000000000 PM	+00 00:47:26.000000	47.43	-00 00:47:26.000000	47.43
		9							

	SESSION_ID	CHARGER_ID	ADDRESS	CITY	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION	TOTAL DURATION MINUTES
29950886	CS5691				CPLK	56.03 28-JUN-24 12.05.00.000000000 PM	28-JUN-24 12.48.42.000000000 PM	+00 00:43:42.000000		-00 00:43:42.000000	43.7
29954062	CS5695				CPLK	38.53 28-JUN-24 01.17.34.000000000 PM	28-JUN-24 02.02.32.000000000 PM	+00 00:44:58.000000	44.97	-00 00:44:58.000000	44.97
29954795	CS5691				CPLK	37.09 28-JUN-2401.32.51.000000000 PM	28-JUN-24 02.05.02.000000000 PM	+00 00:32:11.000000	32.18	-00 00:32:11.000000	32.18
29956508	CS5695				CPLK	59.98 28-JUN-2402.08.19.000000000 PM	28-JUN-24 02.40.59.000000000 PM	+00 00:32:40.000000	32.67	-00 00:32:40.000000	32.67
23313671	CS5691				CPLK	66.01 15-JAN-24 06.25.49.000000000 PM	15-JAN-24 07.14.08.000000000 PM	+00 00:48:19.000000	48.32	-00 00:48:19.000000	48.32
23315130	CS5692				CPLK	65.71 15-JAN-24 07.01.34.000000000 PM	15-JAN-24 08.00.19.000000000 PM	+00 00:58:45.000000	58.75	-00 00:58:45.000000	58.75
23315159	CS5695				CPLK	43.18 15-JAN-24 07.02.17.000000000 PM	15-JAN-24 07.39.57.000000000 PM	+00 00:37:40.000000	37.67	-00 00:37:40.000000	37.67
23315952	CS5691				CPLK	30.48 15-JAN-24 07.25.31.000000000 PM	15-JAN-24 08.26.04.000000000 PM	+00 01:00:33.000000	60.55	-00 01:00:33.000000	60.55
23318141	CS5695				CPLK	8.85 15-JAN-24 08.29.59.0000000000 PM	15-JAN-24 08.54.57.000000000 PM	+00 00:24:58.000000	24.97	-00 00:24:58.000000	24.97
23321439	CS5695				CPLK	41.57 15-JAN-24 10.35.03.000000000 PM	15-JAN-24 11.05.30.000000000 PM	+00 00:30:27.000000	30.45	-00 00:30:27.000000	30.45
23323745	CS5695				CPLK	32.96 16-JAN-24 12.29.34.000000000 AM	16-JAN-24 01.30.10.000000000 AM	+00 01:00:36.000000	60.6	-00 01:00:36.000000	60.6
23325454	CS5695				CPLK	24.96 16-JAN-24 03.02.44.000000000 AM	16-JAN-24 04.03.02.000000000 AM	+00 01:00:18.000000	60.3	-00 01:00:18.000000	60.3
23325868	CS5692				CPLK	28.19 16-JAN-24 03.47.06.000000000 AM	16-JAN-24 04.49.00.000000000 AM	+00 01:01:54.000000	61.9	-00 01:01:54.000000	61.9
23326288	CS5692				CPLK	15.89 16-JAN-24 04.50.23.000000000 AM	16-JAN-24 05.47.30.000000000 AM	+00 00:57:07.000000		-00 00:57:07.000000	57.12
23326808	CS5695				CPLK	30.75 16-JAN-24 05.51.31.000000000 AM	16-JAN-24 06.55.01.000000000 AM	+00 01:03:30.000000	63.5	-00 01:03:30.000000	63.5
23327759	CS5695				CPLK	22.13 16-JAN-24 07.07.59.000000000 AM	16-JAN-24 08.08.03.000000000 AM	+00 01:00:04.000000	60.07	-00 01:00:04.000000	60.07
23329986	CS5695				CPLK	30.65 16-JAN-24 09.06.38.000000000 AM	16-JAN-24 09.54.07.000000000 AM	+00 00:47:29,000000	47.48	-00 00:47:29.000000	47.48
23330760	CS5692				CPLK	22.77 16-JAN-24 09.35.44.000000000 AM	16-JAN-24 10.36.04.000000000 AM	+00 01:00:20.000000	60.33	-00 01:00:20.000000	60.33
23331875	CS5691				CPLK	25.99 16-JAN-24 10.12.04.000000000 AM	16-JAN-24 10.52.03.000000000 AM	+00 00:39:59.000000	39.98	-00 00:39:59.000000	39.98
23338287	CS5691				CPLK	24.72 16-JAN-24 01.01.49.000000000 PM	16-JAN-24 02.02.03.000000000 PM	+00 01:00:14.000000	60.23	-00 01:00:14.000000	60.23
23340821	CS5695				CPLK	31.16 16-JAN-24 02.06.00.000000000 PM	16-JAN-24 03.00.33.000000000 PM	+00 00:54:33.000000	54.55	-00 00:54:33.000000	54.55
23342935	CS5691				CPLK	22.42 16-JAN-24 02.55.41.000000000 PM	16-JAN-24 03.12.33.000000000 PM	+00 00:16:52,000000	16.87	-00 00:16:52.000000	16.87
23344283	CS5695				CPLK	16.09 16-JAN-24 03.30.10.000000000 PM	16-JAN-24 03.46.46.000000000 PM	+00 00:16:36.000000	16.6	-00 00:16:36.000000	16.6
23345837	CS5692				CPLK	30.03 16-JAN-24 04.10.28.000000000 PM	16-JAN-24 05.10.09.000000000 PM	+00 00:59:41.000000		-00 00:59:41.000000	59.68
23346508	CS5695				CPLK	36.24 16-JAN-24 04.28.13.000000000 PM	16-JAN-24 05.28.31.000000000 PM	+00 01:00:18.000000		-00 01:00:18.000000	60.3
23346664	CS5691				CPLK	32.23 16-JAN-24 04.32.11.000000000 PM	16-JAN-24 05.30.08.000000000 PM	+00 00:57:57.000000		-00 00:57:57.000000	57.95
23348585	CS5692				CPLK	64.36 16-JAN-24 05.22.48.000000000 PM	16-JAN-24 06.24.04.000000000 PM	+00 01:01:16.000000	61.27	-00 01:01:16.000000	61.27
23349471	CS5695				CPLK	21.82 16-JAN-24 05.47.39.000000000 PM	16-JAN-24 06.41.22.000000000 PM	+00 00:53:43.000000		-00 00:53:43.000000	53.72
23349833	CS5691				CPLK	37.11 16-JAN-24 05.57,39.000000000 PM	16-JAN-24 06.24.33.000000000 PM	+00 00:26:54.000000		-00 00:26:54.000000	26.9
23351601	CS5691				CPLK	50.92 16-JAN-24 06.47.19.000000000 PM	16-JAN-24 07.49.06.000000000 PM	+00 01:01:47.000000		-00 01:01:47.000000	61.78
23352286	CS5692				CPLK	23.88 16-JAN-24 07.06.00.0000000000 PM	16-JAN-24 08.08.06.000000000 PM	+00 01:02:06.000000		-00 01:02:06.000000	62.1
23352422	CS5695				CPLK	46.78 16-JAN-24 07.09.39.0000000000 PM	16-JAN-24 08.11.04.000000000 PM	+00 01:01:25.000000		-00 01:01:25.000000	61.42
23354143	CS5691				CPLK	23.19 16-JAN-24 08.02.27.0000000000 PM	16-JAN-24 08.39.18.000000000 PM	+00 00:36:51.000000		-00 00:36:51.000000	36.85
23355001	CS5692				CPLK	16.55 16-JAN-24 08.26.48.0000000000 PM	16-JAN-24 08,40.53,000000000 PM	+00 00:14:05.000000		-00 00:14:05.000000	14.08
23355579	CS5695				CPLK	46.75 16-JAN-24 08.43.45.0000000000 PM	16-JAN-24 09.09.02.000000000 PM	+00 00:25:17.000000		-00 00:25:17.000000	25.28
23356485	CS5692				CPLK	10.12 16-JAN-24 09.17.33.0000000000 PM	16-JAN-24 09.34.42.000000000 PM	+00 00:17:09.000000		-00 00:17:09.000000	17.15
23357013	CS5695				CPLK	28.97 16-JAN-24 09.35.01.0000000000 PM	16-JAN-24 10.10.10.000000000 PM	+00 00:35:09.000000		-00 00:35:09.000000	35.15
23357035	CS5692				CPLK	12.78 16-JAN-24 09.35.46.000000000 PM	16-JAN-24 09.58.25.000000000 PM	+00 00:22:39.000000		-00 00:22:39.000000	22.65
23360277	CS5695				CPLK	31.6 16-JAN-24 11.50.50.0000000000 PM	17-JAN-24 12.51.20.000000000 AM	+00 01:00:30.000000		-00 01:00:30.000000	60.5
23368750	CS5695				CPLK	21.88 17-JAN-24 09.40.21.0000000000 AM	17-JAN-24 10.09.35.000000000 AM	+00 00:29:14.000000		-00 00:29:14.000000	29.23
23369091	CS5692				CPLK	26.23 17-JAN-24 09.52.45.0000000000 AM	17-JAN-24 10.27.42.000000000 AM	+00 00:34:57.000000		-00 00:34:57.000000	34.95
23369886	CS5695				CPLK	31.34 17-JAN-24 10.17.21.0000000000 AM	17-JAN-24 11.13.45.000000000 AM	+00 00:56:24.000000		-00 00:56:24.000000	56.4
23372060	CS5692				CPLK	22.87 17-JAN-24 11.18.12.0000000000 AM	17-JAN-24 11.55.24.000000000 AM	+00 00:37:12.000000		-00 00:37:12.000000	37.2
23373461	CS5691				CPLK	28.55 17-JAN-24 11.53.51.0000000000 AM	17-JAN-24 12.17.28.000000000 PM	+00 00:23:37.000000		-00 00:23:37.000000	23.62
23373655	CS5695				CPLK	66.94 17-JAN-24 11.58.03.0000000000 AM	17-JAN-24 12.58.26.000000000 PM 17-JAN-24 02.25.10.00000000 PM	+00 01:00:23.000000		-00 01:00:23.000000	60.38
23376906	CS5691				CPLK	72.53 17-JAN-24 01.23.32.0000000000 PM		+00 01:01:38.000000		-00 01:01:38.000000	61.63
23377065	CS5695 CS5692				CPLK CPLK	28.92 17-JAN-24 01.27.36.000000000 PM	17-JAN-24 01.57.25.000000000 PM 17-JAN-24 02.43.05.000000000 PM	+00 00:29:49.000000		-00 00:29:49.000000	29.82 60.8
23377648					CPLK	31.13 17-JAN-24 01.42.17.000000000 PM		+00 01:00:48.000000 +00 00:43:53.000000		-00 01:00:48.000000	
23378655 23379693	CS5695 CS5691				CPLK	49.93 17-JAN-24 02.07.09.000000000 PM 51.64 17-JAN-24 02.32.41.000000000 PM	17-JAN-24 02.51.02.000000000 PM	+00 00:43:53.000000		-00 00:43:53.000000 -00 00:53:17.000000	43.88 53.28
23380202	CS5692				CPLK	22.48 17-JAN-24 02.45.13.000000000 PM	17-JAN-24 03.25.58.000000000 PM 17-JAN-24 03.45.44.00000000 PM	+00 00:53:17.000000		-00 00:33:17.000000	60.52
23380202	CS5692 CS5695				CPLK	27.44 17-JAN-24 02.45.16.000000000 PM	17-JAN-24 03.56.11.000000000 PM	+00 01:00:31.000000		-00 01:00:31.00000	60.92
23382021	CS5691				CPLK	26.53 17-JAN-24 03.29.59.000000000 PM	17-JAN-24 04.57.17.000000000 PM	+00 01:00:33.000000		-00 01:27:18.000000	87.3
2002021	C33091		4		CFLK	29.55 11-1017-24-05,28,58,0000000000 FM	17-7017-24 04.07.17.000000000 F	-50 01.27.10.000000	07.3	00 01.27.10.00000	07.3

	SESSION_ID	CHARGER_ID	ADDRESS	СПУ	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DITM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION	TOTAL DURATION MINUTES
23383528	CS5695				CPLK	13.18 17-JAN-24 04.05.50.000000000 PM	17-JAN-24 04.50.13.000000000 PM	+00 00:44;23.000000	44.38	-00 00:44:23.000000	44.38
23384611	CS5692	1			CPLK	65.22 17-JAN-24 04.31.51.000000000 PM	17-JAN-24 05.32.05.000000000 PM	+00 01:00:14.000000	60.23	-00 01:00:14.000000	60.23
23385614	CS5695	- 1			CPLK	47.77 17-JAN-24 04.56.06.000000000 PM	17-JAN-24 05.58.03.000000000 PM	+00 01:01:57.000000	61.95	-00 01:01:57.000000	61.95
23385883	CS5691				CPLK	18.99 17-JAN-24 05.02.46.000000000 PM	17-JAN-24 05.30.21.000000000 PM	+00 00:27:35.000000	27.58	-00 00:27:35.000000	27.58
23387932	CS5692				CPLK	19.64 17-JAN-24 05.52,55.000000000 PM	17-JAN-24 06.54.08.000000000 PM	+00 01:01:13.000000	61.22	-00 01:01:13.000000	61.22
23388747	CS5695				CPLK	44.41 17-JAN-24 06.14.02.000000000 PM	17-JAN-24 07.00.34.000000000 PM	+00 00:46:32.000000	46.53	-00 00:46:32.000000	46.53
23390419	CS5692				CPLK	12.95 17-JAN-24 07.00.20.000000000 PM	17-JAN-24 07.17.21.000000000 PM	+00 00:17:01.000000	17.02	-00 00:17:01.000000	17.02
23391014	CS5691				CPLK	54.17 17-JAN-24 07.19.24.000000000 PM	17-JAN-24 08.06.48.000000000 PM	+00 00:47:24.000000	47.4	-00 00:47:24.000000	47.4
23393490	CS5695				CPLK	43.08 17-JAN-24 08.31.57.000000000 PM	17-JAN-24 09.16.00.000000000 PM	+00 00:44:03.000000	44.05	-00 00:44:03.000000	44.05
23395781	CS5695				CPLK	67.33 17-JAN-24 09.51.52.000000000 PM	17-JAN-24 10.34.36.000000000 PM	+00 00:42:44.000000	42.73	-00 00:42:44.000000	42.73
23396202	CS5691				CPLK	46.42 17-JAN-24 10.07.43.000000000 PM	17-JAN-24 10.55.41.000000000 PM	+00 00:47:58.000000	47.97	-00 00:47:58.000000	47.97
23396208	CS5692				CPLK	64.52 17-JAN-24 10.07.54.000000000 PM	17-JAN-24 11.10.07.000000000 PM	+00 01:02:13.000000	62.22	-00 01:02:13.000000	62.22
23399282	CS5695				CPLK	38.19 18-JAN-24 12.32.46,0000000000 AM	18-JAN-24 01.33.02.000000000 AM	+00 01:00:16.000000	60.27	-00 01:00:16.000000	60.27
23402679	CS5695				CPLK	17.98 18-JAN-24 06.10.04.000000000 AM	18-JAN-24 06,54,28,000000000 AM	+00 00:44:24.000000	44.4	-00 00:44:24.000000	44.4
23403612	CS5695				CPLK	34.63 18-JAN-24 07.13.38.0000000000 AM	18-JAN-24 07.42.24.000000000 AM	+00 00:28:46.000000	28.77	-00 00:28:46.000000	28.77
23403736	CS5692				CPLK	56.33 18-JAN-24 07.20.25.0000000000 AM	18-JAN-24 08.10.06.000000000 AM	+00 00:49:41.000000	49.68	-00 00:49:41.000000	49.68
23405270	CS5692				CPLK	27.77 18-JAN-24 08.33.22.000000000 AM	18-JAN-24 09.02.19.000000000 AM	+00 00:28:57.000000	28.95	-00 00:28:57.000000	28.95
23407074	CS5691				CPLK	27.42 18-JAN-24 09.38.42.0000000000 AM	18-JAN-24 10.39.03.000000000 AM	+00 01:00:21.000000	60.35	-00 01:00:21.000000	60.35
23408505	CS5695				CPLK	61.72 18-JAN-24 10.23.57.0000000000 AM	18-JAN-24 11.24.02.000000000 AM	+00 01:00:05.000000	60.08	-00 01:00:05.000000	60.08
23409690	CS5691				CPLK	26.15 18-JAN-24 10.56.56.0000000000 AM	18-JAN-24 11.57.02.000000000 AM	+00 01:00:06.000000	60.1	-00 01:00:06.000000	60.1
23410738	CS5695				CPLK	5.46 18-JAN-24 11.27.37.000000000 AM	18-JAN-24 12.19.03.000000000 PM	+00 00:51:26.000000	51.43	-00 00:51:26.000000	51.43
23412213	CS5691				CPLK	7.15 18-JAN-24 12.09.18.000000000 PM	18-JAN-24 12.43.39.000000000 PM	+00 00:34:21.000000	34.35	-00 00:34:21.000000	34.35
23413820	CS5695				CPLK	34.08 18-JAN-24 12.54.05.000000000 PM	18-JAN-24 01.29.52.000000000 PM	+00 00:35:47.000000	35.78	-00 00:35:47.000000	35.78
23414708	CS5691				CPLK	38.19 18-JAN-24 01.16.43.000000000 PM	18-JAN-24 02.17.01.000000000 PM	+00 01:00:18.000000	60.3	-00 01:00:18.000000	60.3
23418551	CS5692				CPLK	55.4 18-JAN-24 02.52,35.000000000 PM	18-JAN-24 03.53.07.000000000 PM	+00 01:00:32.000000	60.53	-00 01:00:32.000000	60.53
23418748	CS5695				CPLK	25.19 18-JAN-24 02.56.37.000000000 PM	18-JAN-24 03.57.02.000000000 PM	+00 01:00:25.000000	60.42	-00 01:00:25.000000	60.42
23418964	CS5691				CPLK	9.79 18-JAN-24 03.02.44.000000000 PM	18-JAN-24 03.17.49.000000000 PM	+00 00:15:05.000000	15.08	-00 00:15:05.000000	15.08
23421211	CS5695				CPLK	16.17 18-JAN-24 03.58.58.000000000 PM	18-JAN-24 04.59.04.000000000 PM	+00 01:00:06.000000	60.1	-00 01:00:06.000000	60.1
36106150	CS5691				CPLK	35.78 01-NOV-24 05.41.12.000000000 AM	01-NOV-24 06.45.06.0000000000 AM	+00 01:03:54.000000	63.9	-00 01:03:54.000000	63.9
36108661	CS5691				CPLK	12.24 01-NOV-24 07.39.05.000000000 AM	01-NOV-24 07.53.18.000000000 AM	+00 00:14:13.000000	14.22	-00 00:14:13.000000	14.22
36467108	CS5692				CPLK	42.68 08-NOV-24 02.46.17.000000000 PM	08-NOV-24 03.26.30.000000000 PM	+00 00:40:13.000000	40.22	-00 00:40:13.000000	40.22
36469894	CS5692				CPLK	35.44 08-NOV-24 03.41.26.000000000 PM	08-NOV-24 04.27.22.000000000 PM	+00 00:45:56.000000	45.93	-00 00:45:56.000000	45.93
36474791	CS5692				CPLK	60.73 08-NOV-24 05.25.05.0000000000 PM	08-NOV-24 06.22.32.000000000 PM	+00 00:57:27.000000	57.45	-00 00:57:27.000000	57.45
36477626	CS5692				CPLK	14.36 08-NOV-24 06.25.01.000000000 PM	08-NOV-24 06.34.10.000000000 PM	+00 00:09:09.000000	9.15	-00 00:09:09.000000	9.15
36480928	CS5692				CPLK	36.88 08-NOV-24 07.34.59.000000000 PM	08-NOV-24 07.58.25.000000000 PM	+00 00:23:26.000000	23.43	-00 00:23:26.000000	23.43
36484545	CS5692				CPLK	65.15 08-NOV-24 09.03.01.000000000 PM	08-NOV-24 10.47.39.000000000 PM	+00 01:44:38.000000		-00 01:44:38.000000	104.63
36491685	CS5692				CPLK	26.3 09-NOV-24 12.55.33.000000000 AM	09-NOV-24 02.08.34.000000000 AM	+00 01:13:01.000000	73.02	-00 01:13:01.000000	73.02
36494444	CS5692				CPLK	6.82 09-NOV-24 03.14.21.000000000 AM	09-NOV-24 03.22.13.000000000 AM	+00 00:07:52.000000	7.87	-00 00:07:52.000000	7.87
36496385	CS5692				CPLK	5.51 09-NOV-24 05.11.13.000000000 AM		+00 01:43:15.000000		-00 01:43:15.000000	103.25
36500355	CS5692				CPLK	17.82 09-NOV-24 08.05.31.000000000 AM	09-NOV-24 08.43.35.000000000 AM	+00 00:38:04.000000	38.07	-00 00:38:04.000000	38.07
36501963	CS5692				CPLK	61.34 09-NOV-2408.53.21.000000000 AM	09-NOV-24 09.44.40.000000000 AM	+00 00:51:19.000000		-00 00:51:19.000000	51.32
36505990	CS5692				CPLK	21.13 09-NOV-24 10.29.10.0000000000 AM	09-NOV-24 10.42.30.000000000 AM	+00 00:13:20.000000	13.33	-00 00:13:20.000000	13.33
36506821	CS5692				CPLK	39.09 09-NOV-24 10.47.06.000000000 AM	09-NOV-24 11.11.54.000000000 AM	+00 00:24:48.000000		-00 00:24:48.000000	24.8
36508413	CS5692				CPLK	38.61 09-NOV-24 11.18.59.000000000 AM	09-NOV-24 11.44.58.000000000 AM	+00 00:25:59,000000	25.98	-00 00:25:59.000000	25.98
36514307	CS5692				CPLK	44.65 09-NOV-24 01.11.30.000000000 PM	09-NOV-24 02.10.25.000000000 PM	+00 00:58:55.000000	58.92	-00 00:58:55.000000	58.92
36517800	CS5692				CPLK	24.66 09-NOV-24 02.16.07.0000000000 PM	09-NOV-24 02.48.56.000000000 PM	+00 00:32:49.000000	32.82	-00 00:32:49.000000	32.82
36520139	CS5692				CPLK	22.21 09-NOV-24 02.59.27.000000000 PM				-00 00:14:14.000000	14.23
36522840	CS5692				CPLK	36.04 09-NOV-24 03.50.07.000000000 PM				-00 00:34:46.000000	34.77
36524841	CS5692				CPLK	71.06 09-NOV-24 04.28.02.000000000 PM				-00 00:56:03.000000	56.05
36534864	CS5692				CPLK	51.58 09-NOV-24 07.51.59.000000000 PM				-00 00:45:56.000000	45.93
36536776	CS5692				CPLK	26.5 09-NOV-24 08.39.57.0000000000 PM		+00 00:24:27.000000		-00 00:24:27.000000	24.45
36539123	CS5692				CPLK	36.13 09-NOV-24 09.41.17.000000000 PM	09-NOV-24 10.44.37.000000000 PM	+00 01:03:20.000000		-00 01:03:20.000000	63.33
36545007	CS5692				CPLK	39.46 10-NOV-24 12.55.04.000000000 AM	10-NOV-24 02.10.39.000000000 AM	+00 01:15:35.000000	75.58	-00 01:15:35.000000	75.58

259-14-12 C15992	DURATION TOTAL DURATION IMS MINUTES
10.00 10.0	:30.000000 65.5
Septiment Capability Capa	19.000000 52.32
Color Colo	:30.000000 10.5
29794277 CSS994	50.000000 36.83
29795751 C55961 C1K	:04.000000 67.07
29795751 C55991 C55994 CFL 24794294 267254 20000000 Ph. 247054 256000000 Ph. 257500000 2575000000 2575000000 25750000000 257500000000000000000000000000000000000	:41.000000 67.68
277152584 CS0507	:43.000000 60.72
27797087 C55965 CPLK	:04.000000 95.07
27979774 C5566	:58.000000 30.97
27979474	:34.000000 57.57
23790035	:10.000000 33.17
27790000 258000 277 000002247/34 258000 258000 278 00002247/34 2580000 2580000 2580000 258000 2580000 258000 2580000 258000 2580000 2580000	26.000000 73.43
2879-1474	22.000000 10.37
2775127 C55982 CPUK 4 [6 3-2 M 24 56.4 5 M 26 5 5 M 26 5 5 M 26	:47.000000 22.78
2598744 C\$5896 C\$1.00	50.000000 40.83
CSS-965 CPLK 66.9 25-km/k2 et al. 0.000-0000000 A1.5 0.000-0000000 A1.5 0.000-0000000 A1.5 0.000-00000000 A1.5 0.000-00000000 A1.5 0.000-000000000 A1.5 0.000-0000000000 A1.5 0.000-0000000000 A1.5 0.000-0000000000 A1.5 0.000-00000000000 A1.5 0.000-00000000000 A1.5 0.000-00000000000 A1.5 0.000-0000000000000000000000000000000	:55.000000 34.92
28758777 C.SS6962 C.PLK 56. Ft - 1.11M-12-4.04.6.2.3.2.00000000 PM 1.31M-12-4.0.4.2.3.2.00000000 PM 1.31M-12-4.0.4.2.3.3.7.00000000 PM 1.31M-12-4.0.4.2.3.3.7.00000000 PM 1.31M-12-4.0.4.2.3.3.7.00000000 PM 1.31M-12-4.0.4.2.3.3.7.00000000 PM 1.31M-12-4.0.0000000 PM 1.31M-12-4.0.00000000 PM 1.31M-12-4.0.000000000 PM 1.31M-12-4.0.000000000 PM 1.31M-12-4.0.00000000 PM 1.31M-12-4.0.000000000 PM 1.31M-12-4.0.000000000 PM 1.31M-12-4.0.00000000 PM 1.	:53.000000 25.88
CFUK 35.67 to 1-114-24 0.44.25.20.0000000 PM 0-114-24 0.65.25.20.000000 PM 0-100-25.45.000000 35.77 d0 000-35.45.000000 23.97.97 000-35.45.000000 0-114-24 0.65.35.30.0000000 PM 0-114-24 0.65.35.30.000000 PM 0-114-24 0.65.35.30.0000000 PM 0-114-24 0.65.35.30.000000 PM 0-114-24 0.65.35.30.000000 PM 0-114-24 0.65.35.30.000000 PM 0-114-24 0.65.35.30.000000 PM 0-114-24 0.65.35.30.00000 PM 0-114-24 0.65.35.30.000000 PM 0-114-24 0.65.35.30.0000000 PM 0-114-24 0.65.35.30.0000000 PM 0-114-24 0.65.35.30.00000000 PM 0-114-24 0.65.35.30.00000000 PM 0-114-24 0.65.35.30.00000	:30.000000 40.5
CFR 49.1 to 1.914-24 (0.24.37.70000000 PM 0.1-114-24 (0.24.37.0000000 PM 0.256.37.0000000 PM 0.256.37.0000000 PM 0.256.37.0000000 PM 0.256.37.0000000 PM 0.256.37.0000000 PM 0.256.37.00000000 PM 0.256.37.000000000 PM 0.256.37.00000000 PM 0.256.37.0000000 PM 0.256.37.0000000 PM 0.256.37.0000000 PM 0.256.37.0000000 PM 0.256.37.00000000 PM 0.256.37.0000000 PM 0.256.37.00000000 PM 0.256.37.0000000 PM 0.256.37.00000000 PM 0.256.37.00000000 PM 0.256.37.00000000 PM 0.256.37.00000000 PM 0.256.3	:03.000000 31.05
CS-997-986 CS-996-5 CPLK Z3-15 (Z-FEB-24 (D8-5-15, 10,00000000) PM CFEB-24 (D8-5-15, 10,000000000) PM CFEB-24 (D8-5-15, 10,00000000) PM CFEB-24 (D8-5-15, 10,000000000)	46.000000 35.77
CSS696	56.000000 44.93
CPLK 64.51 02/FEB-24 07.55 13.00000000 PM CPLK 64.57 02/FEB-24 08.54.8.00000000 PM CPLK 64.57 02/FEB-24 08.24.8.2.00000000 PM CPLK 64.57 02/FEB-24 08.24.8.0.00000000 PM CPLK 64.57 02/FEB-24 08.8.57 00000000 PM CPLK 64.59 02/FEB-24 08.8.57 00000000 PM CPLK 64.59 02/FEB-24 04.58 000000000 PM CPLK 64.59 02/FEB-24 04.58 00000000 PM CPLK 64.59 02/F	57.000000 26.95
2897/190 C556965 CPLK 40.76 62/FEB 24 08.44.56.00000000PM 40.0015758.0000000 57.97 -00005758.000000 52.87 -0015758.00000000 52.87 -0015758.00000000 52.87 -0015758.00000000 52.87 -0015758.00000000 52.87 -0015758.000000000 52.87 -0015758.0000000000 52.87 -0015758.0000000000 52.87 -0015758.00000000000 52.87 -0015758.0000000000 52.87 -0015758	:08.000000 17.13
23973096 C\$5696 C\$15694 C\$15	:35.000000 55.58
CPLK 37.57 or CFEB-24 10.22.2,000000000 PM C9FEB-24 10.22.2,000000000 PM C9FEB-24 10.22.2,000000000 PM C9FEB-24 11.372.1,00000000 PM C9FEB-24 11.3,00000000 PM C9FEB-24 11.3,000000000 PM C9FEB-24 11.3,000000000 PM C9FEB-24 11.3,000000000 PM C9FEB-24 11.3,000000000 PM	58.000000 57.97
28978737	:52.000000 62.87
CPLK 39.29 02.FEB.24 12.54 23.00000000 AM 03.FEB.24 03.FEB.	:01.000000 112.02
23978720	45.000000 52.75
CPLK 33.83 03-FEB-24 03.18.34.000000000 AM CS-FEB-24 05.755.000000000 AM CS-FEB-24 05.755.00000000 A	22.000000 77.37
23882184 C\$5694 C\$PLK 66.38 0.3-FEB-24 06.50.30.00000000 AM 0.3-FEB-24 07.53.07.00000000 AM 0.3-FEB-24 07.53.000000000 AM 0.3-FEB-24 07.53.00000000 AM 0.3-FEB-24 07.53.000000000 AM 0.3-FEB-24 07.53.00000000 AM 0.3-FEB-24 07.53.000000000 AM 0.3-FEB-24 07.53.00000000 AM 0.3-FEB-24 07.53.000000000 AM 0.3-FEB-24 07.53.00000000 AM 0.3-FEB-24 07.53.000000000 AM 0.3-FEB-24 07.53.000000000 AM 0.3-FEB-24 07.53.00000000 AM 0.3-FEB-24 07.53.000000000 AM 0.3-FEB-24 07.53.000000000 AM 0.3-FEB-24 07.53.000000000 AM 0.3-FEB-24 07.53.00000000 AM 0.3-FEB-24 07.53.000000000 AM 0.3-FEB-24 07.53.0000000	:08.000000 25.13
CPLK 39.02 03-FEB-24 03.55.00000000 AM CS5695 CPLK 39.02 03-FEB-24 03.55.00000000 AM CS5695 CPLK 65.54 03-FEB-24 03.55.500000000 AM CS5695 CPLK 75.52 03-FEB-24 03.55.500000000 AM CS5695 CPLK 69.9 03-FEB-24 03.55.500000000 AM CS5695 CPLK 69.9 03-FEB-24 12.54.51.0000000 PM CS5695 CPLK 69.9 03-FEB-24 12.34.51.0000000 PM CS5695 CPLK 69.9 03-FEB-24 12.54.51.0000000 PM CS5695 CPLK 69.9 03-FEB-24 12.54.54.50.0000000 PM CS5695 CPLK 69.9 03-FEB-24 12.54.03.0000000 PM CS5695 CPLK 69.9 03-FEB-24 12.54.54.50.0000000 PM CS5695 CPLK 69.9 03-FEB-24 12.54.54.50.0000000 PM CS5695 CPLK 69.9 03-FEB-24 12.54.54.50.0000000 PM CS5695 CPLK 69.9 03-FEB-24 12.54.54.50.00000000 PM CS5695 CPLK 69.9 03-FEB-24 12.54.54.50.0000000 PM CS5695 CPLK 69.9 03	21.000000 109.35
CPLK 65.54 03-FEB-24 03.57,51.00000000 AM CS6695 CPLK 17.52 03-FEB-24 10.58,57.500000000 AM CS6695 CPLK 17.52 03-FEB-24 10.58,500000000 AM CS6695 CPLK 17.52 03-FEB-24 03.58,500000000 AM CS6695 CPLK 17.52 03-FEB-24	:37.000000 62.62
CPLK 17.52 03-FEB-24 10.58.57.00000000 AM CS5695 CPLK 28.39 03-FEB-24 11.48.11.00000000 AM CS5695 CPLK 28.39 03-FEB-24 11.55.15.00000000 AM CS5695 CPLK 60.9 03-FEB-24 11.55.15.00000000 AM CS5695 CPLK 51.23 03-FEB-24 11.50.51.00000000 AM CS5692 CPLK 51.23 03-FEB-24 11.50.51.00000000 AM CS5692 CPLK 61.95 03-FEB-24 11.55.15.00000000 AM CS5694 CPLK 61.95 03-FEB-24 11.55.15.00000000 AM CS5695 CPLK 61.95 03-FEB-24 12.54.15.60.00000000 AM CS5695 CPLK 61.95 03-FEB-24 12.54.15.60.00000000 AM CS5692 CPLK 61.95 03-FEB-24 12.54.15.60.00000000 AM CS5692 CPLK 61.95 03-FEB-24 12.54.15.60.00000000 AM CS5692 CPLK 61.95 03-FEB-24 12.54.15.00000000 AM CS5693 CPLK 61.95 03-FEB-24 12.54.15.00000000 AM CS5695 CPLK 61.95 03-FEB-24 12.54.15.00000000 AM CS5695 CPLK 61.95 03-FEB-24 12.54.15.00000000 AM CS5695 CPLK 61.95 03-FEB-24 03.05.45.00000000 AM CS5695 CPLK 61.95 03-FEB-24 03.05.55.00000000 AM CS5695 CS5695 CPLK 61.95 03-FEB-24 03.05.55.00000000 AM	:37.000000 53.62
CPLK 28.39 03-FEB-24 11.46.11.00000000 AM C3-FEB-24 12.10.51.00000000 PM C0 00:24:40.000000 C4.67 -00 00:24:40.000000 C5.69 CPLK C5.99	32.000000 77.53
CPLK G0.9 03-FEB-24 11.55.15.000000000 AM 03-FEB-24 12.57.52.000000000 PM 03-FEB-24 12.57.52.00000000 PM 03-FEB-24 12.51.56.00000000 PM 03-FEB-24 10.09.32.00000000 PM 03-FEB-24 10.09.0	24.000000 19.4
CPLK 51.23 03-FEB-24 12.10.49.00000000 PM 03-FEB-24 12.51.56.00000000 PM 00.41:07.000000 41.12 -00.004:107.000000 23992127 CS5694 CPLK 46.95 03-FEB-24 12.34.01.00000000 PM 03-FEB-24 10.93.2.00000000 PM +00.00:35:31.000000 35.52 -00.00:35:31.00000 23992430 CS5691 CPLK 35.84 03-FEB-24 12.40.40.00000000 PM 03-FEB-24 10.93.8.00000000 PM +00.00:28:18.0000000 PM +00.00:28:18.00000000 PM +00.00:28:18.00000000 PM +00.00:28:37.0000000 PM +00.00:28:37.0000000 PM +00.00:28:37.0000000 PM +00.00:28:37.0000000 PM +00.00:29:37.000000 29.62 -00.00:28:37.00000000 PM +00.00:29:37.000000 +00.00:28:37.0000000 PM +00.00:29:37.000000 +00.00:28:37.00000000 PM +00.00:29:37.000000 +00.00:28:37.00000000 PM +00.00:29:37.0000000 +00.00:28:37.00000000 PM +00.00:29:37.0000000 +00.00:28:37.00000000 PM +00.00:29:37.0000000 +00.00:28:37.00000000 PM +00.00:28:37.00000000 PM +00.00:28:37.00000000 PM +00.00:28:37.00000000 PM +00.00:28:37.000000000 PM +00.00:28:37.00000000 PM +00.00:28:37.00000000 PM +00.00:28:37.00000000 PM +00.00:28:26.000000 +00.00:28:26.000000 +00.00:28:26.000000 +00.00:28:26.000000 +00.00:28:26.000000 +00.00:28:26.000000 +00.00:28:26.000000 +00.00:28:26.000000 +00.00:28:26.000000 +00.00:28:26.000000 +00.00:28:26.000000 +00.00:28:26.000000 +00.00:28:26.000000 +00.00:28:26.000000 +00.00:28:26.000000 +00.00:28:26.0000000 +00.00:28:26.0000000 +00.00:28:26.0000000 +00.00:28:26.00000000 +00.00:28:26.00000000 +00.00:28:26.00000000 +00.00:28:26.00000000 +00.00:28:26.00000000 +00.00:28:26.000000000 +00.00:28:26.000000000 +00.00:28:26.000000000 +00.00:28:26.000000000 +00.00:28:26.0000000000 +00.00:28:26.000000000000000000000000000000000000	40.000000 24.67
CPLK 46.95 03-FEB-24 12.34.01.00000000 PM 03-FEB-24 01.09.32.0000000 PM 03-FEB-24 01.09.32.0000000 PM 03-FEB-24 01.09.32.0000000 PM 03-FEB-24 01.09.32.0000000 PM 03-FEB-24 01.09.32.000000 PM 03-FEB-24 01.09.000000 PM 03-FEB-24 01.09.0000000 PM 03-FEB-24 01.09.000000 PM 03-FEB-24 01.09	37.000000 62.62
CPLK 35.84 03-FEB-24 12.40.40.00000000 PM 03-FEB-24 10.08.58.0000000 PM +00 00:28:18.00000 28.3 -00 00:28:18.00	:07.000000 41.12
CPLK 44.05 03-FEB-24 12.54.51.000000000 PM 03-FEB-24 01.56.04.00000000 PM +00 01:01:13.00000 61.22 -00 01:01:13.00	31.000000 35.52
CPLK 11.64 03-FEB-24 02.00.46.00000000 PM 03-FEB-24 02.30.23.00000000 PM 03-FEB-24 02.30.23.0000000 PM 03-FEB-24 02.30.23.0000000 PM 03-FEB-24 03.00.0000000 PM 03-FEB-24 03.10.00.00000000 PM 03-FEB-24 03.10.00.00000000 PM 03-FEB-24 03.30.0000000 PM 03-FEB-24 03.0000000 PM 03-FEB-24 04.08.29.0000000 PM 03-FEB-24 04.08.29.0000000 PM 03-FEB-24 04.08.29.0000000 PM 03-FEB-24 06.08.31.0000000 PM 03-FEB-24 06.08.31.0000000 PM 03-FEB-24 06.08.31.0000000 PM 03-FEB-24 06.00.3000000 PM 03-FEB-24 06.00.30000000 PM 03-FEB-24 07.00.00000000 PM 03-FEB-24 07.00.0000000 PM 03-FEB-24 07.00.000	:18.000000 28.3
CPLK 30.7 03-FEB-24 02.05.16.00000000 PM 03-FEB-24 03.10.00.00000000 PM 03-FEB-24 03.10.00.0000000 PM 03-FEB-24 03.35.0000000 PM 03-FEB-24 02.45.35.0000000 PM 03-FEB-24 02.45.35.0000000 PM 03-FEB-24 02.45.35.0000000 PM 03-FEB-24 03.0000000 PM 03-FEB-24 04.08.29.0000000 PM 03-FEB-24 04.08.29.0000000 PM 03-FEB-24 06.08.31.0000000 PM 03-FEB-24 07.06.01.0000000 PM 03-FEB-24 07.06.01.00000000 PM 03-FEB-24 07.06.01.0000000 PM 03-FEB-24 07.06.01.00000000 PM	:13.000000 61.22
23996393 CS5694 27.47 03-FEB-24 02.15.09.000000000 PM 03-FEB-24 02.43.35.00000000 PM +00 00:28:26.000000 28.43 -00 00:28:26.00 23997694 CS5695 9.19 03-FEB-24 02.44.02.00000000 PM 03-FEB-24 03.02.07.00000000 PM +00 00:18:05.000000 18.08 -00 00:18:05.00 23998637 CS5695 CPLK 40.95 03-FEB-24 03.06.45.00000000 PM 03-FEB-24 03.40.56.0000000 PM +00 00:34:11.000000 34.18 -00 00:34:11.00 23999969 CS5692 CPLK 30.07 03-FEB-24 03.38.01.00000000 PM 03-FEB-24 04.08.29.00000000 PM +00 00:30:28.000000 30.47 -00 00:30:28.00 24005035 CS5695 CS5695 CPLK 49.96 03-FEB-24 05.37.17.000000000 PM 03-FEB-24 06.08.31.00000000 PM +00 00:31:14.00000 31.23 -00 00:31:14.00 24006194 CS5691 CS5691 37.08 03-FEB-24 06.05.59.000000000 PM 03-FEB-24 07.06.01.00000000 PM +00 01:00:02.000000 60.03 -00 01:00:02.00	:37.000000 29.62
23997694 CS5695 CPLK 9.19 03-FEB-24 02.44.02.000000000 PM 03-FEB-24 03.02.07.000000000 PM +00 00:18:05.000000 18.08 -00 00:18:05.00 23998637 CS5695 40.95 03-FEB-24 03.06.45.00000000 PM 03-FEB-24 03.40.56.00000000 PM +00 00:34:11.000000 34.18 -00 00:34:11.00 23999969 CS5692 30.07 03-FEB-24 03.38.01.00000000 PM 03-FEB-24 04.08.29.00000000 PM +00 00:30:28.00000 30.47 -00 00:30:28.00 24005035 CS5695 CS5691 37.08 03-FEB-24 06.05.59.000000000 PM 03-FEB-24 07.06.01.00000000 PM +00 00:31:14.00000 31.23 -00 00:31:14.00 24006194 CS5691 37.08 03-FEB-24 06.05.59.0000000000 PM 03-FEB-24 07.06.01.00000000 PM +00 01:00:02.000000 60.03 -00 01:00:02.00	44.000000 64.73
23998637 CS5695 CPLK 40.95 03-FEB-24 03.06.45.000000000 PM 03-FEB-24 03.40.56.00000000 PM 03-FEB-24 03.40.56.00000000 PM 03-FEB-24 04.08.29.00000000 PM 03-FEB-24 04.08.29.00000000 PM 03-FEB-24 04.08.29.00000000 PM 03-FEB-24 04.08.29.00000000 PM 03-FEB-24 06.08.31.00000000 PM 03-FEB-24 07.06.01.00000000 PM 03-FEB-24 07.06.01.000000000 PM 03-FEB-24 07.06.01.00000000 PM 03-FEB-24 07.06.01.000000000 PM 03-FEB-24 07.06.01.00000000 PM 03-FEB-24 07.06.01.000000000 PM 03-FEB-24 07.06.01.00000000 PM 03-FEB-24 07.06.01.00000000 PM 03-FEB-24 07.06.01.00000000 PM 03-FEB-24 07.06.01.000000000 PM 03-FEB-24 07.06.01.00000000 PM 03-FEB-24 07.06.01.00000000 PM	26.000000 28.43
23999969 CS5692 CPLK 30.07 03-FEB-24 03.38.01.000000000 PM 03-FEB-24 04.08.29.00000000 PM +00 00:30:28.000000	:05.000000 18.08
24005035 CS5695 CPLK 49.96 03-FEB-24 05.37.17.000000000 PM 03-FEB-24 06.08.31.00000000 PM +00 00:31:14.000000 31.23 -00 00:31:14.00 24006194 CS5691 03-FEB-24 06.05.59.000000000 PM 03-FEB-24 07.06.01.00000000 PM +00 01:00:02.000000 PM +00 01:00:02.0000000 PM +00 01:00:02.000000 PM +00 01:00:02.000000 PM +00 01:00:02.000000 PM +00 01:00:02.0000000 PM +00 01:00:02.0000000 PM +00 01:00:02.0000000 PM +00 01:00:02.0000000 PM +00 01:00:02.00000000 PM +00 01:00:02.0000000 PM +00 01:00:02.00000000 PM +00 01:00:02.00000000 PM +00 01:00:02.000000000 PM +00 01:00:02.00000000 PM +00 01:00:02.00000000 PM +00 01:00:02.00000000 PM +00 01:00:02.00000000 PM +00 01:00:02.000000000 PM +00 01:00:02.00000000 PM +00 01:00:02.000000000 PM +00 01:00:02.000000000 PM +00 01:00:02.0000000000 PM +00 01:00:02.0000000000 PM +00 01:00:02.00000000000 PM +00 01:00:02.0000000000 PM +00 01:00:02.00000000000000 PM +00 01:00:02.0000000000000000000000000000000	:11.000000 34.18
24006194 CS5691 03-FEB-24 06.05.59.000000000 PM 03-FEB-24 07.06.01.00000000 PM +00 01:00:02.000000	28.000000 30.47
	:14.000000 31.23
	:02.000000 60.03
24007557 CS5695 CS1695 CPLK 47.01 03-FEB-24 06.39.00.000000000 PM 03-FEB-24 07.04.23.0000000 PM +00 00:25:23.000000 PM +00 00:25:23.000000 PM +00 00:25:23.000000 PM +00 00:25:23.000000 PM +00 00:25:23.0000000 PM +00 00:25:23.0000000 PM +00 00:25:23.0000000 PM +00 00:25:23.0000000 PM +00 00:25:23.000000000 PM +00 00:25:23.0000000000 PM +00 00:25:23.00000000000 PM +00 00:25:23.0000000000 PM +00 00:25:23.00000000000 PM +00 00:25:23.000000000000000 PM +00 00:25:23.000000000000000 PM +00 00:25:23.0000000000000 PM +00 00:25:23.000000000000000000000000000000000000	23.000000 25.38
24008053 CS5694 CPLK 50.97 03-FEB-24 06.51.58.000000000 PM 03-FEB-24 08.39.28.00000000 PM +00 01:47:30.000000 107.5 -00 01:47:30.00	:30.000000 107.5
24008368 CS5692 CS5692 CPLK 9.09 03-FEB-24 07.00.52.000000000 PM 03-FEB-24 07.06.37.0000000 PM +00 00:05:45.00000 5.75 -00 00:05:45.00	45.000000 5.75
24008696 CS5695 CS5695 CPLK 23.49 03-FEB-24 07.09.40.000000000 PM 03-FEB-24 07.26.04.0000000 PM +00 00:16:24.000000 PM +00 00:16:24.000000 PM +00 00:16:24.000000 PM +00 00:16:24.000000 PM +00 00:16:24.0000000 PM +00 00:16:24.0000000 PM +00 00:16:24.000000000 PM +00 00:16:24.00000000 PM +00 00:16:24.000000000 PM +00 00:16:24.0000000000 PM +00 00:16:24.0000000000 PM +00 00:16:24.0000000000 PM +00 00:16:24.0000000000 PM +00 00:16:24.00000000000 PM +00 00:16:24.00000000000 PM +00 00:16:24.00000000000 PM +00 00:16:24.00000000000 PM +00 00:16:24.000000000000 PM +00 00:16:24.00000000000 PM +00 00:16:24.000000000000 PM +00 00:16:24.000000000000 PM +00 00:16:24.000000000000 PM +00 00:16:24.000000000000 PM +00 00:16:24.0000000000000 PM +00 00:16:24.000000000000000000000000000000000000	24.000000 16.4

24011440 24017849 24019604 24023599 24024196 24025224 32014997 32015147 32015889 32016881 32018474 32018699 32019319 32020224 32020500 32021214	C\$5695 C\$5695 C\$5695 C\$5692 C\$5695 C\$5695 C\$5695 C\$5691 C\$5694 C\$5695 C\$5695 C\$56962 C\$5695		CPLK CPLK CPLK CPLK CPLK CPLK CPLK CPLK	36.43 03-FEB-24 08.27.33.000000000 PM 49.1 04-FEB-24 01.01.42.000000000 AM 60 04-FEB-24 03.09.02.000000000 AM 49.79 04-FEB-24 08.30.46.000000000 AM 24.95 04-FEB-24 09.00.47.000000000 AM 80.26 04-FEB-24 09.41.16.000000000 AM 60.42 10-AUG-24 09.28.01.000000000 AM 45.72 10-AUG-24 09.31.36.000000000 AM 49.59 10-AUG-24 09.49.54.000000000 AM 43.63 10-AUG-24 10.16.59.000000000 AM 4.5 10-AUG-24 10.16.59.000000000 AM 39.33 10-AUG-24 11.01.43.000000000 AM	03-FEB-24 09.29.02.000000000 PM 04-FEB-24 01.29.38.000000000 AM 04-FEB-24 05.18.35.000000000 AM 04-FEB-24 09.04.42.000000000 AM 04-FEB-24 09.26.46.000000000 AM 04-FEB-24 10.14.02.000000000 AM 10-AUG-24 10.03.42.000000000 AM 10-AUG-24 10.03.42.000000000 AM 10-AUG-24 10.05.80.2000000000 AM	DURATION_HMS +00 01:01:29.000000 +00 00:27:56.000000 +00 00:33:56.000000 +00 00:32:59.000000 +00 00:32:46.000000 +00 00:32:66.000000 +00 00:32:06.000000 +00 00:19:06.000000 +00 00:19:06.0000000 +00 00:41:03.000000	27.93 129.55 33.93 25.98 32.77 26.25 32.1 19.1	-00 01:01:29.00000 -00 00:27:56.00000 -00 02:09:33.00000 -00 00:33:56.00000 -00 00:32:46.00000 -00 00:32:46.00000 -00 00:32:46.00000 -00 00:32:06.00000 -00 00:32:06.00000	61.48 27.93 129.55 33.93 25.98 32.77 26.25 32.1 19.1
24019604 24023599 24024196 24025224 32014997 32015147 32015889 32016881 32018474 32018699 32019319 32020224 32020500	C\$5695 C\$5692 C\$5695 C\$5695 C\$5695 C\$5691 C\$5694 C\$5695 C\$5695 C\$569692 C\$5695		CPLK CPLK CPLK CPLK CPLK CPLK CPLK CPLK	60 04-FEB-24 03.09.02.000000000 AM 49.79 04-FEB-24 08.30.46.000000000 AM 24.95 04-FEB-24 09.00.47.000000000 AM 80.26 04-FEB-24 09.41.16.000000000 AM 60.42 10-AUG-24 09.28.01.000000000 AM 35.72 10-AUG-24 09.31.36.000000000 AM 49.59 10-AUG-24 09.49.54.000000000 AM 43.63 10-AUG-24 10.16.59.000000000 AM 4.5 10-AUG-24 10.56.10.000000000 AM	04-FEB-24 05.18.35.000000000 AM 04-FEB-24 09.04.42.000000000 AM 04-FEB-24 09.26.46.000000000 AM 04-FEB-24 10.14.02.000000000 AM 10-AUG-24 09.54.16.000000000 AM 10-AUG-24 10.03.42.000000000 AM 10-AUG-24 10.09.00.000000000 AM	+00 02:09:33.00000 +00 00:33:56.00000 +00 00:25:59.00000 +00 00:32:46.00000 +00 00:26:15.00000 +00 00:32:06.00000 +00 00:19:06.00000	129.55 33.93 25.98 32.77 26.25 32.1 19.1	-00 02:09:33,000000 -00 00:33:56,000000 -00 00:25:59,000000 -00 00:32:46,000000 -00 00:26:15,000000 -00 00:32:06,000000	129.55 33.93 25.98 32.77 26.25 32.1
24023599 24024196 24025224 32014997 32015147 32015889 32016881 32018474 32018699 32019319 32020224 32020500	C\$5692 C\$5695 C\$5695 C\$5696 C\$5691 C\$5694 C\$5695 C\$5692 C\$5694 C\$5695		CPLK CPLK CPLK CPLK CPLK CPLK CPLK CPLK	49.79 04-FEB-24 08.30,46.000000000 AM 24.95 04-FEB-24 09.00,47.000000000 AM 80.26 04-FEB-24 09.41,16.000000000 AM 60.42 10-AUG-24 09.28,01.000000000 AM 35.72 10-AUG-24 09.31,36.000000000 AM 49.59 10-AUG-24 09.49,54.000000000 AM 43.63 10-AUG-24 10.16,59.000000000 AM 4.5 10-AUG-24 10,56,10.000000000 AM	04-FEB-24 09.04.42.000000000 AM 04-FEB-24 09.26.46.000000000 AM 04-FEB-24 10.14.02.000000000 AM 10-AUG-24 09.54.16.000000000 AM 10-AUG-24 10.03.42.000000000 AM 10-AUG-24 10.09.00.000000000 AM 10-AUG-24 10.58.02.000000000	+00 00:33:56.000000 +00 00:25:59.000000 +00 00:32:46.000000 +00 00:26:15.000000 +00 00:32:06.000000 +00 00:19:06.000000	33.93 25.98 32.77 26.25 32.1 19.1	-00 00:33:56.000000 -00 00:25:59.000000 -00 00:32:46.000000 -00 00:26:15.000000 -00 00:32:06.000000	33.93 25.98 32.77 26.25 32.1
24024196 24025224 32014997 32015147 32015889 32016881 32018474 32018699 32019319 32020224 32020500	C\$5695 C\$5695 C\$5695 C\$5691 C\$5694 C\$5695 C\$5692 C\$5695 C\$5694 C\$5692		CPLK CPLK CPLK CPLK CPLK CPLK CPLK CPLK	24.95 04-FEB-24 09.00.47.000000000 AM 80.26 04-FEB-24 09.41.16.000000000 AM 60.42 10-AUG-24 09.28.01.000000000 AM 35.72 10-AUG-24 09.31.36.000000000 AM 49.59 10-AUG-24 09.49.54.000000000 AM 43.63 10-AUG-24 10.16.59.000000000 AM 4.5 10-AUG-24 10.56.10.000000000 AM	04-FEB-24 09.26.46.000000000 AM 04-FEB-24 10.14.02.000000000 AM 10-AUG-24 09.54.16.000000000 AM 10-AUG-24 10.03.42.000000000 AM 10-AUG-24 10.09.00.000000000 AM 10-AUG-24 10.58.02.000000000 AM	+00 00:25:59.000000 +00 00:32:46.000000 +00 00:26:15.000000 +00 00:32:06.000000 +00 00:19:06.000000	25.98 32.77 26.25 32.1 19.1	-00 00:25:59.000000 -00 00:32:46.000000 -00 00:26:15.000000 -00 00:32:06,000000	25.98 32.77 26.25 32.1
24025224 32014997 32015147 32015889 32016881 32018474 32018699 32019319 32020224 32020500	C\$5695 C\$5695 C\$5691 C\$5694 C\$5695 C\$5692 C\$5695 C\$5694 C\$5692		CPLK CPLK CPLK CPLK CPLK CPLK CPLK CPLK	80.26 04-FEB-24 09.41.16.000000000 AM 60.42 10-AUG-24 09.28.01.000000000 AM 35.72 10-AUG-24 09.31.36.000000000 AM 49.59 10-AUG-24 09.49.54.000000000 AM 43.63 10-AUG-24 10.16.59.000000000 AM 4.5 10-AUG-24 10.56.10.000000000 AM	04-FEB-24 10.14.02.000000000 AM 10-AUG-24 09.54.16.000000000 AM 10-AUG-24 10.03.42.000000000 AM 10-AUG-24 10.09.00.000000000 AM 10-AUG-24 10.58.02.000000000 AM	+00 00:32:46.000000 +00 00:26:15.000000 +00 00:32:06.000000 +00 00:19:06.000000	32.77 26.25 32.1 19.1	-00 00:32:46.000000 -00 00:26:15.000000 -00 00:32:06.000000	32.77 26.25 32.1
32014997 32015147 32015889 32016881 32018474 32018699 32019319 32020224 32020500	C\$5695 C\$5691 C\$5694 C\$5695 C\$5692 C\$5695 C\$5694 C\$5692 C\$5695		CPLK CPLK CPLK CPLK CPLK CPLK CPLK	60.42 10-AUG-24 09.28.01.000000000 AM 35.72 10-AUG-24 09.31.36.000000000 AM 49.59 10-AUG-24 09.49.54.000000000 AM 43.63 10-AUG-24 10.16.59.000000000 AM 4.5 10-AUG-24 10.56.10.000000000 AM	10-AUG-24 09.54.16.000000000 AM 10-AUG-24 10.03.42.000000000 AM 10-AUG-24 10.09.00.000000000 AM 10-AUG-24 10.58.02.000000000 AM	+00 00:26:15.000000 +00 00:32:06.000000 +00 00:19:06.000000	26.25 32.1 19.1	-00 00:26:15.000000 -00 00:32:06.000000	26.25 32.1
32015147 32015889 32016881 32018474 32018699 32019319 32020224 32020500	C\$5691 C\$5694 C\$5695 C\$5692 C\$5695 C\$5694 C\$5692 C\$5695		CPLK CPLK CPLK CPLK CPLK CPLK	35.72 10-AUG-24 09.31.36.000000000 AM 49.59 10-AUG-24 09.49.54.000000000 AM 43.63 10-AUG-24 10.16.59.000000000 AM 4.5 10-AUG-24 10.56.10.000000000 AM	10-AUG-24 10.03.42.000000000 AM 10-AUG-24 10.09.00.000000000 AM 10-AUG-24 10.58.02.000000000 AM	+00 00:32:06.000000 +00 00:19:06.000000	32.1 19.1	-00 00:32:06.000000	32.1
32015889 32016881 32018474 32018699 32019319 32020224 32020500	C\$5694 C\$5695 C\$5692 C\$5695 C\$5694 C\$5692 C\$5695		CPLK CPLK CPLK CPLK	49.59 10-AUG-24 09.49.54.000000000 AM 43.63 10-AUG-24 10.16.59.000000000 AM 4.5 10-AUG-24 10.56.10.000000000 AM	10-AUG-24 10.09.00.0000000000 AM 10-AUG-24 10.58.02.000000000 AM	+00 00:19:06.000000	19.1		
32016881 32018474 32018699 32019319 32020224 32020500	C\$5695 C\$5692 C\$5695 C\$5694 C\$5692 C\$5695		CPLK CPLK CPLK	43.63 10-AUG-24 10.16.59.0000000000 AM 4.5 10-AUG-24 10.56.10.000000000 AM	10-AUG-24 10.58.02.000000000 AM			-00 00:19:06.000000	19.1
32018474 32018699 32019319 32020224 32020500	C\$5692 C\$5695 C\$5694 C\$5692 C\$5695		CPLK CPLK	4.5 10-AUG-24 10.56.10.0000000000 AM		+00 00:41:03.000000	44.05		
32018699 32019319 32020224 32020500	C\$5695 C\$5694 C\$5692 C\$5695		CPLK		40 AUC 04 44 00 04 000000000 AM		41.05	-00 00:41:03.000000	41.05
32019319 32020224 32020500	CS5694 CS5692 CS5695			20 22 40 4110 04 44 04 40 000000000 414	10-AUG-24 11.00.04.000000000 AM	+00 00:03:54.000000	3.9	-00 00:03:54.000000	3.9
32020224 32020500	CS5692 CS5695		CPLK	39.33 10-AUG-24 11.01.43.000000000 AM	10-AUG-24 11.35.11.000000000 AM	+00 00:33:28.000000	33.47	-00 00:33:28.000000	33.47
32020500	CS5695			52.53 10-AUG-24 11.14.50.0000000000 AM	10-AUG-24 11.38.59.000000000 AM	+00 00:24:09.000000	24.15	-00 00:24:09.000000	24.15
			CPLK	28.97 10-AUG-24 11.33.18.0000000000 AM	10-AUG-24 11.56.51.000000000 AM	+00 00:23:33.000000	23.55	-00 00:23:33.000000	23.55
32021214			CPLK	82.4 10-AUG-24 11.38.31.0000000000 AM	10-AUG-24 12.29.35.000000000 PM	+00 00:51:04.000000	51.07	-00 00:51:04.000000	51.07
OLOLILI	CS5691		CPLK	52.14 10-AUG-2411.53.13.0000000000 AM	10-AUG-24 01.13.31.000000000 PM	+00 01:20:18.000000	80.3	-00 01:20:18.000000	80.3
32022640	CS5694		CPLK	48.43 10-AUG-24 12.21.32.000000000 PM	10-AUG-24 01.33.22.000000000 PM	+00 01:11:50.000000	71.83	-00 01:11:50.000000	71.83
32022833	CS5692		CPLK	34.76 10-AUG-24 12.25.32.0000000000 PM	10-AUG-24 01.01.06.000000000 PM	+00 00:35:34.000000	35.57	-00 00:35:34.000000	35.57
32024214	CS5695		CPLK	58.13 10-AUG-24 12.54.11.000000000 PM	10-AUG-24 01.56.17.000000000 PM	+00 01:02:06.000000	62.1	-00 01:02:06.000000	62.1
32026492	CS5691		CPLK	35.43 10-AUG-24 01.37.01.000000000 PM	10-AUG-24 02.39.06.000000000 PM	+00 01:02:05.000000	62.08	-00 01:02:05.000000	62.08
32027052	CS5692		CPLK	30.43 10-AUG-24 01.47.54.000000000 PM	10-AUG-24 02.29.02.0000000000 PM	+00 00:41:08.000000	41.13	-00 00:41:08.000000	41.13
32027126	CS5694		CPLK	77.12 10-AUG-24 01.49.34.000000000 PM	10-AUG-24 02.17.57.000000000 PM	+00 00:28:23.000000	28.38	-00 00:28:23.000000	28.38
32027806	CS5695		CPLK	31.85 10-AUG-24 02.02.22.0000000000 PM	10-AUG-24 02.54.53.000000000 PM	+00 00:52:31.000000	52.52	-00 00:52:31.000000	52.52
32029734	CS5694		CPLK	75.97 10-AUG-24 02.38.59.0000000000 PM	10-AUG-24 03.03.46.000000000 PM	+00 00:24:47.000000	24.78	-00 00:24:47.000000	24.78
32254632	CS5695		CPLK	56.93 15-AUG-24 07.53.02.0000000000 AM	15-AUG-24 08.22.56.000000000 AM	+00 00:29:54.000000	29.9	-00 00:29:54.000000	29.9
32255493	CS5694	4	CPLK	77.13 15-AUG-24 08.23.50.0000000000 AM	15-AUG-24 08.44.05.000000000 AM	+00 00:20:15.000000	20.25	-00 00:20:15.000000	20.25
32256687	CS5695		CPLK	56.82 15-AUG-24 09.03.34.0000000000 AM	15-AUG-24 09.51.48.000000000 AM	+00 00:48:14.000000	48.23	-00 00:48:14.000000	48.23
32257407	CS5692		CPLK	35.66 15-AUG-24 09.25.59.0000000000 AM	15-AUG-24 10.10.55.000000000 AM	+00 00:44:56.000000	44.93	-00 00:44:56.000000	44.93
32257642	CS5694		CPLK	39.15 15-AUG-24 09.33.09.0000000000 AM	15-AUG-24 09.59.32.000000000 AM	+00 00:26:23.000000	26.38	-00 00:26:23.000000	26.38
32259821	CS5694		CPLK	48.95 15-AUG-24 10.33.41.000000000 AM	15-AUG-24 10.45.14.000000000 AM	+00 00:11:33.000000	11.55	-00 00:11:33.000000	11.55
32260663	CS5694		CPLK	62.96 15-AUG-24 10.53.35.0000000000 AM	15-AUG-24 11.33.40.000000000 AM	+00 00:40:05.000000	40.08	-00 00:40:05.000000	40.08
32261485	CS5691		CPLK	62.91 15-AUG-24 11.14.02.000000000 AM	15-AUG-24 12.21.54.000000000 PM	+00 01:07:52.000000	67.87	-00 01:07:52.000000	67.87
32263225	CS5694		CPLK	72.04 15-AUG-24 11.58.02.0000000000 AM	15-AUG-24 01.02.56.000000000 PM	+00 01:04:54.000000	64.9	-00 01:04:54.000000	64.9
32264097	CS5695		CPLK	92.69 15-AUG-24 12.18.11.000000000 PM	15-AUG-24 12.59.49.000000000 PM	+00 00:41:38.000000	41.63	-00 00:41:38.000000	41.63
32264875	CS5692		CPLK	89.72 15-AUG-24 12,35.05.0000000000 PM	15-AUG-24 01.56.16.000000000 PM	+00 01:21:11.000000	81.18	-00 01:21:11.000000	81.18
32264913	CS5691		CPLK	35.28 15-AUG-24 12.35.47.000000000 PM	15-AUG-24 01.24.20.000000000 PM	+00 00:48:33.000000	48.55	-00 00:48:33.000000	48.55
32267081	CS5694		CPLK	58.77 15-AUG-24 01.22.37.000000000 PM	15-AUG-24 01.59.58.000000000 PM	+00 00:37:21.000000	37.35	-00 00:37:21.000000	37.35
32267987	CS5695		CPLK	30.28 15-AUG-24 01.41.39.000000000 PM	15-AUG-24 02.20.14.000000000 PM	+00 00:38:35.000000	38.58	-00 00:38:35.000000	38.58
32268174	CS5691		CPLK	48.63 15-AUG-24 01.45.19.000000000 PM	15-AUG-24 02.20.28.000000000 PM	+00 00:35:09.000000	35.15	-00 00:35:09.000000	35.15
32268948	CS5692		CPLK	59.65 15-AUG-24 02.01.42.000000000 PM	15-AUG-24 02.53.45.000000000 PM	+00 00:52:03.000000	52.05	-00 00:52:03.000000	52.05
32270194	CS5695		CPLK	26.49 15-AUG-24 02.27.27.0000000000 PM	15-AUG-24 02.38.33.000000000 PM	+00 00:11:06.000000	11.1	-00 00:11:06.000000	11.1
32270248	CS5694		CPLK	40.02 15-AUG-24 02.28.32.000000000 PM	15-AUG-24 03.07.07.000000000 PM	+00 00:38:35.000000	38.58	-00 00:38:35.000000	38.58
32274123	CS5692		CPLK	59.04 15-AUG-24 03.47.18.0000000000 PM	15-AUG-24 04.38.44.000000000 PM	+00 00:51:26.000000	51.43	-00 00:51:26.000000	51.43
32276389	CS5691		CPLK	58.47 15-AUG-24 04.36.11.000000000 PM	15-AUG-24 06.11.09.000000000 PM	+00 01:34:58.000000	94.97	-00 01:34:58.000000	94.97
32279634	CS5692		CPLK	16.56 15-AUG-24 05.41.29.000000000 PM	15-AUG-24 06.02.22.000000000 PM	+00 00:20:53.000000	20.88	-00 00:20:53.000000	20.88
32281265	CS5694		CPLK	39.58 15-AUG-24 06.15.05.000000000 PM	15-AUG-24 06.27.04.000000000 PM	+00 00:11:59.000000	11.98	-00 00:11:59.000000	11.98
32283701	CS5694		CPLK	40.5 15-AUG-24 07.08.16.000000000 PM	15-AUG-24 07.45.56.000000000 PM	+00 00:37:40.000000	37.67	-00 00:37:40.000000	37.67
32283748	CS5691		CPLK	41.21 15-AUG-24 07.09.12.0000000000 PM	15-AUG-24 07.52.15.000000000 PM	+00 00:43:03.000000	43.05	-00 00:43:03.000000	43.05
32286089	CS5694		CPLK	21.76 15-AUG-24 08.00.20.0000000000 PM	15-AUG-24 08.17.05.000000000 PM	+00 00:16:45.000000	16.75	-00 00:16:45.000000	16.75
32286890	CS5695		CPLK	53.09 15-AUG-24 08.17.40.000000000 PM	15-AUG-24 08.39.20.000000000 PM	+00 00:21:40.000000	21.67	-00 00:21:40.000000	21.67
32288633	CS5692		CPLK	41.34 15-AUG-24 08.59.21.0000000000 PM		+00 00:32:24.000000	32.4	-00 00:32:24.000000	32.4
32289050	CS5691		CPLK	40.2 15-AUG-24 09.09.03.0000000000 PM	15-AUG-24 10.10.04.000000000 PM	+00 01:01:01.000000	61.02	-00 01:01:01.000000	61.02
32289854	CS5695		CPLK	60.6 15-AUG-24 09.27.51.0000000000 PM	15-AUG-24 10.22.27.000000000 PM	+00 00:54:36.000000	54.6	-00 00:54:36.000000	54.6

	SESSION_ID	CHARGER_ID	ADDRESS	СПУ	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
32293074	CS5692				CPLK	40.75 15-AUG-24 10.56.29.000000000 PM	16-AUG-24 12.27.32.000000000 AM	+00 01:31:03.000000		-00 01:31:03.000000	91.05
32492982	CS5691				CPLK	46.77 19-AUG-24 07.34.50.000000000 PM	19-AUG-24 08.48.27.000000000 PM	+00 01:13:37.000000	73.62	-00 01:13:37.000000	73.62
32495216	CS5695				CPLK	33.65 19-AUG-24 08.22.27.000000000 PM	19-AUG-24 09.01.16.000000000 PM	+00 00:38:49.000000	38.82	-00 00:38:49.000000	38.82
32496541	CS5692				CPLK	48.07 19-AUG-24 08.52,12.000000000 PM	19-AUG-24 09.22.23.000000000 PM	+00 00:30:11.000000	30.18	-00 00:30:11.000000	30.18
32498678	CS5695				CPLK	37.15 19-AUG-24 09.46.11.000000000 PM	19-AUG-24 10.34.00.000000000 PM	+00 00:47:49.000000	47.82	-00 00:47:49.000000	47.82
28758669	CS5694				CPLK	35.96 01-JUN-2404.44.04.000000000 PM	01-JUN-24 05.26.21.000000000 PM	+00 00:42:17.000000	42.28	-00 00:42:17.000000	42.28
28759073	CS5691				CPLK	25.82 01-JUN-24 04.52.18.000000000 PM	01-JUN-24 05.11.31.000000000 PM	+00 00:19:13.000000	19.22	-00 00:19:13.000000	19.22
28759134	CS5692				CPLK	28.12 01-JUN-24 04.53.29.000000000 PM	01-JUN-24 05.41.50.000000000 PM	+00 00:48:21.000000	48.35	-00 00:48:21.000000	48.35
28760014	CS5695				CPLK	39.86 01-JUN-24 05.13.00.000000000 PM	01-JUN-24 05.30.48.000000000 PM	+00 00:17:48.000000	17.8	-00 00:17:48.000000	17.8
28766242	CS5691				CPLK	51.52 01-JUN-24 07.34.33.0000000000 PM	01-JUN-24 09.03.07.000000000 PM	+00 01:28:34.000000	88.57	-00 01:28:34.000000	88.57
28766526	CS5694				CPLK	45.15 01-JUN-24 07.41.22.0000000000 PM	01-JUN-24 08.18.15.000000000 PM	+00 00:36:53.000000	36.88	-00 00:36:53.000000	36.88
28767119	CS5695				CPLK	35.82 01-JUN-24 07.54.54.000000000 PM	01-JUN-24 08.26.51.000000000 PM	+00 00:31:57.000000	31.95	-00 00:31:57.000000	31.95
28768564	CS5692				CPLK	54.88 01-JUN-2408.30.38.000000000 PM	01-JUN-24 09.29.15.000000000 PM	+00 00:58:37.000000	58.62	-00 00:58:37.000000	58.62
28770258	CS5691				CPLK	51.16 01-JUN-24 09.15.36.000000000 PM	01-JUN-24 10.42.48.000000000 PM	+00 01:27:12.000000	87.2	-00 01:27:12.000000	87.2
28770364	CS5695				CPLK	44.11 01-JUN-24 09.18.20.000000000 PM	01-JUN-24 09.38.26.000000000 PM	+00 00:20:06.000000	20.1	-00 00:20:06.000000	20.1
28771385	CS5692				CPLK	12.6 01-JUN-24 09.45.56.000000000 PM	01-JUN-24 10.00.11.000000000 PM	+00 00:14:15.000000	14.25	-00 00:14:15.000000	14.25
28772254	CS5692				CPLK	11.4 01-JUN-24 10.11.22.0000000000 PM	01-JUN-24 10.21.28.000000000 PM	+00 00:10:06.000000	10.1	-00 00:10:06.000000	10.1
28772668	CS5692				CPLK	27.32 01-JUN-24 10.25.33.0000000000 PM	01-JUN-24 11.07.06.000000000 PM	+00 00:41:33.000000	41.55	-00 00:41:33.000000	41.55
28776622	CS5692				CPLK	61.13 02-JUN-24 12.50.28.0000000000 AM	02-JUN-24 02.35.57.000000000 AM	+00 01;45:29,000000	105.48	-00 01:45:29.000000	105.48
28777119	CS5691				CPLK	44.07 02-JUN-24 01.18.11.0000000000 AM	02-JUN-24 02.37.38.000000000 AM	+00 01:19:27.000000	79.45	-00 01:19:27.000000	79.45
28777182	CS5695				CPLK	71.89 02-JUN-24 01.20.50.0000000000 AM	02-JUN-24 01.55.41.000000000 AM	+00 00:34:51.000000	34.85	-00 00:34:51.000000	34.85
28779769	CS5695				CPLK	43.42 02-JUN-2404.04.58.0000000000 AM	02-JUN-24 05.04.21.000000000 AM	+00 00:59:23.000000	59.38	-00 00:59:23.000000	59.38
28780462	CS5694				CPLK	30.34 02-JUN-2405.01.05.0000000000 AM	02-JUN-24 05.27.56.000000000 AM	+00 00:26:51.000000	26.85	-00 00:26:51.000000	26.85
28781306	CS5695				CPLK	74.22 02-JUN-2406.05.25.0000000000 AM	02-JUN-24 06.37.29.000000000 AM	+00 00:32:04.000000	32.07	-00 00:32:04.000000	32.07
28781389	CS5691				CPLK	44.83 02-JUN-2406.12.08.0000000000 AM	02-JUN-24 07.29.16.000000000 AM	+00 01:17:08.000000	77.13	-00 01:17:08.000000	77.13
28781531	CS5692				CPLK	18.82 02-JUN-24 06.22.42.0000000000 AM	02-JUN-24 06.38.25.000000000 AM	+00 00:15:43.000000	15.72	-00 00:15:43.000000	15.72
28781849	CS5695				CPLK	46.04 02-JUN-24 06.42.00.000000000 AM	02-JUN-24 07.14.09.000000000 AM	+00 00:32:09.000000	32.15	-00 00:32:09.000000	32.15
28781859	CS5692				CPLK	41.05 02-JUN-2406,42.32.0000000000 AM	02-JUN-24 07.50.24.000000000 AM	+00 01:07:52.000000	67.87	-00 01:07:52.000000	67.87
28783146	CS5692				CPLK	20.16 02-JUN-24 07.55.46.0000000000 AM	02-JUN-24 08.23.46.000000000 AM	+00 00:28:00.000000	28	-00 00:28:00.000000	28
28783940	CS5694				CPLK	12.66 02-JUN-2408.30.06.0000000000 AM	02-JUN-24 08.46.17.000000000 AM	+00 00:16:11.000000	16.18	-00 00:16:11.000000	16.18
28784121	CS5691				CPLK	42.76 02-JUN-2408.37.38.0000000000 AM	02-JUN-24 09.18.56.000000000 AM	+00 00:41:18.000000	41.3	-00 00:41:18.000000	41.3
28784972	CS5695				CPLK	16.73 02-JUN-2409.10.29.000000000 AM	02-JUN-24 09.15.45.000000000 AM	+00 00:05:16.000000	5.27	-00 00:05:16.000000	5.27
28785222	CS5695				CPLK	45.29 02-JUN-2409.18.57.0000000000 AM	02-JUN-24 09.46.59.000000000 AM	+00 00:28:02.000000	28.03	-00 00:28:02.000000	28.03
28787487	CS5691	-			CPLK	45.8 02-JUN-24 10.27.26.000000000 AM	02-JUN-24 11.32.45.000000000 AM	+00 01:05:19.000000	65.32	-00 01:05:19.000000	65.32
28787719	CS5694				CPLK	33.25 02-JUN-24 10.34.01.000000000 AM	02-JUN-24 10.57.45.000000000 AM	+00 00:23:44.000000	23.73	-00 00:23:44.000000	23.73
28787959	CS5692				CPLK	39.39 02-JUN-24 10.41.30.000000000 AM	02-JUN-24 11.30.22.000000000 AM	+00 00:48:52.000000	48.87	-00 00:48:52.000000	48.87
28788979	CS5694				CPLK	47.78 02-JUN-24 11.06.17.0000000000 AM	02-JUN-24 11.38.45.000000000 AM	+00 00:32:28.000000	32.47	-00 00:32:28,000000	32.47
28790092	CS5695				CPLK	34.18 02-JUN-24 11.31.30.000000000 AM	02-JUN-24 11.58.50.000000000 AM	+00 00:27:20.000000	27.33	-00 00:27:20.000000	27.33
28791198	CS5692				CPLK	41 02-JUN-24 11.56.54.0000000000 AM	02-JUN-24 12.50.02.000000000 PM	+00 00:53:08.000000	53.13	-00 00:53:08.000000	53.13
28791362	CS5695				CPLK	35.55 02-JUN-24 12.01.18.0000000000 PM	02-JUN-24 12.14.59.000000000 PM	+00 00:13:41.000000	13.68	-00 00:13:41.000000	13.68
28890729	CS5695				CPLK	40.76 04-JUN-2406.46.17.0000000000 PM	04-JUN-24 07.49.27.000000000 PM	+00 01:03:10.000000	63.17	-00 01:03:10.000000	63.17
28896612	CS5691				CPLK	52.06 04-JUN-24 09.24.37.000000000 PM	04-JUN-24 10.47.03.000000000 PM	+00 01:22:26.000000	82.43	-00 01:22:26.000000	82.43
28901717	CS5694				CPLK	56.68 05-JUN-24 12.36.06.0000000000 AM	05-JUN-24 01.36.16.000000000 AM	+00 01:00:10.000000	60.17	-00 01:00:10.000000	60.17
28905515	CS5695				CPLK	23.38 05-JUN-2406.10.06.0000000000 AM	05-JUN-24 06.36.40.000000000 AM	+00 00:26:34.000000	26.57	-00 00:26:34.000000	26.57
28906750	CS5691				CPLK	41.34 05-JUN-24 07.29.33,0000000000 AM	05-JUN-24 08.00.02.000000000 AM	+00 00:30:29.000000	30.48	-00 00:30:29.000000	30.48
28907530	CS5691				CPLK	35.89 05-JUN-24 08.05.13.000000000 AM	05-JUN-24 08.43.42.000000000 AM	+00 00:38:29.000000	38.48	-00 00:38:29.000000	38.48
28907546	CS5694				CPLK	35.94 05-JUN-2408.06.08.0000000000 AM	05-JUN-24 08.34.38.000000000 AM	+00 00:28:30.000000	28.5	-00 00:28:30.000000	28.5
28909051	CS5692				CPLK	37.87 05-JUN-24 09.02.40.0000000000 AM	05-JUN-24 09.54.43.000000000 AM	+00 00:52:03.000000	52.05	-00 00:52:03.000000	52.05
28909946	CS5694				CPLK	5.66 05-JUN-24 09.34.18.0000000000 AM	05-JUN-24 09.40.49.000000000 AM	+00 00:06:31.000000	6.52	-00 00:06:31.000000	6.52
28910273	CS5695				CPLK	75.91 05-JUN-24 09.46.54.000000000 AM	05-JUN-24 10.22.47.000000000 AM	+00 00:35:53.000000	35.88	-00 00:35:53.000000	35.88
28911442	CS5694				CPLK	46.97 05-JUN-24 10.27.31.0000000000 AM	05-JUN-24 11.06.36.000000000 AM	+00 00:39:05.000000	39.08	-00 00:39:05.000000	39.08
28914807	CS5695				CPLK	56.38 05-JUN-24 12.02.52.0000000000 PM	05-JUN-24 12.42.58.000000000 PM	+00 00:40:06.000000	40.1	-00 00:40:06.000000	40.1
28915446	CS5692				CPLK	71.09 05-JUN-24 12.21.01.0000000000 PM	05-JUN-24 01.17.21.000000000 PM	+00 00:56:20.000000	56.33	-00 00:56:20.000000	56.33

	SESSION_ID	CHARGER_ID	ADDRESS	СІТУ	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START	рттм	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
28915921	CS5694				CPLK	43.89 05-JUN-2412.33.21.00000	0000 PM	05-JUN-24 12.49.14.000000000 PM	+00 00:15:53.000000	15.88	-00 00:15:53.000000	15.88
28916004	CS5691		1		CPLK	7.39 05-JUN-24 12.35.51.00000	0000 PM	05-JUN-24 12.44.16.000000000 PM	+00 00:08:25.000000	8.42	-00 00:08:25.000000	8.42
28916427	CS5695	C			CPLK	34.45 05-JUN-24 12.46.07.00000	0000 PM	05-JUN-24 01.35.18.000000000 PM	+00 00:49:11.000000	49.18	-00 00:49:11.000000	49.18
28916478	CS5691				CPLK	23.34 05-JUN-2412.47.19.00000	0000 PM	05-JUN-24 01.39.53.000000000 PM	+00 00:52:34.000000	52.57	-00 00:52:34.000000	52.57
28916689	CS5694				CPLK	58.9 05-JUN-24 12,52,59,00000	0000 PM	05-JUN-24 01.22.09.000000000 PM	+00 00:29:10.000000	29.17	-00 00:29:10.000000	29.17
28917967	CS5694				CPLK	32.74 05-JUN-2401.25.17.00000	0000 PM	05-JUN-24 01.47.47.000000000 PM	+00 00:22:30.000000	22.5	-00 00:22:30.000000	22.5
28918853	CS5695				CPLK	37.65 05-JUN-24 01.47,28,00000	0000 PM	05-JUN-24 02.01.10.000000000 PM	+00 00:13:42.000000	13.7	-00 00:13:42.000000	13.7
28919211	CS5692				CPLK	9.36 05-JUN-24 01,56,06,00000	0000 PM	05-JUN-24 02.03.34.000000000 PM	+00 00:07:28.000000	7.47	-00 00:07:28,000000	7.47
28919573	CS5695				CPLK	81.96 05-JUN-2402.05.53.00000	0000 PM	05-JUN-24 02.43.26.000000000 PM	+00 00:37:33.000000	37.55	-00 00:37:33.000000	37.55
28924630	CS5695	ri j			CPLK	26.13 05-JUN-2404.11.17.00000	0000 PM	05-JUN-24 04.29.25.000000000 PM	+00 00:18:08.000000	18.13	-00 00:18:08.000000	18.13
28928115	CS5695				CPLK	20.83 05-JUN-24 05.38,50,000000	0000 PM	05-JUN-24 06.06.47.000000000 PM	+00 00:27:57,000000	27.95	-00 00:27:57.000000	27.95
28928694	CS5692	har a second and a second a second and a second a second and a second a second and a second a second and a second and a second and a second and a second a second and a second a second and a second a second and a second and a second and a second and a s			CPLK	41.17 05-JUN-2405.53.09.00000	0000 PM	05-JUN-24 06.49.39.000000000 PM	+00 00:56:30.000000	56.5	-00 00:56:30.000000	56.5
28928868	CS5691				CPLK	36.42 05-JUN-24 05.56.45.00000	0000 PM	05-JUN-24 06.53.54.000000000 PM	+00 00:57:09.000000	57.15	-00 00:57:09.000000	57.15
28931782	CS5695				CPLK	73.63 05-JUN-24 07.06.08.00000	0000 PM	05-JUN-24 07,40.06.000000000 PM	+00 00:33:58.000000	33.97	-00 00:33:58.000000	33.97
28932031	CS5691				CPLK	59.31 05-JUN-24 07.13.13.00000	0000 PM	05-JUN-24 08.48.51.000000000 PM	+00 01:35:38.000000	95.63	-00 01:35:38.000000	95.63
28932071	CS5692				CPLK	43.25 05-JUN-24 07.14.06.000000	0000 PM	05-JUN-24 07.56.07.000000000 PM	+00 00:42:01.000000	42.02	-00 00:42:01.000000	42.02
28934397	CS5695				CPLK	75.82 05-JUN-24 08.11.50.000000	0000 PM	05-JUN-24 08.50.25.000000000 PM	+00 00:38:35.000000	38.58	-00 00:38:35.000000	38.58
29048888	CS5691				CPLK	67.4 08-JUN-24 12.14.27.00000	0000 PM	08-JUN-24 12.56.42.000000000 PM	+00 00:42:15.000000	42.25	-00 00:42:15.000000	42.25
29051591	CS5691				CPLK	38.66 08-JUN-24 01.14.48.00000	0000 PM	08-JUN-24 02.06.15.000000000 PM	+00 00:51:27.000000	51.45	-00 00:51:27.000000	51.45
29053314	CS5692				CPLK	36.7 08-JUN-24 01.52,43.00000	0000 PM	08-JUN-24 02,22,12,000000000 PM	+00 00:29:29.000000	29.48	-00 00:29:29.000000	29.48
29054014	CS5691				CPLK	33.54 08-JUN-24 02,08,22,00000	0000 PM	08-JUN-24 02,40.53.000000000 PM	+00 00:32:31.000000	32.52	-00 00:32:31.000000	32.52
29055307	CS5692				CPLK	42.03 08-JUN-2402.34.26.00000	0000 PM	08-JUN-24 03.33.46.000000000 PM	+00 00:59:20.000000	59.33	-00 00:59:20.000000	59.33
29055755	CS5691				CPLK	41.73 08-JUN-2402.43.40.00000	0000 PM	08-JUN-24 03.46.52.000000000 PM	+00 01:03:12.000000	63.2	-00 01:03:12.000000	63.2
29055941	CS5695				CPLK	42.03 08-JUN-24 02.47.53,00000	0000 PM	08-JUN-24 03.01.34.000000000 PM	+00 00:13:41.000000	13.68	-00 00:13:41.000000	13.68
29056794	CS5695				CPLK	51.14 08-JUN-2403.06.31.00000	0000 PM	08-JUN-24 03.23.22.000000000 PM	+00 00:16:51.000000	16.85	-00 00:16:51.000000	16.85
23452550	CS5695				CPLK	20.85 19-JAN-24 01.23.20.000000	0000 PM	19-JAN-24 02.26.05.000000000 PM	+00 01:02:45.000000	62.75	-00 01:02:45.000000	62.75
23453611	CS5692				CPLK	34.61 19-JAN-24 01.50.24.00000	0000 PM	19-JAN-24 02.20.07.000000000 PM	+00 00:29:43.000000	29.72	-00 00:29:43.000000	29.72
23455729	CS5692	S. C.			CPLK	64.22 19-JAN-24 02.43.33.000000	0000 PM	19-JAN-24 03.44.11.000000000 PM	+00 01:00:38.000000	60.63	-00 01:00:38.000000	60.63
23456302	CS5695				CPLK	29.04 19-JAN-24 02.57.48.000000	0000 PM	19-JAN-24 03.16.56.000000000 PM	+00 00:19:08.000000	19.13	-00 00:19:08.000000	19.13
23457209	CS5695				CPLK	46.07 19-JAN-24 03.20.02.000000	0000 PM	19-JAN-24 04.22.07.000000000 PM	+00 01:02:05.000000	62.08	-00 01:02:05.000000	62.08
23458890	CS5692				CPLK	56.02 19-JAN-24 03.59.04.000000	0000 PM	19-JAN-24 05.01.03.000000000 PM	+00 01:01:59.000000	61.98	-00 01:01:59.000000	61.98
23460952	CS5695				CPLK	19.4 19-JAN-24 04.49.17.000000	0000 PM	19-JAN-24 05.36.11.000000000 PM	+00 00:46:54.000000	46.9	-00 00:46:54.000000	46.9
23461460	CS5692				CPLK	6.77 19-JAN-24 05.02.36.000000	0000 PM	19-JAN-24 05.19.34.000000000 PM	+00 00:16:58.000000	16.97	-00 00:16:58.000000	16.97
23462464	CS5692				CPLK	34.56 19-JAN-24 05.27.22.000000	0000 PM	19-JAN-24 06.28.06.000000000 PM	+00 01:00:44.000000	60.73	-00 01:00:44.000000	60.73
23464308	CS5695				CPLK	17.38 19-JAN-24 06.14.47.000000	0000 PM	19-JAN-24 06.54.30.000000000 PM	+00 00:39:43.000000	39.72	-00 00:39:43.000000	39.72
23464881	CS5692				CPLK	20.2 19-JAN-24 06.30.27.000000	0000 PM	19-JAN-24 07.31.28.000000000 PM	+00 01:01:01.000000	61.02	-00 01:01:01.000000	61.02
23465041	CS5691				CPLK	3.91 19-JAN-24 06.34.52.000000	0000 PM	19-JAN-24 06.46.26.000000000 PM	+00 00:11:34.000000	11.57	-00 00:11:34.000000	11.57
23466155	CS5695				CPLK	27.41 19-JAN-24 07.05.14.00000	0000 PM	19-JAN-24 08.07.06.000000000 PM	+00 01:01:52.000000	61.87	-00 01:01:52.000000	61.87
23466390	CS5691				CPLK	60.32 19-JAN-24 07.11.25.00000	0000 PM	19-JAN-24 08.12.06.000000000 PM	+00 01:00:41.000000		-00 01:00:41.000000	60.68
23467571	CS5692				CPLK	18.55 19-JAN-24 07.42.53.00000	0000 PM	19-JAN-24 08.05.31.000000000 PM	+00 00:22:38.000000	22.63	-00 00:22:38.000000	22.63
23468428	CS5695				CPLK	15.81 19-JAN-24 08.08.45.000000	0000 PM	19-JAN-24 09.09.07.000000000 PM	+00 01:00:22.000000	60.37	-00 01:00:22.000000	60.37
23469292	CS5692				CPLK	32.98 19-JAN-24 08.34.47.000000	0000 PM	19-JAN-24 09.35.12.000000000 PM	+00 01:00:25.000000	60.42	-00 01:00:25.000000	60.42
23469464	CS5691				CPLK	17.52 19-JAN-24 08.40.12.000000		19-JAN-24 08.57.58.000000000 PM	+00 00:17:46.000000		-00 00:17:46.000000	17.77
23470889	CS5695				CPLK	50.57 19-JAN-24 09.28.12.000000	0000 PM	19-JAN-24 10.16.13.000000000 PM	+00 00:48:01.000000	48.02	-00 00:48:01.000000	48.02
23471408	CS5692				CPLK	69.98 19-JAN-24 09.47.02.000000	0000 PM	19-JAN-24 10.48.01.000000000 PM	+00 01:00:59.000000	60.98	-00 01:00:59.000000	60.98
23471989	CS5691				CPLK	68.97 19-JAN-24 10.08.45.000000	0000 PM	19-JAN-24 11.10.02.000000000 PM	+00 01:01:17.000000	61.28	-00 01:01:17.000000	61.28
23473954	CS5691				CPLK	35.91 19-JAN-24 11.29.37.000000		20-JAN-24 12.30.01.000000000 AM	+00 01:00:24.000000		-00 01:00:24.000000	60.4
23474929	CS5695				CPLK	32.79 20-JAN-24 12.16.32.000000		20-JAN-24 12.51.52.000000000 AM	+00 00:35:20.000000		-00 00:35:20.000000	35.33
23475249	CS5691				CPLK	5.05 20-JAN-24 12.35.13.000000		20-JAN-24 12.39.08.000000000 AM	+00 00:03:55.000000		-00 00:03:55.000000	3.92
23475342	CS5691				CPLK	66.6 20-JAN-24 12.42.06.000000		20-JAN-24 01.42.42.000000000 AM	+00 01:00:36.000000		-00 01:00:36.000000	60.6
23476200	CS5695				CPLK	24.77 20-JAN-24 01.40.59.000000		20-JAN-24 02.34.52.000000000 AM	+00 00:53:53.000000		-00 00:53:53.000000	53.88
23477033	CS5695				CPLK	11.99 20-JAN-24 02.39.47.000000	MA 0000	20-JAN-24 03.18.41.000000000 AM	+00 00:38:54.000000	38.9	-00 00:38:54.000000	38.9
23477138	CS5692	S			CPLK	67.44 20-JAN-24 02.47.44.000000	MA 0000	20-JAN-24 03,49.01.000000000 AM	+00 01:01:17.000000	61.28	-00 01:01:17.000000	61.28
			-4									

	SESSION_ID	CHARGER_ID	ADDRESS	СІТУ	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
23478270	CS5695				CPLK	16.06 20-JAN-24 04.34.46.000000000 AM	20-JAN-24 04.46.02.000000000 AM	+00 00:11:16.000000	11.27	-00 00:11:16.000000	11.27
23480243	CS5695				CPLK	34.81 20-JAN-24 07.19.53.0000000000 AM	20-JAN-24 08.20.02.000000000 AM	+00 01:00:09.000000	60.15	-00 01:00:09.000000	60.15
23480994	CS5691				CPLK	29.94 20-JAN-24 08.03.30.000000000 AM	20-JAN-24 09.04.01.000000000 AM	+00 01:00:31.000000	60.52	-00 01:00:31.000000	60.52
23482414	CS5692				CPLK	39.01 20-JAN-24 09.06.12.000000000 AM	20-JAN-24 10.07.02.000000000 AM	+00 01:00:50.000000	60.83	-00 01:00:50.000000	60.83
23483465	CS5695				CPLK	47.54 20-JAN-24 09.41.19.000000000 AM	20-JAN-24 10.53.31.000000000 AM	+00 01;12;12,000000	72.2	-00 01:12:12.000000	72.2
23484228	CS5691				CPLK	18.89 20-JAN-24 10.05.58.000000000 AM	20-JAN-24 11.06.02.000000000 AM	+00 01:00:04.000000	60.07	-00 01:00:04.000000	60.07
23485842	CS5692				CPLK	13.03 20-JAN-24 10.51.13.000000000 AM	20-JAN-24 11.47.12.000000000 AM	+00 00:55:59.000000	55.98	-00 00:55:59.000000	55.98
23487495	CS5695				CPLK	41.48 20-JAN-24 11.34.50.000000000 AM	20-JAN-24 12.04.04.000000000 PM	+00 00:29:14.000000	29.23	-00 00:29:14.000000	29.23
23488339	CS5692				CPLK	22.57 20-JAN-24 11.54.05.0000000000 AM	20-JAN-24 12.56.06.000000000 PM	+00 01:02:01.000000	62.02	-00 01:02:01.000000	62.02
23491450	CS5695				CPLK	42.89 20-JAN-24 01.08.41.000000000 PM	20-JAN-24 02.09.06.000000000 PM	+00 01:00:25.000000	60.42	-00 01:00:25.000000	60.42
23491629	CS5691				CPLK	32.69 20-JAN-24 01.13.11.000000000 PM	20-JAN-24 02.15.07.000000000 PM	+00 01:01:56.000000	61.93	-00 01:01:56.000000	61.93
23492054	CS5692				CPLK	37.92 20-JAN-24 01.23.46.000000000 PM	20-JAN-24 02.06.28.000000000 PM	+00 00:42:42.000000	42.7	-00 00:42:42.000000	42.7
23494489	CS5691				CPLK	15.54 20-JAN-24 02.16.44.000000000 PM	20-JAN-24 03.00,08.000000000 PM	+00 00:43:24.000000	43.4	-00 00:43:24.000000	43.4
23496151	CS5695				CPLK	21.67 20-JAN-24 02.55.39.000000000 PM	20-JAN-24 03.16.52.000000000 PM	+00 00:21:13.000000	21.22	-00 00:21:13.000000	21.22
23496525	CS5692				CPLK	54.91 20-JAN-24 03.02.59.000000000 PM	20-JAN-24 04.04.17.000000000 PM	+00 01:01:18.000000	61.3	-00 01:01:18.000000	61.3
36563039	CS5692				CPLK	45.29 10-NOV-24 11.51.51.000000000 AM	10-NOV-24 12.30.15.000000000 PM	+00 00:38:24.000000	38.4	-00 00:38:24.000000	38.4
36565589	CS5692				CPLK	46.3 10-NOV-24 12.40.15.000000000 PM	10-NOV-24 01.17.37.000000000 PM	+00 00:37:22.000000	37.37	-00 00:37:22.000000	37.37
36753413	CS5692				CPLK	27.91 14-NOV-24 11.12.40.000000000 AM	14-NOV-24 11.33.13.000000000 AM	+00 00:20:33.000000	20.55	-00 00:20:33.000000	20.55
36754963	CS5692				CPLK	30.81 14-NOV-24 11.46.02.0000000000 AM	14-NOV-24 12.38.26.000000000 PM	+00 00:52:24.000000	52.4	-00 00:52:24.000000	52.4
36757526	CS5692				CPLK	11.51 14-NOV-24 12.41.40.000000000 PM	14-NOV-24 12.52.13.000000000 PM	+00 00:10:33.000000	10.55	-00 00:10:33.000000	10.55
36758513	CS5692				CPLK	62.27 14-NOV-24 01.01.46.0000000000 PM	14-NOV-24 01.53,30.000000000 PM	+00 00:51:44.000000	51.73	-00 00:51:44.000000	51.73
36763026	CS5692				CPLK	27 14-NOV-24 02.28.37.000000000 PM	14-NOV-24 02.50.24.000000000 PM	+00 00:21:47.000000	21.78	-00 00:21:47.000000	21.78
36764550	CS5692				CPLK	49.22 14-NOV-24 02.57.32.000000000 PM	14-NOV-24 03.47.32.000000000 PM	+00 00:50:00.000000	50	-00 00:50:00.000000	50
36768713	CS5692				CPLK	43.55 14-NOV-24 04.13.15.000000000 PM	14-NOV-24 05.00.25.000000000 PM	+00 00:47:10.000000	47.17	-00 00:47:10.000000	47.17
36774796	CS5692				CPLK	39.09 14-NOV-24 06.12.05.000000000 PM	14-NOV-24 06.59.17.000000000 PM	+00 00:47:12.000000	47.2	-00 00:47:12.000000	47.2
36778043	CS5692				CPLK	8.35 14-NOV-24 07.26.10.0000000000 PM	14-NOV-24 07.37.43.000000000 PM	+00 00:11:33.000000	11.55	-00 00:11:33.000000	11.55
36781319	CS5692				CPLK	64.38 14-NOV-24 08.43.13.000000000 PM	14-NOV-24 09.43.59.000000000 PM	+00 01:00:46.000000	60.77	-00 01:00:46.000000	60.77
36783583	CS5692				CPLK	61.28 14-NOV-24 09.46.13.000000000 PM	14-NOV-24 11.10.15.000000000 PM	+00 01:24:02.000000	84.03	-00 01:24:02.000000	84.03
36787573	CS5692				CPLK	27.21 14-NOV-24 11.53,59,000000000 PM	15-NOV-24 01.15.46.000000000 AM	+00 01:21:47.000000	81.78	-00 01:21:47.000000	81.78
36798460	CS5692				CPLK	53.84 15-NOV-24 08.28.50.000000000 AM	15-NOV-24 09.11.47.000000000 AM	+00 00:42:57.000000	42.95	-00 00:42:57.000000	42.95
36800123	CS5692				CPLK	55.57 15-NOV-24 09.13.45.000000000 AM	15-NOV-24 11.11.32.000000000 AM	+00 01:57:47.000000		-00 01:57:47.000000	117.78
36807033	CS5692				CPLK	26.02 15-NOV-24 11.47.12.000000000 AM	15-NOV-24 12.08.10.000000000 PM	+00 00:20:58.000000	20.97	-00 00:20:58.000000	20.97
36808742	CS5692				CPLK	13.68 15-NOV-24 12.21.23.000000000 PM	15-NOV-24 12.37,47.000000000 PM	+00 00;16;24.000000		-00 00:16:24.000000	16.4
36811915	CS5692				CPLK	26 15-NOV-24 01.25.00.000000000 PM	15-NOV-24 01.47.19.000000000 PM	+00 00:22:19.000000		-00 00:22:19.000000	22.32
36813615	CS5692				CPLK	51.13 15-NOV-24 01.58.01.000000000 PM	15-NOV-24 02.43.42.000000000 PM	+00 00:45:41.000000		-00 00:45:41.000000	45.68
36816226	CS5692				CPLK	37.12 15-NOV-24 02.46.38.000000000 PM	15-NOV-24 03.39.57.000000000 PM	+00 00:53:19.000000		-00 00:53:19.000000	53.32
36821501	CS5692				CPLK	69.26 15-NOV-24 04.27.03.000000000 PM	15-NOV-24 05.35.44.000000000 PM	+00 01:08:41.000000		-00 01:08:41.000000	68.68
36827745	CS5692				CPLK	21.64 15-NOV-24 06.32.39.000000000 PM	15-NOV-24 06.46.16.000000000 PM	+00 00:13:37.000000		-00 00:13:37.000000	13.62
36828452	CS5692				CPLK	40.82 15-NOV-24 06.48.32.000000000 PM	15-NOV-24 07.14.41.000000000 PM	+00 00:26:09.000000		-00 00:26:09.000000	26.15
36829980	CS5692				CPLK	70.17 15-NOV-24 07.21.46.000000000 PM	15-NOV-24 08.14.11.000000000 PM	+00 00:52:25.000000		-00 00:52:25.000000	52.42
36832376	CS5692				CPLK	19.21 15-NOV-24 08.17.49.000000000 PM	15-NOV-24 08.40,56.000000000 PM	+00 00:23:07.000000		-00 00:23:07.000000	23.12
36834466	CS5692				CPLK	36.98 15-NOV-24 09.09.21.000000000 PM	15-NOV-24 09.38.46.000000000 PM	+00 00:29:25.000000		-00 00:29:25.000000	29.42
36836069	CS5692				CPLK	42.56 15-NOV-24 09.54.25.0000000000 PM	15-NOV-24 11.02.00.000000000 PM	+00 01:07:35.000000		-00 01:07:35.000000	67.58
36841638	CS5692				CPLK	25.85 16-NOV-24 01.07.02.000000000 AM	16-NOV-24 02.15.44.000000000 AM	+00 01:08:42.000000		-00 01:08:42.000000	68.7
36845586	CS5692				CPLK	32.29 16-NOV-24 04.19.45.000000000 AM	16-NOV-24 04.54.27.000000000 AM	+00 00:34:42.000000		-00 00:34:42.000000	34.7
36846181	CS5692				CPLK	70.18 16-NOV-24 04.58.08.0000000000 AM	16-NOV-24 06.23.38.0000000000 AM	+00 01:25:30.000000		-00 01:25:30.000000	85.5
36847795	C\$5692				CPLK	51.34 16-NOV-24 06.27.11.0000000000 AM				-00 00:54:48.000000	54.8
37224409	CS5692				CPLK	43.76 23-NOV-24 02.42.10.0000000000 PM				-00 00:37:30.000000	37.5
37225372	CS5695				CPLK	5.08 23-NOV-24 02.58.18.0000000000 PM				-00 00:05:05.000000	5.08
37225858	CS5695				CPLK	100.49 23-NOV-24 03.06.55.0000000000 PM				-00 00:34:43.000000	34.72
37226598	CS5691				CPLK	24.9 23-NOV-24 03.20.41.000000000 PM		+00 00:15:43.000000		-00 00:15:43.000000	15.72
37227378	CS5692				CPLK	42.86 23-NOV-24 03.33.38.0000000000 PM		+00 00:46:00.000000		-00 00:46:00.000000	46
37232718	CS5694				CPLK	23.11 23-NOV-24 05.10.37.0000000000 PM	23-NOV-24 05.22.12.000000000 PM	+00 00:11:35.000000	11.58	-00 00:11:35.000000	11.58

1972-1972 1972-1972 1972-1972 1972-1972 1972-1972-1972 1972-1972-1972 1972-1972-1972-1972-1972-1972-1972-1972-		SESSION_ID	CHARGER_ID	ADDRESS	СІТУ	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION_HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
1777-1775 Code	37232818	CS5692				CPLK	52.58 23-NOV-24 05.12.43.000000000 PM	23-NOV-24 06.06.57.0000000000 PM	+00 00:54:14.000000	54.23	-00 00:54:14.000000	54.23
Colors	37233632	CS5691		12		CPLK	50.75 23-NOV-24 05.28.54.000000000 PM	23-NOV-24 06.08.07.0000000000 PM	+00 00:39:13.000000	39.22	-00 00:39:13.000000	39.22
\$\frac{1}{277,1480} \text{ \$\frac{1}{2}\text{ \$\frac{1}\text{ \$\frac{1}{2}\text{ \$\frac{1}\text{ \$\frac{1}\text{ \$\frac{1}\text{ \$\frac{1}{2}\text{ \$\frac{1}\text{ \$\frac{1}\t	37234375	CS5695				CPLK	42.14 23-NOV-24 05.43.13.000000000 PM	23-NOV-24 06.50.37.000000000 PM	+00 01:07:24.000000	67.4	-00 01:07:24.000000	67.4
\$\frac{1}{2}\frac{1}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}\frac{1}{2}\frac{1}{2}\frac{1}\frac{1}{2}\frac{1}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}1	37235673	CS5692				CPLK	46.4 23-NOV-24 06.18.11.000000000 PM	23-NOV-24 07.10.52.000000000 PM	+00 00:52:41.000000	52.68	-00 00:52:41.000000	52.68
Charles	37240447	CS5692				CPLK	58.22 23-NOV-24 07.49.48.000000000 PM	23-NOV-24 09.33.47.000000000 PM	+00 01:43:59.000000	103.98	-00 01:43:59.000000	103.98
1777-1866 Crist Science Crist Science Crist Science Crist Science Crist Science Crist Science Sci	37241292	CS5691				CPLK	51.13 23-NOV-24 08.08.27.000000000 PM	23-NOV-24 10.06.21.000000000 PM	+00 01:57:54.000000	117.9	-00 01:57:54.000000	117.9
1724-1442	37242392	CS5694				CPLK	71.93 23-NOV-24 08.32.28.000000000 PM	23-NOV-24 09.49.40.000000000 PM	+00 01:17:12.000000	77.2	-00 01:17:12.000000	77.2
1754905 C89904	37242662	CS5695				CPLK	38.05 23-NOV-24 08.37.59.000000000 PM	23-NOV-24 10.00.31.000000000 PM	+00 01:22:32,000000	82.53	-00 01:22:32.000000	82.53
177,4696	37245442	CS5692				CPLK	62.02 23-NOV-24 09.47.14.000000000 PM	23-NOV-24 10.34.39.000000000 PM	+00 00:47:25.000000	47.42	-00 00:47:25.000000	47.42
17.74888 C5896	37245663	CS5694				CPLK	39.75 23-NOV-24 09.53.33.000000000 PM	23-NOV-24 10.44.58.000000000 PM	+00 00:51:25.000000	51.42	-00 00:51:25.000000	51.42
\$7,75,100 \$7,7	37246216	CS5691				CPLK	41.93 23-NOV-24 10.09.24.000000000 PM	23-NOV-24 10.51.11.000000000 PM	+00 00:41:47.000000	41.78	-00 00:41:47.000000	41.78
1771-1810 C5992	37246363	CS5695				CPLK	5.14 23-NOV-24 10.13.17.000000000 PM	23-NOV-24 10.26.45.000000000 PM	+00 00:13:28.000000	13.47	-00 00:13:28.000000	13.47
\$25,000 \$25,	37248802	CS5691				CPLK	49.92 23-NOV-24 11.26,52,000000000 PM	24-NOV-24 12.50.11.000000000 AM	+00 01:23:19.000000	83.32	-00 01:23:19.000000	83.32
27787272	37261020	CS5692				CPLK	43.17 24-NOV-24 08.48.45.000000000 AM	24-NOV-24 09.19.52.000000000 AM	+00 00:31:07.000000	31.12	-00 00:31:07.000000	31.12
\$7787858 C55666	37261497	CS5695				CPLK	56.68 24-NOV-24 09.01.43.000000000 AM	24-NOV-24 09.36.58.000000000 AM	+00 00:35:15.000000	35.25	-00 00:35:15.000000	35.25
ST771986 CSS991 CSS992 CFLK S1 24 APV 24 12 A 12 A 10 A 22	37263723	CS5695				CPLK	31.54 24-NOV-24 09.58.31.000000000 AM	24-NOV-24 10.22.11.000000000 AM	+00 00:23:40.000000	23.67	-00 00:23:40.000000	23.67
CFL 20.91 24-NOV 24.12.7 Zea 0.00000000 Pt 22.28 0.000.22.17.000000 22.28 0.000.22.17.000000 25.07.200000 25.07.200000 25.07.200000 25.07.20000000 25.07.200000000 25.07.200000000 25.07.2000000000 25.07.2000000000 25.07.20000000000 25.07.2000000000000000000000000000000000	37269354	CS5695				CPLK	87.37 24-NOV-24 11.54.48.000000000 AM	24-NOV-24 01.04.39.000000000 PM	+00 01:09:51.000000	69.85	-00 01:09:51.000000	69.85
1977 1978 1977 1978 1978	37271331	CS5694				CPLK	33.56 24-NOV-24 12.33.01.000000000 PM	24-NOV-24 01.00.32.000000000 PM	+00 00:27:31.000000	27.52	-00 00:27:31.000000	27.52
CFE/CR020	37272682	CS5692				CPLK	20.91 24-NOV-24 12.57.26.000000000 PM	24-NOV-24 01.19.43.000000000 PM	+00 00:22:17.000000	22.28	-00 00:22:17.000000	22.28
CFLK 53.29 AND VIV-240 (2.55 1.00000000 PM AND VIV-240 (2.55 1.000000000 PM AND VIV-240 (2.55 1.000000000 PM AND VIV-240 (2.55 1.000000000 PM AND VIV-240 (5.55 1.000000000 PM AND VIV-240 (5.50 1.0000000000 PM AND VIV-240 (5.50 1.000000000000 PM AND VIV-240 (5.50 1.000000000000 PM AND VIV-240 (5.50 1.000000000000 PM	37273693	CS5691				CPLK	56.12 24-NOV-24 01.16.24.000000000 PM	24-NOV-24 02.53.15.000000000 PM	+00 01:36:51.000000	96.85	-00 01:36:51.000000	96.85
CRUE 56.72 24 MOV	37276230	CS5692				CPLK	51.16 24-NOV-24 02.03.26.000000000 PM	24-NOV-24 03.32.51.000000000 PM	+00 01:29:25.000000	89.42	-00 01:29:25.000000	89.42
Chicago	37276812	CS5694				CPLK	33.6 24-NOV-24 02.14.04.000000000 PM	24-NOV-24 03.21.54.000000000 PM	+00 01:07:50.000000	67.83	-00 01:07:50.000000	67.83
SPRINGE CSSSSSS CSSSSS CPIK 31.8 2 monty-24 cs. 18.3 m	37280794	CS5691				CPLK	55.29 24-NOV-24 03.25.51.000000000 PM	24-NOV-24 05.02.21.000000000 PM	+00 01:36:30.000000	96.5	-00 01:36:30.000000	96.5
CSS852 CSS852 CSS852 CPLX	37282999	CS5694				CPLK	56.41 24-NOV-24 04.07.01.0000000000 PM	24-NOV-24 04.42.30.000000000 PM	+00 00:35:29.000000	35.48	-00 00:35:29.000000	35.48
S787974 CS5992 CPLK	37383462	CS5695				CPLK	48.81 26-NOV-24 05.18.39.000000000 PM	26-NOV-24 05.50.32.000000000 PM	+00 00:31:53.000000	31.88	-00 00:31:53.000000	31.88
3349841 C35892 CPLK	37385523	CS5695		- E		CPLK	31.38 26-NOV-24 05.59.44.000000000 PM	26-NOV-24 07.12.39.000000000 PM	+00 01:12:55.000000	72.92	-00 01:12:55.000000	72.92
S2502966 C55694 CPLK 47.7 26-Alig-2-42 12.0 c.08.0000000000 AM 20-Alig-2-42 11.8.3 0.000000000 AM 20-Alig-2-42 10.00000000 AM 20-Alig-2-42 10.00000000 AM 20-Alig-2-42 10.00000000 AM 20-Alig-2-42 10.00000000 AM 20-Alig-2-42 10.0000000 AM 20-Alig-2-42 10.00000000 AM 20-Alig-2-42 10.0000000 AM 20-Alig-2-42 10.00000000 AM 20-Alig-2-42 10.00000000 AM 20-Alig-2-42 10.00000000 AM 20-Alig-2-42 10.0000000 AM 20-Alig-2-42 10.00000000 AM 20-Alig-2-42 10.000000000 AM 20-Alig-2-42 10.00000000 AM 20-Alig-2-42 10.000000000 AM 20-Alig-2-42 10.00000000 AM 20-Alig-2-42 10.000000000 AM 20-Alig-2-42 20.000000000 AM 20-Alig-2-42 20.000000000 AM 20-Alig-2-42 20.000000000 AM 20-Alig-2-42 20.0000000000 AM 20-Alig-2-42 20.0000000000000000000000000000000000	37387974	CS5692				CPLK	48.63 26-NOV-24 06.50,40.000000000 PM	26-NOV-24 08.42.55.000000000 PM	+00 01:52:15.000000	112.25	-00 01:52:15.000000	112.25
28597966	32498841	CS5692				CPLK	48.3 19-AUG-24 09,50.22,000000000 PM	19-AUG-24 11.36.15.000000000 PM	+00 01:45:53.000000	105.88	-00 01:45:53.000000	105.88
September Sept	32502966	CS5694				CPLK	44.7 20-AUG-24 12.06.08.0000000000 AM	20-AUG-24 01.16.39.000000000 AM	+00 01:10:31.000000	70.52	-00 01:10:31.000000	70.52
CFK 38.57 20.410-24 09.21.32.000000000 AM 20.014-24 0.005.000000 44.15 -0.0014-39.000	32507906	CS5694				CPLK	40.84 20-AUG-24 05.29.02.000000000 AM	20-AUG-24 05.46.39.000000000 AM	+00 00:17:37.000000	17.62	-00 00:17:37.000000	17.62
25513125	32512624	CS5695				CPLK	38.95 20-AUG-24 09.04.34.000000000 AM	20-AUG-24 09.20.58.000000000 AM	+00 00:16:24.000000	16.4	-00 00:16:24.000000	16.4
32513282	32512633	CS5692				CPLK	38.57 20-AUG-24 09.04.52.000000000 AM	20-AUG-24 09.49.01.000000000 AM	+00 00:44:09.000000	44.15	-00 00:44:09.000000	44.15
\$2513751	32513125	CS5694				CPLK	42.37 20-AUG-24 09.21.32.000000000 AM	20-AUG-24 10.05.00.000000000 AM	+00 00:43:28.000000	43.47	-00 00:43:28.000000	43.47
\$2514879	32513282	CS5695				CPLK	27.77 20-AUG-24 09.26.51.0000000000 AM	20-AUG-24 09.58.21.000000000 AM	+00 00:31:30.000000	31.5	-00 00:31:30.000000	31.5
32514980 C\$5695 CPLK 33.1 20-AUG-24 10.21.28.00000000 AM 20-AUG-24 11.88.20.0000000 AM 20-AUG-24 11.88.20.000000 AM 20-AUG-24 11.88.20.000000 AM	32513751	CS5691				CPLK	69.99 20-AUG-24 09.42.31.000000000 AM	20-AUG-24 10.34.35.000000000 AM	+00 00:52:04.000000	52.07	-00 00:52:04.000000	52.07
\$3251202	32514879	CS5694				CPLK	30.96 20-AUG-24 10.18.45.000000000 AM	20-AUG-24 10.44.34.000000000 AM	+00 00:25:49.000000	25.82	-00 00:25:49.000000	25.82
32517226	32514980	CS5695				CPLK	33.1 20-AUG-24 10.21.28.000000000 AM	20-AUG-24 11.08.20.000000000 AM	+00 00:46:52.000000	46.87	-00 00:46:52.000000	46.87
32517617 CS5691 CPLK 55.15 20-AUG-24 11.30.41.00000000 AM 20-AUG-24 01.03.35.0000000 0 PM +00 01:32:54.000000 92.9 -00 01:32:54.000000 92.5 40.0000000 92.5 40.0000000 92.5 40.0000000 92.5 40.00000000 92.5 40.00000000 92.5 40.00000000 92.5 40.00000000 92.5 40.00000000 92.5 40.00000000 92.5 40.000000000 92.5 40.000000000 92.5 40.000000000 92.5 40.000000000 92.5 40.0000000000 92.5 40.000000000 92.5 40.0000000000000000000000000000000000	32515202	CS5692				CPLK	38.49 20-AUG-24 10.27.23.000000000 AM	20-AUG-24 11.35.02.000000000 AM	+00 01:07:39.000000	67.65	-00 01:07:39.000000	67.65
32518159	32517226	CS5695				CPLK	81.91 20-AUG-24 11.20.58.000000000 AM	20-AUG-24 12.11.27.000000000 PM	+00 00:50:29.000000	50.48	-00 00:50:29.000000	50.48
32518285 CS5692 CPLK 32.96 20-AUG-24 11.45.19.00000000 PM 40.0056:35.000000 56.58 40.0056:35.000000 56.58 40.0056:35.000000 56.58 40.0056:35.000000 56.58 40.0056:35.000000 56.58 40.0056:35.000000 56.58 40.0056:35.000000 56.58 40.0056:35.000000 41.33 40.0056:35.0000000 PM	32517617	CS5691				CPLK	55.15 20-AUG-24 11.30.41.000000000 AM	20-AUG-24 01.03.35.000000000 PM	+00 01:32:54.000000	92.9	-00 01:32:54.000000	92.9
CPLK 40.83 20-AUG-24 12.16.28.00000000 PM 20-AUG-24 12.57.48.00000000 PM 40.00041:20.000000 41.33 40.00041:20.000000 41.33 40.00041:20.000000 41.33 40.00041:20.000000 41.33 40.00041:20.000000 41.33 41.33 40.00041:20.000000 41.33 41.33 40.00041:20.000000 41.33 41.33 40.00041:20.000000 41.33 41.33 40.00041:20.000000 41.33 41	32518159	CS5694				CPLK	10.28 20-AUG-24 11.42.32.000000000 AM	20-AUG-24 12.01.26.000000000 PM	+00 00:18:54.000000	18.9	-00 00:18:54.000000	18.9
CPLK 17.19 20-AUG-24 01.25.34.00000000 PM 20-AUG-24 02.02.20.00000000 PM 400 00:36:46.000000 36.77 -00 00:36:46.000000 36.77 -00 00:36:46.000000 36.77 -00 00:36:46.000000 36.77 -00 00:36:46.000000 36.77 -00 00:36:46.000000 36.77 -00 00:36:46.000000 36.77 -00 00:36:46.000000 36.77 -00 00:36:46.000000 36.77 -00 00:36:46.000000 36.77 -00 00:36:46.0000000 36.77 -00 00:36:46.0000000 36.77 -00 00:36:46.0000000 36.77 -00 00:36:46.0000000 36.77 -00 00:36:46.0000000 36.77 -00 00:36:46.0000000 36.77 -00 00:36:46.0000000 36.77 -00 00:36:46.0000000 36.77 -00 00:36:46.0000000 36.77 -00 00:36:46.0000000 36.77 -00 00:36:46.0000000 36.77 -00 00:36:46.0000000 36.77 -00 00:36:46.0000000 36.77 -00 00:36:46.0000000 36.77 -00 00:36:46.00000000 36.77 -00 00:36:46.0000000 36.77 -00 00:36:46.0000000 36.77 -00 00:36:46.0000000 36.77 -00 00:36:46.0000000 36.77 -00 00:36:46.0000000 36.77 -00 00:36:46.00000000 36.77 -00 00:36:46.0000000 36.77 -00 00:36:46.00000000 36.77 -00 00:36:46.0000000 36.77 -00 00:36:46.00000000000000000000000000000000000	32518285	CS5692				CPLK	32.96 20-AUG-24 11.45.19.000000000 AM	20-AUG-24 12.41.54.000000000 PM	+00 00:56:35.000000	56.58	-00 00:56:35.000000	56.58
32524176 CS5692 CPLK 34.48 20-AUG-24 01.58.58.000000000 PM 20-AUG-24 03.01.57.00000000 PM +00 01:02:59.000000 62.98 -00 01:02:59.000000 62.98 -00 01:02:59.000000 62.98 -00 01:02:59.000000 62.98 -00 01:02:59.000000 62.98 -00 01:02:59.000000 62.98 -00 01:02:59.000000 62.98 -00 01:02:59.000000 62.98 -00 01:02:59.000000 62.98 -00 01:02:59.000000 62.98 -00 01:02:59.000000 62.98 -00 01:02:59.000000 19.63 -00 00:19:38.000000 19.63 -00 00:19:38.000000 19.63 -00 00:13:38.000000 19.63 -00 00:13:38.000000 13.63 -00 00:13:38.000000 13.63 -00 00:13:38.000000 13.63 -00 00:13:38.000000 14.98 -00 00:14:59.000000 14.98 -00 00:14:59.000000 14.98 -00 00:14:59.000000 14.98 -00 00:14:59.000000 14.98 -00 00:14:59.000000 39.7 -00 00:39:42.000000 39.7 -00 00:39:42.000000 39.7 -00 00:39:42.000000 39.7 -00 00:16:59.000000 16.98 -00 00:16:59.000000 16.98 -00 00:16:59.000000 48.2 -00 00:08:18.000000 8.3	32519613	CS5694				CPLK	40.83 20-AUG-24 12.16.28.000000000 PM	20-AUG-24 12.57.48.000000000 PM	+00 00:41:20.000000	41.33	-00 00:41:20.000000	41.33
3252759 CS5695 CPLK 42.3 20-AUG-24 02.34.14.00000000 PM 20-AUG-24 02.53.52.000000000 PM +00 00:19:38.000000 19.63 -00 00:19:38.000000 19.63 -00 00:19:38.000000 19.65 -00 00:	32522695	CS5694				CPLK	17.19 20-AUG-24 01.25.34.000000000 PM	20-AUG-24 02.02.20.000000000 PM	+00 00:36:46.000000	36.77	-00 00:36:46.000000	36.77
32527315 CS5694 39.21 20-AUG-24 03.09.46.00000000 PM 20-AUG-24 03.23.24.000000000 PM 400 00:13:38.000000 13.63 -00 00:13:38.000000 13.65 -00 00:13:38.000000 13.65 -00 00:13:38.000000 13.65 -00 00:13:38.000000 13.65 -00 00:13:38.000000 14.98 -00 00:14:59.000000 14.98 -00 00:14:59.000000 14.98 -00 00:14:59.000000 14.98 -00 00:14:59.000000 39.7 -00 00:39:42.000000 39.7 -00 00:39:42.000000 39.7 -00 00:39:42.000000 39.7 -00 00:39:42.000000 16.98 -00 00:16:59.000000 16.98 -00 00:16:59.000000 16.98 -00 00:16:59.000000 48.2 -00 00:48:12.000000 48.2 -00 00:48:12.000000 48.2 -00 00:48:12.000000 8.3 -00 00:818.00000 8.3 -00 00:818.000000 8.3 -00 00:818.000000 8.3 -00 00:818.000000 8.3 -00 00:818.00000	32524176	CS5692				CPLK	34.48 20-AUG-24 01.58.58.000000000 PM	20-AUG-24 03.01.57.000000000 PM	+00 01:02:59.000000	62.98	-00 01:02:59.000000	62.98
32528199 CS5695 14.98 -00 00:14:59.000000 14.98 -00 00:14:59.000000 14.98 -00 00:14:59.000000 14.98 -00 00:14:59.000000 14.98 -00 00:14:59.000000 14.98 -00 00:14:59.000000 39.7 -00 00:39:42.000000 40.90 00:16:59.000000 40.90 00:16:59.000000 40.90 00:16:59.000000 40.90 00:16:59.000000 40.90 00:16:59.000000 40.90 00:16:59.000000 40.90 00:16:59.000000 40.90 00:16:59.000000 40.90 00:16:59.000000 40.90 00:16:59.000000 40.90 00:16:59.000000 40.90 00:16:59.000000 40.90 00:16:59.000000 40.90 00:16:59.000000 40.90 00:16:59.000000 40.90 00:16:59.000000 40.90 00:16:59.000000 40.90 00:16:59.000000 40.90 00:16:59.000000 40.90 00:16:59.000000 40.90 00:16:59.000000 40.90 00:16:59.000000 40.90 00:16:59.000000 40.90 00:16:59.000000 40.90 00:16:59.000000	32525759	CS5695				CPLK	42.3 20-AUG-24 02.34.14.000000000 PM	20-AUG-24 02.53.52.000000000 PM	+00 00:19:38.000000	19.63	-00 00:19:38.000000	19.63
32528998 CS5695 20-AUG-24 03.46.55.000000000 PM 20-AUG-24 04.26.37.000000000 PM +00 00:39:42.000000 39.7 -00 00:39:42.000000 39.7 -00 00:39:42.000000 39.7 -00 00:39:42.000000 39.7 -00 00:39:42.000000 39.7 -00 00:39:42.000000 39.7 -00 00:39:42.000000 39.7 -00 00:39:42.000000 39.7 -00 00:39:42.000000 39.7 -00 00:39:42.000000 39.7 -00 00:39:42.000000 39.7 -00 00:39:42.000000 16.98 -00 00:16:59.000000 16.98 -00 00:16:59.000000 16.98 -00 00:16:59.000000 48.2 -00 00:48:12.000000 48.2 -00 00:48:12.000000 48.2 -00 00:48:12.000000 8.3 -00 00:88:18.000000 <td>32527315</td> <td>CS5694</td> <td></td> <td></td> <td></td> <td></td> <td>39.21 20-AUG-24 03.09.46.000000000 PM</td> <td>20-AUG-24 03.23.24.000000000 PM</td> <td>+00 00:13:38.000000</td> <td>13.63</td> <td>-00 00:13:38.000000</td> <td>13.63</td>	32527315	CS5694					39.21 20-AUG-24 03.09.46.000000000 PM	20-AUG-24 03.23.24.000000000 PM	+00 00:13:38.000000	13.63	-00 00:13:38.000000	13.63
32531341 CS5695 16.98 -00 00:16:59.000000 PM 20-AUG-24 04.40.12.00000000 PM 20-AUG-24 04.57.11.00000000 PM 20-AUG-24 04.57.11.00000000 PM 20-AUG-24 05.31.36.00000000 PM 20-AUG-24 05.31.36.0000000 PM 20-AUG-24 05.31.36.00000000 PM 20-AUG-24 05.31.36.000000000 PM 20-AUG-24 05.31.36.0000000000 PM 20-AUG-24 05.31.36.0000000000 PM 20-AUG-24 05.31.36.0000000000 PM 20-AUG-24 05.31.36.00000000000 PM 20-AUG-24 05.31.36.00000000000 PM 20-AUG-24 05.31.36.00000000000 PM 20-AUG-24 05.31.36.000000000000 PM 20-AUG-24 05.31.36.0000000000000000000 PM 20-AUG-24 05.31.36.00000000000000 PM 20-AUG-24 05.31.36.000000000000000000000000000000000	32528199	CS5695					33.71 20-AUG-24 03.29.02.000000000 PM	20-AUG-24 03.44.01.000000000 PM	+00 00:14:59.000000	14.98	-00 00:14:59.000000	14.98
32531497 CS5694 CPLK 70.3 20-AUG-24 04.43,24.000000000 PM 20-AUG-24 05.31.36.00000000 PM +00 00:48:12.000000	32528998	CS5695					82.62 20-AUG-24 03.46.55.000000000 PM	20-AUG-24 04.26.37.000000000 PM	+00 00:39:42.000000			39.7
30742283 CS5691 10.19 14-JUL-24 06.55.02.000000000 PM 14-JUL-24 07.03.20.00000000 PM +00 00:08:18.000000 8.3 -00 00:08:18.000000 8.3	32531341	CS5695				CPLK	34.95 20-AUG-24 04.40.12.0000000000 PM	20-AUG-24 04.57.11.000000000 PM	+00 00:16:59.000000	16.98	-00 00:16:59.000000	16.98
	32531497	CS5694					70.3 20-AUG-24 04.43.24.0000000000 PM	20-AUG-24 05.31.36.000000000 PM	+00 00:48:12.000000	48.2	-00 00:48:12.000000	48.2
30852582 CS5695 CPLK 37.74 17-JUL-24 08.18.14.000000000 AM 17-JUL-24 08.57.24.00000000 AM +00 00:39:10.000000 39.17 -00 00:39:10.000000 39.17	30742283	CS5691				CPLK	10.19 14-JUL-24 06.55.02.000000000 PM	14-JUL-24 07.03.20.000000000 PM	+00 00:08:18.000000	8.3	-00 00:08:18.000000	8.3
	30852582	CS5695				CPLK	37.74 17-JUL-24 08.18.14.000000000 AM	17-JUL-24 08.57.24.000000000 AM	+00 00:39:10.000000	39.17	-00 00:39:10.000000	39.17

	SESSION_ID	CHARGER_ID ADDRESS	CITY	STATE ZIP JURISDIC	USAGE CONNECTION_START_DTTM	CONNECTION END DTTM	DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
30853074	CS5694			CPLK	57.82 17-JUL-24 08.33.16.000000000 AM	17-JUL-24 09.11.46.000000000 AM	+00 00:38:30.000000	38.5	-00 00:38:30.00000	38.5
30853736	CS5692	_		CPLK	44.73 17-JUL-24 08.53.40.000000000 AM	17-JUL-24 09.28.24.000000000 AM	+00 00:34:44.000000	34.73	-00 00:34:44.000000	34.73
30853970	CS5695			CPLK	58.94 17-JUL-24 09.01.03.000000000 AM	17-JUL-24 10.08.06.000000000 AM	+00 01:07:03.000000	67.05	-00 01:07:03.000000	67.05
30854594	CS5694			CPLK	91.1 17-JUL-24 09.19.56.000000000 AM	17-JUL-24 10.06.16.0000000000 AM	+00 00:46;20.000000	46.33	-00 00:46:20.000000	46.33
30854687	CS5691			CPLK	52.92 17-JUL-24 09.22.46.000000000 AM	17-JUL-24 10.34.28.000000000 AM	+00 01:11:42.000000	71.7	-00 01:11:42.000000	71.7
30854954	CS5692			CPLK	20.84 17-JUL-24 09.31.15.000000000 AM	17-JUL-24 09.48.15.000000000 AM	+00 00:17:00.000000	17	-00 00:17:00.000000	17
30855670	CS5692			CPLK	24.62 17-JUL-24 09.55.09.000000000 AM	17-JUL-24 10.20.09.000000000 AM	+00 00:25:00.000000	25	-00 00:25:00.000000	25
30857106	CS5691			CPLK	26.33 17-JUL-24 10.38.50.000000000 AM	17-JUL-24 11.01.17.000000000 AM	+00 00:22:27.000000	22.45	-00 00:22:27.000000	22.45
30857109	CS5695			CPLK	37.63 17-JUL-24 10.38.59.000000000 AM	17-JUL-24 11.38.17.000000000 AM	+00 00:59:18.000000	59.3	-00 00:59:18.000000	59.3
30858639	CS5692			CPLK	42.61 17-JUL-24 11.22.19.000000000 AM	17-JUL-24 12.19.53.000000000 PM	+00 00:57:34.000000	57.57	-00 00:57:34.000000	57.57
30858756	CS5691			CPLK	65.16 17-JUL-24 11.25.04.000000000 AM	17-JUL-24 01.05.31.000000000 PM	+00 01:40:27,000000	100.45	-00 01:40:27.000000	100.45
30859143	CS5694			CPLK	23.31 17-JUL-24 11.35.23.000000000 AM	17-JUL-24 11.50.46.000000000 AM	+00 00:15:23.000000	15.38	-00 00:15:23.000000	15.38
30859871	CS5695			CPLK	12.05 17-JUL-24 11.56.03.000000000 AM	17-JUL-24 12.17.20.000000000 PM	+00 00:21:17.000000	21.28	-00 00:21:17.000000	21.28
30860703	CS5694			CPLK	39.17 17-JUL-24 12.16.23.000000000 PM	17-JUL-24 01.17.15.000000000 PM	+00 01:00:52.000000		-00 01:00:52.000000	60.87
30860998	CS5692			CPLK	51.85 17-JUL-24 12.24.47.000000000 PM	17-JUL-24 01.40.59.000000000 PM	+00 01:16:12.000000	76.2	-00 01:16:12.000000	76.2
30865084	CS5695			CPLK	20.73 17-JUL-24 02.00.16.000000000 PM	17-JUL-24 02.24.05.000000000 PM	+00 00:23:49.000000		-00 00:23:49.000000	23.82
30865320	CS5692			CPLK	36.22 17-JUL-2402.05.52.000000000 PM	17-JUL-24 03.00.13.000000000 PM	+00 00:54:21.000000		-00 00:54:21.000000	54.35
30866055	CS5691			CPLK	23.62 17-JUL-24 02.23.15.0000000000 PM	17-JUL-24 02.45.37.000000000 PM	+00 00:22:22.000000		-00 00:22:22.000000	22.37
30870214	CS5694			CPLK	14.43 17-JUL-24 03.58.08.0000000000 PM	17-JUL-24 04.02.16.000000000 PM	+00 00:04:08.000000		-00 00:04:08.000000	4.13
30872940	CS5694			CPLK	70.14 17-JUL-24 04.56.05.0000000000 PM	17-JUL-24 05.21.12.000000000 PM	+00 00:25:07.000000		-00 00:25:07.000000	25.12
30874243	CS5692			CPLK	6.84 17-JUL-24 05.23.01.0000000000 PM	17-JUL-24 05.31.04.000000000 PM	+00 00:08:03.000000		-00 00:08:03.000000	8.05
30876918	CS5695			CPLK	36.63 17-JUL-24 06.22.49.0000000000 PM	17-JUL-24 07.15.28.000000000 PM	+00 00:52:39.000000		-00 00:52:39.000000	52.65
30878003	CS5691			CPLK	41.42 17-JUL-24 06.46.09.0000000000 PM	17-JUL-24 07.23.11.000000000 PM	+00 00:37:02.000000		-00 00:37:02.000000	37.03
30878824	CS5692			CPLK	178.62 17-JUL-24 07.05.04.0000000000 PM	17-JUL-24 08.57.33.000000000 PM	+00 01:52:29.000000		-00 01:52:29.000000	112.48
30880263	CS5695			CPLK	26.23 17-JUL-24 07.39.24.0000000000 PM	17-JUL-24 08.03.56.000000000 PM	+00 00:24:32.000000		-00 00:24:32.000000	24.53
30880640	CS5694			CPLK	62.03 17-JUL-24 07.47.46.0000000000 PM	17-JUL-24 09.28.49.000000000 PM	+00 01:41:03.000000		-00 01:41:03.000000	101.05
30882484	CS5691			CPLK	54.78 17-JUL-24 08.32.17.0000000000 PM	17-JUL-24 09.49.32.0000000000 PM	+00 01:17:15.000000		-00 01:17:15.000000	77.25
30882530	CS5695			CPLK	36.93 17-JUL-24 08.33.39.000000000 PM	17-JUL-24 09.23.16.000000000 PM	+00 00:49:37.000000		-00 00:49:37.000000	49.62
30884472	CS5695			CPLK	49.42 17-JUL-24 09.28.30.0000000000 PM	17-JUL-24 10.53.57.000000000 PM	+00 01:25:27.000000		-00 01:25:27.000000	85.45
30885663	CS5694			CPLK	58.83 17-JUL-24 10.02.12.0000000000 PM	17-JUL-24 10.25.18.000000000 PM	+00 00:23:06.000000		-00 00:23:06.000000	23.1
30889430	C\$5692			CPLK	44.92 18-JUL-24 12.02.43.000000000 AM	18-JUL-24 01.20.47.000000000 AM	+00 01:18:04.000000		-00 01:18:04.000000	78.07
30895758	CS5695			CPLK	34.57 18-JUL-24 06.46.45.0000000000 AM	18-JUL-24 07.23.40.000000000 AM	+00 00:36:55.000000		-00 00:36:55.000000	36.92
30895868	CS5692			CPLK	42.82 18-JUL-24 06.53.24.0000000000 AM	18-JUL-24 08.00.19.0000000000 AM	+00 01:06:55.000000		-00 01:06:55.000000	66.92
30897192	CS5695			CPLK	43.95 18-JUL-24 07.51.24.0000000000 AM	18-JUL-24 08.34.26.0000000000 AM	+00 00:43:02.000000		-00 00:43:02.000000	43.03
30898208	CS5692			CPLK	39.45 18-JUL-24 08.29.01.0000000000 AM	18-JUL-24 09.36.55.0000000000 AM	+00 01:07:54.000000		-00 01:07:54.000000	67.9
30898807	CS5691			CPLK	6.1 18-JUL-24 08.50.55.0000000000 AM	18-JUL-24 09.09.53.0000000000 AM	+00 00:18:58.000000		-00 00:18:58.000000	18.97
30901321	CS5692			CPLK	49.92 18-JUL-24 10.07.52,0000000000 AM	18-JUL-24 11.16.49.000000000 AM	+00 01:08:57.000000		-00 01:08:57.000000	68.95
30902679	C\$5695			CPLK	44.78 18-JUL-24 10.46.30.000000000 AM	18-JUL-24 11.31.35.000000000 AM	+00 00:45:05.000000		-00 00:45:05.000000	45.08
30903399	CS5694			CPLK	15.5 18-JUL-24 11.07.06.000000000 AM	18-JUL-24 11.44.13.000000000 AM	+00 00:37:07.000000		-00 00:37:07.000000	37.12
30906923	CS5695			CPLK	30.09 18-JUL-24 12.31.17.0000000000 PM	18-JUL-24 01.07.13.000000000 PM	+00 00:35:56.000000		-00 00:35:56.000000	35.93
30907612	CS5691			CPLK	26.41 18-JUL-24 12.47.38.000000000 PM	18-JUL-24 01.18.49.000000000 PM	+00 00:31:11.000000		-00 00:31:11.000000	31.18
30907687	CS5694			CPLK	48.26 18-JUL-24 12.49.02,0000000000 PM	18-JUL-24 02.15.34.000000000 PM	+00 01:26:32.000000		-00 01:26:32.000000	86.53
30908665	CS5692			CPLK	19.29 18-JUL-24 01.11.51.000000000 PM	18-JUL-24 01.41.04.000000000 PM	+00 00:29:13.000000		-00 00:29:13.000000	29.22
30909178	C\$5695			CPLK	48.83 18-JUL-24 01.22.51.000000000 PM	18-JUL-24 02.09.46.000000000 PM	+00 00:46:55.000000		-00 00:25:15:000000	46.92
30910439	CS5692			CPLK	37.01 18-JUL-24 01.50.25.000000000 PM	18-JUL-24 02.26.30.0000000000 PM	+00 00:36:05.000000		-00 00:36:05.000000	36.08
30910718	CS5691			CPLK	51.82 18-JUL-24 01.55.47.000000000 PM	18-JUL-24 02.42.41.000000000 PM	+00 00:46:54.000000		-00 00:46:54.000000	46.9
30912553	CS5692			CPLK	6.7 18-JUL-24 02.38.40.000000000 PM	18-JUL-24 02.43.20.000000000 PM	+00 00:04:40.000000		-00 00:04:40.000000	4.67
30914490	CS5694			CPLK	54.6 18-JUL-24 03.20.44.000000000 PM	18-JUL-24 04.17.46.000000000 PM	+00 00:04:40.000000		-00 00:04:40.000000	57.03
					34.64 18-JUL-24 04.38.38.000000000 PM				-00 00:57:02.000000	
30918102	CS5692			CPLK		18-JUL-24 05.03.25.000000000 PM	+00 00:24:47.000000			24.78
30919473	CS5695			CPLK	52.56 18-JUL-24 05.08.01.0000000000 PM	18-JUL-24 05.31.09.000000000 PM	+00 00:23:08.000000		-00 00:23:08.000000	23.13
30919994	CS5692			CPLK	6.16 18-JUL-24 05.20.19.000000000 PM	18-JUL-24 05.51.20.000000000 PM	+00 00:31:01.000000 +00 00:12:50.000000		-00 00:31:01.000000	31.02
30921293 30924253	CS5695 CS5691			CPLK CPLK	43.55 18-JUL-2405.47.26.000000000 PM 41.17 18-JUL-2406.51.13.000000000 PM	18-JUL-24 06.00.16.000000000 PM 18-JUL-24 07.46.32.000000000 PM	+00 00:12:50.000000		-00 00:12:50.000000 -00 00:55:19.000000	12.83 55.32
	CN5691									

	SESSION_ID	CHARGER_ID	ADDRESS CITY	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DITM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
30924599	CS5694			CPLK	43.68 18-JUL-2406.59.04.000000000 PM	18-JUL-24 08.02.29.000000000 PM	+00 01:03:25.000000	63.42	-00 01:03:25.000000	63.42
30926603	CS5695			CPLK	47.87 18-JUL-24 07.43.12.000000000 PM	18-JUL-24 08.00.33.000000000 PM	+00 00:17:21.000000	17.35	-00 00:17:21.000000	17.35
30927023	CS5692			CPLK	54.82 18-JUL-24 07.52.10.000000000 PM	18-JUL-24 09.14.30.000000000 PM	+00 01:22:20.000000	82.33	-00 01:22:20.000000	82.33
30928983	CS5694			CPLK	52.43 18-JUL-24 08.38.45.000000000 PM	18-JUL-24 08.56.17.000000000 PM	+00 00:17:32.000000	17.53	-00 00:17:32.000000	17.53
30929494	CS5695			CPLK	26.02 18-JUL-24 08.51.14,000000000 PM	18-JUL-24 09.17.00.000000000 PM	+00 00:25:46.000000	25.77	-00 00:25:46.000000	25.77
30932656	CS5694			CPLK	54.19 18-JUL-24 10.14.48.000000000 PM	18-JUL-24 10.48.16.000000000 PM	+00 00:33:28.000000	33.47	-00 00:33:28.000000	33.47
31030614	CS5692			CPLK	47 20-JUL-24 06.25.10.000000000 PM	20-JUL-24 07.34.19.000000000 PM	+00 01:09:09.000000	69.15	-00 01:09:09.000000	69.15
31032279	CS5695			CPLK	76.2 20-JUL-24 06.56.54,000000000 PM	20-JUL-24 08.08.02.000000000 PM	+00 01:11:08.000000	71.13	-00 01:11:08.000000	71.13
31033214	CS5694			CPLK	32.61 20-JUL-24 07.17.03.000000000 PM	20-JUL-24 07.34.27.000000000 PM	+00 00:17:24.000000	17.4	-00 00:17:24.000000	17.4
31033498	CS5691			CPLK	27.77 20-JUL-24 07.24.00.000000000 PM	20-JUL-24 07.50.00.000000000 PM	+00 00:26:00.000000	26	-00 00:26:00.000000	26
31035156	CS5692			CPLK	29.49 20-JUL-24 07.59.04.000000000 PM	20-JUL-24 08.37.38.000000000 PM	+00 00:38:34.000000	38.57	-00 00:38:34.000000	38.57
31038525	CS5695			CPLK	30.19 20-JUL-24 09.17.44.000000000 PM	20-JUL-24 09.55.47.000000000 PM	+00 00:38:03.000000	38.05	-00 00:38:03.000000	38.05
31039102	CS5694			CPLK	27.81 20-JUL-24 09.32.03.0000000000 PM	20-JUL-24 09.50.13.000000000 PM	+00 00:18:10.000000	18.17	-00 00:18:10.000000	18.17
31041570	CS5694			CPLK	34.75 20-JUL-24 10.37.51.000000000 PM	20-JUL-24 11.18.27.000000000 PM	+00 00:40:36.000000	40.6	-00 00:40:36.000000	40.6
31041865	CS5695			CPLK	42.18 20-JUL-24 10.45.19.000000000 PM	20-JUL-24 11.00.13.000000000 PM	+00 00:14:54.000000	14.9	-00 00:14:54.000000	14.9
31044930	CS5695			CPLK	23.71 21-JUL-24 12.13.22.000000000 AM	21-JUL-24 12.48.01.000000000 AM	+00 00:34:39.000000		-00 00:34:39.000000	34.65
31044978	CS5692			CPLK	23.43 21-JUL-24 12.14.46.000000000 AM	21-JUL-24 12.42.55.000000000 AM	+00 00:28:09.000000	28.15	-00 00:28:09.000000	28.15
31046418	CS5694			CPLK	37.83 21-JUL-24 01.09.33.000000000 AM	21-JUL-24 02.46.43.000000000 AM	+00 01:37:10.000000	97.17	-00 01:37:10.000000	97.17
31048830	CS5694			CPLK	58.53 21-JUL-24 03.05.08.000000000 AM	21-JUL-24 03.25.41.000000000 AM	+00 00:20:33.000000	20.55	-00 00:20:33.000000	20.55
31049353	CS5695			CPLK	43.02 21-JUL-2403.35.16.000000000 AM	21-JUL-24 04.10.05.000000000 AM	+00 00:34:49.000000	34.82	-00 00:34:49.000000	34.82
31051010	CS5691			CPLK	26.07 21-JUL-24 05.41.19.000000000 AM	21-JUL-24 06.11.08.000000000 AM	+00 00:29:49.000000	29.82	-00 00:29:49.000000	29.82
31053039	CS5695			CPLK	36.17 21-JUL-24 07.35.30.000000000 AM	21-JUL-24 08.09.10.000000000 AM	+00 00:33:40.000000		-00 00:33:40.000000	33.67
38451741	CS5692			CPLK	30.33 16-DEC-24 02.47.18.000000000 PM	16-DEC-24 03.43.21.000000000 PM	+00 00:56:03.000000	56.05	-00 00:56:03.000000	56.05
38456421	CS5692			CPLK	23.48 16-DEC-24 04.17.47.000000000 PM	16-DEC-24 05.01.22.000000000 PM	+00 00:43:35.000000		-00 00:43:35.000000	43.58
38457845	CS5691			CPLK	16.92 16-DEC-24 04.46.39.000000000 PM	16-DEC-24 05.08.28.000000000 PM	+00 00:21:49.000000		-00 00:21:49.000000	21.82
38460207	CS5692	-12		CPLK	41.89 16-DEC-24 05.33.30.000000000 PM	16-DEC-24 06.40.57.000000000 PM	+00 01:07:27.000000		-00 01:07:27.000000	67.45
38460796	CS5695			CPLK	14.38 16-DEC-24 05.45.55.000000000 PM	16-DEC-24 05.53.11.000000000 PM	+00 00:07:16.000000	7.27	-00 00:07:16.000000	7.27
38469981	CS5694			CPLK	40.22 16-DEC-24 09.07.21.000000000 PM	16-DEC-24 09.51.07.000000000 PM	+00 00:43:46.000000		-00 00:43:46.000000	43.77
38470063	CS5691			CPLK	50.03 16-DEC-24 09.09.15.000000000 PM	16-DEC-24 10.38.53.000000000 PM	+00 01:29:38.000000		-00 01:29:38.000000	89.63
38473436	CS5695			CPLK	52.86 16-DEC-24 10.53.05.0000000000 PM	16-DEC-24 11.25.53.000000000 PM	+00 00:32:48.000000		-00 00:32:48.000000	32.8
38474539	CS5695			CPLK	49.9 16-DEC-24 11.30.47.000000000 PM	17-DEC-24 12.16.22.000000000 AM	+00 00:45:35.000000		-00 00:45:35.000000	45.58
38475789	CS5695			CPLK	4.64 17-DEC-24 12.23.31.0000000000 AM	17-DEC-24 01.19.33.000000000 AM	+00 00:56:02.000000		-00 00:56:02.000000	56.03
38478517	CS5695			CPLK	52.55 17-DEC-24 03.04.28.000000000 AM	17-DEC-24 04.55.38.000000000 AM	+00 01:51:10.000000		-00 01:51:10.000000	111.17
38479736	CS5694			CPLK	45.72 17-DEC-24 04.41,57.0000000000 AM	17-DEC-24 05.20.29.000000000 AM	+00 00:38:32.000000		-00 00:38:32.000000	38.53
38480812	CS5694			CPLK	27.63 17-DEC-24 06.00.20.0000000000 AM	17-DEC-24 06.42.15.000000000 AM	+00 00:41:55.000000		-00 00:41:55.000000	41.92
38481273	CS5695			CPLK	25.19 17-DEC-24 06.25.50.0000000000 AM	17-DEC-24 06.58.23.0000000000 AM	+00 00:32:33.000000		-00 00:32:33.000000	32.55
38483578	CS5694			CPLK	22.38 17-DEC-24 07.59.54.0000000000 AM	17-DEC-24 08.13.52.000000000 AM	+00 00:13:58.000000		-00 00:13:58.000000	13.97
38484468	CS5695			CPLK	28.18 17-DEC-24 08.27.28.0000000000 AM	17-DEC-24 09.30.03.0000000000 AM	+00 01:02:35.000000		-00 01:02:35.000000	62.58
38484610	CS5692			CPLK	39.98 17-DEC-24 08.32.15.0000000000 AM	17-DEC-24 09.44.42.0000000000 AM	+00 01:12:27.000000		-00 01:12:27.000000	72.45
38485142	CS5691			CPLK	21.76 17-DEC-24 08.50.19.0000000000 AM	17-DEC-24 09.43.27,0000000000 AM	+00 00:53:08.000000		-00 00:53:08.000000	53.13
38487865	CS5695			CPLK	27.11 17-DEC-24 10.07.34.0000000000 AM	17-DEC-24 10.49.35.000000000 AM	+00 00:42:01.000000		-00 00:42:01.000000	42.02
38487986	CS5692			CPLK	38.43 17-DEC-24 10.10.36.0000000000 AM	17-DEC-24 10.58.10.000000000 AM	+00 00:47:34.000000		-00 00:47:34.000000	47.57
38488076	CS5694			CPLK	35.12 17-DEC-24 10.12.08.0000000000 AM	17-DEC-24 10.55.56,0000000000 AM	+00 00:43:48.000000		-00 00:43:48.000000	43.8
38490517	C\$5695			CPLK	40.75 17-DEC-24 11.06.40.0000000000 AM	17-DEC-24 11.37.17.0000000000 AM	+00 00:30:37.000000		-00 00:30:37.000000	30.62
38494729	CS5692			CPLK	29.15 17-DEC-24 12.39.43.0000000000 PM	17-DEC-24 01.32,27.000000000 PM	+00 00:52:44.000000		-00 00:52:44.000000	52.73
38494910	CS5695			CPLK	58.77 17-DEC-24 12.44.17.0000000000 PM	17-DEC-24 01.24.03.000000000 PM	+00 00:39:46.000000		-00 00:39:46.000000	39.77
38498960	CS5692			CPLK	41.59 17-DEC-24 02.07.12.0000000000 PM		+00 00:50:35.000000		-00 00:50:35.000000	50.58
38499692	CS5695			CPLK	42.86 17-DEC-24 02.21.52.0000000000 PM		+00 00:20:09.000000		-00 00:20:09.000000	20.15
38500425	CS5694			CPLK	39.62 17-DEC-24 02.37.25.000000000 PM		+00 00:43:43.000000		-00 00:43:43.000000	43.72
38500489	CS5691			CPLK	13.29 17-DEC-24 02.38.29.0000000000 PM		+00 00:15:03.000000 +00 00:48:27.000000		-00 00:15:03.000000	15.05 48.45
38501214	CS5695 CS5692			CPLK CPLK	34.33 17-DEC-24 02.53.33.0000000000 PM 14.78 17-DEC-24 03.07.53.000000000 PM	17-DEC-24 03.42.00.000000000 PM 17-DEC-24 03.20.45.000000000 PM	+00 00:48:27,000000		-00 00:48:27.000000 -00 00:12:52.000000	12.87
38501897				CPLK	79.01 22-DEC-24 03.07.53.0000000000 PM		+00 00:12:52.000000		-00 00:12:52.000000	72.18
38768480	CS5695			CFLK	1 3.0 1 22-DEG-24-01,17.40,0000000000 PM	22-DEC-24 02,23,39,000000000 PM	.00 01,12.11.000000	72.10	-00 01.12.11.000000	72.10

	SESSION_ID	CHARGER_ID	ADDRESS	CITY	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
38769938	CS5691				CPLK	24.17 22-DEC-2401.40.58.000000000 PM	22-DEC-24 02.01.09.000000000 PM	+00 00:20:11.000000		-00 00:20:11.000000	20.18
38772061	CS5691				CPLK	4.07 22-DEC-24 02.16.55.000000000 PM	22-DEC-24 02.25.58.000000000 PM	+00 00:09:03.000000	9.05	-00 00:09:03.000000	9.05
38772785	CS5691				CPLK	2.36 22-DEC-24 02.28.32.000000000 PM	22-DEC-24 02.34.25.000000000 PM	+00 00:05:53.000000	5.88	-00 00:05:53.000000	5.88
38773491	CS5691				CPLK	8.71 22-DEC-24 02.40.26.000000000 PM	22-DEC-24 03.11.04.000000000 PM	+00 00:30:38.000000	30.63	-00 00:30:38.000000	30.63
38773573	CS5695				CPLK	29.27 22-DEC-2402.41.52.000000000 PM	22-DEC-24 03.13.21.000000000 PM	+00 00:31:29.000000	31.48	-00 00:31:29.000000	31.48
38777316	CS5695				CPLK	30.67 22-DEC-24 03.40.46.000000000 PM	22-DEC-24 03.59.32.000000000 PM	+00 00:18:46.000000	18.77	-00 00:18:46.000000	18.77
38777865	CS5694				CPLK	45.26 22-DEC-24 03.49.54.000000000 PM	22-DEC-24 04.17.06.000000000 PM	+00 00:27:12.000000	27.2	-00 00:27:12.000000	27.2
38779834	CS5694				CPLK	9.88 22-DEC-24 04.22.04.000000000 PM	22-DEC-24 04.25.58.000000000 PM	+00 00:03:54.000000	3.9	-00 00:03:54.000000	3.9
38780025	CS5695				CPLK	59.92 22-DEC-24 04.24.44.000000000 PM	22-DEC-24 04.43.56.000000000 PM	+00 00:19:12.000000	19.2	-00 00:19:12.000000	19.2
38781291	CS5692				CPLK	25.95 22-DEC-24 04.46.01.000000000 PM	22-DEC-24 06.06.24.000000000 PM	+00 01:20:23.000000	80.38	-00 01:20:23.000000	80.38
38784019	CS5691				CPLK	36.89 22-DEC-24 05.34.13.000000000 PM	22-DEC-24 07.14.39.000000000 PM	+00 01:40:26.000000	100.43	-00 01:40:26.000000	100.43
38786369	CS5694				CPLK	50.94 22-DEC-2406.17.21.000000000 PM	22-DEC-24 08.08.35.000000000 PM	+00 01:51:14.000000	111.23	-00 01:51:14.000000	111.23
38786773	CS5692				CPLK	48.71 22-DEC-2406.24.50.000000000 PM	22-DEC-24 08.27.31.000000000 PM	+00 02:02:41.000000	122.68	-00 02:02:41.000000	122.68
38791699	CS5695				CPLK	39.55 22-DEC-24 08.01.17.000000000 PM	22-DEC-24 08.53.09.000000000 PM	+00 00:51:52.000000	51.87	-00 00:51:52.000000	51.87
38792075	CS5691				CPLK	46.39 22-DEC-24 08.08.50.000000000 PM	22-DEC-24 08.53.27.000000000 PM	+00 00:44:37.000000	44.62	-00 00:44:37.000000	44.62
38794358	CS5695				CPLK	44.87 22-DEC-24 08.59.35.000000000 PM	22-DEC-24 09.28.07.000000000 PM	+00 00:28:32.000000	28.53	-00 00:28:32.000000	28.53
38795051	CS5694				CPLK	63.01 22-DEC-2409.14.55.000000000 PM	22-DEC-24 10.01.22.000000000 PM	+00 00:46:27.000000	46.45	-00 00:46:27.000000	46.45
38795958	CS5691				CPLK	19.15 22-DEC-24 09.38.57.000000000 PM	22-DEC-24 09.50.58.000000000 PM	+00 00:12:01.000000	12.02	-00 00:12:01.000000	12.02
38796144	CS5695				CPLK	46.88 22-DEC-24 09.43.36.000000000 PM	22-DEC-24 10.24.40.000000000 PM	+00 00:41:04.000000	41.07	-00 00:41:04.000000	41.07
38801627	CS5695				CPLK	4.9 23-DEC-24 12.34.05.000000000 AM	23-DEC-24 01.14.22.000000000 AM	+00 00:40:17.000000	40.28	-00 00:40:17.000000	40.28
38801967	CS5694				CPLK	36.11 23-DEC-24 12.46.56.000000000 AM	23-DEC-24 01.23.37.000000000 AM	+00 00:36:41.000000	36.68	-00 00:36:41.000000	36.68
38806168	CS5695				CPLK	56.77 23-DEC-24 04.46.16.0000000000 AM	23-DEC-24 05.26.57.000000000 AM	+00 00:40:41.000000	40.68	-00 00:40:41.000000	40.68
38806371	CS5694				CPLK	60.13 23-DEC-24 04.58.59.000000000 AM	23-DEC-24 05.39.22.000000000 AM	+00 00:40:23.000000	40.38	-00 00:40:23.000000	40.38
38806643	CS5692				CPLK	33.88 23-DEC-2405.16.18.000000000 AM	23-DEC-24 05.55.22.000000000 AM	+00 00:39:04.000000	39.07	-00 00:39:04.000000	39.07
38807345	CS5694				CPLK	45.61 23-DEC-2405.57.39.000000000 AM	23-DEC-24 06.45.18.000000000 AM	+00 00:47:39.000000	47.65	-00 00:47:39.000000	47.65
38811037	CS5695		<i>.</i>		CPLK	46.89 23-DEC-24 08.21.57.000000000 AM	23-DEC-24 09.13.32.000000000 AM	+00 00:51:35.000000	51.58	-00 00:51:35.000000	51.58
38813876	CS5695				CPLK	54.51 23-DEC-24 09.42.08.000000000 AM	23-DEC-24 10.42.30.000000000 AM	+00 01:00:22.000000	60.37	-00 01:00:22.000000	60.37
38813889	CS5694				CPLK	61.35 23-DEC-24 09.42,40,0000000000 AM	23-DEC-24 10.28.16.000000000 AM	+00 00:45:36.000000	45.6	-00 00:45:36.000000	45.6
38814579	CS5691				CPLK	120.84 23-DEC-24 09.59.27.000000000 AM	23-DEC-24 11.26.48.000000000 AM	+00 01:27:21.000000	87.35	-00 01:27:21.000000	87.35
38974935	CS5695				CPLK	29.14 26-DEC-2403.37.52.000000000 PM	26-DEC-24 03.56.32.000000000 PM	+00 00:18:40.000000	18.67	-00 00:18:40.000000	18.67
38975016	CS5694				CPLK	57.81 26-DEC-24 03.39.12.000000000 PM	26-DEC-24 04.16.07.000000000 PM	+00 00:36:55.000000	36.92	-00 00:36:55.000000	36.92
38975615	CS5692				CPLK	53.56 26-DEC-24 03.48.58.000000000 PM	26-DEC-24 05.36.47,000000000 PM	+00 01:47:49.000000	107.82	-00 01:47:49.000000	107.82
38976582	CS5695				CPLK	12.27 26-DEC-24 04.05.32.000000000 PM	26-DEC-24 05.00.25.000000000 PM	+00 00:54:53.000000	54.88	-00 00:54:53.000000	54.88
38977345	CS5691				CPLK	23.85 26-DEC-24 04.19.22.000000000 PM	26-DEC-24 04.34.20.000000000 PM	+00 00:14:58.000000	14.97	-00 00:14:58.000000	14.97
38977674	CS5694				CPLK	49.67 26-DEC-24 04.25.09.000000000 PM	26-DEC-24 04.50.14.000000000 PM	+00 00:25:05.000000	25.08	-00 00:25:05.000000	25.08
38981231	CS5695				CPLK	42.39 26-DEC-24 05.30.59.000000000 PM	26-DEC-24 05.56.08.000000000 PM	+00 00:25:09.000000	25.15	-00 00:25:09.000000	25.15
38981876	CS5692				CPLK	17.32 26-DEC-24 05.42.03.000000000 PM	26-DEC-24 05.59.45.000000000 PM	+00 00:17:42.000000	17.7	-00 00:17:42.000000	17.7
38989629	CS5695				CPLK	48.39 26-DEC-24 08.25.17.000000000 PM	26-DEC-24 08.55.59.000000000 PM	+00 00:30:42.000000	30.7	-00 00:30:42.000000	30.7
38991947	CS5695				CPLK	16.54 26-DEC-24 09.26.41.000000000 PM	26-DEC-24 09.37.53.000000000 PM	+00 00:11:12.000000	11.2	-00 00:11:12.000000	11.2
38992402	CS5692				CPLK	52.1 26-DEC-24 09.39.29.000000000 PM	26-DEC-24 10.18.59.000000000 PM	+00 00:39:30.000000	39.5	-00 00:39:30.000000	39.5
38993186	CS5695				CPLK	70.46 26-DEC-24 10.03.29.000000000 PM	26-DEC-24 10.33.23.000000000 PM	+00 00:29:54.000000	29.9	-00 00:29:54.000000	29.9
38993199	CS5691				CPLK	30.62 26-DEC-24 10.04.03.000000000 PM	26-DEC-24 10.55.17.000000000 PM	+00 00:51:14.000000	51.23	-00 00:51:14.000000	51.23
38995821	CS5692				CPLK	51.55 26-DEC-24 11.30.25.000000000 PM	27-DEC-24 01.15.39.000000000 AM	+00 01:45:14.000000	105.23	-00 01:45:14.000000	105.23
38998483	CS5695				CPLK	61.44 27-DEC-24 01.26.12.000000000 AM	27-DEC-24 02.08.50.000000000 AM	+00 00:42:38.000000	42.63	-00 00:42:38.000000	42.63
38999309	CS5695				CPLK	1.01 27-DEC-24 02.12.10.000000000 AM	27-DEC-24 02.13.54.000000000 AM	+00 00:01:44.000000	1.73	-00 00:01:44.000000	1.73
32083702	CS5695				CPLK	31.44 11-AUG-24 03.04.19.000000000 PM	11-AUG-24 03.41.25.000000000 PM	+00 00:37:06.000000	37.1	-00 00:37:06.000000	37.1
32087320	CS5694				CPLK	51.07 11-AUG-24 04.10.46.000000000 PM	11-AUG-24 04.27.45.000000000 PM	+00 00:16:59.000000	16.98	-00 00:16:59.000000	16.98
32088956	CS5694				CPLK	35.24 11-AUG-24 04.40.34.000000000 PM	11-AUG-24 05.07.13.000000000 PM	+00 00;26:39.000000	26.65	-00 00:26:39.000000	26.65
32090089	CS5695				CPLK	67.09 11-AUG-24 05.03.02.000000000 PM	11-AUG-24 05.31.07.000000000 PM	+00 00:28:05.000000	28.08	-00 00:28:05.000000	28.08
32090944	CS5694				CPLK	59.73 11-AUG-24 05.19.11.0000000000 PM	11-AUG-24 05.51.39.000000000 PM	+00 00:32:28.000000	32.47	-00 00:32:28,000000	32.47
37390407	CS5695				CPLK	42.43 26-NOV-24 07.41.49.000000000 PM	26-NOV-24 08.03,46.000000000 PM	+00 00:21:57.000000	21.95	-00 00:21:57.000000	21.95
37390526	CS5691				CPLK	51.87 26-NOV-24 07.45.04.0000000000 PM	26-NOV-24 09.19.59.000000000 PM	+00 01:34:55.000000	94.92	-00 01:34:55.000000	94.92
37392913	CS5695				CPLK	35.59 26-NOV-24 08.38.35.0000000000 PM	26-NOV-24 09.48.42.000000000 PM	+00 01:10:07.000000	70.12	-00 01:10:07.000000	70.12

	SESSION_ID	CHARGER_ID	ADDRESS	СІТУ	STATE ZIP JURISDIC	USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION_HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
37393978	CS5694				CPLK	40.07 26-NOV-24 09.03.49.000000000 PM	26-NOV-24 09.43.08.000000000 PM	+00 00:39:19.000000	39.32	-00 00:39:19.000000	39.32
37395976	CS5691				CPLK	22.41 26-NOV-24 09.58.07.000000000 PM	26-NOV-24 10.49.03.000000000 PM	+00 00:50:56.000000	50.93	-00 00:50:56.000000	50.93
37396445	CS5692				CPLK	53.35 26-NOV-24 10.09.52.000000000 PM	26-NOV-24 10.56.22.000000000 PM	+00 00:46:30.000000	46.5	-00 00:46:30.000000	46.5
37397647	CS5694				CPLK	30.05 26-NOV-24 10.44.19.000000000 PM	26-NOV-24 11.15.07.000000000 PM	+00 00:30:48.000000	30.8	-00 00:30:48.000000	30.8
37398007	CS5695				CPLK	26.81 26-NOV-24 10.57,22,0000000000 PM	26-NOV-24 11.13.48.000000000 PM	+00 00:16:26.000000	16.43	-00 00:16:26.000000	16.43
37400520	CS5691				CPLK	36.11 27-NOV-24 12.24.21.000000000 AM	27-NOV-24 02.00.14.000000000 AM	+00 01:35:53.000000	95.88	-00 01:35:53.000000	95.88
37401042	CS5695				CPLK	46.5 27-NOV-24 12.49.19.000000000 AM	27-NOV-24 02.11.27.000000000 AM	+00 01:22:08.000000	82.13	-00 01:22:08.000000	82.13
37401880	CS5694				CPLK	58.05 27-NOV-24 01.29.01.0000000000 AM	27-NOV-24 03.30.32.000000000 AM	+00 02:01:31.000000	121.52	-00 02:01:31.000000	121.52
37410795	CS5695				CPLK	4.78 27-NOV-24 08.41.13.000000000 AM	27-NOV-24 08.44.59.000000000 AM	+00 00:03:46.000000	3.77	-00 00:03:46.000000	3.77
30475401	CS5695				CPLK	57.34 09-JUL-24 08.35.59.000000000 AM	09-JUL-24 10.12,52.000000000 AM	+00 01:36:53.000000	96.88	-00 01:36:53.000000	96.88
30477085	CS5691				CPLK	22.3 09-JUL-24 09.35.55.000000000 AM	09-JUL-24 09.54.29.000000000 AM	+00 00:18:34.000000	18.57	-00 00:18:34.000000	18.57
30477756	CS5691				CPLK	67.58 09-JUL-24 09.57.51.000000000 AM	09-JUL-24 11.02.03.000000000 AM	+00 01:04:12.000000		-00 01:04:12.000000	64.2
30480148	CS5692				CPLK	30.63 09-JUL-24 11.08.47,000000000 AM	09-JUL-24 11.45.14.000000000 AM	+00 00:36:27.000000	36.45	-00 00:36:27.000000	36.45
30481103	CS5695				CPLK	39.87 09-JUL-24 11.34.13.000000000 AM	09-JUL-24 12.12.10.000000000 PM	+00 00:37:57.000000		-00 00:37:57.000000	37.95
30481231	CS5691				CPLK	41.84 09-JUL-2411.38.09.000000000 AM	09-JUL-24 12.38.27.000000000 PM	+00 01:00:18.000000	60.3	-00 01:00:18.000000	60.3
30482707	CS5692				CPLK	68.02 09-JUL-24 12.17.08.000000000 PM	09-JUL-24 01.24.24.000000000 PM	+00 01:07:16.000000	67.27	-00 01:07:16.000000	67.27
30482711	CS5695				CPLK	31.56 09-JUL-24 12.17.10.000000000 PM	09-JUL-24 12.58.07.000000000 PM	+00 00:40:57.000000	40.95	-00 00:40:57.000000	40.95
30484798	CS5691				CPLK	53.65 09-JUL-24 01.09.14.000000000 PM	09-JUL-24 02.09.51.000000000 PM	+00 01:00:37.000000	60.62	-00 01:00:37.000000	60.62
30485814	CS5692				CPLK	37.52 09-JUL-24 01.33.02.000000000 PM	09-JUL-24 02.22,27.000000000 PM	+00 00:49:25.000000	49.42	-00 00:49:25.000000	49.42
30486201	CS5695				CPLK	122.87 09-JUL-24 01.42.39.000000000 PM	09-JUL-24 02.25.11.000000000 PM	+00 00:42:32.000000	42.53	-00 00:42:32.000000	42.53
30488252	CS5692				CPLK	35.11 09-JUL-24 02.26.04,000000000 PM	09-JUL-24 03.02.24.000000000 PM	+00 00:36:20.000000	36.33	-00 00:36:20.000000	36.33
30488274	CS5691				CPLK	51.42 09-JUL-24 02.26.25.000000000 PM	09-JUL-24 02.58.55.000000000 PM	+00 00:32:30.000000	32.5	-00 00:32:30.000000	32.5
30488386	CS5695				CPLK	31.33 09-JUL-24 02.29.13.000000000 PM	09-JUL-24 02.51.54.000000000 PM	+00 00:22:41.000000	22.68	-00 00:22:41.000000	22.68
30489506	CS5695				CPLK	50.64 09-JUL-24 02.55,52,000000000 PM	09-JUL-24 04.12.04.000000000 PM	+00 01:16:12.000000		-00 01:16:12.000000	76.2
30489713	CS5691				CPLK	44.58 09-JUL-24 03.01.39.000000000 PM	09-JUL-24 04.02.16.000000000 PM	+00 01:00:37.000000	60.62	-00 01:00:37.000000	60.62
30489917	CS5692				CPLK	38.12 09-JUL-24 03.06.19.000000000 PM	09-JUL-24 04.00.40.000000000 PM	+00 00:54:21.000000		-00 00:54:21.000000	54.35
30492469	CS5692				CPLK	35.13 09-JUL-24 04.07.14.000000000 PM	09-JUL-24 04.46.40.000000000 PM	+00 00:39:26.000000	39.43	-00 00:39:26.000000	39.43
30493800	CS5691				CPLK	45.35 09-JUL-24 04.37.18.000000000 PM	09-JUL-24 05.36.36.000000000 PM	+00 00:59:18.000000	59.3	-00 00:59:18.000000	59.3
30494514	CS5695				CPLK	16.88 09-JUL-24 04.53.18.000000000 PM	09-JUL-24 05.26.39.000000000 PM	+00 00:33:21.000000	33.35	-00 00:33:21.000000	33.35
30496890	CS5695				CPLK	45.66 09-JUL-24 05.44.22.000000000 PM	09-JUL-24 06.29.02.000000000 PM	+00 00:44:40.000000	44.67	-00 00:44:40.000000	44.67
30497089	CS5691				CPLK	51.85 09-JUL-24 05.48.58.000000000 PM	09-JUL-24 06.58.09.000000000 PM	+00 01:09:11.000000	69.18	-00 01:09:11.000000	69.18
30497266	CS5692				CPLK	3.3 09-JUL-24 05.53.33.000000000 PM	09-JUL-24 05.55.57.000000000 PM	+00 00:02:24.000000	2.4	-00 00:02:24.000000	2.4
30500349	CS5695				CPLK	51.38 09-JUL-24 07.05.13.000000000 PM	09-JUL-24 07.24.37.000000000 PM	+00 00:19:24.000000	19.4	-00 00:19:24.000000	19.4
30500551	CS5691				CPLK	72.93 09-JUL-24 07.09.21.000000000 PM	09-JUL-24 08.12.47.000000000 PM	+00 01:03:26.000000	63.43	-00 01:03:26.000000	63.43
30501347	CS5695				CPLK	47.73 09-JUL-24 07.27.23.000000000 PM	09-JUL-24 08.09.01.000000000 PM	+00 00:41:38.000000	41.63	-00 00:41:38.000000	41.63
30503133	CS5692				CPLK	48.03 09-JUL-24 08.12.08.000000000 PM	09-JUL-24 09.17.49.000000000 PM	+00 01:05:41.000000		-00 01:05:41.000000	65.68
30505905	CS5695				CPLK	41.52 09-JUL-24 09.26.56.000000000 PM	09-JUL-24 10.02.44.000000000 PM	+00 00:35:48.000000	35.8	-00 00:35:48.000000	35.8
30506713	CS5692				CPLK	28.7 09-JUL-24 09.48.51.000000000 PM	09-JUL-24 10.13.23.000000000 PM	+00 00:24:32.000000	24.53	-00 00:24:32.000000	24.53
30513125	CS5691				CPLK	65.43 10-JUL-24 02.12.59.000000000 AM	10-JUL-24 04.04.22.000000000 AM	+00 01:51:23.000000		-00 01:51:23.000000	111.38
30594643	CS5695				CPLK	56.78 11-JUL-24 08.28.17.000000000 PM	11-JUL-24 08.48.55.000000000 PM	+00 00:20:38.000000	20.63	-00 00:20:38.000000	20.63
30596051	CS5695				CPLK	21.25 11-JUL-24 09.01.19.000000000 PM	11-JUL-24 09.33.31.000000000 PM	+00 00:32:12.000000	32.2	-00 00:32:12.000000	32.2
30597993	CS5695				CPLK	29.67 11-JUL-24 09.53.44,000000000 PM	11-JUL-24 10.04.20.000000000 PM	+00 00:10:36.000000		-00 00:10:36.000000	10.6
30602597	CS5691				CPLK	44.33 12-JUL-24 12.17.32.000000000 AM	12-JUL-24 01.20.05.000000000 AM	+00 01:02:33.000000	62.55	-00 01:02:33.000000	62.55
30604180	CS5695				CPLK	31.74 12-JUL-24 01.24.21.000000000 AM	12-JUL-24 02.10.13.000000000 AM	+00 00:45:52.000000	45.87	-00 00:45:52.000000	45.87
30607544	CS5692				CPLK	46.25 12-JUL-24 05.17.00.000000000 AM	12-JUL-24 05.46.34.000000000 AM	+00 00:29:34.000000	29.57	-00 00:29:34.000000	29.57
30607614	CS5695				CPLK	44.99 12-JUL-24 05.24.24.000000000 AM	12-JUL-24 05.57.47.000000000 AM	+00 00:33:23.000000		-00 00:33:23.000000	33.38
30608203	CS5691				CPLK	25.82 12-JUL-24 06.06.48.000000000 AM	12-JUL-24 06.35.52.000000000 AM	+00 00:29:04.000000		-00 00:29:04.000000	29.07
30608307	CS5695				CPLK	71.2 12-JUL-24 06.14.03.000000000 AM	12-JUL-24 07.10.19.000000000 AM	+00 00:56:16.000000	56.27	-00 00:56:16.000000	56.27
30609105	CS5692				CPLK	49.75 12-JUL-24 06.58.54.000000000 AM	12-JUL-24 08.15.07.000000000 AM	+00 01:16:13.000000		-00 01:16:13.000000	76.22
30609751	CS5691				CPLK	29.39 12-JUL-24 07.29.35.000000000 AM	12-JUL-24 08.15.12.000000000 AM	+00 00:45:37.000000	45.62	-00 00:45:37.000000	45.62
30611746	CS5694				CPLK	35.62 12-JUL-24 08.44.59.000000000 AM	12-JUL-24 09.32.49.000000000 AM	+00 00:47:50.000000	47.83	-00 00:47:50.000000	47.83
30614661	CS5695				CPLK	51.41 12-JUL-24 10.07.33.000000000 AM	12-JUL-24 10.36.40.000000000 AM	+00 00:29:07.000000	29.12	-00 00:29:07.000000	29.12
								+00 00:30:17.000000			30.28

	SESSION_ID	CHARGER_ID	ADDRESS CITY	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
30615095	CS5694			CPLK	29.82 12-JUL-24 10.18.55.000000000 AM	12-JUL-24 10.41.25.000000000 AM	+00 00:22:30.000000	22.5	-00 00:22:30.000000	22.5
30615874	CS5692			CPLK	17.17 12-JUL-24 10.37.37.000000000 AM	12-JUL-24 10.50.34.000000000 AM	+00 00:12:57.000000	12.95	-00 00:12:57.000000	12.95
30615996	CS5695			CPLK	27.82 12-JUL-24 10.40.38.000000000 AM	12-JUL-24 11.10.47.000000000 AM	+00 00:30:09.000000	30.15	-00 00:30:09.000000	30.15
30616471	CS5694			CPLK	62.68 12-JUL-24 10.52.56.000000000 AM	12-JUL-24 11.26.36.000000000 AM	+00 00:33:40.000000	33.67	-00 00:33:40.000000	33.67
30617060	CS5692			CPLK	38.73 12-JUL-24 11.07.07.0000000000 AM	12-JUL-24 12.05.30.000000000 PM	+00 00:58:23.000000	58.38	-00 00:58:23.000000	58.38
30617532	CS5691			CPLK	35.08 12-JUL-24 11.18.11.000000000 AM	12-JUL-24 12.00.00.000000000 PM	+00 00:41:49.000000	41.82	-00 00:41:49.000000	41.82
30617572	CS5695			CPLK	38.8 12-JUL-24 11.19.14.000000000 AM	11-JUL-24 03.22.21.000000000 PM	-00 19:56:53.000000	1196.88	+00 19:56:53.000000	1196.88
30618266	CS5694			CPLK	30.82 12-JUL-24 11.36.32.000000000 AM	12-JUL-24 12.24.44.000000000 PM	+00 00:48:12.000000	48.2	-00 00:48:12.000000	48.2
30619375	CS5691			CPLK	24.02 12-JUL-24 12.02.27.000000000 PM	12-JUL-24 12.50.36.000000000 PM	+00 00:48:09.000000	48.15	-00 00:48:09.000000	48.15
30622580	CS5695			CPLK	18.14 12-JUL-24 01.12.30.000000000 PM	12-JUL-24 01.27.04.000000000 PM	+00 00:14:34.000000	14.57	-00 00:14:34.000000	14.57
30623595	CS5695			CPLK	75.04 12-JUL-24 01.33.50.000000000 PM	12-JUL-24 02.21.37.000000000 PM	+00 00:47:47.000000		-00 00:47:47.000000	47.78
30623955	CS5694			CPLK	17.96 12-JUL-24 01.41.29.000000000 PM	12-JUL-24 02.08.54.000000000 PM	+00 00:27:25.000000	27.42	-00 00:27:25.000000	27.42
30624385	CS5692			CPLK	27.02 12-JUL-24 01.50.32,000000000 PM	12-JUL-24 02.54.22.000000000 PM	+00 01:03:50.000000	63.83	-00 01:03:50.000000	63.83
30624594	CS5691			CPLK	40.88 12-JUL-24 01.55,20,000000000 PM	12-JUL-24 03.00.13.000000000 PM	+00 01:04:53.000000	64.88	-00 01:04:53.000000	64.88
30625946	CS5694			CPLK	55.06 12-JUL-24 02.21.55.000000000 PM	12-JUL-24 03.22.48.000000000 PM	+00 01:00:53.000000	60.88	-00 01:00:53.000000	60.88
30626756	CS5695			CPLK	42.46 12-JUL-24 02.37.58.000000000 PM	12-JUL-24 03.01.03.000000000 PM	+00 00:23:05.000000		-00 00:23:05.000000	23.08
30703878	CS5695			CPLK	56.85 14-JUL-24 12.11.52.000000000 AM	14-JUL-24 02.04.30.000000000 AM	+00 01:52:38.000000		-00 01:52:38.000000	112.63
30706743	CS5692			CPLK	37.12 14-JUL-24 02.24.08.000000000 AM	14-JUL-24 03.08.36.000000000 AM	+00 00:44:28.000000	44.47	-00 00:44:28.000000	44.47
30708646	CS5695			CPLK	29.57 14-JUL-24 04.34.18.0000000000 AM	14-JUL-24 05.08.19.000000000 AM	+00 00:34:01.000000		-00 00:34:01.000000	34.02
30709308	CS5692			CPLK	34.44 14-JUL-24 05.19.40.0000000000 AM	14-JUL-24 05.54.31.000000000 AM	+00 00:34:51.000000	34.85	-00 00:34:51.000000	34.85
30709900	CS5695			CPLK	51.38 14-JUL-24 06.00.00.0000000000 AM	14-JUL-24 06.38.52.000000000 AM	+00 00:38:52.000000		-00 00:38:52.000000	38.87
30710075	CS5694			CPLK	54.49 14-JUL-24 06.10.37.000000000 AM	14-JUL-24 06.30.46.000000000 AM	+00 00:20:09.000000	20.15	-00 00:20:09.000000	20.15
30712740	CS5691			CPLK	26.63 14-JUL-24 08.29.09.000000000 AM	14-JUL-24 09.09.31.000000000 AM	+00 00:40:22.000000	40.37	-00 00:40:22.000000	40.37
30712791	CS5694			CPLK	54 14-JUL-24 08.30.52.000000000 AM	14-JUL-24 09.05.03.000000000 AM	+00 00:34:11.000000	34.18	-00 00:34:11.000000	34.18
30713640	CS5695			CPLK	34.73 14-JUL-24 09.00.09.0000000000 AM	14-JUL-24 09.26.51.000000000 AM	+00 00:26:42.000000	26.7	-00 00:26:42.000000	26.7
30713758	CS5692			CPLK	28.16 14-JUL-24 09.04.32.000000000 AM	14-JUL-24 09.40.20.000000000 AM	+00 00:35:48.000000	35.8	-00 00:35:48.000000	35.8
30714204	CS5691	-		CPLK	20.85 14-JUL-24 09.18.13.000000000 AM	14-JUL-24 09.58.40.000000000 AM	+00 00:40:27.000000	40.45	-00 00:40:27.000000	40.45
30714533	CS5694			CPLK	60.75 14-JUL-24 09.27.47.000000000 AM	14-JUL-24 09.52.42.000000000 AM	+00 00:24:55.000000	24.92	-00 00:24:55.000000	24.92
30721449	CS5691			CPLK	65.92 14-JUL-24 12.14.09.000000000 PM	14-JUL-24 02.15.03.000000000 PM	+00 02:00:54.000000	120.9	-00 02:00:54.000000	120.9
30723134	CS5695			CPLK	34.83 14-JUL-24 12.48.57.000000000 PM	14-JUL-24 01.05.26.000000000 PM	+00 00:16:29.000000	16.48	-00 00:16:29.000000	16.48
30723435	CS5694			CPLK	17.86 14-JUL-24 12.55.09.000000000 PM	14-JUL-24 01.03.19.000000000 PM	+00 00:08:10.000000	8.17	-00 00:08:10.000000	8.17
30724409	CS5694			CPLK	65.77 14-JUL-24 01.14.21.000000000 PM	14-JUL-24 03.15.02.000000000 PM	+00 02:00:41.000000	120.68	-00 02:00:41.000000	120.68
30726708	CS5692			CPLK	25.99 14-JUL-24 02.00.17.000000000 PM	14-JUL-24 02.23.31.000000000 PM	+00 00:23:14.000000	23.23	-00 00:23:14.000000	23.23
30730181	CS5691			CPLK	27.68 14-JUL-24 03.05.00.000000000 PM	14-JUL-24 03.40.18.000000000 PM	+00 00:35:18.000000	35.3	-00 00:35:18.000000	35.3
30731047	CS5694			CPLK	61.29 14-JUL-24 03.21.14.000000000 PM	14-JUL-24 03.55.18.000000000 PM	+00 00:34:04.000000	34.07	-00 00:34:04.000000	34.07
32096162	CS5695			CPLK	37.41 11-AUG-24 07.03.29.000000000 PM	11-AUG-24 07.35.58.000000000 PM	+00 00:32:29.000000	32.48	-00 00:32:29.000000	32.48
32097105	CS5694			CPLK	51.93 11-AUG-24 07.22.28.000000000 PM	11-AUG-24 07.51.08.000000000 PM	+00 00:28:40.000000	28.67	-00 00:28:40.000000	28.67
32097628	CS5692			CPLK	34.12 11-AUG-24 07.32.32.0000000000 PM	11-AUG-24 08.19.23.000000000 PM	+00 00:46:51.000000	46.85	-00 00:46:51.000000	46.85
32098260	CS5695			CPLK	24.92 11-AUG-24 07.47.30.000000000 PM	11-AUG-24 08.11.03.000000000 PM	+00 00:23:33.000000	23.55	-00 00:23:33.000000	23.55
32098692	CS5691			CPLK	38.61 11-AUG-24 07.58.01.0000000000 PM	11-AUG-24 09.12.01.000000000 PM	+00 01:14:00.000000	74	-00 01:14:00.000000	74
32102039	CS5692			CPLK	33.44 11-AUG-24 09.15.36.000000000 PM	11-AUG-24 09.52.38.000000000 PM	+00 00:37:02.000000	37.03	-00 00:37:02.000000	37.03
32105156	CS5692			CPLK	57.46 11-AUG-24 10.36.50.0000000000 PM	12-AUG-24 12,31,46,000000000 AM	+00 01:54:56.000000	114.93	-00 01:54:56.000000	114.93
32107744	CS5695			CPLK	35.26 11-AUG-24 11.56.22.000000000 PM	12-AUG-24 12.31.38.000000000 AM	+00 00:35:16.000000	35.27	-00 00:35:16.000000	35.27
32156142	CS5694			CPLK	69.65 13-AUG-24 01.46.18.000000000 AM	13-AUG-24 02.27.02.000000000 AM	+00 00:40:44.000000	40.73	-00 00:40:44.000000	40.73
32156823	CS5695			CPLK	57.37 13-AUG-24 02.31.06.000000000 AM	13-AUG-24 03.03.59.000000000 AM	+00 00:32:53.000000	32.88	-00 00:32:53.000000	32.88
32159485	CS5694			CPLK	37.64 13-AUG-2406.07.05.0000000000 AM	13-AUG-24 06.41.57.000000000 AM	+00 00:34:52.000000	34.87	-00 00:34:52.000000	34.87
32163302	CS5695			CPLK	62.39 13-AUG-24 09.00.42,000000000 AM	13-AUG-24 09.35.26.000000000 AM	+00 00:34:44.000000	34.73	-00 00:34:44.000000	34.73
32167220	CS5692			CPLK	21.54 13-AUG-2411.01.33.0000000000 AM	13-AUG-24 11.22.50.000000000 AM	+00 00:21:17.000000	21.28	-00 00:21:17.000000	21.28
32167264	CS5695			CPLK	73.23 13-AUG-24 11.02.38.000000000 AM	13-AUG-24 11.35.12.000000000 AM	+00 00:32:34.000000	32.57	-00 00:32:34.000000	32.57
32168530	CS5692			CPLK	17.41 13-AUG-24 11.34.21.000000000 AM	13-AUG-24 12,05,55,000000000 PM	+00 00:31:34.000000	31.57	-00 00:31:34.000000	31.57
32170731	CS5691			CPLK	48.83 13-AUG-24 12.27.57.000000000 PM	13-AUG-24 01.37.28.000000000 PM	+00 01:09:31.000000	69.52	-00 01:09:31.000000	69.52
32171934	CS5695			CPLK	71.11 13-AUG-24 12.54.35.000000000 PM	13-AUG-24 01.26.33.000000000 PM	+00 00:31:58.000000	31.97	-00 00:31:58.000000	31.97
32172611	CS5692			CPLK	32.87 13-AUG-24 01.10.40.000000000 PM	13-AUG-24 02.20.08.000000000 PM	+00 01:09:28.000000	69.47	-00 01:09:28.000000	69.47

CPLK S.2.0B 13.AUC -24 02.11 13.2.00000000 PM 13.AUC -24 02.25 15.00000000 PM 00.003523.000000 13.21003000 13.2100300 13.2100300 13.2100300 13.2100300 13.21003000 13.21003000 13.210030000 13.2100300 13.21003000 13.210030000 13.210030000000	16.72 -00 00:16:43.000000 35.48 -00 00:35:29.000000 33.48 -00 00:33:29.000000 56.22 -00 00:56:13.000000 86.02 -00 01:26:01.000000 71.35 -00 01:11:21.000000 32.6 -00 00:32:36.000000 25.53 -00 00:25:32.000000 41.6 -00 00:41:36.000000 28.9 -00 00:28:54.000000 28.9 -00 00:28:54.000000 19.2 -00 00:19:12.000000 38.38 -00 00:38:23.000000 34.92 -00 00:34:55.000000 31.58 -00 00:31:35.000000 41.73 -00 00:41:44.000000 9.37 -00 00:09:22.000000	16.72 35.48 33.48 56.22 86.02 71.35 32.6 25.53 70.63 41.6 28.9 28.82 19.2 38.38 34.92 31.58
CPLK 48.94 13-AUG-24 04.25, 45.000000000 PM 33-AUG-24 04.59, 15.000000000 PM 00.033229.000000	33.48 -00 00:33:29,000000 56.22 -00 00:56:13,000000 86.02 -00 01:26:01,000000 71.35 -00 01:11:21,000000 32.6 -00 00:32:36,000000 25.53 -00 00:25:32,000000 70.63 -00 01:10:38,000000 41.6 -00 00:41:36,000000 28.9 -00 00:28:54,000000 28.82 -00 00:28:49,000000 19.2 -00 00:19:12,000000 38.38 -00 00:38:23,000000 34.92 -00 00:34:55,000000 31.58 -00 00:31:35,000000 41.73 -00 00:41:44,000000 9.37 -00 00:09:22,000000	33.48 56.22 86.02 71.35 32.6 25.53 70.63 41.6 28.9 28.82 19.2 38.38 34.92 31.58
32182195 CS5692 CPLK 63.22 3.AUG-24 06.54,12.00000000 PM 3.AUG-24 05.50,5.0000000 PM 3.AUG-24 06.50,5.0000000 PM 3.AUG-24 06.50,5.00000000 PM 3.AUG-24 06.50,5.000000	56.22 -00 00:56:13.000000 86.02 -00 01:26:01.000000 71.35 -00 01:11:21.000000 32.6 -00 00:32:36.000000 25.53 -00 00:25:32.000000 70.63 -00 01:10:38.000000 41.6 -00 00:41:36.000000 28.9 -00 00:28:54.000000 28.82 -00 00:28:54.000000 19.2 -00 00:19:12.000000 38.38 -00 00:38:23.000000 34.92 -00 00:34:55.000000 31.58 -00 00:31:35.000000 41.73 -00 00:41:44.000000 9.37 -00 00:09:22.000000	56.22 86.02 71.35 32.6 25.53 70.63 41.6 28.9 28.82 19.2 38.38 34.92 31.58
CPLK 63.22 13.4UG-24 06.584.7.00000000 PM 13.4UG-24 06.58.24.48.00000000 PM 40.0 11.28.01.000000	86.02 -00 01:26:01.000000 71.35 -00 01:11:21.000000 32.6 -00 00:32:36.000000 25.53 -00 00:25:32.000000 70.63 -00 01:10:38.000000 41.6 -00 00:41:36.000000 28.9 -00 00:28:54.000000 28.82 -00 00:28:49.000000 19.2 -00 00:19:12.000000 38.38 -00 00:38:23.000000 34.92 -00 00:34:55.000000 31.58 -00 00:31:35.000000 41.73 -00 00:41:44.0000000 9.37 -00 00:09:22.0000000	86.02 71.35 32.6 25.53 70.63 41.6 28.9 28.82 19.2 38.38 34.92 31.58
\$\ \text{2212183} \	71.35 -00 01:11:21.000000 32.6 -00 00:32:36.000000 25.53 -00 00:25:32.000000 70.63 -00 01:10:38.000000 41.6 -00 00:41:36.000000 28.9 -00 00:28:54.000000 28.82 -00 00:28:49.000000 19.2 -00 00:19:12.000000 38.38 -00 00:38:23.000000 34.92 -00 00:34:55.000000 31.58 -00 00:31:35.000000 41.73 -00 00:41:44.000000 9.37 -00 00:09:22.000000	71.35 32.6 25.53 70.63 41.6 28.9 28.82 19.2 38.38 34.92 31.58
32197445 C\$5695 CPLK 56.99 13-AUG-24 11.14.52.000000000 PM 13-AUG-24 11.47.28.00000000 PM 00 00:32:36.000000	32.6 -00 00:32:36.000000 25.53 -00 00:25:32.000000 70.63 -00 01:10:38.000000 41.6 -00 00:41:36.000000 28.9 -00 00:28:54.000000 19.2 -00 00:28:49.000000 38.38 -00 00:38:23.000000 34.92 -00 00:34:55.000000 31.58 -00 00:31:35.000000 41.73 -00 00:41:44.0000000 9.37 -00 00:09:22.000000	32.6 25.53 70.63 41.6 28.9 28.82 19.2 38.38 34.92 31.58
\$2197699	25.53 -00 00:25:32,000000 70.63 -00 01:10:38,000000 41.6 -00 00:41:36,000000 28.9 -00 00:28:54,000000 19.2 -00 00:28:49,000000 38.38 -00 00:38:23,000000 34.92 -00 00:34:55,000000 31.58 -00 00:31:35,000000 41.73 -00 00:41:44,000000 9.37 -00 00:09:22,000000	25.53 70.63 41.6 28.9 28.82 19.2 38.38 34.92 31.58
32204225 C\$5695 CPLK 37.25 14-AUG-24 06,03.45.00000000 AM 14-AUG-24 07.14.23.00000000 AM 001:10:38,000000 32204315 C\$5696 CPLK 53.67 14-AUG-24 06,08.26.000000000 AM 14-AUG-24 05.00.26.000000000 AM 00000000 AM 14-AUG-24 05.00.26.000000000 AM 14-AUG-24 05.00.26.00000000 AM 14-AUG-24 05.00.26.00.0000000 AM 14-AUG-24 05.00.26.00000000 AM 14-AUG-24 05.00.26.00000000 AM 14-AUG-24 05.00.26.00000000 AM 14-AUG-24 05.00.26.00000000 AM 14-AUG-24 05.00.26.00.0000000 AM 14-AUG-24 05.00.26.00.0000000 AM 14-AUG-24 05.00.26.00.0000000 AM 14-AUG-24 05.00.26.00.	70.63 -00 01:10:38,000000 41.6 -00 00:41:36,000000 28.9 -00 00:28:54,000000 19.2 -00 00:28:49,000000 38.38 -00 00:38:23,000000 34.92 -00 00:34:55,000000 31.58 -00 00:31:35,000000 41.73 -00 00:41:44,000000 9.37 -00 00:09:22,000000	70.63 41.6 28.9 28.82 19.2 38.38 34.92 31.58
32204315	41.6 -00 00:41:36,000000 28.9 -00 00:28:54,000000 28.82 -00 00:28:49,000000 19.2 -00 00:19:12,000000 38.38 -00 00:38:23,000000 34.92 -00 00:34:55,000000 31.58 -00 00:31:35,000000 41.73 -00 00:41:44,000000 9.37 -00 00:09:22,000000	41.6 28.9 28.82 19.2 38.38 34.92 31.58
32206406 CS5695 CPLK 75.81 14-AUG-24 07.52.04.00000000 AM 14-AUG-24 08.20.58.00000000 AM 00 00:28:54.000000 AM 00 00:38:25.000000 AM 00:38:25.0000000 AM 00:38:25.000000 AM 00:38:25.000000 AM 00:38:25.000000 AM 0	28.9 -00 00:28:54,000000 28.82 -00 00:28:49,000000 19.2 -00 00:19:12,000000 38.38 -00 00:38:23,000000 34.92 -00 00:34:55,000000 31.58 -00 00:31:35,000000 41.73 -00 00:41:44,000000 9.37 -00 00:09:22,000000	28.9 28.82 19.2 38.38 34.92 31.58
32216437 CS5694 CPLK 55.89 14-AUG-24 07.53.02.00000000 AM 14-AUG-24 10.23.100000000 AM 14-AUG-24 10.24.00000000 AM 14-AUG-24 10.24.00000000 AM 14-AUG-24 10.24.00000000 AM 14-AUG-24 10.24.00000000 AM 14-AUG-24 11.35.7.000000000 AM 14-AUG-24 11.35.7.00000000 AM 14-AUG-24 11.35.7.00000000 AM 14-AUG-24 11.35.7.00000000 AM 14-AUG-24 11.35.00000000 AM 14-AUG-24 11.35.000000000 AM 14-AUG-24 11.35.00000000 AM 14-AUG-24 11.35.00000000 AM 14-AUG-24 11.35.000000000 AM 14-AUG-24 11.35.00000000 AM 14-AUG-24 11.35.000000000 AM 14-AUG-24 11.35.00000000 AM 14-AUG-24 11.35.000000000 AM 14-AUG-24 11.35.000000000 AM 14-AUG-24 11.35.00000000 AM 14-AUG-24 11.35.000000000 AM 14-AUG-24 11.35.00000000 AM 14-AUG-24 11.35.000000000 AM 14-AUG-24 11.35.00000000 AM 14-	28.82 -00 00:28:49,000000 19.2 -00 00:19:12,000000 38.38 -00 00:38:23,000000 34.92 -00 00:34:55,000000 31.58 -00 00:31:35,000000 41.73 -00 00:41:44,000000 9.37 -00 00:09:22,000000	28.82 19.2 38.38 34.92 31.58
CPLK 58.77 14-AUG-24 10.23.11.00000000 AM 14-AUG-24 10.42.23.000000000 AM 14-AUG-24 10.42.23.000000000 AM 14-AUG-24 11.45.157.00000000 AM 14-AUG-24 11.35.157.00000000 AM 14-AUG-24 11.35.157.00000000 AM 14-AUG-24 11.35.02.00000000 AM 14-AUG-24 11.35.02.00000000 AM 14-AUG-24 11.35.02.000000000 AM 14-AUG-24 11.35.02.000000000 AM 14-AUG-24 11.35.02.000000000 AM 14-AUG-24 11.35.02.000000000 AM 14-AUG-24 11.35.04.00000000 AM 14-AUG-24 11.35.04.00000000 AM 14-AUG-24 11.35.04.00000000 AM 14-AUG-24 11.35.04.000000000 AM 14-AUG-24 11.35.04.00000000 AM 14-AUG-24 11.35.04.0000000 AM 14-AUG-24 11.35.04.00000000 AM 14-AUG-24 11.35.04.0000	19.2 -00 00:19:12.000000 38.38 -00 00:38:23.000000 34.92 -00 00:34:55.000000 31.58 -00 00:31:35.000000 41.73 -00 00:41:44.000000 9.37 -00 00:09:22.000000	19.2 38.38 34.92 31.58
CPLK 68.48 14-AUG-24 10.53,34,00000000 AM 14-AUG-24 11.31,57,00000000 AM 400 00:38:23,000000	38.38 -00 00:38:23,000000 34.92 -00 00:34:55,000000 31.58 -00 00:31:35,000000 41.73 -00 00:41:44,000000 9.37 -00 00:09:22,000000	38.38 34.92 31.58
32212487 CS5694 CPLK 34.32 14-AUG-24 11.01.07.000000000 AM 34.30 2000000000 AM 32212805 CS5692 CPLK 39.52 14-AUG-24 11.08.28.000000000 AM 32212950 CS5691 CPLK 48.55 14-AUG-24 11.20.000000000 AM 4-AUG-24 11.53.44.0000000 AM 40.00:31:35.000000 AM 40.00:31:35.0000000 AM 40.00:31:35.00000000 AM 40.00:31:35.000000000 AM 40.00:31:35.0000000000 AM 40.00:31:35.000000000 AM 40.00:31:35.000000000 AM 40.00:31:35.000000000 AM 40.00:31:35.000000000 AM 40.00:31:35.000000000 AM 40.00:31:35.0000000000 AM 40.00:31:35.0000000000 AM 40.00:31:35.0000000000 AM 40.00:31:35.0000000000 AM	34.92 -00 00:34:55,000000 31.58 -00 00:31:35,000000 41.73 -00 00:41:44,000000 9.37 -00 00:09:22,000000	34.92 31.58
32212805 CS5692 CPLK 39.52 14-AUG-24 11.08.28.00000000 AM 4-AUG-24 11.40.03.00000000 AM 4-00 00:31:35.000000 AM 3221250	31.58 -00 00:31:35.000000 41.73 -00 00:41:44.000000 9.37 -00 00:09:22.000000	31.58
32212950 CS5691 48.55 14-AUG-24 11.12.00.000000000 AM 14-AUG-24 11.53.44.000000000 AM +00 00:41:44.000000 32214259 CS5695 18.41 14-AUG-24 11.42.00.000000000 AM 14-AUG-24 11.51.22.000000000 AM +00 00:92:2.000000 32214785 CS5695 20.81 14-AUG-24 11.55.15.00000000 AM 14-AUG-24 12.40.50.00000000 PM +00 00:92:2.000000 32215078 CS5694 38.13 14-AUG-24 12.02.28.000000000 PM 14-AUG-24 12.56.36.00000000 PM +00 00:54:08.000000 32330712 CS5695 CPLK 41.15 16-AUG-24 05.40.30.00000000 PM 16-AUG-24 06.05.35.00000000 PM +00 00:25:05.000000 32331798 CS5694 CS5692 CPLK 38.68 16-AUG-24 06.26.20.000000000 PM 16-AUG-24 06.50.18.00000000 PM +00 00:49:00.00000 32334903 CS5694 CS5694 CPLK 52.9 16-AUG-24 07.03.57.00000000 PM 16-AUG-24 08.31.16.00000000 PM +00 01:27:19.000000 32334903 CS5694 CS5694 CPLK 52.9 16-AUG-24 07.03.57.00000000 PM 16-AUG-24 07.43.37.00000000 PM +00 01:27:19.000000 32335977 CS5691 CPLK 31.14 16-AUG-24 07.24.03.000000000 PM 16-AUG-24 07.43.37.00000000 PM +00 00:19:34.000000	41.73 -00 00:41:44.000000 9.37 -00 00:09:22.000000	
32214259 CS5695 CPLK 18.41 14-AUG-24 11.42,00.000000000 AM 14-AUG-24 11.51,22,000000000 AM +00 00:09:22,000000 32214785 CS5695 30.81 14-AUG-24 11.55,15,000000000 AM 14-AUG-24 12.40,50,000000000 PM +00 00:45:35,000000 32215078 CS5694 38.13 14-AUG-24 12,02,28,000000000 PM 14-AUG-24 12.56,36,000000000 PM +00 00:54:08,000000 32330712 CS5695 CPLK 41.15 16-AUG-24 05,40,30,000000000 PM 16-AUG-24 06,05,35,00000000 PM +00 00:25:05,000000 32331798 CS5694 CS5692 CPLK 48.6 16-AUG-24 06,26,20,000000000 PM 16-AUG-24 07,46,05,00000000 PM +00 00:49:00,00000 32334903 CS5694 CS5694 CPLK 52.9 16-AUG-24 07,03,57,000000000 PM 16-AUG-24 08,31,16,00000000 PM +00 01:27:19,000000 32334903 CS5694 CS5694 TG-AUG-24 07,03,57,00000000 PM 16-AUG-24 07,24,03,00000000 PM +00 01:27:19,000000 32335977 CS5691 CPLK 31.14 16-AUG-24 07,24,03,000000000 PM 16-AUG-24 07,43,37,000000000 PM +00 00:19:34,000000	9.37 -00 00:09:22.000000	44.70
32214785 CS5695 CPLK 30.81 14-AUG-24 11.55.15.00000000 AM 14-AUG-24 12.40.50.00000000 PM +00 00:45:35.000000		41.73
32215078 CS5694 38.13 14-AUG-24 12.02,28.00000000 PM 14-AUG-24 12.56,36.00000000 PM +00 00;54;08.00000 32330712 CS5695 41.15 16-AUG-24 05,40,30.00000000 PM 16-AUG-24 06,05,35,00000000 PM +00 00;54;08.00000 32331798 CS5694 16-AUG-24 06,01,18,00000000 PM 16-AUG-24 06,50,18,0000000 PM +00 00;49;00,00000 32333023 CS5692 16-AUG-24 07,03,57,00000000 PM 16-AUG-24 07,04,05,0000000 PM +00 01;27;19,00000 32334903 CS5694 52.9 16-AUG-24 07,03,57,00000000 PM 16-AUG-24 08,31,16,00000000 PM +00 01;27;19,00000 32335977 CS5691 31.14 16-AUG-24 07,24,03,000000000 PM 16-AUG-24 07,43,37,00000000 PM +00 00;9;34,000000	AE EO DO DO AE DE DODODO	9.37
32330712 CS5695 CPLK 41.15 16-AUG-24 05.40.30.000000000 PM 16-AUG-24 06.05.35.000000000 PM +00 00:25:05.000000 32331798 CS5694 16-AUG-24 06.01.18.00000000 PM 16-AUG-24 06.50.18.00000000 PM +00 00:49:00.000000 32333023 CS5692 16-AUG-24 06.26.20.000000000 PM 16-AUG-24 07.03.57.00000000 PM +00 01:27:19.00000 32334903 CS5694 52.9 16-AUG-24 07.03.57.000000000 PM 16-AUG-24 08.31.16.00000000 PM +00 01:27:19.000000 32335977 CS5691 31.14 16-AUG-24 07.24.03.000000000 PM 16-AUG-24 07.43.37.000000000 PM +00 00:19:34.000000	45.58 -00 00:45:35.000000	45.58
32331798 CS5694 CPLK 38.68 16-AUG-24 06.01.18.00000000 PM 16-AUG-24 06.50.18.00000000 PM +00 00:49:00.000000 PM 32333023 CS5692 16-AUG-24 06.26.20.00000000 PM 16-AUG-24 07.03.57.00000000 PM 16-AUG-24 07.03.57.00000000 PM 16-AUG-24 07.24.03.0000000 PM 16-AUG-24 07.24.03.0000000 PM 16-AUG-24 07.24.03.0000000 PM +00 01:27:19.000000 PM 16-AUG-24 07.24.03.00000000 PM 16-AUG-24 07.24.03.00000000 PM +00 00:27:19.000000 PM 16-AUG-24 07.24.03.00000000 PM +00 00:27:19.000000 PM 16-AUG-24 07.24.03.00000000 PM +00 00:19:34.000000 PM +	54.13 -00 00:54:08.000000	54.13
32333023 CS5692 CPLK 48.6 16-AUG-24 06.26.20.000000000 PM 16-AUG-24 07.46.05.00000000 PM +00 01:19:45.000000 CPLK 52.9 16-AUG-24 07.03.57.00000000 PM 16-AUG-24 08.31.16.00000000 PM +00 01:27:19.000000 CPLK 31.14 16-AUG-24 07.24.03.00000000 PM 16-AUG-24 07.24.03.7.00000000 PM +00 01:27:19.000000 CPLK 31.14 16-AUG-24 07.24.03.00000000 PM +00 00:19:34.00000000000 PM +00 00:19:34.000000000000000000000000000000000000	25.08 -00 00:25:05.000000	25.08
32334903 CS5694 FAUG-24 07.03.57.000000000 PM 16-AUG-24 08.31.16.00000000 PM +00 01:27:19.000000 CPLK 31.14 16-AUG-24 07.24.03.00000000 PM 16-AUG-24 07.43.37.00000000 PM +00 00:19:34.000000 PM +00 00:19:34.0000000 PM +00 00:19:34.0000000 PM +00 00:19:34.0000000 PM +00 00:19:34.0000000 PM +00 00:19:34.000000000 PM +00 00:19:34.0000000000 PM +00 00:19:34.0000000000000 PM +00 00:19:34.000000000000000000000000000000000000	49 -00 00:49:00.000000	49
32335977 CS5691 16-AUG-24 07.24.03.000000000 PM 16-AUG-24 07.43.37.000000000 PM +00 00:19:34.000000	79.75 -00 01:19:45.000000	79.75
	87.32 -00 01:27:19.000000	87.32
ADDROOM TO THE PROPERTY OF THE	19.57 -00 00:19:34.000000	19.57
32337271 CS5692 CPLK 54.35 16-AUG-24 07.50.04.00000000 PM 16-AUG-24 08.43.48.00000000 PM +00 00:53:44.000000	53.73 -00 00:53:44.000000	53.73
32337646 CS5691 CC5691	92.2 -00 01:32:12.000000	92.2
32339371 CS5694 42.48 16-AUG-24 08.34.25.000000000 PM 16-AUG-24 09.13.56.000000000 PM +00 00:39:31.000000	39.52 -00 00:39:31.000000	39.52
32342079 CS5694 CPLK 32.75 16-AUG-24 09.35.41.000000000 PM 16-AUG-24 10.27.00.000000000 PM +00 00:51:19.000000	51.32 -00 00:51:19.000000	51.32
32342394 CS5692 CPLK 31.32 16-AUG-24 09.44,32.000000000 PM 16-AUG-24 10.48.29.000000000 PM +00 01:03:57.000000	63.95 -00 01:03:57.000000	63.95
32342420 CS5695 CPLK 47.03 16-AUG-24 09.45.07.000000000 PM 16-AUG-24 10.01.59.00000000 PM +00 00:16:52.000000	16.87 -00 00:16:52.000000	16.87
32343215 CS5691 CPLK 38.33 16-AUG-24 10.04.31.000000000 PM 16-AUG-24 10.35.35.000000000 PM +00 00:31:04.000000	31.07 -00 00:31:04.000000	31.07
32344402 CS5694 CPLK 27.62 16-AUG-24 10.35.22.000000000 PM 16-AUG-24 10.47.53.000000000 PM +00 00:12:31.000000	12.52 -00 00:12:31.000000	12.52
32344743 CS5695 CPLK 39.8 16-AUG-24 10.44.27.000000000 PM 16-AUG-24 11.10.12.000000000 PM +00 00:25:45.000000	25.75 -00 00:25:45.000000	25.75
32345004 CS5694 CPLK 20.81 16-AUG-24 10.52,18.000000000 PM 16-AUG-24 11.10.44,000000000 PM +00 00;18:26,000000	18.43 -00 00:18:26.000000	18.43
32346443 CS5691 CPLK 41.95 16-AUG-24 11.33.03.000000000 PM 17-AUG-24 12.16.33.000000000 AM +00 00:43:30.000000	43.5 -00 00:43:30.000000	43.5
32347903 CS5695 CPLK 65.99 17-AUG-24 12.24.22.000000000 AM 17-AUG-24 12.49.52.000000000 AM +00 00:25:30.000000	25.5 -00 00:25:30.000000	25.5
32348359 CS5694 49.56 17-AUG-24 12.41.35.000000000 AM 17-AUG-24 02.04.27.000000000 AM +00 01:22:52.000000	82.87 -00 01:22:52.000000	82.87
32352909 CS5695 CPLK 47.43 17-AUG-24 04.49,34.000000000 AM 17-AUG-24 06.08.21.000000000 AM +00 01:18:47.000000	78.78 -00 01:18:47.000000	78.78
32353525 CS5694 CPLK 25.4 17-AUG-24 05.28.25.000000000 AM 17-AUG-24 05.52.26.000000000 AM +00 00:24:01.000000	24.02 -00 00:24:01.000000	24.02
32354229 CS5691 CPLK 30.78 17-AUG-24 06.10.22.000000000 AM 17-AUG-24 06.58.01.0000000000 AM +00 00:47:39.000000	47.65 -00 00:47:39.000000	47.65
32354865 CS5692 CPLK 36.9 17-AUG-24 06.45.50.000000000 AM 17-AUG-24 07.16.42.000000000 AM +00 00:30:52.000000	30.87 -00 00:30:52.000000	30.87
32355311 CS5695 CPLK 46.7 17-AUG-24 07.07.56.000000000 AM 17-AUG-24 07.52.07.000000000 AM +00 00:44:11.000000	44.18 -00 00:44:11.000000	44.18
32355455 CS5691 CPLK 28.94 17-AUG-24 07.14.30.000000000 AM 17-AUG-24 07.53.06.000000000 AM +00 00:38:36.00000	38.6 -00 00:38:36.000000	38.6
32360326 CS5692 CPLK 22.46 17-AUG-24 09.51.59.000000000 AM 17-AUG-24 10.12.58.000000000 AM +00 00:20:59.000000	20.98 -00 00:20:59.000000	20.98
32361003 CS5695 CPLK 10.73 17-AUG-24 10.07.59.000000000 AM 17-AUG-24 10.41.51.000000000 AM +00 00:33:52.000000	33.87 -00 00:33:52.000000	33.87
32361363 CS5694 CPLK 48.3 17-AUG-24 10.16.38.000000000 AM 17-AUG-24 10.40.15.000000000 AM +00 00:23:37.000000	23.62 -00 00:23:37.000000	23.62
32361747 CS5692 CPLK 42.85 17-AUG-2410.26.38.000000000 AM 17-AUG-2411.35.37.000000000 AM +00 01:08:59,000000	68.98 -00 01:08:59.000000	68.98
32361773 CS5691 T7-AUG-24 10.27.08.000000000 AM 17-AUG-24 11.03.44.000000000 AM +00 00:36;36.000000	36.6 -00 00:36:36.000000	36.6
32365785 CS5695 CS5695 +00 00:11:06.000000 AM 17-AUG-24 12.03.18.00000000 PM +00 00:11:06.000000	11.1 -00 00:11:06.000000	11.1
32413150 CS5691 CS5691 18-AUG-24 09.55.19.000000000 AM 18-AUG-24 10.30.06.000000000 AM +00 00:34:47,000000	34.78 -00 00:34:47.000000	34.78
32413735 CS5692 CS5692 48.46 18-AUG-24 10.10.02.000000000 AM 18-AUG-24 10.56.56.000000000 AM +00 00:46:54.000000	46.9 -00 00:46:54.000000	46.9
32416601 CS5695 CPLK 40.74 18-AUG-24 11.15.48.000000000 AM 18-AUG-24 12.15.06.00000000 PM +00 00:59:18.000000	59.3 -00 00:59:18.000000	59.3

	SESSION_ID	CHARGER_ID	ADDRESS	СПУ	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION	TOTAL DURATION MINUTES
22750124	CS5691				CPLK	52.73 01-JAN-24 12.08.30.000000000 AM	01-JAN-24 12.58.56.000000000 AM	+00 00:50:26.000000	50.43	-00 00:50:26.000000	50.43
22750884	CS5695				CPLK	36.65 01-JAN-24 12.55.26.000000000 AM	01-JAN-24 01.26.21.000000000 AM	+00 00:30:55.000000	30.92	-00 00:30:55.000000	30.92
22751618	CS5695				CPLK	32.55 01-JAN-24 01.36.41.000000000 AM	01-JAN-24 02.18.59.000000000 AM	+00 00:42:18.000000	42.3	-00 00:42:18.000000	42.3
22756733	CS5691				CPLK	57.89 01-JAN-24 07.49.51.000000000 AM	01-JAN-24 08.50.05.000000000 AM	+00 01:00:14.000000	60.23	-00 01:00:14.000000	60.23
22757818	CS5695				CPLK	94.45 01-JAN-24 08.54,23.000000000 AM	01-JAN-24 09.34.33.000000000 AM	+00 00:40:10.000000	40.17	-00 00:40:10.000000	40.17
22758336	CS5691				CPLK	52.55 01-JAN-24 09.23.46.000000000 AM	01-JAN-24 10.18.28.000000000 AM	+00 00:54:42,000000	54.7	-00 00:54:42.000000	54.7
22758650	CS5695				CPLK	37.69 01-JAN-24 09.37.26.000000000 AM	01-JAN-24 10.11.49.000000000 AM	+00 00:34:23.000000	34.38	-00 00:34:23.000000	34.38
22760575	CS5695				CPLK	39.9 01-JAN-24 10.51.06.000000000 AM	01-JAN-24 11.52.05.000000000 AM	+00 01:00:59.000000	60.98	-00 01:00:59.000000	60.98
22761359	CS5691				CPLK	1.55 01-JAN-24 11.17.40.000000000 AM	01-JAN-24 11.20.58.000000000 AM	+00 00:03:18.000000	3.3	-00 00:03:18.000000	3.3
22761577	CS5691				CPLK	13.9 01-JAN-24 11.24.39.000000000 AM	01-JAN-24 12.05.26.000000000 PM	+00 00:40:47.000000	40.78	-00 00:40:47.000000	40.78
22762733	CS5695				CPLK	18.24 01-JAN-24 11.59.32.000000000 AM	01-JAN-24 12.35.00.000000000 PM	+00 00:35:28.000000	35.47	-00 00:35:28.000000	35.47
22763072	CS5691				CPLK	38.66 01-JAN-24 12.08.47.000000000 PM	01-JAN-24 01.09.24.000000000 PM	+00 01:00:37.000000	60.62	-00 01:00:37.000000	60.62
22763104	CS5692				CPLK	21.16 01-JAN-24 12.09.43.000000000 PM	01-JAN-24 12.53.09.000000000 PM	+00 00:43:26.000000	43.43	-00 00:43:26.000000	43.43
22764382	CS5695				CPLK	47.28 01-JAN-24 12.45.12.000000000 PM	01-JAN-24 01.46.03.000000000 PM	+00 01:00:51.000000	60.85	-00 01:00:51.000000	60.85
22764968	CS5692				CPLK	54.54 01-JAN-24 01.01.01.0000000000 PM	01-JAN-24 02.02.02.000000000 PM	+00 01:01:01.000000	61.02	-00 01:01:01.000000	61.02
22766091	CS5691				CPLK	15.46 01-JAN-24 01.28.39,000000000 PM	01-JAN-24 02.18.13.000000000 PM	+00 00:49:34.000000	49.57	-00 00:49:34.000000	49.57
22767232	CS5695				CPLK	50.81 01-JAN-24 01.56.04.000000000 PM	01-JAN-24 02.37.57.000000000 PM	+00 00:41:53.000000	41.88	-00 00:41:53.000000	41.88
22768407	CS5691				CPLK	46.04 01-JAN-24 02.22.00.000000000 PM	01-JAN-24 03.02.23.000000000 PM	+00 00:40:23.000000	40.38	-00 00:40:23.000000	40.38
22768560	CS5692				CPLK	35.29 01-JAN-24 02.25.28.000000000 PM	01-JAN-24 02.56.07.000000000 PM	+00 00:30:39.000000	30.65	-00 00:30:39.000000	30.65
30731126	CS5692				CPLK	26.59 14-JUL-24 03.22.48.000000000 PM	14-JUL-24 04.05.45.000000000 PM	+00 00:42:57.000000	42.95	-00 00:42:57.000000	42.95
30732213	CS5691				CPLK	47.49 14-JUL-24 03.43.02,000000000 PM	14-JUL-24 04.14.23.000000000 PM	+00 00:31:21.000000	31.35	-00 00:31:21.000000	31.35
30733137	CS5695				CPLK	14.35 14-JUL-24 04.01.34.000000000 PM	14-JUL-24 04.08.53.000000000 PM	+00 00:07:19.000000	7.32	-00 00:07:19.000000	7.32
30734393	CS5694				CPLK	21.7 14-JUL-24 04.24.47.000000000 PM	14-JUL-24 04.30.56.000000000 PM	+00 00:06:09.000000	6.15	-00 00:06:09.000000	6.15
30737390	CS5692				CPLK	3.72 14-JUL-24 05.21.02,0000000000 PM	14-JUL-24 05.25.29.000000000 PM	+00 00:04:27.000000	4.45	-00 00:04:27.000000	4.45
30737598	CS5694				CPLK	55.9 14-JUL-24 05.25.14.000000000 PM	14-JUL-24 06.36.27.000000000 PM	+00 01:11:13.000000	71.22	-00 01:11:13.000000	71.22
30738290	CS5692				CPLK	46.48 14-JUL-24 05.38.16.000000000 PM	14-JUL-24 06.57.23.000000000 PM	+00 01:19:07.000000	79.12	-00 01:19:07.000000	79.12
30739812	CS5691				CPLK	13.44 14-JUL-24 06.06.52,0000000000 PM	14-JUL-24 06.23.19.000000000 PM	+00 00:16:27.000000	16.45	-00 00:16:27.000000	16.45
30741280	CS5695				CPLK	35.5 14-JUL-24 06.36.07.000000000 PM	14-JUL-24 07.04.07.0000000000 PM	+00 00:28:00.000000	28	-00 00:28:00.000000	28
30742013	CS5694				CPLK	34.58 14-JUL-24 06.50.36.000000000 PM	14-JUL-24 07.46.38.000000000 PM	+00 00:56:02.000000	56.03	-00 00:56:02.000000	56.03
38999414	CS5691				CPLK	12.89 27-DEC-24 02.17,04.000000000 AM	27-DEC-24 02.44.23.000000000 AM	+00 00:27:19.000000	27.32	-00 00:27:19.000000	27.32
39002168	CS5695				CPLK	42.94 27-DEC-24 05.30.30.000000000 AM	27-DEC-24 05.58.47.000000000 AM	+00 00:28:17.000000	28.28	-00 00:28:17.000000	28.28
39002248	CS5694				CPLK	47.02 27-DEC-24 05.37.32.000000000 AM	27-DEC-24 06.11.05.000000000 AM	+00 00:33:33.000000	33.55	-00 00:33:33.000000	33.55
39003147	CS5695				CPLK	70.68 27-DEC-24 06.32,03.0000000000 AM	27-DEC-24 07.10.20.000000000 AM	+00 00:38:17.000000	38.28	-00 00:38:17.000000	38.28
39004617	CS5691				CPLK	36.39 27-DEC-24 07.39.24.000000000 AM	27-DEC-24 08.28.56.000000000 AM	+00 00:49:32.000000	49.53	-00 00:49:32.000000	49.53
39005970	CS5695				CPLK	55.59 27-DEC-24 08.26.28.000000000 AM	27-DEC-24 09.13.13.000000000 AM	+00 00:46:45.000000	46.75	-00 00:46:45.000000	46.75
39009325	CS5694				CPLK	81.09 27-DEC-24 09.57.54.000000000 AM	27-DEC-24 10.27.40.000000000 AM	+00 00:29:46.000000	29.77	-00 00:29:46.000000	29.77
39011232	CS5695				CPLK	32.56 27-DEC-24 10.40.00.000000000 AM	27-DEC-24 11.20.31.000000000 AM	+00 00:40:31.000000	40.52	-00 00:40:31.000000	40.52
39011435	CS5691				CPLK	39.32 27-DEC-24 10.44.12.000000000 AM	27-DEC-24 11.18.53.000000000 AM	+00 00:34:41.000000	34.68	-00 00:34:41.000000	34.68
39012223	CS5692				CPLK	40.06 27-DEC-24 11.00.29.000000000 AM	27-DEC-24 11.29.03.000000000 AM	+00 00:28:34.000000	28.57	-00 00:28:34.000000	28.57
39014735	CS5695				CPLK	15.9 27-DEC-24 11.48.16.000000000 AM	27-DEC-24 12.13.56.000000000 PM	+00 00:25:40.000000	25.67	-00 00:25:40.000000	25.67
39017775	CS5695				CPLK	37.97 27-DEC-24 12.44.30.000000000 PM	27-DEC-24 01.17.49.000000000 PM	+00 00:33:19.000000	33.32	-00 00:33:19.000000	33.32
39019224	CS5692				CPLK	18.78 27-DEC-24 01.10.00.000000000 PM	27-DEC-24 01.44.20.000000000 PM	+00 00:34:20.000000	34.33	-00 00:34:20.000000	34.33
39020605	CS5695				CPLK	32.14 27-DEC-24 01.33.50.000000000 PM	27-DEC-24 02.18.16.000000000 PM	+00 00:44:26.000000	44.43	-00 00:44:26.000000	44.43
27047499	CS5692				CPLK	33.62 21-APR-24 05.08.55.000000000 PM	21-APR-24 06.27.34.000000000 PM	+00 01:18:39.000000	78.65	-00 01:18:39.000000	78.65
27048592	CS5691				CPLK	33.5 21-APR-24 05.30,28,000000000 PM	21-APR-24 06.00.49.000000000 PM	+00 00:30:21.000000	30.35	-00 00:30:21.000000	30.35
27051442	CS5695				CPLK	27.94 21-APR-24 06.31.02.000000000 PM	21-APR-24 06.45.18.000000000 PM	+00 00:14:16.000000	14.27	-00 00:14:16.000000	14.27
27054353	CS5691				CPLK	42.26 21-APR-24 07.38.00.000000000 PM	21-APR-24 08.41.03.000000000 PM	+00 01:03:03.000000		-00 01:03:03.000000	63.05
27054488	CS5695				CPLK	60.79 21-APR-24 07.41.36.000000000 PM	21-APR-24 08.41.42.000000000 PM	+00 01:00:06.000000	60.1	-00 01:00:06.000000	60.1
27056767	CS5692				CPLK	14.81 21-APR-24 08.39.50.000000000 PM	21-APR-24 09.22.39.000000000 PM	+00 00:42:49.000000	42.82	-00 00:42:49.000000	42.82
27057745	CS5695				CPLK	61.21 21-APR-24 09.07.18.000000000 PM	21-APR-24 09.31.15.000000000 PM	+00 00:23:57.000000	23.95	-00 00:23:57.000000	23.95
27059588	CS5695				CPLK	40.2 21-APR-24 10.00.47.0000000000 PM	21-APR-24 10.35.23.000000000 PM	+00 00:34:36.000000	34.6	-00 00:34:36.000000	34.6
27060459	CS5692	7			CPLK	49.76 21-APR-24 10.27.26.000000000 PM	21-APR-24 11.16.26.000000000 PM	+00 00:49:00.000000		-00 00:49:00.000000	49
27064483	CS5695				CPLK	51.35 22-APR-24 01.24,52.000000000 AM	22-APR-24 02.11.55.000000000 AM	+00 00:47:03.000000	47.05	-00 00:47:03.000000	47.05

	SESSION_ID	CHARGER_ID	ADDRESS CITY	Y STATE ZIP TION	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
27067650	CS5695			CPLK	32 22-APR-24 06.02.39.000000000 AM	22-APR-24 06.41.45.000000000 AM	+00 00:39:06.000000	39.1	-00 00:39:06.000000	39.1
27071330	CS5695	1		CPLK	51.22 22-APR-24 09.11.42.000000000 AM	22-APR-24 09.52.44.000000000 AM	+00 00:41:02.000000	41.03	-00 00:41:02.000000	41.03
27074240	CS5692			CPLK	21.78 22-APR-24 10.44.52.000000000 AM	22-APR-24 11.13.20.000000000 AM	+00 00:28:28.000000	28.47	-00 00:28:28.000000	28.47
27078195	CS5692			CPLK	14.17 22-APR-24 12.26.33.000000000 PM	22-APR-24 01.09.40.000000000 PM	+00 00:43:07.000000	43.12	-00 00:43:07.000000	43.12
27079859	CS5691			CPLK	19.98 22-APR-24 01.10.04.000000000 PM	22-APR-24 01.33.45.000000000 PM	+00 00:23:41.000000	23.68	-00 00:23:41.000000	23.68
27080878	CS5692			CPLK	66.24 22-APR-24 01.37.09.000000000 PM	22-APR-24 02.35.57.000000000 PM	+00 00:58:48.000000	58.8	-00 00:58:48.000000	58.8
27083998	CS5692			CPLK	33.75 22-APR-24 02.55.00.000000000 PM	22-APR-24 03,28.06.000000000 PM	+00 00:33:06.000000	33.1	-00 00:33:06.000000	33.1
27086671	CS5695			CPLK	32.89 22-APR-24 03.59.25.000000000 PM	22-APR-24 04.12.13.000000000 PM	+00 00:12:48.000000	12.8	-00 00:12:48.000000	12.8
27088705	CS5692			CPLK	41.56 22-APR-24 04.50.36.000000000 PM	22-APR-24 06.08.11.000000000 PM	+00 01:17:35.000000	77.58	-00 01:17:35.000000	77.58
27088731	CS5695			CPLK	71.6 22-APR-24 04.51.08.000000000 PM	22-APR-24 05.33.31.000000000 PM	+00 00:42:23.000000	42.38	-00 00:42:23.000000	42.38
27095499	CS5692			CPLK	18.55 22-APR-24 07.47.28.000000000 PM	22-APR-24 08.08.32.000000000 PM	+00 00:21:04.000000	21.07	-00 00:21:04.000000	21.07
27106467	CS5695			CPLK	18.03 23-APR-24 06.10.32.000000000 AM	23-APR-24 06.32.38.000000000 AM	+00 00:22:06.000000	22.1	-00 00:22:06.000000	22.1
27107303	CS5695			CPLK	40.77 23-APR-24 07.11.42.0000000000 AM	23-APR-24 07.41.18.000000000 AM	+00 00:29:36.000000	29.6	-00 00:29:36.000000	29.6
27108003	CS5692			CPLK	45.74 23-APR-24 07.50.03.000000000 AM	23-APR-24 09.09.35.000000000 AM	+00 01:19:32.000000	79.53	-00 01:19:32.000000	79.53
27108161	CS5695			CPLK	42.29 23-APR-24 07.58.04.000000000 AM	23-APR-24 08.27.24.000000000 AM	+00 00:29:20.000000	29.33	-00 00:29:20.000000	29.33
27109868	CS5695			CPLK	65.81 23-APR-24 09.14.19.000000000 AM	23-APR-24 09.59.33.000000000 AM	+00 00:45:14.000000	45.23	-00 00:45:14.000000	45.23
27111594	CS5695			CPLK	50.75 23-APR-24 10.17.22.000000000 AM	23-APR-24 10.45.41.000000000 AM	+00 00:28:19.000000	28.32	-00 00:28:19.000000	28.32
27112277	CS5691			CPLK	43.73 23-APR-24 10.37.52.000000000 AM	23-APR-24 11.43.54.000000000 AM	+00 01:06:02.000000	66.03	-00 01:06:02.000000	66.03
27112993	CS5695			CPLK	84.23 23-APR-24 10.57.48.000000000 AM	23-APR-24 11.38.47.000000000 AM	+00 00:40:59.000000	40.98	-00 00:40:59.000000	40.98
27115383	CS5695			CPLK	35.4 23-APR-24 12.03.02.000000000 PM	23-APR-24 12.54.48.000000000 PM	+00 00:51:46.000000	51.77	-00 00:51:46.000000	51.77
27117615	CS5695			CPLK	24.74 23-APR-24 01.03.32.000000000 PM	23-APR-24 01.16.53.000000000 PM	+00 00:13:21.000000	13.35	-00 00:13:21.000000	13.35
27118610	CS5695			CPLK	47.58 23-APR-24 01.28.33.0000000000 PM	23-APR-24 02.08.28.000000000 PM	+00 00:39:55.000000	39.92	-00 00:39:55.000000	39.92
27119527	CS5694			CPLK	34.01 23-APR-24 01.52.59.000000000 PM	23-APR-24 02.08.02.000000000 PM	+00 00:15:03.000000	15.05	-00 00:15:03.000000	15.05
27120176	CS5692			CPLK	49.93 23-APR-24 02.10.15.000000000 PM	23-APR-24 02.57.55.000000000 PM	+00 00:47:40.000000	47.67	-00 00:47:40.000000	47.67
27120202	CS5691			CPLK	47.54 23-APR-24 02.10.55.0000000000 PM	23-APR-24 02.58.21.000000000 PM	+00 00:47:26.000000	47.43	-00 00:47:26.000000	47.43
27121161	CS5695			CPLK	4.22 23-APR-24 02.36.11.000000000 PM	23-APR-24 02.47.18.000000000 PM	+00 00:11:07.000000	11.12	-00 00:11:07.000000	11.12
27123172	CS5691			CPLK	51.34 23-APR-24 03.27.28.000000000 PM	23-APR-24 04.16.54.000000000 PM	+00 00:49:26.000000	49.43	-00 00:49:26.000000	49.43
27123707	CS5692	> * I		CPLK	28.78 23-APR-24 03.40.43.0000000000 PM	23-APR-24 04.15.05.000000000 PM	+00 00:34:22.000000	34.37	-00 00:34:22.000000	34.37
27127023	CS5695			CPLK	25.5 23-APR-24 05.06.16.000000000 PM	23-APR-24 05.26.02.000000000 PM	+00 00:19:46.000000	19.77	-00 00:19:46.000000	19.77
27127681	CS5692			CPLK	56.48 23-APR-24 05.22.05.000000000 PM	23-APR-24 06.18.49.000000000 PM	+00 00:56:44.000000	56.73	-00 00:56:44.000000	56.73
27130895	CS5695			CPLK	49.05 23-APR-24 06.48.45.000000000 PM	23-APR-24 07.03.48.000000000 PM	+00 00:15:03.000000		-00 00:15:03.000000	15.05
27132198	CS5694			CPLK	31.51 23-APR-24 07.23.49.000000000 PM	23-APR-24 08.00.52.000000000 PM	+00 00:37:03.000000	37.05	-00 00:37:03.000000	37.05
27134151	CS5695			CPLK	28.55 23-APR-24 08.37.45.000000000 PM	23-APR-24 08.51.28.000000000 PM	+00 00:13:43.000000		-00 00:13:43.000000	13.72
27134811	CS5695			CPLK	25.75 23-APR-24 08.56,20.000000000 PM	23-APR-24 09.03.45.000000000 PM	+00 00:07:25.000000		-00 00:07:25.000000	7.42
27135087	CS5691			CPLK	32.25 23-APR-24 09.04.05.000000000 PM	23-APR-24 09.40.17.000000000 PM	+00 00:36:12.000000		-00 00:36:12.000000	36.2
27135838	CS5692			CPLK	62.98 23-APR-24 09.28.45.000000000 PM	23-APR-24 11.33.00.000000000 PM	+00 02:04:15.000000		-00 02:04:15.000000	124.25
27136333	CS5691			CPLK	41.5 23-APR-24 09.46,29.000000000 PM	23-APR-24 10.47.02.000000000 PM	+00 01:00:33.000000		-00 01:00:33.000000	60.55
27136655	CS5695			CPLK	20.67 23-APR-24 09.58.15.000000000 PM	23-APR-24 10.36.39.000000000 PM	+00 00:38:24.000000		-00 00:38:24.000000	38.4
27146186	CS5694			CPLK	47.02 24-APR-24 08.24.04.000000000 AM	24-APR-24 08.58.25.000000000 AM	+00 00:34:21.000000		-00 00:34:21.000000	34.35
27146337	CS5695			CPLK	53.13 24-APR-24 08.29.58.000000000 AM	24-APR-24 08.55.14.000000000 AM	+00 00:25:16.000000		-00 00:25:16.000000	25.27
27147849	CS5695			CPLK	44.33 24-APR-24 09.27.22.000000000 AM	24-APR-24 09.49.32.000000000 AM	+00 00:22:10.000000		-00 00:22:10.000000	22.17
27149853	CS5692			CPLK	42.95 24-APR-24 10.35.25.000000000 AM	24-APR-24 11.36.55.000000000 AM	+00 01:01:30.000000		-00 01:01:30.000000	61.5
27153910	CS5695			CPLK	57.26 24-APR-24 12.28.32.000000000 PM	24-APR-24 01.19.33.000000000 PM	+00 00:51:01.000000		-00 00:51:01.000000	51.02
27158561	CS5692			CPLK	44.98 24-APR-24 02.30.56.000000000 PM	24-APR-24 03.17.33.000000000 PM	+00 00:46:37.000000		-00 00:46:37.000000	46.62
27159159	CS5695			CPLK	31.42 24-APR-24 02.48,26,000000000 PM	24-APR-24 03.08.09.000000000 PM	+00 00:19:43.000000		-00 00:19:43.000000	19.72
27160378	CS5695			CPLK	47.51 24-APR-24 03.22.02.0000000000 PM	24-APR-24 04.27.24.000000000 PM	+00 01:05:22.000000		-00 01:05:22.000000	65.37
27162208	CS5694			CPLK	25.78 24-APR-24 04.08.22.000000000 PM		+00 00:15:26.000000		-00 00:15:26.000000	15.43
27165618	CS5695			CPLK	67.54 24-APR-24 05.34.56.000000000 PM		+00 00:55:57.000000		-00 00:55:57.000000	55.95
27168365	CS5691			CPLK	44.06 24-APR-24 06.46.07.0000000000 PM		+00 01:07:57.000000		-00 01:07:57.000000	67.95
27168404	CS5692			CPLK	63.45 24-APR-24 06.47.11.0000000000 PM		+00 00:49:01.000000		-00 00:49:01.000000	49.02
27269060	CS5694			CPLK	63.48 27-APR-24 08.28.23.000000000 AM	27-APR-24 08.59.42.000000000 AM	+00 00:31:19.000000		-00 00:31:19.000000	31.32
27275275	CS5694			CPLK	45.12 27-APR-24 11.29.16.000000000 AM	27-APR-24 12.18.49.000000000 PM	+00 00:49:33.000000		-00 00:49:33.000000	49.55
27277475	CS5692			CPLK	22.01 27-APR-24 12.18.29.000000000 PM	27-APR-24 12.45.31.000000000 PM	+00 00:27:02.000000	27.03	-00 00:27:02.000000	27.03
		34								

	SESSION_ID	CHARGER_ID	ADDRESS	СІТУ	STATE ZIP JURISDIC	USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
27280383	CS5694				CPLK	18.68 27-APR-24 01.23.12.000000000 PM	27-APR-24 01.34.30.000000000 PM	+00 00:11:18.000000		-00 00:11:18.000000	11.3
27282766	CS5695				CPLK	16.56 27-APR-24 02.14.01.000000000 PM	27-APR-24 02.32.59.000000000 PM	+00 00:18:58.000000	18.97	-00 00:18:58.000000	18.97
27285803	CS5694				CPLK	70.03 27-APR-24 03.19.04.000000000 PM	27-APR-24 04.16.15.000000000 PM	+00 00:57:11.000000	57.18	-00 00:57:11.000000	57.18
22769272	CS5695				CPLK	65.03 01-JAN-24 02.41.55.000000000 PM	01-JAN-24 03.18.33.000000000 PM	+00 00:36:38.000000	36.63	-00 00:36:38.000000	36.63
22770012	CS5692				CPLK	57.23 01-JAN-24 03.01.00.000000000 PM	01-JAN-24 04.02.04.000000000 PM	+00 01:01:04.000000	61.07	-00 01:01:04.000000	61.07
22771771	CS5695				CPLK	44.2 01-JAN-24 03.40.53.000000000 PM	01-JAN-24 04.18.17.000000000 PM	+00 00:37:24.000000	37.4	-00 00:37:24.000000	37.4
22774172	CS5691				CPLK	33.32 01-JAN-24 04.40.16.000000000 PM	01-JAN-24 05.39.52.000000000 PM	+00 00:59:36.000000	59.6	-00 00:59:36.000000	59.6
22778909	CS5691				CPLK	66.03 01-JAN-24 06.43.25.000000000 PM	01-JAN-24 07.37.07.00000000 PM	+00 00:53:42.000000	53.7	-00 00:53:42.000000	53.7
22781961	CS5691				CPLK	27.66 01-JAN-24 08.17.54.000000000 PM	01-JAN-24 08.46.26.000000000 PM	+00 00:28:32.000000	28.53	-00 00:28:32.000000	28.53
22783967	CS5695				CPLK	38.7 01-JAN-24 09.32.57.000000000 PM	01-JAN-24 10.02.52.000000000 PM	+00 00:29:55.000000	29.92	-00 00:29:55.000000	29.92
22785300	CS5691				CPLK	25.59 01-JAN-24 10.34.29.000000000 PM	01-JAN-24 11.01.02.000000000 PM	+00 00:26:33.000000	26.55	-00 00:26:33.000000	26.55
22785852	CS5695				CPLK	45.25 01-JAN-24 11.03.44.000000000 PM	02-JAN-24 12.04.06.000000000 AM	+00 01:00:22.000000	60.37	-00 01:00:22.000000	60.37
22790688	CS5695				CPLK	22.78 02-JAN-24 06.07.22.000000000 AM	02-JAN-24 06.51.48.000000000 AM	+00 00:44:26.000000	44.43	-00 00:44:26.000000	44.43
22790897	CS5691				CPLK	33.17 02-JAN-24 06.22.44.000000000 AM	02-JAN-24 06,50,40,000000000 AM	+00 00:27:56.000000	27.93	-00 00:27:56.000000	27.93
22796180	CS5695				CPLK	6.35 02-JAN-24 10.32.44.000000000 AM	02-JAN-24 10.55.48.000000000 AM	+00 00:23:04.000000	23.07	-00 00:23:04.000000	23.07
22796519	CS5691				CPLK	20.75 02-JAN-24 10.42.25.000000000 AM	02-JAN-24 11.13.15.000000000 AM	+00 00:30:50.000000	30.83	-00 00:30:50.000000	30.83
22798399	CS5691				CPLK	23.73 02-JAN-24 11.39.30.000000000 AM	02-JAN-24 12.12.03.000000000 PM	+00 00:32:33.000000		-00 00:32:33.000000	32.55
22799394	CS5695				CPLK	82.93 02-JAN-24 12.07.04.000000000 PM	02-JAN-24 12.47.56.000000000 PM	+00 00:40:52.000000	40.87	-00 00:40:52.000000	40.87
22799481	CS5692				CPLK	10.23 02-JAN-24 12.09.18.000000000 PM	02-JAN-24 12.38.35.000000000 PM	+00 00:29:17.000000	29.28	-00 00:29:17.000000	29.28
22799756	CS5691				CPLK	3.29 02-JAN-24 12.17.04.000000000 PM	02-JAN-24 12,29,43,000000000 PM	+00 00:12:39.000000	12.65	-00 00:12:39.000000	12.65
22801958	CS5695				CPLK	41.33 02-JAN-24 01.14.16.000000000 PM	02-JAN-24 01.39.37.000000000 PM	+00 00:25:21.000000	25.35	-00 00:25:21.000000	25.35
22804066	CS5695				CPLK	44.74 02-JAN-24 02.08.56.000000000 PM	02-JAN-24 02.44.57.000000000 PM	+00 00:36:01.000000	36.02	-00 00:36:01.000000	36.02
22806991	CS5695				CPLK	44.57 02-JAN-24 03.23.24.000000000 PM	02-JAN-24 03.50.54.000000000 PM	+00 00:27:30.000000	27.5	-00 00:27:30.000000	27.5
22807793	CS5691				CPLK	18.45 02-JAN-24 03.42.26.000000000 PM	02-JAN-24 03.57.20.000000000 PM	+00 00:14:54.000000	14.9	-00 00:14:54.000000	14.9
22808295	CS5695				CPLK	15.54 02-JAN-24 03.54.17.000000000 PM	02-JAN-24 04.06.55.000000000 PM	+00 00:12:38.000000	12.63	-00 00:12:38.000000	12.63
22808660	CS5691				CPLK	50.49 02-JAN-24 04.03.57.000000000 PM	02-JAN-24 05.17.13.000000000 PM	+00 01:13:16.000000	73.27	-00 01:13:16.000000	73.27
22809629	CS5695				CPLK	50.09 02-JAN-24 04.28.07.000000000 PM	02-JAN-24 05.31.06.000000000 PM	+00 01:02:59.000000	62.98	-00 01:02:59.000000	62.98
22809654	CS5692				CPLK	40.89 02-JAN-24 04.29.04.000000000 PM	02-JAN-24 05.31.03.000000000 PM	+00 01:01:59.000000	61.98	-00 01:01:59.000000	61.98
22812023	CS5691				CPLK	54.91 02-JAN-24 05.32.08.000000000 PM	02-JAN-24 06.33.02.000000000 PM	+00 01:00:54.000000	60.9	-00 01:00:54.000000	60.9
22818457	CS5695				CPLK	20.83 02-JAN-24 08.46.33.000000000 PM	02-JAN-24 09.07.13.000000000 PM	+00 00:20:40.000000	20.67	-00 00:20:40.000000	20.67
22820300	CS5695				CPLK	59 02-JAN-24 09.53.55.000000000 PM	02-JAN-24 10.54.03.000000000 PM	+00 01:00:08.000000	60.13	-00 01:00:08.000000	60.13
22820617	CS5692				CPLK	39.49 02-JAN-24 10.05.29.000000000 PM	02-JAN-24 11.06.33.000000000 PM	+00 01:01:04.000000	61.07	-00 01:01:04.000000	61.07
22822869	CS5695				CPLK	48.02 03-JAN-24 12.02.56.000000000 AM	03-JAN-24 01.04.16.000000000 AM	+00 01:01:20.000000	61.33	-00 01:01:20.000000	61.33
22826609	CS5695				CPLK	21.33 03-JAN-24 06.06.58.0000000000 AM	03-JAN-24 07.07.03.000000000 AM	+00 01:00:05.000000	60.08	-00 01:00:05.000000	60.08
22829314	CS5695				CPLK	37.46 03-JAN-24 08.42.11.000000000 AM	03-JAN-24 09.14.23.000000000 AM	+00 00:32:12,000000	32.2	-00 00:32:12.000000	32.2
22830251	CS5695				CPLK	7.12 03-JAN-24 09.18.32.000000000 AM	03-JAN-24 09.34.47.000000000 AM	+00 00:16:15.000000	16.25	-00 00:16:15.000000	16.25
22831749	CS5691				CPLK	22.9 03-JAN-24 10.11.01.0000000000 AM	03-JAN-24 10.28.03.000000000 AM	+00 00:17:02,000000	17.03	-00 00:17:02.000000	17.03
22832126	CS5692				CPLK	49.7 03-JAN-24 10.24.30.000000000 AM	03-JAN-24 11.10.54.000000000 AM	+00 00:46:24.000000	46.4	-00 00:46:24.000000	46.4
22832436	CS5691				CPLK	31.02 03-JAN-24 10.35.24.000000000 AM	03-JAN-24 11.34.00.000000000 AM	+00 00:58:36,000000	58.6	-00 00:58:36.000000	58.6
22833434	CS5695				CPLK	53.66 03-JAN-24 11.05.24.000000000 AM	03-JAN-24 12.06.05.000000000 PM	+00 01:00:41.000000	60.68	-00 01:00:41.000000	60.68
22834520	CS5691				CPLK	41.84 03-JAN-24 11.38.29.000000000 AM	03-JAN-24 12.39.06.000000000 PM	+00 01:00:37,000000	60.62	-00 01:00:37.000000	60.62
22834871	CS5692				CPLK	15.25 03-JAN-24 11.48.19.000000000 AM	03-JAN-24 12,35,06,000000000 PM	+00 00:46:47.000000	46.78	-00 00:46:47.000000	46.78
22836638	CS5692				CPLK	35.71 03-JAN-24 12.39.50.000000000 PM	03-JAN-24 01.06.41.000000000 PM	+00 00:26:51.000000	26.85	-00 00:26:51.000000	26.85
22836747	CS5691				CPLK	15.68 03-JAN-24 12.42.44.000000000 PM	03-JAN-24 01.32.51.000000000 PM	+00 00:50:07.000000	50.12	-00 00:50:07.000000	50.12
22837416	CS5695				CPLK	5.33 03-JAN-24 01.01.05.000000000 PM	03-JAN-24 01.17,22.000000000 PM	+00 00:16:17.000000	16.28	-00 00:16:17.000000	16.28
22838871	CS5692				CPLK	35.09 03-JAN-24 01.38.21.000000000 PM	03-JAN-24 02.40.14.000000000 PM	+00 01:01:53.000000	61.88	-00 01:01:53.000000	61.88
22839507	CS5695				CPLK	71.87 03-JAN-24 01.56.37.000000000 PM	03-JAN-24 02.58.05.000000000 PM	+00 01:01:28.000000	61.47	-00 01:01:28.000000	61.47
22840451	CS5691				CPLK	36.16 03-JAN-24 02.20.51.0000000000 PM	03-JAN-24 03.04.18.000000000 PM	+00 00:43:27,000000	43.45	-00 00:43:27.000000	43.45
22842180	CS5695				CPLK	33.07 03-JAN-24 03.06.34.0000000000 PM	03-JAN-24 04.08.01.000000000 PM	+00 01:01:27,000000	61.45	-00 01:01:27.000000	61.45
22846059	CS5695				CPLK	49.34 03-JAN-24 04.46.00.000000000 PM	03-JAN-24 05,47,05,000000000 PM	+00 01:01:05.000000	61.08	-00 01:01:05.000000	61.08
22848536	CS5692				CPLK	53.19 03-JAN-24 05.49.10.0000000000 PM	03-JAN-24 06.49.54.000000000 PM	+00 01:00:44.000000	60.73	-00 01:00:44.000000	60.73
22849844	CS5695				CPLK	22.48 03-JAN-24 06.24.33.000000000 PM	03-JAN-24 07.03.44.000000000 PM	+00 00:39:11.000000	39.18	-00 00:39:11.000000	39.18
22850693	CS5691				CPLK	29.19 03-JAN-24 06.50.46.000000000 PM	03-JAN-24 07.50.56.000000000 PM	+00 01:00:10.000000	60.17	-00 01:00:10.000000	60.17
			V.								

	SESSION_ID	CHARGER_ID	ADDRESS	CITY	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
22852824	CS5691				CPLK	5.83 03-JAN-24 07.53.07.000000000 PM	03-JAN-24 08.10.46.000000000 PM	+00 00:17:39.000000	17.65	-00 00:17:39.000000	17.65
22852842	CS5695				CPLK	52.12 03-JAN-24 07.53.38.000000000 PM	03-JAN-24 08.18.12.000000000 PM	+00 00:24:34.000000	24.57	-00 00:24:34.000000	24.57
22854378	CS5695				CPLK	49.59 03-JAN-24 08.42.37.000000000 PM	03-JAN-24 09.14.00.000000000 PM	+00 00:31:23.000000	31.38	-00 00:31:23.000000	31.38
22860546	CS5695				CPLK	31.82 04-JAN-24 02.22.13.000000000 AM	04-JAN-24 02.46.06.000000000 AM	+00 00:23:53.000000	23.88	-00 00:23:53.000000	23.88
22862215	CS5695				CPLK	31.54 04-JAN-24 05.28.52,000000000 AM	04-JAN-24 05.51.24.000000000 AM	+00 00:22;32.000000	22.53	-00 00:22:32.000000	22.53
22862278	CS5692				CPLK	11.25 04-JAN-24 05.34.20.000000000 AM	04-JAN-24 05.52.38.000000000 AM	+00 00:18:18.000000	18.3	-00 00:18:18.000000	18.3
22862531	CS5695				CPLK	1.6 04-JAN-24 05.57.02.000000000 AM	04-JAN-24 06.00.00.000000000 AM	+00 00:02:58.000000	2.97	-00 00:02:58.000000	2.97
22862885	CS5695				CPLK	15.05 04-JAN-24 06.26.13.000000000 AM	04-JAN-24 07.06.08.000000000 AM	+00 00:39:55.000000	39.92	-00 00:39:55.000000	39.92
32717072	CS5694				CPLK	57.24 24-AUG-24 12.15.41.000000000 PM	24-AUG-24 12.45.12.000000000 PM	+00 00:29:31.000000	29.52	-00 00:29:31.000000	29.52
32719803	CS5694				CPLK	59.65 24-AUG-24 01.08.16.000000000 PM	24-AUG-24 01.37.53.000000000 PM	+00 00:29:37.000000	29.62	-00 00:29:37.000000	29.62
32720907	CS5695				CPLK	29.46 24-AUG-24 01.28.12.0000000000 PM	24-AUG-24 01.53.57.000000000 PM	+00 00:25:45.000000	25.75	-00 00:25:45.000000	25.75
32723239	CS5695				CPLK	26.84 24-AUG-24 02.12.04.0000000000 PM	24-AUG-24 02.40.47.000000000 PM	+00 00:28:43.000000	28.72	-00 00:28:43.000000	28.72
32723485	CS5692				CPLK	29.28 24-AUG-24 02.16.52.0000000000 PM	24-AUG-24 02,42.10.000000000 PM	+00 00:25:18.000000	25.3	-00 00:25:18.000000	25.3
32723852	CS5691				CPLK	34.85 24-AUG-24 02.23.21.0000000000 PM	24-AUG-24 02.48.20.000000000 PM	+00 00:24:59.000000	24.98	-00 00:24:59.000000	24.98
32724764	CS5694				CPLK	43.07 24-AUG-24 02.39.23.0000000000 PM	24-AUG-24 03.02.43.000000000 PM	+00 00:23:20.000000	23.33	-00 00:23:20.000000	23.33
32725573	CS5692				CPLK	22.89 24-AUG-24 02.52.55.0000000000 PM	24-AUG-24 03.11.30.000000000 PM	+00 00:18:35.000000	18.58	-00 00:18:35.000000	18.58
32728539	CS5695				CPLK	28.82 24-AUG-24 03.45.54.0000000000 PM	24-AUG-24 04.02.29.000000000 PM	+00 00:16:35.000000	16.58	-00 00:16:35.000000	16.58
32731851	CS5695				CPLK	28.96 24-AUG-24 04.46.38.000000000 PM	24-AUG-24 05.03.46.000000000 PM	+00 00:17:08.000000	17.13	-00 00:17:08.000000	17.13
32737229	CS5695				CPLK	49.58 24-AUG-2406.28.16.000000000 PM	24-AUG-24 07.13.00.000000000 PM	+00 00:44:44.000000	44.73	-00 00:44:44.000000	44.73
32825299	CS5695				CPLK	37.58 26-AUG-24 01.38,22,000000000 PM	26-AUG-24 02.20.17.000000000 PM	+00 00:41:55,000000	41.92	-00 00:41:55.000000	41.92
32825681	CS5694				CPLK	55.51 26-AUG-24 01.45.57.0000000000 PM	26-AUG-24 02,06.39.000000000 PM	+00 00:20:42.000000	20.7	-00 00:20:42.000000	20.7
32826861	CS5694				CPLK	49.76 26-AUG-24 02.11.11.0000000000 PM	26-AUG-24 02.29.51.000000000 PM	+00 00:18:40,000000	18.67	-00 00:18:40.000000	18.67
32829780	CS5694				CPLK	23.13 26-AUG-24 03.10.53.0000000000 PM	26-AUG-24 03.42.42.000000000 PM	+00 00:31:49.000000	31.82	-00 00:31:49.000000	31.82
32833016	CS5691				CPLK	50.88 26-AUG-24 04.22.24.000000000 PM	26-AUG-24 05.04.47.000000000 PM	+00 00:42:23.000000	42.38	-00 00:42:23.000000	42.38
32833208	CS5695				CPLK	58.29 26-AUG-24 04.26.43.0000000000 PM	26-AUG-24 05.28.44.000000000 PM	+00 01:02:01.000000	62.02	-00 01:02:01.000000	62.02
32834054	CS5692				CPLK	26 26-AUG-24 04.45.54.000000000 PM	26-AUG-24 05.08.30.000000000 PM	+00 00:22:36.000000	22.6	-00 00:22:36.000000	22.6
32835395	CS5692				CPLK	47.92 26-AUG-24 05.12.13.0000000000 PM	26-AUG-24 05.53.09.000000000 PM	+00 00:40:56.000000	40.93	-00 00:40:56.000000	40.93
32840229	CS5695				CPLK	66.06 26-AUG-24 06.56.40.0000000000 PM	26-AUG-24 07.49.27.000000000 PM	+00 00:52:47.000000	52.78	-00 00:52:47.000000	52.78
32841697	CS5692				CPLK	13.99 26-AUG-24 07.27.21.0000000000 PM	26-AUG-24 07.45.56.000000000 PM	+00 00:18:35.000000	18.58	-00 00:18:35.000000	18.58
32844895	CS5695				CPLK	36.33 26-AUG-24 08.42.38.0000000000 PM	26-AUG-24 08.56.08.000000000 PM	+00 00:13:30.000000	13.5	-00 00:13:30.000000	13.5
32848051	CS5694				CPLK	91.41 26-AUG-24 10.08.25.000000000 PM	26-AUG-24 10.44.26.000000000 PM	+00 00:36:01.000000	36.02	-00 00:36:01.000000	36.02
32849629	CS5692				CPLK	31.34 26-AUG-24 11.01.40.0000000000 PM	26-AUG-24 11.46.46.000000000 PM	+00 00:45:06.000000	45.1	-00 00:45:06.000000	45.1
32851876	CS5692				CPLK	50.76 27-AUG-24 12.30.25.000000000 AM	27-AUG-24 01.46.04.000000000 AM	+00 01:15:39.000000	75.65	-00 01:15:39.000000	75.65
32852140	CS5691				CPLK	51.76 27-AUG-24 12.44.42.000000000 AM	27-AUG-24 02.04.43.000000000 AM	+00 01:20:01,000000	80.02	-00 01:20:01.000000	80.02
32856734	CS5692				CPLK	17.75 27-AUG-24 06.25.10.0000000000 AM	27-AUG-24 06.43.25.000000000 AM	+00 00:18:15.000000	18.25	-00 00:18:15.000000	18.25
32858061	CS5691				CPLK	48.79 27-AUG-24 07.29.50.000000000 AM	27-AUG-24 08.51.47.000000000 AM	+00 01:21:57.000000	81.95	-00 01:21:57.000000	81.95
32858268	CS5692				CPLK	15.01 27-AUG-24 07.39.25.0000000000 AM	27-AUG-24 08.06.50.000000000 AM	+00 00:27:25.000000	27.42	-00 00:27:25.000000	27.42
32861270	CS5694				CPLK	62.38 27-AUG-24 09.23.14.000000000 AM	27-AUG-24 09.56.29.000000000 AM	+00 00:33:15,000000	33.25	-00 00:33:15.000000	33.25
32861340	CS5695				CPLK	11.22 27-AUG-24 09.25.40.000000000 AM	27-AUG-24 09.30.25.000000000 AM	+00 00:04:45.000000	4.75	-00 00:04:45.000000	4.75
32863977	CS5691				CPLK	18.68 27-AUG-24 10.40.59.0000000000 AM	27-AUG-24 11.02.33.000000000 AM	+00 00:21:34.000000	21.57	-00 00:21:34.000000	21.57
32864630	CS5694				CPLK	41.75 27-AUG-24 10.56.08.0000000000 AM	27-AUG-24 11.19.47.000000000 AM	+00 00:23:39.000000	23.65	-00 00:23:39.000000	23.65
27287260	CS5692				CPLK	17.69 27-APR-24 03.49.44.000000000 PM	27-APR-24 04.16.58.000000000 PM	+00 00:27:14.000000	27.23	-00 00:27:14.000000	27.23
27287430	CS5695				CPLK	39.01 27-APR-24 03.53.48.000000000 PM	27-APR-24 05.11.32.000000000 PM	+00 01:17:44.000000	77.73	-00 01:17:44.000000	77.73
27288184	CS5691				CPLK	36.17 27-APR-24 04.10.12.000000000 PM	27-APR-24 04.39.36.000000000 PM	+00 00:29:24.000000	29.4	-00 00:29:24.000000	29.4
27288674	CS5694				CPLK	63.33 27-APR-24 04.20.15.000000000 PM	27-APR-24 05.00.18.000000000 PM	+00 00:40:03.000000	40.05	-00 00:40:03.000000	40.05
27289881	CS5692				CPLK	59.28 27-APR-24 04.45.59.000000000 PM	27-APR-24 06.43.16.000000000 PM	+00 01:57:17.000000	117.28	-00 01:57:17.000000	117.28
27294972	CS5694				CPLK	45.97 27-APR-24 06.35.51.000000000 PM	27-APR-24 06.56.39.000000000 PM	+00 00:20:48.000000	20.8	-00 00:20:48.000000	20.8
27296638	CS5691				CPLK	31.29 27-APR-24 07.18.25.000000000 PM	27-APR-24 07.55.27.000000000 PM	+00 00:37:02.000000	37.03	-00 00:37:02.000000	37.03
27301465	CS5692				CPLK	47.94 27-APR-24 09.28.22.000000000 PM	27-APR-24 10.38.09.000000000 PM	+00 01:09:47.000000	69.78	-00 01:09:47.000000	69.78
27301482	CS5695				CPLK	55.13 27-APR-24 09.29.00.000000000 PM	27-APR-24 09.58.05.000000000 PM	+00 00:29:05.000000	29.08	-00 00:29:05.000000	29.08
27304995	CS5692				CPLK	51.55 27-APR-24 11.19.37.000000000 PM	28-APR-24 01.01.21.000000000 AM	+00 01:41:44.000000	101.73	-00 01:41:44.000000	101.73
27305615	CS5691				CPLK	46.56 27-APR-24 11.43.27.000000000 PM	28-APR-24 12.43.16.000000000 AM	+00 00:59:49.000000	59.82	-00 00:59:49.000000	59.82
27306683	CS5695				CPLK	33.96 28-APR-24 12,25,21,0000000000 AM	28-APR-24 01.30.54.000000000 AM	+00 01:05:33.000000	65.55	-00 01:05:33.000000	65.55
27306683	CS5695				CPLK	33.96 28-APR-24 12.25,21.000000000 AM	28-APR-24 01.30.54.000000000 AM	+00 01:05:33.000000	65.55	-00 01:05:33.000000	

	SESSION_ID	CHARGER_ID	ADDRESS	СІТУ	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DITM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
27308543	CS5695				CPLK	49.51 28-APR-24 01.59.36.000000000 AM	28-APR-24 02.41.01.000000000 AM	+00 00:41:25.000000	41.42	-00 00:41:25.000000	41.42
27313829	CS5695	3			CPLK	89.98 28-APR-24 08.21.15.000000000 AM	28-APR-24 09.13.42.000000000 AM	+00 00:52:27.000000	52.45	-00 00:52:27.000000	52.45
27314179	CS5694	9			CPLK	68.78 28-APR-24 08.38.05.0000000000 AM	28-APR-24 09.09.24.000000000 AM	+00 00:31:19.000000	31.32	-00 00:31:19.000000	31.32
27314612	CS5692				CPLK	13.15 28-APR-24 08.58.40.000000000 AM	28-APR-24 09.08.30.000000000 AM	+00 00:09:50.000000	9.83	-00 00:09:50.000000	9.83
27316714	CS5695				CPLK	58.74 28-APR-24 10.10.51.0000000000 AM	28-APR-24 10.42.07.000000000 AM	+00 00:31:16.000000	31.27	-00 00:31:16.000000	31.27
27317106	CS5694				CPLK	31.41 28-APR-24 10.21.58.0000000000 AM	28-APR-24 10.41.15.000000000 AM	+00 00:19:17.000000	19.28	-00 00:19:17.000000	19.28
27318844	CS5694				CPLK	35.39 28-APR-24 11.07.56.0000000000 AM	28-APR-24 11.55.53.000000000 AM	+00 00:47:57.000000	47.95	-00 00:47:57.000000	47.95
27321575	CS5695				CPLK	86.06 28-APR-24 12.13.15.000000000 PM	28-APR-24 01.02.12.000000000 PM	+00 00:48:57.000000	48.95	-00 00:48:57.000000	48.95
27322986	CS5694				CPLK	40 28-APR-24 12.45.20.000000000 PM	28-APR-24 01.04.06.000000000 PM	+00 00:18:46.000000	18.77	-00 00:18:46.000000	18.77
27324657	CS5692				CPLK	31.31 28-APR-24 01.20.12.000000000 PM	28-APR-24 01.57.06.000000000 PM	+00 00:36:54.000000	36.9	-00 00:36:54.000000	36.9
27326388	CS5691				CPLK	54.66 28-APR-24 01.57.22.000000000 PM	28-APR-24 03.33.42.000000000 PM	+00 01:36:20,000000	96.33	-00 01:36:20.000000	96.33
24225210	CS5695				CPLK	50.22 09-FEB-24 05.28.39.000000000 PM	09-FEB-24 06.12.04.000000000 PM	+00 00:43:25.000000	43.42	-00 00:43:25.000000	43.42
24228273	CS5695				CPLK	59.82 09-FEB-24 06.48.09.000000000 PM	09-FEB-24 08.21.18.000000000 PM	+00 01:33:09.000000	93.15	-00 01:33:09.000000	93.15
24231383	CS5694				CPLK	48.23 09-FEB-24 08.23.17.000000000 PM	09-FEB-24 10.17.02.000000000 PM	+00 01:53:45.000000	113.75	-00 01:53:45.000000	113.75
24234029	CS5692				CPLK	31.41 09-FEB-24 09.54.51.000000000 PM	09-FEB-24 10.56.06.000000000 PM	+00 01:01:15.000000	61.25	-00 01:01:15.000000	61.25
24235358	CS5695				CPLK	55.65 09-FEB-24 10.45.27.000000000 PM	09-FEB-24 11.46.45,000000000 PM	+00 01:01:18.000000	61.3	-00 01:01:18.000000	61.3
24236538	CS5694				CPLK	67.46 09-FEB-24 11.37.28,000000000 PM	10-FEB-24 12.31.57.000000000 AM	+00 00:54:29.000000	54.48	-00 00:54:29.000000	54.48
24243968	CS5692				CPLK	21.73 10-FEB-24 08.50.21.000000000 AM	10-FEB-24 09.13.00.000000000 AM	+00 00:22:39.000000	22.65	-00 00:22:39.000000	22.65
24247611	CS5694				CPLK	30.48 10-FEB-24 10.49.48.000000000 AM	10-FEB-24 11.10.34.000000000 AM	+00 00:20:46.000000	20.77	-00 00:20:46.000000	20.77
24247928	CS5691				CPLK	15.53 10-FEB-24 10.58.50.000000000 AM	10-FEB-24 11.16.34.000000000 AM	+00 00:17:44.000000	17.73	-00 00:17:44.000000	17.73
24251243	CS5694				CPLK	62.23 10-FEB-24 12.28.41.000000000 PM	10-FEB-24 01.25.49,000000000 PM	+00 00:57:08.000000	57.13	-00 00:57:08.000000	57.13
24251515	CS5695				CPLK	36.26 10-FEB-24 12.36.01.000000000 PM	10-FEB-24 01.16.45,000000000 PM	+00 00:40:44.000000	40.73	-00 00:40:44.000000	40.73
24252520	CS5691				CPLK	23.29 10-FEB-24 12.59.22.000000000 PM	10-FEB-24 01.15.40.000000000 PM	+00 00:16:18.000000	16.3	-00 00:16:18.000000	16.3
24256320	CS5695				CPLK	50.62 10-FEB-24 02.26.45,000000000 PM	10-FEB-24 03.16.09.000000000 PM	+00 00:49:24.000000	49.4	-00 00:49:24.000000	49.4
24256864	CS5692				CPLK	23.42 10-FEB-24 02.40.24.000000000 PM	10-FEB-24 03.48.00.000000000 PM	+00 01:07:36.000000	67.6	-00 01:07:36.000000	67.6
24257418	CS5694		7./		CPLK	37.48 10-FEB-24 02.53.43.000000000 PM	10-FEB-24 03.34.08.000000000 PM	+00 00:40:25,000000	40.42	-00 00:40:25.000000	40.42
24259666	CS5695				CPLK	40.52 10-FEB-24 03.45.42.000000000 PM	10-FEB-24 04.46.03.000000000 PM	+00 01:00:21.000000	60.35	-00 01:00:21.000000	60.35
24259901	CS5691				CPLK	28.4 10-FEB-24 03.51.06.000000000 PM	10-FEB-24 04.41.33.000000000 PM	+00 00:50:27.000000	50.45	-00 00:50:27.000000	50.45
24259961	CS5694				CPLK	31.33 10-FEB-24 03.52.30,000000000 PM	10-FEB-24 04.17.35.000000000 PM	+00 00:25:05.000000	25.08	-00 00:25:05.000000	25.08
24260842	CS5692				CPLK	10.59 10-FEB-24 04.13.07.000000000 PM	10-FEB-24 04.21.18.000000000 PM	+00 00:08:11.000000	8.18	-00 00:08:11.000000	8.18
24261255	CS5694				CPLK	36.46 10-FEB-24 04.23.31.000000000 PM	10-FEB-24 04.36.54.000000000 PM	+00 00:13:23.000000	13.38	-00 00:13:23.000000	13.38
24262214	CS5695				CPLK	18.27 10-FEB-24 04.49.05.000000000 PM	10-FEB-24 05.52.08.000000000 PM	+00 01:03:03.000000	63.05	-00 01:03:03.000000	63.05
24267825	CS5695				CPLK	64.11 10-FEB-24 07.18.49.000000000 PM	10-FEB-24 08.12,04.000000000 PM	+00 00:53:15.000000	53.25	-00 00:53:15.000000	53.25
24268634	CS5694				CPLK	47.61 10-FEB-24 07.42.33.000000000 PM	10-FEB-24 08.12.18.000000000 PM	+00 00:29:45.000000	29.75	-00 00:29:45.000000	29.75
24270005	CS5695				CPLK	29.61 10-FEB-24 08.24.16.000000000 PM	10-FEB-24 08.48.33.000000000 PM	+00 00:24:17.000000	24.28	-00 00:24:17.000000	24.28
24270178	CS5694				CPLK	58.4 10-FEB-24 08.29.54.000000000 PM	10-FEB-24 09.56.35.000000000 PM	+00 01:26:41.000000	86.68	-00 01:26:41.000000	86.68
24271535	CS5691				CPLK	21.49 10-FEB-24 09.18.28.000000000 PM	10-FEB-24 09.37.27.000000000 PM	+00 00:18:59,000000	18.98	-00 00:18:59.000000	18.98
24271671	CS5692				CPLK	32.82 10-FEB-24 09.22.31.000000000 PM	10-FEB-24 09.56.10.000000000 PM	+00 00:33:39.000000	33.65	-00 00:33:39.000000	33.65
24272284	CS5695				CPLK	34.82 10-FEB-24 09.47.00.000000000 PM	10-FEB-24 10.36.31.000000000 PM	+00 00:49:31.000000		-00 00:49:31.000000	49.52
24272695	CS5694				CPLK	46.23 10-FEB-24 10.02.46.000000000 PM	10-FEB-24 10.30.15.000000000 PM	+00 00:27:29.000000	27.48	-00 00:27:29.000000	27.48
24273523	CS5694				CPLK	55 10-FEB-24 10.36.59.000000000 PM	10-FEB-24 11.27.16.000000000 PM	+00 00:50:17.000000	50.28	-00 00:50:17.000000	50.28
24320411	CS5691				CPLK	33.38 12-FEB-24 10.34.15,000000000 AM	12-FEB-24 11.46.50.000000000 AM	+00 01:12:35.000000	72.58	-00 01:12:35.000000	72.58
24321023	CS5694				CPLK	31.38 12-FEB-24 10.53.41.000000000 AM	12-FEB-24 11.17.38.000000000 AM	+00 00:23:57.000000	23.95	-00 00:23:57.000000	23.95
24322430	CS5694				CPLK	11.37 12-FEB-24 11.36.48.000000000 AM	12-FEB-24 11.56.58.000000000 AM	+00 00:20:10.000000	20.17	-00 00:20:10.000000	20.17
24322538	CS5695				CPLK	36.37 12-FEB-24 11.39.51.000000000 AM	12-FEB-24 12.03.23,000000000 PM	+00 00:23:32.000000	23.53	-00 00:23:32.000000	23.53
24324055	CS5695				CPLK	38.74 12-FEB-24 12.22.03.000000000 PM	12-FEB-24 12.55.07.000000000 PM	+00 00:33:04.000000	33.07	-00 00:33:04.000000	33.07
24325902	CS5695				CPLK	49.99 12-FEB-24 01.09.06.000000000 PM	12-FEB-24 02.10.34.000000000 PM	+00 01:01:28.000000	61.47	-00 01:01:28.000000	61.47
24326317	CS5694				CPLK	63.65 12-FEB-24 01.20.54.000000000 PM	12-FEB-24 02.02.07.000000000 PM	+00 00:41:13.000000		-00 00:41:13.000000	41.22
24326464	CS5692				CPLK	22.45 12-FEB-24 01.25.17.000000000 PM	12-FEB-24 01.56.03.000000000 PM	+00 00:30:46.000000		-00 00:30:46.000000	30.77
24328324	CS5695				CPLK	70.84 12-FEB-24 02.13.55.000000000 PM	12-FEB-24 02.43.11.000000000 PM	+00 00:29:16.000000		-00 00:29:16.000000	29.27
24329751	CS5695				CPLK	55.03 12-FEB-24 02.53.39.000000000 PM	12-FEB-24 03.36.42.000000000 PM	+00 00:43:03.000000		-00 00:43:03.000000	43.05
24330063	CS5692				CPLK	22.62 12-FEB-24 03.02.55.000000000 PM	12-FEB-24 04.03.01.000000000 PM	+00 01:00:06.000000		-00 01:00:06.000000	60.1
24330986	CS5691				CPLK	51.23 12-FEB-24 03.25.23.000000000 PM	12-FEB-24 04.53.16.000000000 PM	+00 01:27:53.000000	87.88	-00 01:27:53.000000	87.88

	SESSION_ID	CHARGER_ID	ADDRESS	CITY S	STATE ZIP JURISDIC	ENERGY USAGE CON	NNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
24332994	CS5694				CPLK	46.3 12-FEB-2	24 04.18.54,000000000 PM	12-FEB-24 04.43.33.000000000 PM	+00 00:24:39.000000	24.65	-00 00:24:39.000000	24.65
24334088	CS5695	<u> </u>			CPLK	59.14 12-FEB-2	24 04.49.16.000000000 PM	12-FEB-24 05.43.53.000000000 PM	+00 00:54:37.000000	54.62	-00 00:54:37.000000	54.62
24338869	CS5695	9			CPLK	36 12-FEB-2	24 07.07.40.000000000 PM	12-FEB-24 08.09.02.000000000 PM	+00 01:01:22,000000	61.37	-00 01:01:22.000000	61.37
24339167	CS5692				CPLK	27.55 12-FEB-2	24 07.17.07.000000000 PM	12-FEB-24 07.58.23.000000000 PM	+00 00:41:16.000000	41.27	-00 00:41:16.000000	41.27
24340204	CS5691				CPLK	36.92 12-FEB-2	24 07.48.04.000000000 PM	12-FEB-24 08.50.01.000000000 PM	+00 01:01:57.000000	61.95	-00 01:01:57.000000	61.95
24340976	CS5695				CPLK	11.84 12-FEB-2	24 08.13.05.000000000 PM	12-FEB-24 08.49.18.000000000 PM	+00 00:36:13.000000	36.22	-00 00:36:13.000000	36.22
24341481	CS5694				CPLK	28.59 12-FEB-2	24 08.29.52.000000000 PM	12-FEB-24 08.54.13.000000000 PM	+00 00:24:21.000000	24.35	-00 00:24:21.000000	24.35
24341794	CS5692				CPLK	32.2 12-FEB-2	24 08.41.40.000000000 PM	12-FEB-24 09.08.13.000000000 PM	+00 00:26:33.000000	26.55	-00 00:26:33.000000	26.55
24345795	CS5695				CPLK	45.58 12-FEB-2	24 11.28.25.000000000 PM	13-FEB-24 12.19.17.000000000 AM	+00 00:50:52.000000	50.87	-00 00:50:52.000000	50.87
24348118	CS5695				CPLK	61.59 13-FEB-2	24 02.40.36.000000000 AM	13-FEB-24 04.35.56.000000000 AM	+00 01:55:20.000000	115.33	-00 01:55:20.000000	115.33
24349539	CS5694				CPLK	29.8 13-FEB-2	24 05.43.14.000000000 AM	13-FEB-24 06.15.23.000000000 AM	+00 00:32:09.000000	32.15	-00 00:32:09.000000	32.15
24352384	CS5694				CPLK	65.38 13-FEB-2	24 08.56.17.000000000 AM	13-FEB-24 10.24.03.000000000 AM	+00 01:27:46.000000	87.77	-00 01:27:46.000000	87.77
24354046	CS5691				CPLK	38.82 13-FEB-2	24 10.04.32.000000000 AM	13-FEB-24 11.05.02.000000000 AM	+00 01:00:30.000000	60.5	-00 01:00:30.000000	60.5
24355261	CS5695				CPLK	106.2 13-FEB-2	24 10.48.06.000000000 AM	13-FEB-24 11.36.54.000000000 AM	+00 00:48:48.000000	48.8	-00 00:48:48.000000	48.8
24356010	CS5691				CPLK	32.13 13-FEB-2	24 11.11.12.000000000 AM	13-FEB-24 11.59.03.000000000 AM	+00 00:47:51.000000	47.85	-00 00:47:51.000000	47.85
24359386	CS5695				CPLK	61.77 13-FEB-2	24 12,53,30,000000000 PM	13-FEB-24 01.25.33,000000000 PM	+00 00:32:03.000000	32.05	-00 00:32:03.000000	32.05
24359744	CS5692				CPLK	17.53 13-FEB-2	24 01.04.59.000000000 PM	13-FEB-24 01.36.34.000000000 PM	+00 00:31:35.000000	31.58	-00 00:31:35.000000	31.58
24360095	CS5691				CPLK	22.29 13-FEB-2	24 01.15.30.000000000 PM	13-FEB-24 02.00.27.000000000 PM	+00 00:44:57.000000	44.95	-00 00:44:57.000000	44.95
24407277	CS5694				CPLK	34.47 14-FEB-2	24 07.19.21.000000000 PM	14-FEB-24 07.53.57.000000000 PM	+00 00:34:36.000000	34.6	-00 00:34:36.000000	34.6
24407522	CS5695				CPLK	57.68 14-FEB-2	24 07.27.12.000000000 PM	14-FEB-24 09.00.18.000000000 PM	+00 01:33:06.000000	93.1	-00 01:33:06.000000	93.1
24407533	CS5692				CPLK	30.11 14-FEB-2	24 07.27.35.000000000 PM	14-FEB-24 08.06.07.000000000 PM	+00 00:38:32.000000	38.53	-00 00:38:32.000000	38.53
24411499	CS5695				CPLK	30 14-FEB-2	24 09.47.29.000000000 PM	14-FEB-24 10.47.20.000000000 PM	+00 00:59:51.000000	59.85	-00 00:59:51.000000	59.85
24418807	CS5694				CPLK	17.19 15-FEB-2	24 06.16.57.000000000 AM	15-FEB-24 06.57.14.000000000 AM	+00 00:40:17.000000	40.28	-00 00:40:17.000000	40.28
24420152	CS5691				CPLK	27.26 15-FEB-2	24 07.42.30.000000000 AM	15-FEB-24 08.01.11.000000000 AM	+00 00:18:41.000000	18.68	-00 00:18:41.000000	18.68
24421027	CS5691				CPLK	42.97 15-FEB-2	24 08.20.03.000000000 AM	15-FEB-24 09.07.09.000000000 AM	+00 00:47:06.000000	47.1	-00 00:47:06.000000	47.1
24421292	C\$5695		. /		CPLK	80.33 15-FEB-2	24 08.31.54.000000000 AM	15-FEB-24 09.06.29.000000000 AM	+00 00:34:35.000000	34.58	-00 00:34:35.000000	34.58
32868518	CS5692				CPLK	17.75 27-AUG-2	24 12.31.30.000000000 PM	27-AUG-24 12.51.32.000000000 PM	+00 00:20:02.000000	20.03	-00 00:20:02.000000	20.03
32870286	CS5694				CPLK	43.87 27-AUG-2	24 01.12.02.000000000 PM	27-AUG-24 01.31.53.000000000 PM	+00 00:19:51.000000	19.85	-00 00:19:51.000000	19.85
32870775	CS5692				CPLK	65.62 27-AUG-2	24 01.22.45.000000000 PM	27-AUG-24 02.12.56.000000000 PM	+00 00:50:11.000000	50.18	-00 00:50:11.000000	50.18
32870977	CS5691				CPLK	36.84 27-AUG-2	24 01.26.56.000000000 PM	27-AUG-24 02.06.57.000000000 PM	+00 00:40:01.000000	40.02	-00 00:40:01.000000	40.02
32871622	CS5695				CPLK	60.65 27-AUG-2	24 01.42.27.000000000 PM	27-AUG-24 02.09.58.000000000 PM	+00 00:27:31.000000	27.52	-00 00:27:31.000000	27.52
32872541	CS5694				CPLK	42.95 27-AUG-2	24 02.03.45.000000000 PM	27-AUG-24 03.06.47.000000000 PM	+00 01:03:02.000000	63.03	-00 01:03:02.000000	63.03
32877579	CS5695				CPLK	29.63 27-AUG-2	24 03.57.37.000000000 PM	27-AUG-24 04.15.08.000000000 PM	+00 00:17:31.000000	17.52	-00 00:17:31.000000	17.52
32878717	CS5692				CPLK	29.21 27-AUG-2	24 04.23.00.000000000 PM	27-AUG-24 04.47.21.000000000 PM	+00 00:24:21.000000	24.35	-00 00:24:21.000000	24.35
32937355	CS5691				CPLK	24.98 28-AUG-2	24 08.27.59.000000000 PM	28-AUG-24 08.44.05.000000000 PM	+00 00:16:06.000000	16.1	-00 00:16:06.000000	16.1
32938072	CS5692				CPLK	39.45 28-AUG-2	24 08.45.20.000000000 PM	28-AUG-24 09.37.43.000000000 PM	+00 00:52:23.000000	52.38	-00 00:52:23.000000	52.38
32941580	CS5695				CPLK	44.77 28-AUG-2	24 10.12.44.000000000 PM	28-AUG-24 10.34.17.000000000 PM	+00 00:21:33.000000	21.55	-00 00:21:33.000000	21.55
32942846	CS5694				CPLK	40.45 28-AUG-2	24 10.49.58.000000000 PM	28-AUG-24 11.04.55.000000000 PM	+00 00:14:57.000000	14.95	-00 00:14:57.000000	14.95
32947180	CS5695				CPLK	39.39 29-AUG-2	24 01.36.40.000000000 AM	29-AUG-24 02.42.24.000000000 AM	+00 01:05:44.000000	65.73	-00 01:05:44.000000	65.73
32949208	CS5692				CPLK	4.75 29-AUG-2	24 03.52.58.000000000 AM	29-AUG-24 04.01.06.000000000 AM	+00 00:08:08.000000	8.13	-00 00:08:08.000000	8.13
32951275	CS5692				CPLK	50.46 29-AUG-2	24 06.19.55.000000000 AM	29-AUG-24 07.10.42.000000000 AM	+00 00:50:47.000000	50.78	-00 00:50:47.000000	50.78
32952196	CS5695				CPLK	68.7 29-AUG-2	24 07.02.02.000000000 AM	29-AUG-24 07.32.41.000000000 AM	+00 00:30:39.000000	30.65	-00 00:30:39.000000	30.65
32952831	CS5692				CPLK	15.23 29-AUG-2	24 07.28.43.000000000 AM	29-AUG-24 07.42.19.000000000 AM	+00 00:13:36.000000	13.6	-00 00:13:36.000000	13.6
32955622	CS5695				CPLK	19.06 29-AUG-2	24 09.06.50.000000000 AM	29-AUG-24 09.28.45.000000000 AM	+00 00:21:55.000000	21.92	-00 00:21:55.000000	21.92
32955628	CS5694				CPLK	59.69 29-AUG-2	24 09.07.02.000000000 AM	29-AUG-24 09.37.16.000000000 AM	+00 00:30:14.000000	30.23	-00 00:30:14.000000	30.23
32956423	CS5695				CPLK	19.2 29-AUG-2	24 09.31.26.000000000 AM	29-AUG-24 09.55.51.000000000 AM	+00 00:24:25.000000	24.42	-00 00:24:25.000000	24.42
32956543	CS5691				CPLK	41.4 29-AUG-2	24 09.35.01.000000000 AM	29-AUG-24 10.15.00.000000000 AM	+00 00:39:59.000000	39.98	-00 00:39:59.000000	39.98
32956998	CS5694				CPLK	16.26 29-AUG-2	24 09.48.56.000000000 AM	29-AUG-24 09.55.36.000000000 AM	+00 00:06:40.000000	6.67	-00 00:06:40.000000	6.67
32957160	CS5692				CPLK	3.36 29-AUG-2	24 09,54,30.000000000 AM	29-AUG-24 09.57.30.000000000 AM	+00 00:03:00.000000	3	-00 00:03:00.000000	3
32957361	CS5694				CPLK	70.75 29-AUG-2	24 10.00.07.000000000 AM	29-AUG-24 10.47.33.000000000 AM	+00 00:47:26.000000	47.43	-00 00:47:26.000000	47.43
32959586	CS5694				CPLK	101.6 29-AUG-2	24 10,52.26.000000000 AM	29-AUG-24 11.51.55.000000000 AM	+00 00:59:29.000000	59.48	-00 00:59:29.000000	59.48
32960123	CS5695				CPLK	70.29 29-AUG-2	24 11.04.31.000000000 AM	29-AUG-24 11.43.38.000000000 AM	+00 00:39:07.000000	39.12	-00 00:39:07.000000	39.12
32965276	CS5694				CPLK	36.76 29-AUG-2	24 12.58.21.000000000 PM	29-AUG-24 01.26.09.000000000 PM	+00 00:27:48.000000	27.8	-00 00:27:48.000000	27.8

	SESSION_ID	CHARGER_ID	ADDRESS	СІТУ	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
32965340	CS5692				CPLK	52.63 29-AUG-24 12.59.36.000000000 PM	29-AUG-24 01.43.58.000000000 PM	+00 00:44:22.000000		-00 00:44:22.000000	44.37
32967088	CS5695		1		CPLK	29.99 29-AUG-24 01.38.42.000000000 PM	29-AUG-24 02.15.22.000000000 PM	+00 00:36:40.000000	36.67	-00 00:36:40.000000	36.67
32969049	CS5694				CPLK	66.02 29-AUG-24 02.18.16.000000000 PM	29-AUG-24 03.11.55.000000000 PM	+00 00:53:39.000000	53.65	-00 00:53:39.000000	53.65
32969980	CS5695				CPLK	43.26 29-AUG-24 02.37.05.000000000 PM	29-AUG-24 03.29.33.000000000 PM	+00 00:52:28.000000	52.47	-00 00:52:28.000000	52.47
32971088	CS5692				CPLK	4.11 29-AUG-24 03.00.44.000000000 PM	29-AUG-24 03.07.56.000000000 PM	+00 00:07:12.000000	7.2	-00 00:07:12.000000	7.2
32971745	CS5694				CPLK	56.92 29-AUG-24 03.14.48.000000000 PM	29-AUG-24 03.37.01.000000000 PM	+00 00:22:13.000000	22.22	-00 00:22:13.000000	22.22
32972462	CS5692				CPLK	63.05 29-AUG-24 03.29.42.000000000 PM	29-AUG-24 04.24.15.000000000 PM	+00 00:54:33.000000	54.55	-00 00:54:33.000000	54.55
32974107	CS5695				CPLK	39.38 29-AUG-24 04.03.30.000000000 PM	29-AUG-24 04.41.04.000000000 PM	+00 00:37:34.000000	37.57	-00 00:37:34.000000	37.57
32975238	CS5691				CPLK	101.59 29-AUG-24 04.27.04.000000000 PM	29-AUG-24 05.45.41.000000000 PM	+00 01:18:37.000000	78.62	-00 01:18:37.000000	78.62
32976148	CS5692				CPLK	8.62 29-AUG-24 04.46.19.000000000 PM	29-AUG-24 05.07.43.000000000 PM	+00 00:21:24.000000	21.4	-00 00:21:24.000000	21.4
32976695	CS5695				CPLK	31.82 29-AUG-24 04.59.08.000000000 PM	29-AUG-24 05.08.03.000000000 PM	+00 00:08:55.000000	8.92	-00 00:08:55.000000	8.92
33176682	CS5692				CPLK	57.84 02-SEP-2401.05.06.000000000 PM	02-SEP-24 02.04.04.000000000 PM	+00 00:58:58.000000	58.97	-00 00:58:58.000000	58.97
33177459	CS5694				CPLK	36.96 02-SEP-2401.18.51.000000000 PM	02-SEP-24 01.34.03.000000000 PM	+00 00:15:12.000000	15.2	-00 00:15:12.000000	15.2
33178313	CS5691				CPLK	16.97 02-SEP-24 01.33.40.000000000 PM	02-SEP-24 01.53.03.000000000 PM	+00 00:19:23.000000	19.38	-00 00:19:23.000000	19.38
33180224	CS5694				CPLK	55.14 02-SEP-24 02.05.42.000000000 PM	02-SEP-24 02.40.38.000000000 PM	+00 00:34:56.000000	34.93	-00 00:34:56.000000	34.93
33180355	CS5695				CPLK	44.24 02-SEP-2402.08.13,000000000 PM	02-SEP-24 02.24.27.000000000 PM	+00 00:16:14.000000	16.23	-00 00:16:14.000000	16.23
33182912	CS5691				CPLK	41.43 02-SEP-2402.55.46.000000000 PM	02-SEP-24 03.33.47.000000000 PM	+00 00:38:01.000000	38.02	-00 00:38:01.000000	38.02
33197390	CS5695				CPLK	29.69 02-SEP-24 07.38.32.000000000 PM	02-SEP-24 08.14.34.000000000 PM	+00 00:36:02.000000	36.03	-00 00:36:02.000000	36.03
33198959	CS5692				CPLK	45.34 02-SEP-2408.13.29.000000000 PM	02-SEP-24 09.24.52.000000000 PM	+00 01:11:23.000000	71.38	-00 01:11:23.000000	71.38
33200476	CS5695				CPLK	51.14 02-SEP-24 08.47.56.000000000 PM	02-SEP-24 09.17.44.000000000 PM	+00 00:29:48.000000	29.8	-00 00:29:48.000000	29.8
33202518	CS5692				CPLK	44.68 02-SEP-24 09.39.36.000000000 PM	02-SEP-24 11.05.06.000000000 PM	+00 01:25:30.000000	85.5	-00 01:25:30.000000	85.5
33202793	CS5694				CPLK	64.25 02-SEP-2409.47.11.000000000 PM	02-SEP-24 10.54.38.000000000 PM	+00 01:07:27.000000	67.45	-00 01:07:27.000000	67.45
33203029	CS5691				CPLK	30.07 02-SEP-24 09.53.55.000000000 PM	02-SEP-24 10.41.21.000000000 PM	+00 00:47:26.000000	47.43	-00 00:47:26.000000	47.43
33205856	CS5695				CPLK	34.39 02-SEP-24 11.15.33.000000000 PM	03-SEP-24 12.04.18.000000000 AM	+00 00:48:45.000000	48.75	-00 00:48:45.000000	48.75
33209142	CS5691				CPLK	38.49 03-SEP-24 01.39.37.000000000 AM	03-SEP-24 02.36.32.000000000 AM	+00 00:56:55.000000	56.92	-00 00:56:55.000000	56.92
33210721	CS5695				CPLK	43.36 03-SEP-2403.28.34,000000000 AM	03-SEP-24 04.06.57.000000000 AM	+00 00:38:23.000000	38.38	-00 00:38:23.000000	38.38
33212164	CS5692				CPLK	10.67 03-SEP-2405.33.20.000000000 AM	03-SEP-24 05.53.17.000000000 AM	+00 00:19:57.000000	19.95	-00 00:19:57.000000	19.95
33212418	CS5691				CPLK	43.84 03-SEP-2405.53.39.000000000 AM	03-SEP-24 07.13.45.000000000 AM	+00 01:20:06.000000	80.1	-00 01:20:06.000000	80.1
33213000	CS5695				CPLK	11.97 03-SEP-2406.31.18.0000000000 AM	03-SEP-24 06.55.55.000000000 AM	+00 00:24:37.000000	24.62	-00 00:24:37.000000	24.62
33213957	CS5692				CPLK	31.76 03-SEP-2407.14.38.0000000000 AM	03-SEP-24 07.41.05.000000000 AM	+00 00:26:27.000000	26.45	-00 00:26:27.000000	26.45
33215982	CS5695				CPLK	75.77 03-SEP-2408.37.13.000000000 AM	03-SEP-24 10.07.36.000000000 AM	+00 01:30:23.000000	90.38	-00 01:30:23.000000	90.38
33217865	CS5692				CPLK	37.31 03-SEP-24 09.38.38.000000000 AM	03-SEP-24 10.27.39.000000000 AM	+00 00:49:01.000000	49.02	-00 00:49:01.000000	49.02
33218210	CS5694				CPLK	22.42 03-SEP-24 09.50.05.0000000000 AM	03-SEP-24 10.19.00.000000000 AM	+00 00:28:55.000000	28.92	-00 00:28:55.000000	28.92
33218503	CS5691				CPLK	72.63 03-SEP-24 09.58.10.000000000 AM	03-SEP-24 11.00.12.000000000 AM	+00 01:02:02.000000	62.03	-00 01:02:02.000000	62.03
33220419	CS5695				CPLK	34.93 03-SEP-24 10.47.13.000000000 AM	03-SEP-24 11.04.32.000000000 AM	+00 00:17:19.000000	17.32	-00 00:17:19.000000	17.32
33220599	CS5694				CPLK	27.37 03-SEP-24 10.52.14.0000000000 AM	03-SEP-24 11.13.34.000000000 AM	+00 00:21:20.000000	21.33	-00 00:21:20.000000	21.33
33220981	CS5691				CPLK	43.08 03-SEP-24 11.01.22.000000000 AM	03-SEP-24 11.54.59.000000000 AM	+00 00:53:37.000000	53.62	-00 00:53:37.000000	53.62
33222934	CS5695				CPLK	71.37 03-SEP-24 11.50.07.0000000000 AM	03-SEP-24 12.09.05.000000000 PM	+00 00:18:58.000000	18.97	-00 00:18:58.000000	18.97
33223335	CS5692				CPLK	35.87 03-SEP-24 11.59.44.000000000 AM	03-SEP-24 12.35.07.000000000 PM	+00 00:35:23.000000	35.38	-00 00:35:23.000000	35.38
33223491	CS5691				CPLK	56.86 03-SEP-24 12.02.54.000000000 PM	03-SEP-24 01.32.40.000000000 PM	+00 01:29:46.000000	89.77	-00 01:29:46.000000	89.77
33227143	CS5695				CPLK	41.3 03-SEP-24 01.20.50.000000000 PM	03-SEP-24 01.58.55.000000000 PM	+00 00:38:05.000000	38.08	-00 00:38:05.000000	38.08
33593360	CS5695				CPLK	45.6 10-SEP-24 09.18.29.000000000 PM	10-SEP-24 10.03.08.000000000 PM	+00 00:44:39.000000	44.65	-00 00:44:39.000000	44.65
33599019	CS5692				CPLK	53.72 11-SEP-24 12.24.59.000000000 AM	11-SEP-24 01.44.24.000000000 AM	+00 01:19:25.000000	79.42	-00 01:19:25.000000	79.42
33601787	CS5695				CPLK	46.21 11-SEP-24 03.30.19.000000000 AM	11-SEP-24 05.16.36.000000000 AM	+00 01:46:17.000000	106.28	-00 01:46:17.000000	106.28
33602019	CS5692				CPLK	21.03 11-SEP-24 03.50.41.000000000 AM	11-SEP-24 04.36.43.0000000000 AM	+00 00:46:02.000000	46.03	-00 00:46:02.000000	46.03
33608609	CS5692				CPLK	32.09 11-SEP-24 09.26.20.000000000 AM	11-SEP-24 10.01.22.000000000 AM	+00 00:35:02.000000	35.03	-00 00:35:02.000000	35.03
33608618	CS5695				CPLK	25.93 11-SEP-24 09.26.44.000000000 AM	11-SEP-24 10.08.22.000000000 AM	+00 00:41:38.000000	41.63	-00 00:41:38.000000	41.63
33608863	CS5694				CPLK	31.75 11-SEP-24 09.34.29.000000000 AM	11-SEP-24 09.54.06.000000000 AM	+00 00:19:37.000000	19.62	-00 00:19:37.000000	19.62
33608987	CS5691				CPLK	24.08 11-SEP-2409.38.52,0000000000 AM	11-SEP-24 10.13.33.000000000 AM	+00 00:34:41.000000	34.68	-00 00:34:41.000000	34.68
33609557	CS5694				CPLK	63.27 11-SEP-24 09.56.54.0000000000 AM	11-SEP-24 10.32.22.000000000 AM	+00 00:35:28.000000	35.47	-00 00:35:28,000000	35.47
33612277	CS5695				CPLK	10.95 11-SEP-24 11.08.59.0000000000 AM	11-SEP-24 11.13.58.000000000 AM	+00 00:04:59.000000	4.98	-00 00:04:59.000000	4.98
33613247	CS5695				CPLK	40.7 11-SEP-24 11.31.38.0000000000 AM	11-SEP-24 11.55.57.000000000 AM	+00 00:24:19.000000	24.32	-00 00:24:19.000000	24.32
33613846	CS5694				CPLK	44.34 11-SEP-24 11.44.24.000000000 AM	11-SEP-24 12.02.05.000000000 PM	+00 00:17:41.000000	17.68	-00 00:17:41.000000	17.68
			4								

	SESSION_ID	CHARGER_ID	ADDRESS	СІТУ	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DITM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION	TOTAL DURATION MINUTES
33617617	CS5695				CPLK	68.65 11-SEP-2401.14.01.000000000 PM	11-SEP-24 01.57.39.000000000 PM	+00 00:43:38.000000		-00 00:43:38.000000	43.63
33618237	CS5691		10.0		CPLK	30.36 11-SEP-2401.29.46.000000000 PM	11-SEP-24 02.20.02.000000000 PM	+00 00:50:16.000000	50.27	-00 00:50:16.000000	50.27
33619233	CS5692				CPLK	23.54 11-SEP-2401.52.31.000000000 PM	11-SEP-24 02.25.56.000000000 PM	+00 00:33:25.000000	33.42	-00 00:33:25.000000	33.42
33621684	CS5694				CPLK	73.01 11-SEP-24 02.46.46.000000000 PM	11-SEP-24 03.35.44.000000000 PM	+00 00:48:58.000000	48.97	-00 00:48:58.000000	48.97
33621841	CS5691				CPLK	28.29 11-SEP-2402.50.35.000000000 PM	11-SEP-24 03.34.30.000000000 PM	+00 00:43:55.000000	43.92	-00 00:43:55.000000	43.92
33624621	CS5692				CPLK	32.05 11-SEP-24 03.53.42.000000000 PM	11-SEP-24 04.23.45.000000000 PM	+00 00:30:03.000000	30.05	-00 00:30:03.000000	30.05
33625328	CS5695				CPLK	60.07 11-SEP-24 04.09.04.000000000 PM	11-SEP-24 04.46.25.000000000 PM	+00 00:37:21.000000	37.35	-00 00:37:21.000000	37.35
33627174	CS5692				CPLK	29.29 11-SEP-24 04.52.17.000000000 PM	11-SEP-24 05.37.10.000000000 PM	+00 00:44:53.000000	44.88	-00 00:44:53.000000	44.88
33633429	CS5691				CPLK	48.53 11-SEP-2407.11.01.000000000 PM	11-SEP-24 08.25.58.000000000 PM	+00 01:14:57.000000	74.95	-00 01:14:57.000000	74.95
33635632	CS5692				CPLK	35.43 11-SEP-24 07.58.45.000000000 PM	11-SEP-24 08.44.51.000000000 PM	+00 00:46:06.000000	46.1	-00 00:46:06.000000	46.1
24422218	CS5691				CPLK	9.34 15-FEB-24 09.08.24.000000000 AM	15-FEB-24 09.31.19.000000000 AM	+00 00;22;55,000000	22.92	-00 00:22:55.000000	22.92
24423438	CS5695				CPLK	67.6 15-FEB-24 09.49.59.000000000 AM	15-FEB-24 10.19.46.000000000 AM	+00 00:29:47.000000	29.78	-00 00:29:47.000000	29.78
24428594	CS5694				CPLK	49.94 15-FEB-24 12.19.55,0000000000 PM	15-FEB-24 12.53.41.000000000 PM	+00 00:33:46.000000	33.77	-00 00:33:46.000000	33.77
24429527	CS5691				CPLK	13.25 15-FEB-24 12.45.23.000000000 PM	15-FEB-24 01.12.24.000000000 PM	+00 00:27:01.000000	27.02	-00 00:27:01.000000	27.02
24430209	CS5692				CPLK	58.67 15-FEB-24 01.03.00.000000000 PM	15-FEB-24 01.46.21.000000000 PM	+00 00;43;21.000000	43.35	-00 00:43:21.000000	43.35
24431702	CS5694				CPLK	28.37 15-FEB-24 01.42.23.000000000 PM	15-FEB-24 02.19.42.000000000 PM	+00 00:37:19.000000	37.32	-00 00:37:19.000000	37.32
24431769	CS5695				CPLK	33.22 15-FEB-24 01.44.12.000000000 PM	15-FEB-24 02.47.09.000000000 PM	+00 01:02:57.000000	62.95	-00 01:02:57.000000	62.95
24432011	CS5692				CPLK	52.66 15-FEB-24 01.50.47.000000000 PM	15-FEB-24 02.30.45.000000000 PM	+00 00:39:58.000000	39.97	-00 00:39:58.000000	39.97
24432333	CS5691				CPLK	44.17 15-FEB-24 02.00.31.000000000 PM	15-FEB-24 03.09.38.000000000 PM	+00 01:09:07.000000	69.12	-00 01:09:07.000000	69.12
28641345	CS5695				CPLK	38.44 29-MAY-24 10.24.46.000000000 PM	29-MAY-24 10.36.35.000000000 PM	+00 00:11:49.000000	11.82	-00 00:11:49.000000	11.82
28641952	CS5695				CPLK	17.35 29-MAY-24 10.47.32.000000000 PM	29-MAY-24 11.09.45.000000000 PM	+00 00:22:13.000000	22.22	-00 00:22:13.000000	22.22
28641976	CS5692				CPLK	48.47 29-MAY-24 10.48.26.000000000 PM	30-MAY-24 12.14.42.000000000 AM	+00 01:26:16.000000	86.27	-00 01:26:16.000000	86.27
28649289	CS5695				CPLK	50.77 30-MAY-24 06.45.50.0000000000 AM	30-MAY-24 07.12.01.000000000 AM	+00 00:26:11.000000	26.18	-00 00:26:11.000000	26.18
28654643	CS5695				CPLK	60.41 30-MAY-24 10.21.59.000000000 AM	30-MAY-24 11.00.04.000000000 AM	+00 00:38:05.000000	38.08	-00 00:38:05.000000	38.08
28656367	CS5691				CPLK	48.32 30-MAY-24 11.09.08.0000000000 AM	30-MAY-24 12.22.25.000000000 PM	+00 01:13:17.000000	73.28	-00 01:13:17.000000	73.28
28656547	CS5692				CPLK	24.65 30-MAY-24 11.14.27.000000000 AM	30-MAY-24 11.42.35.000000000 AM	+00 00:28:08.000000	28.13	-00 00:28:08.000000	28.13
28659432	CS5695				CPLK	47.69 30-MAY-24 12.31.30.000000000 PM	30-MAY-24 12.46.31.000000000 PM	+00 00:15:01.000000	15.02	-00 00:15:01.000000	15.02
28659874	CS5691				CPLK	45.61 30-MAY-24 12.42.30,0000000000 PM	30-MAY-24 02.13.24.000000000 PM	+00 01:30:54.000000	90.9	-00 01:30:54.000000	90.9
28661515	CS5695				CPLK	50.54 30-MAY-24 01.25.10.000000000 PM	30-MAY-24 02.35.00.000000000 PM	+00 01:09:50.000000	69.83	-00 01:09:50.000000	69.83
28663091	CS5692				CPLK	54.7 30-MAY-24 02.05.24.000000000 PM	30-MAY-24 02.47.19.000000000 PM	+00 00:41:55.000000	41.92	-00 00:41:55.000000	41.92
28663658	CS5691				CPLK	43.84 30-MAY-24 02.19.08.000000000 PM	30-MAY-24 03.24.29.000000000 PM	+00 01:05:21.000000	65.35	-00 01:05:21.000000	65.35
28664457	CS5695				CPLK	72.9 30-MAY-24 02.39.13.000000000 PM	30-MAY-24 03.09.34.000000000 PM	+00 00:30:21.000000	30.35	-00 00:30:21.000000	30.35
28665700	CS5692				CPLK	26.86 30-MAY-24 03.08.14.000000000 PM	30-MAY-24 03.31.29.000000000 PM	+00 00:23:15.000000	23.25	-00 00:23:15.000000	23.25
28669836	CS5692				CPLK	31.05 30-MAY-24 04.46.31.000000000 PM	30-MAY-24 05.33.57.000000000 PM	+00 00:47:26.000000	47.43	-00 00:47:26.000000	47.43
28669865	CS5691				CPLK	33 30-MAY-24 04.47.10.0000000000 PM	30-MAY-24 05.30.23.000000000 PM	+00 00:43:13.000000	43.22	-00 00:43:13.000000	43.22
28670528	CS5694				CPLK	19.15 30-MAY-24 05.03.38.000000000 PM	30-MAY-24 05.25.32.000000000 PM	+00 00:21:54.000000	21.9	-00 00:21:54.000000	21.9
28670554	CS5695				CPLK	47.85 30-MAY-24 05.04.16.0000000000 PM	30-MAY-24 05.30.39.000000000 PM	+00 00:26:23.000000	26.38	-00 00:26:23.000000	26.38
28672571	CS5691				CPLK	52.97 30-MAY-24 05.57.06.000000000 PM	30-MAY-24 07.17.35.000000000 PM	+00 01:20:29.000000	80.48	-00 01:20:29.000000	80.48
28673382	CS5692				CPLK	64.75 30-MAY-24 06.17.06.000000000 PM	30-MAY-24 07.03.50.000000000 PM	+00 00:46:44.000000	46.73	-00 00:46:44.000000	46.73
28675532	CS5695				CPLK	38.57 30-MAY-24 07.14.58.000000000 PM	30-MAY-24 07.54.21.000000000 PM	+00 00:39:23,000000	39.38	-00 00:39:23.000000	39.38
28676019	CS5692				CPLK	36.01 30-MAY-24 07.27.52.000000000 PM	30-MAY-24 08.25.41.000000000 PM	+00 00:57:49.000000	57.82	-00 00:57:49.000000	57.82
28677923	CS5691				CPLK	15 30-MAY-24 08.18.14.000000000 PM	30-MAY-24 08.40.07.000000000 PM	+00 00:21:53.000000	21.88	-00 00:21:53,000000	21.88
28678141	CS5694				CPLK	22.78 30-MAY-24 08.23.48.000000000 PM	30-MAY-24 09.06.40.000000000 PM	+00 00:42:52.000000	42.87	-00 00:42:52.000000	42.87
28682170	CS5695				CPLK	26.2 30-MAY-24 10.25.18.000000000 PM	30-MAY-24 10.36.23.000000000 PM	+00 00:11:05.000000	11.08	-00 00:11:05.000000	11.08
28685870	CS5694				CPLK	63.77 31-MAY-24 12.44.47,0000000000 AM	31-MAY-24 02.45.27.000000000 AM	+00 02:00:40.000000	120.67	-00 02:00:40.000000	120.67
28688726	CS5695				CPLK	42.44 31-MAY-24 04.04.19.0000000000 AM	31-MAY-24 05.02.26.000000000 AM	+00 00:58:07.000000	58.12	-00 00:58:07.000000	58.12
28689929	CS5694				CPLK	46.6 31-MAY-24 05.46.23.0000000000 AM		+00 00:38:58.000000	38.97	-00 00:38:58.000000	38.97
28691643	CS5695				CPLK	66.24 31-MAY-24 07.32.32.0000000000 AM	31-MAY-24 08.32.19.000000000 AM	+00 00:59:47,000000	59.78	-00 00:59:47.000000	59.78
28694442	CS5691				CPLK	36.69 31-MAY-24 09.18.29.000000000 AM	31-MAY-24 09.58.23.000000000 AM	+00 00:39:54.000000	39.9	-00 00:39:54.000000	39.9
28694698	CS5695				CPLK	41.47 31-MAY-24 09.26.41.0000000000 AM	31-MAY-24 10.33.12.000000000 AM	+00 01:06:31.000000	66.52	-00 01:06:31.000000	66.52
28696848	CS5692				CPLK	13.32 31-MAY-24 10.30.22.000000000 AM	31-MAY-24 10.45.43.000000000 AM	+00 00:15:21.000000	15.35	-00 00:15:21.000000	15.35
28698440	CS5695				CPLK	52.54 31-MAY-24 11.11.23.0000000000 AM	31-MAY-24 11.30.09.000000000 AM	+00 00:18:46.000000	18.77	-00 00:18:46.000000	18.77
28699114	CS5692				CPLK	43.2 31-MAY-24 11.32.00.000000000 AM	31-MAY-24 12.02.53.000000000 PM	+00 00:30:53.000000	30.88	-00 00:30:53.000000	30.88
			4								

	SESSION_ID	CHARGER_ID ADDRI	SS CITY	STATE ZIP JURISDIC	USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION_HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
28700590	CS5695			CPLK	35.98 31-MAY-24 12.08.25.000000000 PM	31-MAY-24 12.55.52.000000000 PM	+00 00:47:27.000000	47.45	-00 00:47:27.000000	47.45
28702457	CS5694			CPLK	57 31-MAY-24 12.55.19.000000000 PM	31-MAY-24 02.01.51.000000000 PM	+00 01:06:32.000000	66.53	-00 01:06:32.000000	66.53
28704537	CS5695			CPLK	73.99 31-MAY-24 01.43.47.000000000 PM	31-MAY-24 02.43.30.000000000 PM	+00 00:59:43.000000	59.72	-00 00:59:43.000000	59.72
28704551	CS5692			CPLK	28.62 31-MAY-24 01.44.10.000000000 PM	31-MAY-24 02.33.21.000000000 PM	+00 00:49:11.000000	49.18	-00 00:49:11.000000	49.18
28705918	CS5694			CPLK	33.91 31-MAY-24 02.16.48.000000000 PM	31-MAY-24 02.50.05.000000000 PM	+00 00:33:17.000000	33.28	-00 00:33:17.000000	33.28
28706865	CS5692			CPLK	40.83 31-MAY-24 02.39.07.000000000 PM	31-MAY-24 03.53.47.000000000 PM	+00 01:14:40.000000	74.67	-00 01:14:40.000000	74.67
28707252	CS5695			CPLK	48.54 31-MAY-24 02.47.46.000000000 PM	31-MAY-24 03.02.51.000000000 PM	+00 00:15:05.000000	15.08	-00 00:15:05.000000	15.08
28708045	CS5695			CPLK	5.82 31-MAY-24 03.06.07.0000000000 PM	31-MAY-24 03.09.12.000000000 PM	+00 00:03:05.000000	3.08	-00 00:03:05.000000	3.08
28708523	CS5695			CPLK	55.91 31-MAY-24 03.14.45.000000000 PM	31-MAY-24 03.57.20.000000000 PM	+00 00:42:35.000000	42.58	-00 00:42:35.000000	42.58
28713293	CS5695			CPLK	38.42 31-MAY-24 04.59.00.000000000 PM	31-MAY-24 05.47.04.000000000 PM	+00 00:48:04.000000	48.07	-00 00:48:04.000000	48.07
28713587	CS5692			CPLK	12.22 31-MAY-24 05.05.45.000000000 PM	31-MAY-24 05.43.48.000000000 PM	+00 00:38:03.000000	38.05	-00 00:38:03.000000	38.05
28716530	CS5695			CPLK	61.06 31-MAY-24 06.12.27.000000000 PM	31-MAY-24 06.35.12.000000000 PM	+00 00:22:45.000000	22.75	-00 00:22:45.000000	22.75
28721398	CS5695			CPLK	32.01 31-MAY-24 08.05.51.0000000000 PM	31-MAY-24 08.38.39.000000000 PM	+00 00:32:48.000000		-00 00:32:48.000000	32.8
28721781	CS5692			CPLK	29.97 31-MAY-24 08.14.29.000000000 PM	31-MAY-24 08.42.51.000000000 PM	+00 00:28:22.000000		-00 00:28:22.000000	28.37
28722236	CS5694			CPLK	17.86 31-MAY-24 08.25.35.0000000000 PM	31-MAY-24 08.38.29.000000000 PM	+00 00:12:54.000000		-00 00:12:54.000000	12.9
28724115	CS5692			CPLK	38.89 31-MAY-24 09.16.02.0000000000 PM	31-MAY-24 10.42.55.000000000 PM	+00 01:26:53.000000		-00 01:26:53.000000	86.88
28724733	CS5694			CPLK	69.54 31-MAY-24 09.32.39.0000000000 PM	31-MAY-24 10.20.41.000000000 PM	+00 00:48:02.000000		-00 00:48:02.000000	48.03
28725065	CS5695			CPLK	58.14 31-MAY-24 09.42.14.000000000 PM	31-MAY-24 10.08.26.000000000 PM	+00 00:26:12.000000		-00 00:26:12.000000	26.2
28726602	CS5695			CPLK	26.83 31-MAY-24 10.26.50.000000000 PM	31-MAY-24 11.26.07.0000000000 PM	+00 00:59:17.000000		-00 00:59:17.000000	59.28
28726872	CS5694			CPLK	29.71 31-MAY-24 10.36.45.000000000 PM	31-MAY-24 10.52.19.000000000 PM	+00 00:15:34.000000		-00 00:15:34.000000	15.57
28728256	CS5694			CPLK	62.98 31-MAY-24 11.21.30.000000000 PM	01-JUN-24 12.01.24.000000000 AM	+00 00:39:54.000000		-00 00:39:54.000000	39.9
28730517	CS5691			CPLK	30.75 01-JUN-24 12.47.03.0000000000 AM	01-JUN-24 01.12.19.000000000 AM	+00 00:25:16.000000		-00 00:25:16.000000	25.27
28731311	CS5692			CPLK	48.23 01-JUN-24 01.25.14.000000000 AM	01-JUN-24 02:30:20:000000000 AM	+00 01:05:06.000000		-00 01:05:06.000000	65.1
28734295				CPLK		01-JUN-24 06.52.27.000000000 AM	+00 01:52:15.000000		-00 01:52:15.000000	112.25
28734615	CS5695 CS5692			CPLK	48.71 01-JUN-24 05.00.12.000000000 AM 9.99 01-JUN-24 05.23.23.000000000 AM	01-JUN-24 05.37.02.000000000 AM	+00 01:32:13:000000		-00 01:32:15:00000	13.65
				CPLK	29.84 01-JUN-24 07.05.20.000000000 AM	the fact of the second contract of the second			-00 00:23:20.000000	23.33
28736070 28736974	C\$5695	-		CPLK	28.56 01-JUN-24 07.53.40.000000000 AM	01-JUN-24 07.28.40.0000000000 AM	+00 00:23:20,000000 +00 00:24:02,000000		-00 00:23:20.000000	24.03
	CS5692				Deleg be salt ellettering ellettering	01-JUN-24 08.17.42.000000000 AM	100,00000000000000000000000000000000000			43.95
28737625	CS5692			CPLK	61.35 01-JUN-24 08.23.05.0000000000 AM	01-JUN-24 09.07.02.0000000000 AM	+00 00:43:57.000000		-00 00:43:57.000000	
28738145	CS5695			CPLK	48.05 01-JUN-24 08.43.55.0000000000 AM	01-JUN-24 09.09.00.0000000000 AM	+00 00:25:05.000000		-00 00:25:05.000000	25.08
28739122	CS5691			CPLK	40.71 01-JUN-24 09.14.50.0000000000 AM	01-JUN-24 09.44.15.0000000000 AM	+00 00:29:25.000000		-00 00:29:25.000000	29.42
28739908	CS5695			CPLK	35.12 01-JUN-24 09.36.14.0000000000 AM	01-JUN-24 10.36.59.0000000000 AM	+00 01:00:45.000000		-00 01:00:45.000000	60.75
28741959	CS5691			CPLK	31.36 01-JUN-24 10.34.25.0000000000 AM	01-JUN-24 11.36.55.0000000000 AM	+00 01:02:30,000000		-00 01:02:30.000000	62.5
28742546	CS5695			CPLK	43.09 01-JUN-24 10.50.10.0000000000 AM	01-JUN-24 11.21.03.0000000000 AM	+00 00:30:53.000000		-00 00:30:53.000000	30.88
28744959	CS5694			CPLK	32.21 01-JUN-24 11.48.41.0000000000 AM	01-JUN-24 12.26.38.000000000 PM	+00 00:37:57.000000		-00 00:37:57.000000	37.95
28747555	CS5692			CPLK	38.29 01-JUN-24 12.47.18.000000000 PM	01-JUN-24 01.47.25.000000000 PM	+00 01:00:07.000000		-00 01:00:07.000000	60.12
28748693	CS5691			CPLK	48.82 01-JUN-24 01.13.03.0000000000 PM	01-JUN-24 03.05.02.0000000000 PM	+00 01:51:59.000000		-00 01:51:59.000000	111.98
28750507	CS5694			CPLK	77.35 01-JUN-24 01.51.53,0000000000 PM	01-JUN-24 02.29.23.000000000 PM	+00 00:37:30.000000		-00 00:37:30.000000	37.5
28751289	CS5695			CPLK	40.42 01-JUN-24 02.09.43.000000000 PM	01-JUN-24 02.24.36.000000000 PM	+00 00:14:53.000000		-00 00:14:53.000000	14.88
28752592	CS5694			CPLK	56.69 01-JUN-24 02.37.08.000000000 PM	01-JUN-24 03.10.16.000000000 PM	+00 00:33:08.000000		-00 00:33:08.000000	33.13
28754524	CS5695			CPLK	77.65 01-JUN-24 03.15.43,0000000000 PM	01-JUN-24 03.51.50.000000000 PM	+00 00:36:07.000000		-00 00:36:07.000000	36.12
28755233	CS5694			CPLK	35.12 01-JUN-24 03,31.45.000000000 PM	01-JUN-24 03.58.23.000000000 PM	+00 00:26:38.000000		-00 00:26:38.000000	26.63
28755328	CS5691			CPLK	66.02 01-JUN-24 03.33.44.000000000 PM	01-JUN-24 04.29.00.000000000 PM	+00 00:55:16.000000		-00 00:55:16.000000	55.27
28756335	CS5692			CPLK	6.82 01-JUN-24 03.55.41.000000000 PM	01-JUN-24 04.00.38.000000000 PM	+00 00:04:57.000000		-00 00:04:57.000000	4.95
35348316	CS5692			CPLK	27.2 16-OCT-24 07.33.32.000000000 PM	16-OCT-24 07.50.36.000000000 PM	+00 00:17:04.000000	17.07	-00 00:17:04.000000	17.07
35349150	CS5692			CPLK	25.33 16-OCT-2407.52.33.0000000000 PM	16-OCT-24 08,25,27,0000000000 PM	+00 00:32:54.000000	32.9	-00 00:32:54.000000	32.9
35351006	CS5691			CPLK	29.13 16-OCT-24 08.36.25.0000000000 PM	16-OCT-24 09.51.16.000000000 PM	+00 01:14:51.000000	74.85	-00 01:14:51.000000	74.85
35351545	CS5692			CPLK	53.28 16-OCT-24 08,50,23,000000000 PM	16-OCT-24 10.08.44.000000000 PM	+00 01:18:21.000000	78.35	-00 01:18:21.000000	78.35
35360438	CS5691			CPLK	64.46 17-OCT-2402.11.48.000000000 AM	17-OCT-24 03.17.37.0000000000 AM	+00 01:05:49,000000	65.82	-00 01:05:49.000000	65.82
33636990	CS5695			CPLK	49.3 11-SEP-24 08.30.48.000000000 PM	11-SEP-24 08.58.11.000000000 PM	+00 00:27:23.000000	27.38	-00 00:27:23.000000	27.38
33639275	CS5694			CPLK	43.8 11-SEP-24 09.27.53.0000000000 PM	11-SEP-24 09.52.50.000000000 PM	+00 00:24:57.000000	24.95	-00 00:24:57.000000	24.95
33644348	CS5695			CPLK	50.74 12-SEP-24 12.13.21.0000000000 AM	12-SEP-24 01.02.57.000000000 AM	+00 00;49;36.000000	49.6	-00 00:49:36.000000	49.6
33647162	CS5692			CPLK	42.16 12-SEP-24 02.56.49.0000000000 AM	12-SEP-24 03.54.18.000000000 AM	+00 00:57:29.000000	57.48	-00 00:57:29.000000	57.48
33650204	CS5695			CPLK	71.88 12-SEP-2406.42.53.0000000000 AM	12-SEP-24 07.21.10.000000000 AM	+00 00:38:17.000000	38.28	-00 00:38:17.000000	38.28
		3.0		73.20						

	SESSION_ID	CHARGER_ID	ADDRESS	СІТУ	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DITM	CONNECTION DURATION_HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
33650523	CS5692				CPLK	7.57 12-SEP-24 07.00.43.0000000000 AM	12-SEP-24 07.20.04.000000000 AM	+00 00:19:21.000000	19.35	-00 00:19:21.000000	19.35
33654858	CS5695		1		CPLK	19.42 12-SEP-24 09.36.23.0000000000 AM	12-SEP-24 09.43.44.000000000 AM	+00 00:07:21.000000	7.35	-00 00:07:21.000000	7.35
33656243	CS5692				CPLK	44.38 12-SEP-24 10.15.08.0000000000 AM	12-SEP-24 10.57.20.000000000 AM	+00 00:42:12,000000	42.2	-00 00:42:12.000000	42.2
33800256	CS5695				CPLK	72.6 15-SEP-24 05.54.25.0000000000 AM	15-SEP-24 06.36.50.000000000 AM	+00 00:42:25.000000	42.42	-00 00:42:25.000000	42.42
33801304	CS5695				CPLK	44.1 15-SEP-24 06,51,20,000000000 AM	15-SEP-24 07.18.31.000000000 AM	+00 00:27:11.000000	27.18	-00 00:27:11.000000	27.18
33801343	CS5694				CPLK	132.14 15-SEP-24 06.53.35.0000000000 AM	15-SEP-24 07.40.33.000000000 AM	+00 00:46:58.000000	46.97	-00 00:46:58.000000	46.97
33801825	CS5692				CPLK	21.51 15-SEP-24 07.17.19.000000000 AM	15-SEP-24 07.41.14.000000000 AM	+00 00:23:55,000000	23.92	-00 00:23:55.000000	23.92
33803694	CS5694				CPLK	68.96 15-SEP-24 08.30.41.000000000 AM	15-SEP-24 09.03.19.000000000 AM	+00 00:32:38.000000	32.63	-00 00:32:38.000000	32.63
33803929	CS5692				CPLK	82.56 15-SEP-24 08.39.09.000000000 AM	15-SEP-24 09.39.30.000000000 AM	+00 01:00:21,000000	60.35	-00 01:00:21.000000	60.35
33804411	CS5691				CPLK	12.86 15-SEP-24 08.56.17.000000000 AM	15-SEP-24 09.06.20.000000000 AM	+00 00:10:03.000000		-00 00:10:03.000000	10.05
33805759	CS5691				CPLK	44.72 15-SEP-24 09.33.48.000000000 AM	15-SEP-24 10.29.14.000000000 AM	+00 00:55:26.000000	55.43	-00 00:55:26.000000	55.43
33806554	CS5692				CPLK	29.24 15-SEP-24 09.54.02.000000000 AM	15-SEP-24 10.18.48.000000000 AM	+00 00:24:46.000000	24.77	-00 00:24:46.000000	24.77
33809635	CS5695				CPLK	50.46 15-SEP-24 11.05.10.000000000 AM	15-SEP-24 11.37.07.000000000 AM	+00 00:31:57.000000	31.95	-00 00:31:57.000000	31.95
33811564	CS5694				CPLK	51.38 15-SEP-2411.47.17.000000000 AM	15-SEP-24 12.22.14.000000000 PM	+00 00:34:57,000000	34.95	-00 00:34:57.000000	34.95
33814832	CS5694				CPLK	12.93 15-SEP-24 12.48.57.000000000 PM	15-SEP-24 01.17.26.000000000 PM	+00 00:28:29.000000	28.48	-00 00:28:29.000000	28.48
33814951	CS5695				CPLK	49.56 15-SEP-24 12.50.47.000000000 PM	15-SEP-24 01.11.00.000000000 PM	+00 00:20:13.000000		-00 00:20:13.000000	20.22
33818846	CS5695				CPLK	36.45 15-SEP-24 02,05.05.0000000000 PM	13-SEP-24 03.23.08.000000000 AM	-02 10:41:57.000000	641.95	+02 10:41:57.000000	641.95
33819157	CS5694				CPLK	20.65 15-SEP-2402.10.13.000000000 PM	15-SEP-24 02.32.52.000000000 PM	+00 00:22:39.000000		-00 00:22:39.000000	22.65
33821581	CS5695				CPLK	30.8 15-SEP-24 02.55.43.0000000000 PM	15-SEP-24 03.23.44.000000000 PM	+00 00:28:01.000000		-00 00:28:01.000000	28.02
33824763	CS5695				CPLK	74.78 15-SEP-24 03,52.09.000000000 PM	15-SEP-24 04.28.22.000000000 PM	+00 00:36:13.000000		-00 00:36:13.000000	36.22
33829641	CS5692				CPLK	3.88 15-SEP-24 05.22,50.000000000 PM	15-SEP-24 05.28.14.000000000 PM	+00 00:05:24.000000		-00 00:05:24.000000	5.4
33831004	CS5694				CPLK	32.63 15-SEP-24 05.49.42.000000000 PM	15-SEP-24 06.22.51.000000000 PM	+00 00:33:09.000000		-00 00:33:09.000000	33.15
33831096	CS5692				CPLK	38.98 15-SEP-24 05.51.34.000000000 PM	15-SEP-24 06.16.04.000000000 PM	+00 00:24:30,000000		-00 00:24:30.000000	24.5
33836125	CS5695				CPLK	16.29 15-SEP-24 07.33,24.000000000 PM	15-SEP-24 08.06.22.000000000 PM	+00 00:32:58.000000		-00 00:32:58.000000	32.97
33838579	CS5695				CPLK	24.03 15-SEP-24 08.26.49.000000000 PM	15-SEP-24 08.48.25.000000000 PM	+00 00:21:36,000000		-00 00:21:36.000000	21.6
33840954	CS5692				CPLK	41.96 15-SEP-2409.24.04,000000000 PM	15-SEP-24 10.49.49.000000000 PM	+00 01:25:45.000000		-00 01:25:45.000000	85.75
33844018	CS5691				CPLK	58.16 15-SEP-24 10.52,27,000000000 PM	16-SEP-24 12.30.31.000000000 AM	+00 01:38:04.000000		-00 01:38:04.000000	98.07
33844109	CS5694				CPLK	53.87 15-SEP-24 10.55.29.000000000 PM	15-SEP-24 11.40.47.000000000 PM	+00 00:45:18.000000		-00 00:45:18.000000	45.3
33849138	CS5692				CPLK	45.71 16-SEP-2402,36.14.0000000000 AM	16-SEP-24 04.11.57.000000000 AM	+00 01:35:43.000000		-00 01:35:43.000000	95.72
33851677	CS5694				CPLK	35.97 16-SEP-24 05.43.16.0000000000 AM	16-SEP-24 06.20.40.000000000 AM	+00 00:37:24.000000		-00 00:37:24.000000	37.4
33853753	CS5694				CPLK	57.23 16-SEP-24 07.32.07.000000000 AM	16-SEP-24 07.59.48.000000000 AM	+00 00:27:41.000000		-00 00:27:41.000000	27.68
33856651	CS5691				CPLK	49.45 16-SEP-24 09.14.13.0000000000 AM	16-SEP-24 09.59.35.000000000 AM	+00 00:45:22.000000		-00 00:45:22.000000	45.37
33858497	CS5695				CPLK	4.97 16-SEP-24 10.08.32.0000000000 AM	16-SEP-24 10.10.45.000000000 AM	+00 00:02:13.000000		-00 00:02:13.000000	2.22
33956021	CS5694				CPLK	58.67 18-SEP-24 12.02.51.000000000 PM	18-SEP-24 12.41.30.000000000 PM	+00 00:38:39.000000		-00 00:38:39.000000	38.65
33957597	CS5692				CPLK	70.3 18-SEP-24 12.39.55.000000000 PM	18-SEP-24 01.25.51.000000000 PM	+00 00:45:56.000000		-00 00:45:56.000000	45.93
33957912	CS5691				CPLK	7.69 18-SEP-24 12.46.46.000000000 PM	18-SEP-24 12.53.21.000000000 PM	+00 00:06:35,000000		-00 00:06:35.000000	6.58
33958482	CS5694				CPLK	30.82 18-SEP-24 12,59.27,0000000000 PM	18-SEP-24 01.34.50.000000000 PM	+00 00:35:23.000000		-00 00:35:23.000000	35.38
33958590	CS5691				CPLK	41.4 18-SEP-24 01.01.41.0000000000 PM	18-SEP-24 01.35.29.000000000 PM	+00 00:33:48.000000		-00 00:33:48.000000	33.8
33959802	CS5695				CPLK	33.2 18-SEP-24 01.28.11.0000000000 PM	18-SEP-24 01.40.16.000000000 PM	+00 00:12:05.000000		-00 00:12:05.000000	12.08
33960496	CS5692				CPLK	53.82 18-SEP-24 01.43.08.0000000000 PM	18-SEP-24 02.33.37.0000000000 PM	+00 00:50:29.000000		-00 00:50:29.000000	50.48
33960889	C\$5694				CPLK	53.64 18-SEP-24 01.52.42.0000000000 PM	18-SEP-24 02.11.51.0000000000 PM	+00 00:19:09.000000		-00 00:19:09.000000	19.15
33961356	CS5695				CPLK	17.61 18-SEP-24 02.03.43.0000000000 PM	18-SEP-24 02.31.10.0000000000 PM	+00 00:27:27.000000		-00 00:27:27.000000	27.45
33965033	CS5694				CPLK	8.87 18-SEP-24 03.25.54.0000000000 PM	18-SEP-24 03.38.50.000000000 PM	+00 00:12:56,000000		-00 00:12:56.000000	12.93
33966042	CS5692				CPLK	40.58 18-SEP-24 03.51.10.0000000000 PM	18-SEP-24 04.30.25.0000000000 PM	+00 00:39:15.000000		-00 00:39:15.000000	39.25
33967362	CS5695				CPLK	20.65 18-SEP-24 04.20.26,0000000000 PM	18-SEP-24 04.33.35.000000000 PM	+00 00:13:09.000000		-00 00:13:09.000000	13.15
33971149	CS5695				CPLK	50.31 18-SEP-24 05.44.28.0000000000 PM	18-SEP-24 06.11.00.0000000000 PM	+00 00:26:32.000000		-00 00:26:32.000000	26.53
33971574	C\$5692				CPLK	57.1 18-SEP-24 05.54.12.0000000000 PM		+00 01:34:28.000000		-00 01:34:28.000000	94.47
33971671	CS5691				CPLK	16.65 18-SEP-24 05.56.15.0000000000 PM	18-SEP-24 06.28.49.0000000000 PM	+00 00:32:34.000000		-00 00:32:34.000000	32.57
33971712	CS5694				CPLK	27.35 18-SEP-24 05.57.18.0000000000 PM	18-SEP-24 06.33.07.000000000 PM	+00 00:35:49.000000		-00 00:35:49.000000	35.82
33972966	CS5695				CPLK	44.2 18-SEP-24 06.24.55.0000000000 PM	18-SEP-24 07.29.44.000000000 PM	+00 01:04:49.000000		-00 01:04:49.000000	64.82
33983339	C\$5695				CPLK	46.23 18-SEP-24 10.49.18.0000000000 PM	18-SEP-24 11.14.19.0000000000 PM	+00 00:25:01.000000		-00 00:25:01.000000	25.02
33984773	CS5692				CPLK	39.72 18-SEP-2411.36.28.0000000000 PM	19-SEP-24 12.18.35.0000000000 AM	+00 00:42:07.000000		-00 00:42:07.000000	42.12
33985246	CS5694		10		CPLK	16.19 18-SEP-2411.55.04.000000000 PM	19-SEP-24 12.13.40.000000000 AM	+00 00:18:36.000000	18.6	-00 00:18:36.000000	18.6

	SESSION_ID	CHARGER_ID	ADDRESS	СІТУ	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DITM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
33986057	CS5692				CPLK	47.52 19-SEP-2412.32.09.000000000 AM	19-SEP-24 02.03.48.000000000 AM	+00 01:31:39.000000	91.65	-00 01:31:39.000000	91.65
33988355	CS5695				CPLK	46.35 19-SEP-24 02.48.33.000000000 AM	19-SEP-24 03.33.20.000000000 AM	+00 00:44:47.000000	44.78	-00 00:44:47.000000	44.78
33990948	CS5694				CPLK	38.22 19-SEP-2406.05.57.0000000000 AM	19-SEP-24 06.41.00.000000000 AM	+00 00:35:03.000000	35.05	-00 00:35:03.000000	35.05
33992635	CS5695				CPLK	56.53 19-SEP-2407.29.03.000000000 AM	19-SEP-24 07.51.32.000000000 AM	+00 00:22:29.000000	22.48	-00 00:22:29.000000	22.48
33992973	CS5694				CPLK	17.09 19-SEP-2407.40.09.000000000 AM	19-SEP-24 07.47.41.000000000 AM	+00 00:07:32.000000	7.53	-00 00:07:32.000000	7.53
33994999	CS5695				CPLK	13.88 19-SEP-2408.51.21.000000000 AM	19-SEP-24 08.59.41.000000000 AM	+00 00:08:20.000000	8.33	-00 00:08:20.000000	8.33
33995410	CS5694				CPLK	64.78 19-SEP-24 09.03.58.0000000000 AM	19-SEP-24 09.40.38.000000000 AM	+00 00:36:40.000000	36.67	-00 00:36:40.000000	36.67
33995526	CS5695				CPLK	37.7 19-SEP-24 09.08.00.000000000 AM	19-SEP-24 09.24.06.000000000 AM	+00 00:16:06.000000	16.1	-00 00:16:06.000000	16.1
33996935	CS5695				CPLK	36.71 19-SEP-24 09.48.33.0000000000 AM	19-SEP-24 10.12.06.000000000 AM	+00 00:23:33.000000	23.55	-00 00:23:33.000000	23.55
33998522	CS5695				CPLK	19.04 19-SEP-24 10.30.03.0000000000 AM	19-SEP-24 10.38.14.000000000 AM	+00 00:08:11.000000	8.18	-00 00:08:11.000000	8.18
34074655	CS5694				CPLK	13.32 20-SEP-24 07.44.56.000000000 PM	20-SEP-24 08.18.12.000000000 PM	+00 00:33:16.000000	33.27	-00 00:33:16.000000	33.27
34077256	CS5692				CPLK	44.25 20-SEP-2408.41.20.000000000 PM	20-SEP-24 10.04.31.000000000 PM	+00 01:23:11.000000	83.18	-00 01:23:11.000000	83.18
34077473	CS5694				CPLK	48.21 20-SEP-24 08.46.13.000000000 PM	20-SEP-24 08.57.09.000000000 PM	+00 00:10:56.000000	10.93	-00 00:10:56.000000	10.93
34077905	CS5691				CPLK	51.06 20-SEP-24 08.55.22.000000000 PM	20-SEP-24 10.20.34.000000000 PM	+00 01:25:12.000000	85.2	-00 01:25:12.000000	85.2
34080597	CS5695				CPLK	42.06 20-SEP-24 10.03.15.000000000 PM	20-SEP-24 10.25.20.000000000 PM	+00 00:22:05.000000	22.08	-00 00:22:05.000000	22.08
34081259	CS5694				CPLK	58.52 20-SEP-24 10.19.55.000000000 PM	20-SEP-24 10.50.34.000000000 PM	+00 00:30:39.000000	30.65	-00 00:30:39.000000	30.65
34081647	CS5691				CPLK	35.14 20-SEP-24 10.30.46.000000000 PM	20-SEP-24 11.11.08.000000000 PM	+00 00:40:22.000000	40.37	-00 00:40:22.000000	40.37
34082603	CS5695				CPLK	47.92 20-SEP-24 10.58.33.0000000000 PM	20-SEP-24 11.27.11.000000000 PM	+00 00:28:38.000000	28.63	-00 00:28:38.000000	28.63
34082990	CS5694				CPLK	10.47 20-SEP-24 11.10.50.000000000 PM	20-SEP-24 11.18.27.000000000 PM	+00 00:07:37,000000	7.62	-00 00:07:37.000000	7.62
34084804	CS5694				CPLK	53.76 21-SEP-24 12.09.50.000000000 AM	21-SEP-24 12.54.01.000000000 AM	+00 00:44:11.000000	44.18	-00 00:44:11.000000	44.18
34086964	CS5695				CPLK	58.85 21-SEP-24 01.48.50.000000000 AM	21-SEP-24 02.28.56.000000000 AM	+00 00:40:06.000000	40.1	-00 00:40:06.000000	40.1
34087179	CS5692				CPLK	35.89 21-SEP-24 01.59.57.000000000 AM	21-SEP-24 02.44.37.000000000 AM	+00 00:44:40,000000	44.67	-00 00:44:40.000000	44.67
34088325	CS5695				CPLK	45.44 21-SEP-24 02.57.11.000000000 AM	21-SEP-24 03.41.05.000000000 AM	+00 00:43:54.000000		-00 00:43:54.000000	43.9
34092265	CS5695				CPLK	59.16 21-SEP-2406.59.02.000000000 AM	21-SEP-24 07.31.58.000000000 AM	+00 00:32:56.000000		-00 00:32:56.000000	32.93
34092690	CS5694				CPLK	44.92 21-SEP-2407.17.57.0000000000 AM	21-SEP-24 07.34.08.000000000 AM	+00 00:16:11.000000		-00 00:16:11.000000	16.18
34094910	CS5695				CPLK	30.32 21-SEP-24 08.40.44.000000000 AM	21-SEP-24 09.12.20.000000000 AM	+00 00:31:36.000000		-00 00:31:36.000000	31.6
34096087	CS5692				CPLK	5.62 21-SEP-24 09.13.31.000000000 AM	21-SEP-24 09.34.28.000000000 AM	+00 00:20:57,000000		-00 00:20:57.000000	20.95
34097580	CS5695				CPLK	86.16 21-SEP-2409.51.57.000000000 AM	21-SEP-24 10.33.55.000000000 AM	+00 00:41:58.000000		-00 00:41:58.000000	41.97
34098852	CS5691				CPLK	58.75 21-SEP-24 10.20.30.000000000 AM	21-SEP-24 11.06.13.0000000000 AM	+00 00:45:43.000000		-00 00:45:43.000000	45.72
34099935	CS5694				CPLK	43.47 21-SEP-24 10.45.08.0000000000 AM	21-SEP-24 11.25.06.000000000 AM	+00 00:39:58.000000		-00 00:39:58.000000	39.97
34100188	CS5695				CPLK	33.47 21-SEP-24 10.50.57.0000000000 AM	21-SEP-24 11.20.29.0000000000 AM	+00 00:29:32.000000		-00 00:29:32.000000	29.53
34101909	CS5692				CPLK	84.26 21-SEP-24 11.28.38.0000000000 AM	21-SEP-24 12.44.44.000000000 PM	+00 01:16:06.000000		-00 01:16:06.000000	76.1
34102136	CS5694				CPLK	158.51 21-SEP-24 11.33.38.000000000 AM	21-SEP-24 01.22.58.000000000 PM	+00 01:49:20.000000		-00 01:49:20.000000	109.33
35361527	CS5691				CPLK	23.09 17-OCT-24 03.26.01.0000000000 AM	17-OCT-24 03.41.45.0000000000 AM	+00 00:15:44.000000		-00 00:15:44.000000	15.73
35363603	CS5691				CPLK	43.06 17-OCT-24 05.42.42.0000000000 AM	17-OCT-24 06.35.58.0000000000 AM	+00 00:53:16.000000 +00 00:34:54.000000		-00 00:53:16.000000	53.27 34.9
35364327	CS5692				CPLK	52.88 17-OCT-24 06.22.27.0000000000 AM	17-OCT-24 06.57.21.000000000 AM			-00 00:34:54.000000	73.28
35367096 35368501	CS5691 CS5692				CPLK CPLK	26.16 17-OCT-24 08.11.52.0000000000 AM	17-OCT-24 09.25.09.000000000 AM	+00 01:13:17.000000 +00 00:36:37.000000		-00 01:13:17.000000 -00 00:36:37.000000	36.62
35369617	CS5691				CPLK	47.65 17-OCT-24 08.54.51,0000000000 AM 72.51 17-OCT-24 09.27.49.000000000 AM	17-OCT-24 09.31.28.000000000 AM	+00 00:35:37:000000		-00 00:45:31,000000	45.52
35370779	CS5692				CPLK	30.88 17-OCT-24 09.57.49.000000000 AM	17-OCT-24 10.13.20.000000000 AM 17-OCT-24 10.20.42.000000000 AM	+00 00:22:53.000000		-00 00:43:31.000000	22.88
35370779	CS5691				CPLK	63.3 17-OCT-24 10.29.54.000000000 AM	17-OCT-24 10.20.42.0000000000 AM	+00 01:13:05.000000		-00 01:13:05.000000	73.08
35853284	CS5691				CPLK	14.41 26-OCT-24 09.16.06.000000000 PM	26-OCT-24 09.32.38.0000000000 PM	+00 00:16:32.000000		-00 00:16:32.000000	16.53
35855184	CS5692				CPLK	58.19 26-OCT-24 10.11.26.000000000 PM	26-OCT-24 11.46.13.000000000 PM	+00 01:34:47.000000		-00 01:34:47.000000	94.78
35857643	CS5691				CPLK	36.18 26-OCT-2411.26.28.000000000 PM	27-OCT-24 12.10.42.000000000 AM	+00 00:44:14.000000		-00 00:44:14.000000	44.23
35858973	CS5692				CPLK	4.62 27-OCT-24 12.13.01.000000000 AM	27-OCT-24 12.18.25.000000000 AM	+00 00:05:24.000000		-00 00:05:24.000000	5.4
35862095	CS5691				CPLK	46.49 27-OCT-24 02.17.45.0000000000 AM	27-OCT-24 03.06.12.000000000 AM	+00 00:48:27.000000		-00 00:48:27.000000	48.45
35862443	CS5692				CPLK	54.03 27-OCT-24 02.33.20.000000000 AM		+00 01:26:55.000000		-00 01:26:55.000000	86.92
35868332	CS5691				CPLK	41.57 27-OCT-24 07.25.39.000000000 AM		+00 00:35:35.000000		-00 00:35:35.000000	35.58
35868763	CS5692				CPLK	44.55 27-OCT-24 07.45.03.000000000 AM		+00 00:39:07.000000		-00 00:39:07.000000	39.12
35872490	CS5691				CPLK	37.43 27-OCT-24 09.40.14.0000000000 AM		+00 01:47:46.000000		-00 01:47:46.000000	107.77
35876478	CS5692				CPLK	17.71 27-OCT-24 11.07.32.000000000 AM		+00 00:14:42,000000		-00 00:14:42.000000	14.7
35878635	CS5692				CPLK	31.73 27-OCT-2411.49.37.0000000000 AM		+00 01:18:31.000000		-00 01:18:31.000000	78.52
35879780	CS5691				CPLK	40.34 27-OCT-24 12.10.45.0000000000 PM		+00 00:35:25.000000		-00 00:35:25.000000	35.42
000,0,00	000001		Na.		S. ER	SIST ET SOI ET ELEGISSOSSOSSOS ITT	Z. CO. ET ILITOI DOUGOUGOUGOUGO	22 301001201000000	33.42	22 John Leiter John	00.TE

	SESSION_ID	CHARGER_ID	ADDRESS	СПУ	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
35884845	CS5691				CPLK	30.77 27-OCT-24 01.43.58.000000000 PM	27-OCT-24 02.13.41.000000000 PM	+00 00:29:43.000000	29.72	-00 00:29:43.000000	29.72
35886919	CS5691	1			CPLK	17.72 27-OCT-2402.21.12.000000000 PM	27-OCT-24 02.52.16.000000000 PM	+00 00:31:04.000000	31.07	-00 00:31:04.000000	31.07
35892482	CS5691				CPLK	52.63 27-OCT-24 04.02.55.000000000 PM	27-OCT-24 04.55.00.000000000 PM	+00 00:52:05.000000	52.08	-00 00:52:05.000000	52.08
35905240	CS5692				CPLK	12.66 27-OCT-2408.18.54.000000000 PM	27-OCT-24 08.52.26.000000000 PM	+00 00:33:32.000000	33.53	-00 00:33:32.000000	33.53
35907010	CS5692				CPLK	77.33 27-OCT-2408.59.34.000000000 PM	27-OCT-24 10.14.53.000000000 PM	+00 01:15:19.000000	75.32	-00 01:15:19.000000	75.32
35908491	CS5691				CPLK	53.07 27-OCT-24 09.35.23.000000000 PM	27-OCT-24 11.01.08.000000000 PM	+00 01:25:45.000000	85.75	-00 01:25:45.000000	85.75
35909973	CS5692				CPLK	42.6 27-OCT-24 10.17.48.000000000 PM	27-OCT-24 11.19.00.000000000 PM	+00 01:01:12.000000	61.2	-00 01:01:12.000000	61.2
35913822	CS5692				CPLK	47.6 28-OCT-24 12.23.46.000000000 AM	28-OCT-24 01.03.08.000000000 AM	+00 00:39:22.000000	39.37	-00 00:39:22.000000	39.37
35914219	CS5691				CPLK	21.22 28-OCT-24 12.45.04.000000000 AM	28-OCT-24 01.23.15.000000000 AM	+00 00:38:11.000000	38.18	-00 00:38:11.000000	38.18
35919814	CS5691				CPLK	64.19 28-OCT-2406.31.01.000000000 AM	28-OCT-24 07.11.58.000000000 AM	+00 00:40:57.000000	40.95	-00 00:40:57.000000	40.95
35926458	CS5691				CPLK	46.32 28-OCT-24 10.19.03.000000000 AM	28-OCT-24 11.46.05.0000000000 AM	+00 01:27:02.000000	87.03	-00 01:27:02.000000	87.03
35926637	CS5692				CPLK	40.63 28-OCT-24 10.23.58.000000000 AM	28-OCT-24 11.06.44.000000000 AM	+00 00:42:46.000000	42.77	-00 00:42:46.000000	42.77
35929327	CS5692				CPLK	37.99 28-OCT-24 11.26.40.000000000 AM	28-OCT-24 12.44.03.000000000 PM	+00 01:17:23.000000	77.38	-00 01:17:23.000000	77.38
35933906	CS5692				CPLK	46.24 28-OCT-2401.07.08.000000000 PM	28-OCT-24 01.52.13.000000000 PM	+00 00:45:05.000000	45.08	-00 00:45:05.000000	45.08
35935845	CS5691				CPLK	47.78 28-OCT-24 01.48.25.000000000 PM	28-OCT-24 03.00.45.000000000 PM	+00 01:12:20.000000	72.33	-00 01:12:20.000000	72.33
35936203	CS5692				CPLK	28.56 28-OCT-2401.55.47.000000000 PM	28-OCT-24 02.20.14.000000000 PM	+00 00:24:27.000000	24.45	-00 00:24:27.000000	24.45
35940865	CS5692				CPLK	38.99 28-OCT-2403.35.59.000000000 PM	28-OCT-24 04.00.29.000000000 PM	+00 00:24:30.000000	24.5	-00 00:24:30.000000	24.5
35941147	CS5691				CPLK	16.77 28-OCT-24 03.42.57.000000000 PM	28-OCT-24 04.01.53.000000000 PM	+00 00:18:56.000000	18.93	-00 00:18:56.000000	18.93
36568488	CS5692				CPLK	45.86 10-NOV-24 01.34.12.000000000 PM	10-NOV-24 02.08.18.000000000 PM	+00 00:34:06.000000	34.1	-00 00:34:06.000000	34.1
36572095	CS5692				CPLK	35.51 10-NOV-24 02.40.28.000000000 PM	10-NOV-24 03.02.42.000000000 PM	+00 00:22:14.000000	22.23	-00 00:22:14.000000	22.23
36576696	CS5692				CPLK	27.81 10-NOV-24 04.04.04.0000000000 PM	10-NOV-24 04.21.57.000000000 PM	+00 00:17:53.000000	17.88	-00 00:17:53.000000	17.88
36578068	CS5692				CPLK	31.25 10-NOV-24 04.30.18.000000000 PM	10-NOV-24 04.57.35.000000000 PM	+00 00:27:17.000000	27.28	-00 00:27:17.000000	27.28
36580764	CS5692				CPLK	34.82 10-NOV-24 05.22.31.000000000 PM	10-NOV-24 05.57.20.000000000 PM	+00 00:34:49.000000		-00 00:34:49.000000	34.82
36583910	CS5692				CPLK	32.55 10-NOV-24 06.24.38.000000000 PM	10-NOV-24 07.55.09.000000000 PM	+00 01:30:31.000000		-00 01:30:31.000000	90.52
36592133	CS5692				CPLK	46.65 10-NOV-24 09.44.10.000000000 PM	10-NOV-24 10.33.16.000000000 PM	+00 00:49:06.000000		-00 00:49:06.000000	49.1
36594545	CS5692	-			CPLK	55.74 10-NOV-24 11.03.18.000000000 PM	11-NOV-24 12.33.37.000000000 AM	+00 01:30:19.000000		-00 01:30:19.000000	90.32
36596849	CS5692				CPLK	46.11 11-NOV-24 12.38.16.000000000 AM	11-NOV-24 01.31.40.000000000 AM	+00 00:53:24.000000		-00 00:53:24.000000	53.4
36598928	CS5692	> 1			CPLK	52.58 11-NOV-24 02.38.40.000000000 AM	11-NOV-24 03.33.15.000000000 AM	+00 00:54:35.000000		-00 00:54:35.000000	54.58
36600960	CS5692				CPLK	40.91 11-NOV-24 05.08.17.000000000 AM	11-NOV-24 06.44.36.000000000 AM	+00 01:36:19.000000		-00 01:36:19.000000	96.32
36602668	CS5692				CPLK	36.91 11-NOV-24 06.48.29.000000000 AM	11-NOV-24 07.49.16.000000000 AM	+00 01:00:47.000000		-00 01:00:47.000000	60.78
36604650	C\$5692				CPLK	38.56 11-NOV-24 08.10.32.0000000000 AM	11-NOV-24 09.38.08.0000000000 AM	+00 01:27:36.000000		-00 01:27:36.000000	87.6
36607792	CS5692				CPLK	69.01 11-NOV-24 09.41.52.0000000000 AM	11-NOV-24 10.37.28.0000000000 AM	+00 00:55:36.000000		-00 00:55:36.000000	55.6
36611612	CS5692				CPLK	51.63 11-NOV-24 11.13.46.000000000 AM	11-NOV-24 12.25.48.0000000000 PM	+00 01:12:02.000000		-00 01:12:02.000000	72.03
36614862	CS5692				CPLK	52.16 11-NOV-24 12.28.09.0000000000 PM	11-NOV-24 01.34.14.0000000000 PM	+00 01:06:05.000000		-00 01:06:05.000000	66.08
36618913	CS5692				CPLK	76.6 11-NOV-24 01.54.33.0000000000 PM	11-NOV-24 02.52.17.000000000 PM 11-NOV-24 03.34.09.000000000 PM	+00 00:57:44.000000 +00 00:21:30.000000		-00 00:57:44.000000	57.73 21.5
36622839	CS5692				CPLK	34.23 11-NOV-24 03.12.39.0000000000 PM				-00 00:21:30.000000	39.5
36627113 36631387	CS5692 CS5692				CPLK CPLK	45.87 11-NOV-24 04.44.42.0000000000 PM	11-NOV-24 05.24.12.0000000000 PM 11-NOV-24 07.53.38.000000000 PM	+00 00:39:30.000000 +00 01:38:10.000000		-00 00:39:30.000000 -00 01:38:10.000000	98.17
36636405	CS5692				CPLK	58.39 11-NOV-24 06.15.28.000000000 PM 30.85 11-NOV-24 08.11.22.000000000 PM	11-NOV-24 08.30.45.000000000 PM	+00 00:19:23.000000		-00 00:19:23.000000	19.38
36638936	CS5692				CPLK	54.2 11-NOV-24 09.23.15.000000000 PM	11-NOV-24 10.10.00.000000000 PM	+00 00:19:23.000000		-00 00:46:45.000000	46.75
36644210	CS5692				CPLK	48.67 12-NOV-24 12.44.04.000000000 AM	12-NOV-24 02.13.43.0000000000 AM	+00 01:29:39.000000		-00 01:29:39.000000	89.65
36648482	CS5692				CPLK	31.48 12-NOV-24 05.44.38.0000000000 AM	12-NOV-24 06.29.15.0000000000 AM	+00 01:29:39:000000		-00 01:29:39:000000	44.62
36652119	CS5692				CPLK	51.8 12-NOV-24 08.23.14.000000000 AM	12-NOV-24 00.29.13.0000000000 AM	+00 00:51:02.000000		-00 00:51:02.000000	51.03
36657430	CS5692				CPLK	33.82 12-NOV-24 10.52.32.0000000000 AM	12-NOV-24 11.51.37.0000000000 AM	+00 00:59:05.000000		-00 00:59:05.000000	59.08
36662320	CS5692				CPLK	24 12-NOV-24 12.47.40.000000000 PM	12-NOV-24 01.27.50.000000000 PM	+00 00:40:10.000000		-00 00:39:03:000000	40.17
36665492	CS5692				CPLK	25.65 12-NOV-24 01.57.20.000000000 PM	12-NOV-24 02.13.27.0000000000 PM	+00 00:16:07.000000		-00 00:16:07.000000	16.12
36666613	CS5692				CPLK	22.67 12-NOV-24 02.22.38.000000000 PM				-00 00:20:49.000000	20.82
36669640	CS5692				CPLK	6.44 12-NOV-24 03.27.54.0000000000 PM				-00 00:20:49:000000	7.4
37186042	CS5692				CPLK	21.49 22-NOV-24 08.20.58.000000000 PM				-00 00:23:48.000000	23.8
37186705	CS5695				CPLK	4.23 22-NOV-24 08.35.37.000000000 PM				-00 00:06:43.000000	6.72
37187241	CS5695				CPLK	17.84 22-NOV-24 08.48.19.000000000 PM		+00 00:44:18.000000		-00 00:44:18.000000	44.3
37189230	CS5692				CPLK	10.9 22-NOV-24 09.36.19.000000000 PM		+00 00:21:04.000000		-00 00:21:04.000000	21.07
37189650	CS5695	A "1			CPLK	8.93 22-NOV-24 09.58.25.000000000 PM		+00 00:21:46.000000		-00 00:21:46.000000	21.77
07 200000	00000	34			O. CK	E. HOT ET BOILDING OUT OF THE	THE THE PARTY OF T	S SULLI-TOILOGGOOD	21.77	S. SOILLITOIDEOUGO	21.11

Mail		SESSION_ID	CHARGER_ID	ADDRESS	СІТУ	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DITM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION	TOTAL DURATION MINUTES
Mail	34115134	CS5691					20.49 21-SEP-24 03.34.53.000000000 PM	21-SEP-24 03.58.41.000000000 PM	+00 00:23:48.000000		-00 00:23:48.000000	23.8
Mail	34116260	CS5694				CPLK	29.22 21-SEP-2403.56.11.000000000 PM	21-SEP-24 04.25.39.000000000 PM	+00 00:29:28.000000	29.47	-00 00:29:28.000000	29.47
1417.0006 CSH66	34116677	CS5692				CPLK	35.17 21-SEP-24 04.04.30.0000000000 PM	21-SEP-24 04.51.11.000000000 PM	+00 00:46:41.000000	46.68	-00 00:46:41.000000	46.68
Marging Crists	34123297	CS5692				CPLK	40.96 21-SEP-2406.17.38.000000000 PM	21-SEP-24 07.10.27.000000000 PM	+00 00:52:49.000000	52.82	-00 00:52:49.000000	52.82
March Control Contro	34123959	CS5695				CPLK	60.88 21-SEP-2406,32,07.000000000 PM	21-SEP-24 07.31.03.000000000 PM	+00 00:58:56.000000	58.93	-00 00:58:56.000000	58.93
1411000	34125253	CS5694				CPLK	54.82 21-SEP-2406.59.25.0000000000 PM	21-SEP-24 07.34.24.000000000 PM	+00 00:34:59.000000	34.98	-00 00:34:59.000000	34.98
1417987 150506	34125844	CS5691				CPLK	55.34 21-SEP-24 07.11.29.000000000 PM	21-SEP-24 07.56.47.000000000 PM	+00 00:45:18.000000	45.3	-00 00:45:18.000000	45.3
1411094 CS599 CPLK 41.51 21.87 24.01 24.01 24.00 2	34126640	CS5692				CPLK	6.42 21-SEP-24 07.27.47.000000000 PM	21-SEP-24 07.35.02,000000000 PM	+00 00:07:15.000000	7.25	-00 00:07:15.000000	7.25
SERIOR CREEK CRE	34128809	CS5692				CPLK	36.64 21-SEP-2408.12.48.000000000 PM	21-SEP-24 09.02.59.000000000 PM	+00 00:50:11.000000	50.18	-00 00:50:11.000000	50.18
141100024 CSS962 CPLK	34128944	CS5695				CPLK	41.91 21-SEP-2408.15.47.000000000 PM	21-SEP-24 09.20.55.000000000 PM	+00 01:05:08.000000	65.13	-00 01:05:08.000000	65.13
Statistics CSSSSSS	34129029	CS5691				CPLK	57.37 21-SEP-24 08.17.46,000000000 PM	21-SEP-24 10.01.42.000000000 PM	+00 01:43:56.000000	103.93	-00 01:43:56.000000	103.93
14112560	34130024	CS5694				CPLK	71.64 21-SEP-2408.40.18.000000000 PM	21-SEP-24 09.27.17.000000000 PM	+00 00:46:59.000000	46.98	-00 00:46:59.000000	46.98
\$4152144	34131051	CS5692				CPLK	19.32 21-SEP-2409.06.19.000000000 PM	21-SEP-24 09.21.11.000000000 PM	+00 00:14:52.000000	14.87	-00 00:14:52.000000	14.87
SALESSINS CSSS96	34131940	CS5695				CPLK	20.68 21-SEP-24 09,28,20,000000000 PM	21-SEP-24 10.17.48.000000000 PM	+00 00:49:28.000000	49.47	-00 00:49:28.000000	49.47
3415986 CS5965 CS5965 CPLK 19.37 21-SFP-24.11.07.28.000000000 Pl. 21.57-24.11.07.28.000000000 Pl. 20.000000000000000000000000000000000	34132143	CS5692				CPLK	43.99 21-SEP-2409,33,11,000000000 PM	21-SEP-24 11.04.48.000000000 PM	+00 01:31:37.000000	91.62	-00 01:31:37.000000	91.62
1410983	34133031	CS5694				CPLK	48.94 21-SEP-2409.57.58,0000000000 PM	21-SEP-24 11.02.50.000000000 PM	+00 01:04:52.000000	64.87	-00 01:04:52.000000	64.87
\$4109289	34135595	CS5695				CPLK	19.37 21-SEP-24 11.07.36.0000000000 PM	21-SEP-24 11.42.56.000000000 PM	+00 00:35:20.000000	35.33	-00 00:35:20.000000	35.33
3416945 C\$5566 CPLK F\$ 167 21, \$82 P\$ 41.02 4.0 A (0.00000000 PM 10 00 02:357,000000 23, 55 00 00 00:325,7000000 3416972 C\$5501 CPLK F\$ 15 12, \$82 P\$ 42.0 13, 55, \$00000000 PM 10 00 15, 55, \$000000000 PM 10 00 15, 55, \$000000000 PM 10 00 15, 55, \$000000000 PM 10 00 15, 55, \$0	34140883	CS5692				CPLK	49.91 22-SEP-2402.39.31.0000000000 AM	22-SEP-24 03.53.44.000000000 AM	+00 01:14:13.000000	74.22	-00 01:14:13.000000	74.22
14109727 C\$5594 CFLK 75.61 25.887-24.01 25.50.00000000 Ph 10.185.27.000000 5.65.5 - 00.155.27.000000 5.15.000000 5.15.5 - 00.015.27.000000 5.15.5	34102930	CS5691				CPLK	39.31 21-SEP-24 11.48.03.0000000000 AM	21-SEP-24 12.36.39.000000000 PM	+00 00:48:36.000000	48.6	-00 00:48:36.000000	48.6
1411/1276 C.\$5696 C.\$16,	34104943	CS5695				CPLK	58.76 21-SEP-24 12.25.47.000000000 PM	21-SEP-24 12.49.44.000000000 PM	+00 00:23:57.000000	23.95	-00 00:23:57.000000	23.95
Section Curk Section	34108425	CS5694				CPLK	77.61 21-SEP-24 01,29,23,0000000000 PM	21-SEP-24 02.34.50.000000000 PM	+00 01:05:27.000000	65.45	-00 01:05:27.000000	65.45
CFM A5.34 SEP 24 (BA A2.33.0000000 PM A5.54 SEP 24 (BA BA3.34.0000000 PM A5.54 A5.54 SEP 24 (BA BA3.34.0000000 PM A5.54 A5	34108792	CS5691				CPLK	29.88 21-SEP-24 01.35.54.000000000 PM	21-SEP-24 02.20.55.0000000000 PM	+00 00:45:01.000000	45.02	-00 00:45:01.000000	45.02
CS-SSP1	34111239	CS5692				CPLK	66.15 21-SEP-24 02.21.52.000000000 PM	21-SEP-24 03.22.27.000000000 PM	+00 01:00:35.000000	60.58	-00 01:00:35.000000	60.58
S4297813	34112376	CS5694				CPLK	45.34 21-SEP-24 02.42,33,0000000000 PM	21-SEP-24 03.03.34.000000000 PM	+00 00:21:01.000000	21.02	-00 00:21:01.000000	21.02
\$429996	34112905	CS5691				CPLK	37.15 21-SEP-2402,52,57,0000000000 PM	21-SEP-24 03.17.24.000000000 PM	+00 00:24:27.000000	24.45	-00 00:24:27.000000	24.45
3429455 CS5894 CS5894 CS5895	34287813	CS5692				CPLK	38.64 25-SEP-24 08.18.18.0000000000 AM	25-SEP-24 09.02.59.000000000 AM	+00 00:44:41.000000	44.68	-00 00:44:41.000000	44.68
34201455 C\$56964 C\$74 C\$75 C\$75	34289696	CS5695				CPLK	31.4 25-SEP-24 09.19.31.0000000000 AM	25-SEP-24 09.58.54.000000000 AM	+00 00:39:23.000000	39.38	-00 00:39:23.000000	39.38
34291517 C\$5695 CPLK 59.12 \$2 \$5 \$12 \$2 \$10.71 \$1.5000000000 AM 25 \$17 \$24 \$10.95 \$2,00000000 AM 25 \$17 \$24 \$10.95 \$2,00000000 AM 25 \$17 \$24 \$10.95 \$2,00000000 AM 25 \$17 \$2,000000000 AM 25 \$17 \$2,00000000 AM 25 \$17 \$2,000000000 AM 25 \$17 \$2,000000000 AM 25 \$17 \$2,00000000 AM 25 \$17 \$2,000000000 AM 25 \$17 \$2,000000000000000000000000000000000000	34289750	CS5692	b 4			CPLK	27.41 25-SEP-24 09.21.32.0000000000 AM	25-SEP-24 09.59.31.000000000 AM	+00 00:37:59.000000	37.98	-00 00:37:59.000000	37.98
3422375 CS5692 CPLK 20.91 25-SFP-24 11.38 22 2000000000 AM 25-SFP-24 11.10.657.00000000 AM 40 00:22:35.000000 29.58 -00 00:23:35.000000 34238046 CS5695 CPLK 18.31 25-SFP-24 11.11.748.000000000 AM 25-SFP-24 11.254.000000000 AM 40 00:22:35.000000 12.3 -0.000121.18.000000000 AM 40 00:22:35.000000 29.58 -00 00:22:35.0000000 29.58 -00 00:22:35.000000 29.58 -00 00:22:35.000000 29.58 -00 00:22:35.000000 29.58 -00 00:22:35.000000 29.58 -00 00:22:35.000000 29.58 -00 00:22:35.000000 29.58 -00 00:22:35.000000 29.58 -00 00:22:35.000000 29.58 -00 00:22:35.000000 29.58 -00 00:22:35.0000000 29.58 -00 00:22:35.0000000 29.58 -00 00:22:35.0000000 29.58 -00 00:22:35.0000000 29.58 -00 00:22:35.0000000 29.58 -00 00:22:35.0000000 29.58 -00 00:22:35.00000000 29.58 -00 00:22:35.00000000 29.58 -00 00:22:35.00000000 29.58 -00 00:22:35.0000000 29.58 -00 00:22:35.00000000 29.58 -00 00:22:35.00000000 29.58 -00 00:22:35.00000000 29.58 -00 00:22:35.00000000 29.58 -00 00:22:35.00000000 29.58 -00 00:22:35.00000000 29.58 -00 00:22:35.00000000 29.58 -00 00:22:35.00000000 29.58 -00 00:22:35.00000000 29.58 -00 00:22:35.00000000 29.58 -00 00:22:35.00000000 29.58 -00 00:22:35.00000000 29.58 -00 00:22:35.00000000 29.58 -00 00:22:35.000000000 29.58 -00 00:22:35.00000000 29.58 -00 00:22:35.000	34290435	CS5694				CPLK	29.24 25-SEP-24 09.44,41.000000000 AM	25-SEP-24 10.03.47.000000000 AM	+00 00:19:06.000000	19.1	-00 00:19:06.000000	19.1
\$\ \text{2433860} \ \text{C55695} \ \text{CPLK} \ 21.43.2 \text{25.5FP.24 \text{11.11.13.2 \text{00000000000000000000000000000000000	34291517	CS5695				CPLK	59.12 25-SEP-24 10.17.15.000000000 AM	25-SEP-24 10.54.39.000000000 AM	+00 00:37:24.000000	37.4	-00 00:37:24.000000	37.4
3429346								25-SEP-24 11.08.57.000000000 AM				29.58
34295408 C\$5695 CPLK 48.32 25-SEP-2411.54.70,70000000 PM C\$5691 C\$5691 C\$5694 CPLK 48.21 25-SEP-2411.55.100000000 PM C\$5895 C\$5695 CPLK 48.21 25-SEP-240.62.10,0000000 PM C\$5894 C\$5695 CPLK 48.21 25-SEP-240.22.18.0000000 PM C\$5894 C\$5695 CPLK 48.21 25-SEP-240.22.18.0000000 PM C\$5894 C\$5695 CPLK C\$5894 CPLK C\$5895 CPLK C\$5894 CPLK C\$5895 CPLK C\$5894 CPLK C\$5895 CPLK C\$589							21.43 25-SEP-2411.11.52.000000000 AM	25-SEP-24 11.24.10.000000000 AM	+00 00:12:18.000000	12.3	-00 00:12:18.000000	12.3
34298671 C\$5691 C\$5694 C\$5694 C\$5695 C\$5695 C\$5695 C\$5696 C\$647,00000000 PM A42958FP,24013,25,20,00000000 PM A42958FP,24013,25,20,21,00000000 PM A42958FP,24013,25,20,20,21,20,21,20,20,20,20,20,20,20,20,20,20,20,20,20,												7.97
34298451 C\$5694 CPLK 38.44 25-SEP-24 01.06.21.00000000 PM 25-SEP-24 01.31.08.00000000 PM 400 00:24:47,000000 24.78 -00 00:24:47,000000 34.3 -00 00:34:15,000000 34.3 -00 00:34:15,000000 34.3 -00 00:34:15,000000 34.3 -00 00:34:15,0000000 PM 25-SEP-24 02.41.09.47,0000000 PM 47.08 25-SEP-24 02.41.09.47,0000000 PM 49.00 00:24:47,000000 38.8 -5 00 00:38:50,000000 38.8 -5 00 00:38:50,000000 38.8 -5 00 00:38:50,0000000 PM 47.08 25-SEP-24 02.41.09.47,0000000 PM 49.00 00:37:45,000000 38.8 -5 00 00:38:50,000000 38.8 -5 00 00:38:50,000000 38.8 -5 00 00:38:50,000000 PM 49.00 00:37:45,000000												46.23
34299581 C\$5695 CPLK 48.21 25-SEP-24 01.32.29,00000000 PM 25-SEP-24 02.06.47,00000000 PM 25-SEP-24 02.06.47,0000000 PM 25-SEP-24 02.06.47,00000000 PM 25-SEP-24 02.06.47,0000000 PM 25-SEP-24 02.06.47,00000000 PM 25-SEP-24 02.06.47,0000000 PM 25-SEP-24 02.06.47,0000000 PM 25-SEP-24 02.06.47,0000000 PM 25-SEP-24 02.06.47,00000000 PM 25-SEP-												10.38
34300839 C\$5694 C\$5694 C\$5694 C\$5694 C\$5694 C\$5692 C\$5694 C\$5692 C\$5694 C\$5692 C\$5694 C\$5692 C\$5694 C\$5692 C\$5694 C\$5694 C\$5695 C\$5695 C\$5695 C\$5694 C\$5695 C\$5695 C\$5694 C\$5695												24.78
34304722 C55694 CPLK 20.31 25-SEP-24 03.34,26,00000000 PM 25-SEP-24 03.42,11.00000000 PM 25-SEP-24 03.44,01.00000000 PM 25-SEP-24 03.44,01.0000000 PM 25-SEP-24 03.24,01.0000000 PM 25-SEP-24 03.2												34.3
34305619 CS5692 CPLK 29.07 25-SEP-24 03.55.50.00000000 PM 25-SEP-24 04.29.04.00000000 PM 400 00:33:14.000000 33.23 -00 00:33:14.000000 34306985 CS5694 CPLK 49.35 25-SEP-24 04.28.05.00000000 PM 25-SEP-24 04.60.0000000 PM 25-SEP-24 04.60.0000000 PM 25-SEP-24 04.60.0000000 PM 25-SEP-24 04.60.00000000 PM 25-SEP-24 05.60.00000000 PM 25-SEP-24 05.00.0000000 PM 25-SEP-24 05.00.00000000 PM 25-SEP-24 05.00.0000000 PM 25-SEP-24 05.00.00000000 PM 25-SEP-24 05.00.0000000 PM 25-SEP-24 05.00.0000000 PM 25-SEP-24 05.00.00000000 PM 25-SEP-24 05.00.00000000 PM 25-SEP-24 05.00.00000000 PM 25-SEP-24 05.00.0000000 PM 25-SEP-24 05.00.00000000 PM 25-SEP-24 05.00.000000000 PM 25-SEP-2							47.08 25-SEP-2402.02.18.000000000 PM	25-SEP-24 02.41.09.000000000 PM	+00 00:38:51.000000			38.85
34306985 CS5694 CPLK 49.35 25-SEP-24 04.28.06.00000000 PM 25-SEP-24 04.48.06.00000000 PM 25-SEP-24 05.40.03.0000000 PM 25-SEP-24 05.40.03.0000000 PM 400 00:18:00.000000 49.5 -00 00:49:30.000000 PM 400 00:19:50.000000 PM 400 00:19:50.0000000 PM 400												7.75
34307956 CS5694 CPLK 100.91 25-SEP-24 04.50.33.0000000 PM 25-SEP-24 05.40.03.0000000 PM 400 00:49:30.000000 49.5 -0									2-1-1-1-1-1-1-1-1-1-1			33.23
CPLK 14.78 25-SEP-24 05.56.56.00000000 PM 25-SEP-24 06.09.46.00000000 PM 25-SEP-24 06.09.47.00000000 PM 25-SEP-24 06.09.47.000000000 PM 25-SEP-24 06.09.47.00000000 PM 25-SEP-24 06.09.47.000000000 PM 25-SEP-24 06.09.47.00000000 PM 25-SEP-24 06.09.47.00000000 PM 25-SEP-24 06.0												18
34313847 CS5695 S5.29 25-SEP-24 07.06.54.00000000 PM 25-SEP-24 08.00.47.00000000 PM +00 00:53:53,000000 53.88 -00 00:53:53.00000 34314659 CS5692 40.71 25-SEP-24 07.26.15.00000000 PM 25-SEP-24 08.03.23.0000000 PM +00 00:37:08.000000 37.13 -00 00:37:08.00000 34315877 CS5691 55.76 25-SEP-24 07.54.42.00000000 PM 25-SEP-24 09.21.45.0000000 PM +00 01:27:03.00000 87.05 -00 01:27:03.00000 34317160 CS5692 CPLK 60.94 25-SEP-24 08.28.33.0000000 PM 25-SEP-24 10.24.12.00000000 PM +00 01:55:39.00000 15.65 -00 01:55:39.00000 34317882 CS5694 CS5695 CPLK 46.76 25-SEP-24 09.27.51.00000000 PM 25-SEP-24 09.44.00.0000000 PM +00 00:32:04.00000 32.07 -00 00:32:04.00000 34319320 CS5695 CPLK 15.7 25-SEP-24 09.27.51.00000000 PM 25-SEP-24 09.44.00.00000000 PM +00 00:16:09.00000 16.15 -00 00:16:09.00000 3432480 CS5695 CPLK 58.33 26-SEP-24 01.21.45.000000000 AM 26-SEP-24 02.37.01.00000000 AM +00 00:21:51.00000 120.18 -00 00:21:51.00000 34325742 CS5694 CS5694 CPLK 36.05 26-SEP-24 01.21.45.000000000 AM 26-SEP-24 01.43.36.000000000 AM +00 00:21:51.000000 120.18 -00 00:21:51.000000								25-SEP-24 05.40.03.000000000 PM	+00 00:49:30.000000			49.5
34314659 CS5692 CPLK 40.71 25-SEP-24 07.26.15.000000000 PM 25-SEP-24 08.03.23.00000000 PM +00 00:37:08.000000 37.13 -00 00:37:08.000000 34315877 CS5691 55.76 25-SEP-24 07.54.42.00000000 PM 25-SEP-24 09.21.45.0000000 PM +00 01:27:03.000000 87.05 -00 01:27:03.000000 34317160 CS5692 CPLK 60.94 25-SEP-24 08.28.33.00000000 PM 25-SEP-24 09.21.45.00000000 PM +00 01:55:39.00000 115.65 -00 01:55:39.00000 34317882 CS5694 CS5695 CPLK 15.7 25-SEP-24 09.27.51.00000000 PM 25-SEP-24 09.44.00.0000000 PM +00 00:32:04.000000 32.07 -00 00:32:04.00000 34324880 CS5695 CPLK 58.33 26-SEP-24 12.36.50.000000000 AM 26-SEP-24 02.37.01.00000000 AM +00 02:00:11.000000 120.18 -00 02:00:11.00000 34325742 CS5694 CPLK 36.05 26-SEP-24 01.21.45.000000000 AM 26-SEP-24 01.43.36.00000000 AM +00 02:00:11.000000 120.18 -00 02:00:11.000000												12.83
34315877 CS5691 55.76 25-SEP-24 07.54.42.00000000 PM 25-SEP-24 09.21.45.00000000 PM +00 01:27:03.000000 87.05 -00 01:27:03.000000 34317160 CS5692 60.94 25-SEP-24 08.28.33.00000000 PM 25-SEP-24 10.24.12.00000000 PM +00 01:55:39.00000 115.65 -00 01:55:39.00000 34317882 CS5694 25-SEP-24 09.27.51.0000000 PM 25-SEP-24 09.22.21.00000000 PM +00 00:32:04.00000 32.07 -00 00:32:04.00000 34319320 CS5695 CPLK 15.7 25-SEP-24 09.27.51.00000000 PM 25-SEP-24 09.44.00.00000000 PM +00 00:16:09.00000 16.15 -00 00:16:09.00000 34324880 CS5695 CPLK 58.33 26-SEP-24 01.21.45.000000000 AM 26-SEP-24 02.37.01.00000000 AM +00 02:00:11.000000 120.18 -00 02:00:11.00000 34325742 CS5694 CS5694 CPLK 36.05 26-SEP-24 01.21.45.000000000 AM 26-SEP-24 01.43.36.00000000 AM +00 02:00:11.000000 120.18 -00 02:00:11.000000												53.88
34317160 CS5692 CPLK 60.94 25-SEP-24 08.28.33.000000000 PM 25-SEP-24 10.24.12.000000000 PM +00 01:55:39.000000 115.65 -00 01:55:39.000000 34317882 CS5694 25-SEP-24 08.28.33.0000000 PM 25-SEP-24 09.22.21.00000000 PM +00 00:32:04.000000 32.07 -00 00:32:04.000000 34319320 CS5695 CPLK 15.7 25-SEP-24 09.27.51.00000000 PM 25-SEP-24 09.44.00.00000000 PM +00 00:16:09.000000 16.15 -00 00:16:09.000000 34324880 CS5695 CPLK 58.33 26-SEP-24 01.21.45.000000000 AM 26-SEP-24 02.37.01.000000000 AM +00 02:00:11.000000 120.18 -00 02:00:11.000000 34325742 CS5694 CS5694 26-SEP-24 01.21.45.000000000 AM 26-SEP-24 01.43.36.000000000 AM +00 00:21:51.000000 21.85 -00 00:21:51.000000						17 (17)						37.13
34317882 CS5694 46.76 25-SEP-24 08.50.17.000000000 PM 25-SEP-24 09.22.21.00000000 PM +00 00:32:04.000000 32.07 -00 00:32:04.000000 34319320 CS5695 15.7 25-SEP-24 09.27.51.00000000 PM 25-SEP-24 09.44.00.00000000 PM +00 00:16:09.000000 16.15 -00 00:16:09.00000 34324880 CS5695 58.33 26-SEP-24 12.36.50.000000000 AM 26-SEP-24 02.37.01.00000000 AM +00 02:00:11.000000 120.18 -00 02:00:11.000000 34325742 CS5694 26-SEP-24 01.21.45.000000000 AM 26-SEP-24 01.43.36.000000000 AM +00 00:21:51.000000 21.85 -00 00:21:51.000000												87.05
34319320 CS5695 CPLK 15.7 25-SEP-24 09.27.51.00000000 PM 25-SEP-24 09.44.00.00000000 PM +00 00;16:09.000000												115.65
34324880 CS5695 CPLK 58.33 26-SEP-24 12.36.50.000000000 AM 26-SEP-24 02.37.01.0000000 AM +00 02:00:11.000000 AM +00 02:00:11.000000 AM +00 02:00:11.000000 AM +00 02:00:11.000000 AM +00 00:21:51.000000 AM +00 00:21:51.00000 AM +00 00:21:												32.07
34325742 CS5694 CS5694 26-SEP-24 01.21.45.000000000 AM 26-SEP-24 01.43.36.000000000 AM +00 00:21:51.000000 AM +00 00:21:51.000000 AM +00 00:21:51.000000												16.15
												120.18
34328842 CS5695 CPLK 54.91 26-SEP-24 04.47.19.000000000 AM 26-SEP-24 05.27.59.00000000 AM +00 00:40:40.00000 40 67 -00 00:40:40.000000												21.85
	34328842	CS5695	I M					26-SEP-24 05.27.59.000000000 AM				40.67
34329722 CS5694 CPLK 67.08 26-SEP-24 07.00.000000000 AM 26-SEP-24 07.00.00.00000000 AM +00 01:10:18.000000 70.3 -00 01:10:18.000000	34329722	CS5694	A V . I			CPLK	67.08 26-SEP-24 05.49.42.000000000 AM	26-SEP-24 07.00.00.000000000 AM	+00 01:10:18.000000	70.3	-00 01:10:18.000000	70.3

	SESSION_ID	CHARGER_ID	ADDRESS	CITY	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
34334635	CS5691				CPLK	26.63 26-SEP-24 09.20.36.0000000000 AM	26-SEP-24 09.49.29.000000000 AM	+00 00:28:53.000000	28.88	-00 00:28:53.000000	28.88
34335467	CS5692	_			CPLK	9.48 26-SEP-24 09.45.52.000000000 AM	26-SEP-24 09.53.42.000000000 AM	+00 00:07:50.000000	7.83	-00 00:07:50.000000	7.83
34401512	CS5692				CPLK	68.11 27-SEP-24 04.36.34.000000000 PM	27-SEP-24 05.27.39.000000000 PM	+00 00:51:05.000000	51.08	-00 00:51:05.000000	51.08
34405412	CS5692				CPLK	63.46 27-SEP-24 05.58.48.000000000 PM	27-SEP-24 06.38.36.000000000 PM	+00 00:39:48.000000	39.8	-00 00:39:48.000000	39.8
34407536	CS5692				CPLK	19.97 27-SEP-2406.41.13.000000000 PM	27-SEP-24 07.31.07.000000000 PM	+00 00:49:54.000000	49.9	-00 00:49:54.000000	49.9
34408719	CS5691				CPLK	51.41 27-SEP-2407.07.18.000000000 PM	27-SEP-24 07.44.22.000000000 PM	+00 00:37:04.000000	37.07	-00 00:37:04.000000	37.07
34410660	CS5692				CPLK	51.55 27-SEP-24 07.50.08.000000000 PM	27-SEP-24 09.23.32.000000000 PM	+00 01:33:24.000000	93.4	-00 01:33:24.000000	93.4
34413955	CS5691				CPLK	41.49 27-SEP-2409.06.02.000000000 PM	27-SEP-24 09.36.53.000000000 PM	+00 00:30:51.000000	30.85	-00 00:30:51.000000	30.85
34414792	CS5692				CPLK	54.73 27-SEP-24 09.26.29.000000000 PM	27-SEP-24 10.14.54.000000000 PM	+00 00:48:25.000000	48.42	-00 00:48:25.000000	48.42
34416025	CS5691				CPLK	45.89 27-SEP-2409.58.41.000000000 PM	27-SEP-24 10.40.23.000000000 PM	+00 00:41:42,000000	41.7	-00 00:41:42.000000	41.7
34418564	CS5691				CPLK	37.48 27-SEP-24 11.08.37.000000000 PM	27-SEP-24 11.40.04.000000000 PM	+00 00:31:27,000000	31.45	-00 00:31:27.000000	31.45
34420283	CS5691				CPLK	33.53 28-SEP-2412.06.30.0000000000 AM	28-SEP-24 12.58.24.000000000 AM	+00 00:51:54.000000	51.9	-00 00:51:54.000000	51.9
34427069	CS5692				CPLK	91.78 28-SEP-24 06.00.39.000000000 AM	28-SEP-24 07.12.42.000000000 AM	+00 01:12:03.000000	72.05	-00 01:12:03.000000	72.05
34428711	CS5691				CPLK	49 28-SEP-24 07,25,54,000000000 AM	28-SEP-24 08.06.50.000000000 AM	+00 00:40:56.000000	40.93	-00 00:40:56.000000	40.93
34430663	CS5692				CPLK	56.64 28-SEP-24 08.40.05.0000000000 AM	28-SEP-24 09.30.29.000000000 AM	+00 00:50:24.000000	50.4	-00 00:50:24.000000	50.4
34432166	CS5691				CPLK	30.08 28-SEP-24 09.23.29.000000000 AM	28-SEP-24 10.12.18.000000000 AM	+00 00:48:49.000000	48.82	-00 00:48:49.000000	48.82
34432637	CS5692				CPLK	39.99 28-SEP-24 09.35.46.000000000 AM	28-SEP-24 10.34.24.000000000 AM	+00 00:58:38.000000	58.63	-00 00:58:38.000000	58.63
34434379	CS5691				CPLK	26.72 28-SEP-24 10.19.19.0000000000 AM	28-SEP-24 10.49.49.000000000 AM	+00 00:30:30.000000	30.5	-00 00:30:30.000000	30.5
34435574	CS5692				CPLK	64.33 28-SEP-24 10.46.12.000000000 AM	28-SEP-24 11.37.45.000000000 AM	+00 00:51:33.000000	51.55	-00 00:51:33.000000	51.55
34436074	CS5691				CPLK	50.06 28-SEP-24 10.57.54.000000000 AM	28-SEP-24 11.41.07.000000000 AM	+00 00:43:13.000000	43.22	-00 00:43:13.000000	43.22
34438066	CS5692				CPLK	48.29 28-SEP-24 11.39.54.000000000 AM	28-SEP-24 12.20.30.000000000 PM	+00 00:40:36.000000	40.6	-00 00:40:36.000000	40.6
34438797	CS5691				CPLK	65.64 28-SEP-24 11.54.50.000000000 AM	28-SEP-24 01.07.46.000000000 PM	+00 01:12:56,000000	72.93	-00 01:12:56.000000	72.93
34440306	CS5692				CPLK	127.46 28-SEP-24 12.23.22.000000000 PM	28-SEP-24 02.09.00.000000000 PM	+00 01:45:38.000000	105.63	-00 01:45:38.000000	105.63
34443014	CS5691				CPLK	26.36 28-SEP-24 01.14.50.000000000 PM	28-SEP-24 01.31.55.000000000 PM	+00 00:17:05.000000	17.08	-00 00:17:05.000000	17.08
34445142	CS5691				CPLK	24.74 28-SEP-2401.53.47.000000000 PM	28-SEP-24 02.18.44.000000000 PM	+00 00:24:57.000000	24.95	-00 00:24:57.000000	24.95
34446211	CS5692				CPLK	43.46 28-SEP-24 02.15.04.000000000 PM	28-SEP-24 02.51.39.000000000 PM	+00 00:36:35.000000	36.58	-00 00:36:35.000000	36.58
34447041	CS5691				CPLK	36.94 28-SEP-24 02.30.47.000000000 PM	28-SEP-24 03.04.47.000000000 PM	+00 00:34:00.000000	34	-00 00:34:00.000000	34
34450144	CS5691				CPLK	13.59 28-SEP-2403,29.07.000000000 PM	28-SEP-24 03.44.09.000000000 PM	+00 00:15:02.000000	15.03	-00 00:15:02.000000	15.03
34452628	CS5691				CPLK	43.69 28-SEP-2404.16.51.000000000 PM	28-SEP-24 05.23.49.000000000 PM	+00 01:06:58.000000	66.97	-00 01:06:58.000000	66.97
34454003	CS5692				CPLK	86.55 28-SEP-24 04.42.27.000000000 PM	28-SEP-24 05.45.39.000000000 PM	+00 01:03:12.000000	63.2	-00 01:03:12.000000	63.2
34458062	CS5691				CPLK	45.64 28-SEP-2406.01.43.000000000 PM	28-SEP-24 07.22.56.000000000 PM	+00 01:21:13.000000	81.22	-00 01:21:13.000000	81.22
34460037	CS5692				CPLK	39.87 28-SEP-24 06.41.53.000000000 PM	28-SEP-24 07.06.55.000000000 PM	+00 00:25:02.000000	25.03	-00 00:25:02.000000	25.03
34652774	CS5691				CPLK	38.21 02-OCT-2406.24.45.000000000 PM	02-OCT-24 07.03.11.000000000 PM	+00 00:38:26.000000	38.43	-00 00:38:26.000000	38.43
34657738	CS5692				CPLK	26.25 02-OCT-24 08.13.20.000000000 PM	02-OCT-24 09.18.05.000000000 PM	+00 01:04:45.000000	64.75	-00 01:04:45.000000	64.75
34660075	CS5691				CPLK	21.34 02-OCT-24 09.09.08.000000000 PM	02-OCT-24 09.27.05.000000000 PM	+00 00:17:57.000000	17.95	-00 00:17:57.000000	17.95
34660848	CS5692				CPLK	34.58 02-OCT-24 09.29.03.000000000 PM	02-OCT-24 10.11.35.000000000 PM	+00 00:42:32.000000	42.53	-00 00:42:32.000000	42.53
34663205	CS5692				CPLK	23.44 02-OCT-24 10.37.32,0000000000 PM	02-OCT-24 11.04.04.0000000000 PM	+00 00:26:32.000000	26.53	-00 00:26:32.000000	26.53
34667106	CS5691				CPLK	24.55 03-OCT-24 01.03.57,0000000000 AM	03-OCT-24 01.23.53.000000000 AM	+00 00:19:56.000000	19.93	-00 00:19:56.000000	19.93
34670766	CS5692				CPLK	34.75 03-OCT-2405.01,59,0000000000 AM	03-OCT-24 05.33.25.000000000 AM	+00 00:31:26.000000	31.43	-00 00:31:26.000000	31.43
34672572	CS5691				CPLK	41.07 03-OCT-24 06.46,46,0000000000 AM	03-OCT-24 07.19.36.000000000 AM	+00 00:32:50.000000	32.83	-00 00:32:50.000000	32.83
34674798	CS5692				CPLK	32.98 03-OCT-24 08.14.53,000000000 AM	03-OCT-24 09.02.30.000000000 AM	+00 00:47:37.000000	47.62	-00 00:47:37.000000	47.62
34674817	CS5691				CPLK	25.15 03-OCT-24 08.15.24.000000000 AM	03-OCT-24 08.56.51.000000000 AM	+00 00:41:27.000000	41.45	-00 00:41:27.000000	41.45
34676466	CS5691				CPLK	50.62 03-OCT-24 09.08.45.000000000 AM	03-OCT-24 10.57.09.000000000 AM	+00 01:48:24.000000	108.4	-00 01:48:24.000000	108.4
34679284	CS5692				CPLK	91.51 03-OCT-2410.32,23,0000000000 AM	03-OCT-24 11.44.03.000000000 AM	+00 01:11:40.000000	71.67	-00 01:11:40.000000	71.67
34682639	CS5691				CPLK	28.06 03-OCT-24 11.48.59.000000000 AM	03-OCT-24 12.13.06.000000000 PM	+00 00:24:07.000000	24.12	-00 00:24:07.000000	24.12
34684781	CS5691				CPLK	31.09 03-OCT-24 12.36,14,000000000 PM	03-OCT-24 12.59.31.000000000 PM	+00 00:23:17.000000	23.28	-00 00:23:17.000000	23.28
34693013	CS5691				CPLK	63.6 03-OCT-24 03.37.49.000000000 PM	03-OCT-24 05.31.16.000000000 PM	+00 01:53:27.000000	113.45	-00 01:53:27.000000	113.45
34694412	CS5692				CPLK	12.24 03-OCT-24 04.07.50.000000000 PM	03-OCT-24 04.21.56.000000000 PM	+00 00:14:06.000000	14.1	-00 00:14:06.000000	14.1
34695098	CS5692				CPLK	21.39 03-OCT-24 04.23.36.0000000000 PM	03-OCT-24 04.42.11.000000000 PM	+00 00:18:35.000000		-00 00:18:35.000000	18.58
34696063	CS5692				CPLK	72.92 03-OCT-24 04.44.17.000000000 PM	03-OCT-24 05.37.56.000000000 PM	+00 00:53:39.000000	53.65	-00 00:53:39.000000	53.65
34702129	CS5691				CPLK	27.15 03-OCT-24 06.59.58.000000000 PM	03-OCT-24 07.53.13.000000000 PM	+00 00:53:15.000000	53.25	-00 00:53:15.000000	53.25
34703228	CS5692				CPLK	42.58 03-OCT-24 07.25.53.000000000 PM	03-OCT-24 07.52.49.000000000 PM	+00 00:26:56.000000	26.93	-00 00:26:56.000000	26.93
34705575	CS5692				CPLK	46.12 03-OCT-24 08.21.29.000000000 PM	03-OCT-24 09.39.30.000000000 PM	+00 01:18:01.000000	78.02	-00 01:18:01.000000	78.02

	SESSION_ID	CHARGER_ID ADDRESS	СІТУ	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION	TOTAL DURATION MINUTES
34709182	CS5692			CPLK	42.98 03-OCT-2409.57.58.000000000 PM	03-OCT-24 10.34.45.000000000 PM	+00 00:36:47.000000		-00 00:36:47.000000	36.78
34711153	CS5691			CPLK	13.41 03-OCT-24 10.57.06.000000000 PM	03-OCT-24 11.13.22.000000000 PM	+00 00:16:16.000000	16.27	-00 00:16:16.000000	16.27
34713665	CS5692			CPLK	33.66 04-OCT-24 12.23.02.0000000000 AM	04-OCT-24 01.02.20.000000000 AM	+00 00:39:18.000000	39.3	-00 00:39:18.000000	39.3
34141224	CS5695			CPLK	65.85 22-SEP-24 02.56.59.000000000 AM	22-SEP-24 04.37.26.000000000 AM	+00 01:40:27.000000	100.45	-00 01:40:27.000000	100.45
34142204	CS5691			CPLK	46.5 22-SEP-24 04.03.34.000000000 AM	22-SEP-24 05.19.23.000000000 AM	+00 01:15:49.000000	75.82	-00 01:15:49.000000	75.82
34143442	CS5695			CPLK	98.31 22-SEP-2405.25.10.0000000000 AM	22-SEP-24 06.23.52.000000000 AM	+00 00:58:42.000000	58.7	-00 00:58:42.000000	58.7
34144016	CS5694			CPLK	70.59 22-SEP-2406.02.08.0000000000 AM	22-SEP-24 06.49.42.000000000 AM	+00 00:47:34.000000	47.57	-00 00:47:34.000000	47.57
34144396	CS5692			CPLK	35.94 22-SEP-2406.19.35.000000000 AM	22-SEP-24 07.29.12.000000000 AM	+00 01:09:37.000000	69.62	-00 01:09:37.000000	69.62
34145586	CS5695			CPLK	29.89 22-SEP-24 07.16.29.000000000 AM	22-SEP-24 07.27.53.000000000 AM	+00 00:11:24.000000	11.4	-00 00:11:24.000000	11.4
34146127	CS5695			CPLK	21.15 22-SEP-24 07.39.45.000000000 AM	22-SEP-24 07.52.48.000000000 AM	+00 00:13:03.000000	13.05	-00 00:13:03.000000	13.05
34146573	CS5695			CPLK	39.67 22-SEP-24 07.58.55.000000000 AM	22-SEP-24 08.12.44.000000000 AM	+00 00:13:49,000000	13.82	-00 00:13:49.000000	13.82
34147110	CS5695			CPLK	59.56 22-SEP-2408.17.41.000000000 AM	22-SEP-24 08.39.51.000000000 AM	+00 00:22:10.000000	22.17	-00 00:22:10.000000	22.17
34147302	CS5691			CPLK	22.43 22-SEP-2408.24.00.000000000 AM	22-SEP-24 08.40.52.000000000 AM	+00 00:16:52.000000	16.87	-00 00:16:52.000000	16.87
34147563	CS5692			CPLK	42.72 22-SEP-24 08.32.04.000000000 AM	22-SEP-24 09.03.12.000000000 AM	+00 00:31:08.000000	31.13	-00 00:31:08.000000	31.13
34147891	CS5695			CPLK	86.52 22-SEP-24 08.42.38.000000000 AM	22-SEP-24 09.54.11.000000000 AM	+00 01:11:33.000000	71.55	-00 01:11:33.000000	71.55
34788747	CS5692			CPLK	49.33 05-OCT-2401.46.37.000000000 PM	05-OCT-24 03.01.08.000000000 PM	+00 01:14:31.000000	74.52	-00 01:14:31.000000	74.52
34791543	CS5691			CPLK	41.83 05-OCT-2402.35.16.000000000 PM	05-OCT-24 04.23.52.000000000 PM	+00 01:48:36.000000	108.6	-00 01:48:36.000000	108.6
34793132	CS5692			CPLK	23.83 05-OCT-24 03.05.08.000000000 PM	05-OCT-24 03.33.33.000000000 PM	+00 00:28:25.000000	28.42	-00 00:28:25.000000	28.42
34795762	CS5692			CPLK	35.42 05-OCT-2403.53,43,000000000 PM	05-OCT-24 04.47.19.000000000 PM	+00 00:53:36.000000	53.6	-00 00:53:36.000000	53.6
34797958	CS5691			CPLK	44.77 05-OCT-24 04.33.47.000000000 PM	05-OCT-24 05.12.43.000000000 PM	+00 00:38:56.000000	38.93	-00 00:38:56.000000	38.93
34800164	CS5692			CPLK	54.13 05-OCT-24 05.13.25.000000000 PM	05-OCT-24 06.05.34.0000000000 PM	+00 00:52:09.000000	52.15	-00 00:52:09.000000	52.15
34800905	CS5691			CPLK	21.23 05-OCT-24 05.28.20.000000000 PM	05-OCT-24 05.45.24.0000000000 PM	+00 00:17:04.000000	17.07	-00 00:17:04.000000	17.07
34808242	CS5692			CPLK	46.06 05-OCT-2407.54,56,000000000 PM	05-OCT-24 08.37.07.000000000 PM	+00 00;42:11.000000	42.18	-00 00:42:11.000000	42.18
34808691	CS5691			CPLK	50.63 05-OCT-24 08.05.15.000000000 PM	05-OCT-24 08.45.49.000000000 PM	+00 00:40:34.000000	40.57	-00 00:40:34.000000	40.57
34810421	CS5691			CPLK	4.35 05-OCT-24 08.48.09.000000000 PM	05-OCT-24 08.52.15.000000000 PM	+00 00:04:06.000000	4.1	-00 00:04:06.000000	4.1
34810674	CS5692			CPLK	60.52 05-OCT-2408.54.13.000000000 PM	05-OCT-24 09.32.14.000000000 PM	+00 00:38:01.000000	38.02	-00 00:38:01.000000	38.02
34812094	CS5691			CPLK	10.92 05-OCT-24 09.29.00.000000000 PM	05-OCT-24 09.58.26.000000000 PM	+00 00;29:26.000000	29.43	-00 00:29:26.000000	29.43
34813297	CS5692			CPLK	46.28 05-OCT-2409.58.59.000000000 PM	05-OCT-24 11.03.17.000000000 PM	+00 01:04:18.000000	64.3	-00 01:04:18.000000	64.3
34814493	CS5691			CPLK	20.74 05-OCT-24 10.32.20.000000000 PM	05-OCT-24 10.49.36.000000000 PM	+00 00:17:16.000000	17.27	-00 00:17:16.000000	17.27
34816529	CS5691			CPLK	51.22 05-OCT-24 11.34.05.000000000 PM	06-OCT-24 12.17.42.000000000 AM	+00 00:43:37.000000	43.62	-00 00:43:37.000000	43.62
34819408	CS5692			CPLK	29.09 06-OCT-2401.22.47.000000000 AM	06-OCT-24 02.30.21.000000000 AM	+00 01:07:34.000000	67.57	-00 01:07:34.000000	67.57
34826180	CS5691			CPLK	26.32 06-OCT-24 07.21.27.000000000 AM	06-OCT-24 08.11.34.000000000 AM	+00 00:50:07.000000	50.12	-00 00:50:07.000000	50.12
34827709	CS5691			CPLK	47.69 06-OCT-24 08.24,06,000000000 AM	06-OCT-24 09.08.55.0000000000 AM	+00 00:44:49.000000	44.82	-00 00:44:49.000000	44.82
34829328	CS5691			CPLK	23.72 06-OCT-24 09.14,31,0000000000 AM	06-OCT-24 09.46.08.0000000000 AM	+00 00:31:37.000000	31.62	-00 00:31:37.000000	31.62
34830487	CS5692			CPLK	20.41 06-OCT-24 09.45.07.000000000 AM	06-OCT-24 10.33.40.000000000 AM	+00 00:48:33.000000	48.55	-00 00:48:33.000000	48.55
34830662	CS5691			CPLK	45.94 06-OCT-2409.50.26.000000000 AM	06-OCT-24 10.39.18.000000000 AM	+00 00:48:52.000000	48.87	-00 00:48:52.000000	48.87
34832573	CS5692			CPLK	33 06-OCT-24 10.35.52,0000000000 AM	06-OCT-24 11.39.20.0000000000 AM	+00 01:03:28.000000	63.47	-00 01:03:28.000000	63.47
34834667	CS5691			CPLK	55.11 06-OCT-2411.20.55.0000000000 AM	06-OCT-24 12.09.33.0000000000 PM	+00 00:48:38.000000	48.63	-00 00:48:38.000000	48.63
34839778	CS5692			CPLK	47.33 06-OCT-2412.59,42.000000000 PM	06-OCT-24 01.29.24.000000000 PM	+00 00:29:42.000000	29.7	-00 00:29:42.000000	29.7
34845761	CS5691			CPLK	19.26 06-OCT-24 02.52,04,000000000 PM	06-OCT-24 03.04.09.0000000000 PM	+00 00:12:05.000000	12.08	-00 00:12:05.000000	12.08
34845843	CS5692			CPLK	51.95 06-OCT-24 02.53.48,000000000 PM	06-OCT-24 04.17.28.000000000 PM	+00 01:23:40.000000	83.67	-00 01:23:40.000000	83.67
34847254	CS5691			CPLK	4 06-OCT-24 03.20.48,0000000000 PM	06-OCT-24 03.26.12.000000000 PM	+00 00:05:24.000000	5.4	-00 00:05:24.000000	5.4
34848342	CS5691			CPLK	54.47 06-OCT-24 03,41,36,000000000 PM	06-OCT-24 05.02.29.0000000000 PM	+00 01:20:53.000000	80.88	-00 01:20:53.000000	80.88
34850473	CS5692			CPLK	14.88 06-OCT-24 04.19.44.000000000 PM	06-OCT-24 04.37.06.000000000 PM	+00 00:17:22.000000	17.37	-00 00:17:22.000000	17.37
34852328	CS5692			CPLK	44.95 06-OCT-2404.54.50.0000000000 PM	06-OCT-24 05.56.49.000000000 PM	+00 01:01:59.000000	61.98	-00 01:01:59.000000	61.98
35315897	CS5691			CPLK	45.49 16-OCT-24 05.20.32,000000000 AM	16-OCT-24 06.26.56.0000000000 AM	+00 01:06;24.000000	66.4	-00 01:06:24.000000	66.4
35316832	CS5692			CPLK	90.68 16-OCT-24 06.17.09.000000000 AM	16-OCT-24 07.13.55.000000000 AM	+00 00:56:46.000000	56.77	-00 00:56:46.000000	56.77
35317506	CS5691			CPLK	60.77 16-OCT-24 06.47.12.0000000000 AM	16-OCT-24 07.41.34.000000000 AM	+00 00:54:22.000000	54.37	-00 00:54:22.000000	54.37
35321182	CS5691			CPLK	51.08 16-OCT-24 09.03.35.000000000 AM	16-OCT-24 10.32.08.000000000 AM	+00 01:28:33.000000	88.55	-00 01:28:33.000000	88.55
35321763	CS5692			CPLK	52.07 16-OCT-24 09.21.18.000000000 AM	16-OCT-24 10.58.40.000000000 AM	+00 01:37:22.000000	97.37	-00 01:37:22.000000	97.37
35325996	CS5691			CPLK	77.86 16-OCT-2411.11.57.0000000000 AM	16-OCT-24 12.00.47.000000000 PM	+00 00:48:50.000000	48.83	-00 00:48:50.000000	48.83
35326462	CS5692			CPLK	37.95 16-OCT-2411.23.13.0000000000 AM	16-OCT-24 11.54.22.000000000 AM	+00 00:31:09.000000	31.15	-00 00:31:09.000000	31.15
35332675	CS5692			CPLK	20.36 16-OCT-24 01.44.43.0000000000 PM	16-OCT-24 02.07.45.000000000 PM	+00 00:23:02.000000	23.03	-00 00:23:02.000000	23.03
		- 9								

	SESSION_ID	CHARGER_ID	ADDRESS	СПУ	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
35333408	CS5691				CPLK	46.59 16-OCT-2402.00.30.000000000 PM	16-OCT-24 02,29,44,000000000 PM	+00 00:29:14.000000	29.23	-00 00:29:14.000000	29.23
35339133	CS5691				CPLK	26.92 16-OCT-2404,04,24,0000000000 PM	16-OCT-24 04.35.43.000000000 PM	+00 00:31:19.000000	31.32	-00 00:31:19.000000	31.32
35339826	CS5692				CPLK	53.84 16-OCT-2404,21,24,000000000 PM	16-OCT-24 04.56.03.0000000000 PM	+00 00:34:39.000000	34.65	-00 00:34:39.000000	34.65
35341058	CS5691				CPLK	8.38 16-OCT-24 04.49.47.0000000000 PM	16-OCT-24 05.01.45.0000000000 PM	+00 00:11:58.000000	11.97	-00 00:11:58.000000	11.97
35341417	CS5692				CPLK	15.42 16-OCT-24 04.58.25.000000000 PM	16-OCT-24 05.27.57.000000000 PM	+00 00:29:32.000000	29.53	-00 00:29:32.000000	29.53
35343018	CS5692				CPLK	15.4 16-OCT-2405.33.21.000000000 PM	16-OCT-24 05.51.15.000000000 PM	+00 00:17:54.000000	17.9	-00 00:17:54.000000	17.9
35343996	CS5692				CPLK	6.51 16-OCT-24 05.54.47.000000000 PM	16-OCT-24 06.01.19.000000000 PM	+00 00:06:32,000000	6.53	-00 00:06:32.000000	6.53
35344399	CS5692				CPLK	20.77 16-OCT-24 06.03.15.000000000 PM	16-OCT-24 06.46.07.0000000000 PM	+00 00:42:52.000000	42.87	-00 00:42:52.000000	42.87
35345840	CS5691				CPLK	73.34 16-OCT-2406.34.31,000000000 PM	16-OCT-24 07.57.35.000000000 PM	+00 01:23:04.000000	83.07	-00 01:23:04.000000	83.07
24436090	CS5691				CPLK	72.13 15-FEB-24 03.35.27.000000000 PM	15-FEB-24 04.49.09.000000000 PM	+00 01:13:42,000000	73.7	-00 01:13:42.000000	73.7
24436178	CS5694				CPLK	53.36 15-FEB-24 03.36.56.000000000 PM	15-FEB-24 04.26.47.000000000 PM	+00 00:49:51.000000	49.85	-00 00:49:51.000000	49.85
24436822	CS5695				CPLK	65.44 15-FEB-24 03.52.51.0000000000 PM	15-FEB-24 04.37.30.000000000 PM	+00 00:44:39.000000	44.65	-00 00:44:39.000000	44.65
24441445	CS5692				CPLK	28.24 15-FEB-24 05.57.15.000000000 PM	15-FEB-24 06,46.31,000000000 PM	+00 00:49:16.000000	49.27	-00 00:49:16.000000	49.27
24442534	CS5694				CPLK	45.27 15-FEB-24 06.29.17.000000000 PM	15-FEB-24 07.17.15.000000000 PM	+00 00:47:58.000000	47.97	-00 00:47:58.000000	47.97
24443168	CS5691				CPLK	32.53 15-FEB-24 06.48.22.000000000 PM	15-FEB-24 07.41.58.000000000 PM	+00 00:53:36.000000	53.6	-00 00:53:36.000000	53.6
24446280	CS5692				CPLK	12.27 15-FEB-24 08.26.31.000000000 PM	15-FEB-24 08,40.57,000000000 PM	+00 00:14:26.000000	14.43	-00 00:14:26.000000	14.43
24450504	CS5694				CPLK	31.46 15-FEB-24 11.02.48.000000000 PM	16-FEB-24 12.05.07.000000000 AM	+00 01:02:19.000000	62.32	-00 01:02:19.000000	62.32
24450996	CS5695				CPLK	60.79 15-FEB-24 11.22.12.000000000 PM	15-FEB-24 11.56.38.000000000 PM	+00 00:34:26.000000	34.43	-00 00:34:26.000000	34.43
24451391	CS5692				CPLK	50.2 15-FEB-24 11.41.02.000000000 PM	16-FEB-24 12.32.57.000000000 AM	+00 00:51:55.000000	51.92	-00 00:51:55.000000	51.92
24451660	CS5691				CPLK	54.21 15-FEB-24 11.54.04.0000000000 PM	16-FEB-24 01.16.24.000000000 AM	+00 01:22:20.000000	82.33	-00 01:22:20.000000	82.33
24451839	CS5695				CPLK	68.24 16-FEB-24 12.03.15.0000000000 AM	16-FEB-24 02.09.06,000000000 AM	+00 02:05:51.000000	125.85	-00 02:05:51.000000	125.85
24452693	CS5692				CPLK	12.97 16-FEB-24 12.51.09.000000000 AM	16-FEB-24 01.10.41.000000000 AM	+00 00:19:32.000000	19.53	-00 00:19:32.000000	19.53
24490959	CS5695				CPLK	28.09 16-FEB-24 11.26.54.000000000 PM	16-FEB-24 11.59.44.000000000 PM	+00 00:32:50.000000	32.83	-00 00:32:50.000000	32.83
24493587	CS5694				CPLK	56.81 17-FEB-24 01.57.49.000000000 AM	17-FEB-24 02.45.56,000000000 AM	+00 00:48:07.000000	48.12	-00 00:48:07.000000	48.12
24498582	CS5695				CPLK	19.69 17-FEB-24 08.35.15.000000000 AM	17-FEB-24 08.54.11.000000000 AM	+00 00:18:56.000000	18.93	-00 00:18:56.000000	18.93
24501061	CS5694				CPLK	55.26 17-FEB-24 10.01.54.000000000 AM	17-FEB-24 10.38.33.000000000 AM	+00 00:36:39.000000	36.65	-00 00:36:39.000000	36.65
24501601	CS5695				CPLK	52.48 17-FEB-24 10.17.23.000000000 AM	17-FEB-24 11.04.24.000000000 AM	+00 00:47:01.000000	47.02	2 -00 00:47:01.000000	47.02
24504323	CS5694				CPLK	64.45 17-FEB-24 11.30.32.0000000000 AM	17-FEB-24 12.42.12.000000000 PM	+00 01:11:40.000000	71.67	-00 01:11:40.000000	71.67
24505306	CS5695				CPLK	38.97 17-FEB-24 11.53.26.000000000 AM	17-FEB-24 12.24.54.000000000 PM	+00 00:31:28.000000	31.47	-00 00:31:28.000000	31.47
24505965	CS5692				CPLK	16.05 17-FEB-24 12.08.12.000000000 PM	17-FEB-24 12.38.51.000000000 PM	+00 00:30:39.000000	30.65	-00 00:30:39.000000	30.65
24505966	CS5691				CPLK	16.59 17-FEB-24 12.08.12.000000000 PM	17-FEB-24 12.22.16.000000000 PM	+00 00:14:04.000000	14.07	-00 00:14:04.000000	14.07
24508687	CS5694				CPLK	36.13 17-FEB-24 01.09.52.000000000 PM	17-FEB-24 01.37.25.000000000 PM	+00 00:27:33.000000	27.55	-00 00:27:33.000000	27.55
24508721	CS5691				CPLK	43.82 17-FEB-24 01.10.40.000000000 PM	17-FEB-24 02.38.29.000000000 PM	+00 01:27:49.000000	87.82	-00 01:27:49.000000	87.82
24511819	CS5694				CPLK	57.55 17-FEB-24 02.14.04.000000000 PM	17-FEB-24 03.08.14.000000000 PM	+00 00:54:10.000000	54.17	-00 00:54:10.000000	54.17
24514981	CS5695				CPLK	48.87 17-FEB-24 03.21.29.000000000 PM	17-FEB-24 05.56.19.000000000 PM	+00 02:34:50.000000	154.83	-00 02:34:50.000000	154.83
24516376	CS5692				CPLK	2.26 17-FEB-24 03.50.06.000000000 PM	17-FEB-24 03.53.50.000000000 PM	+00 00:03:44.000000	3.73	-00 00:03:44.000000	3.73
24516878	CS5692				CPLK	46.17 17-FEB-24 04.01.03.0000000000 PM	17-FEB-24 05.07.04.000000000 PM	+00 01:06:01.000000	66.02	-00 01:06:01.000000	66.02
24519201	CS5694				CPLK	21.26 17-FEB-24 04.50.27.0000000000 PM	17-FEB-24 05.28.14.000000000 PM	+00 00:37:47.000000	37.78	-00 00:37:47.000000	37.78
24520030	CS5691				CPLK	28.15 17-FEB-24 05.09.42.000000000 PM	17-FEB-24 05,46.31,000000000 PM	+00 00:36:49.000000	36.82	-00 00:36:49.000000	36.82
24520136	CS5692				CPLK	29.32 17-FEB-24 05.12.39.000000000 PM	17-FEB-24 05.33.40.000000000 PM	+00 00:21:01.000000	21.02	-00 00:21:01.000000	21.02
22985407	CS5695				CPLK	38.93 07-JAN-24 11.30.23.000000000 AM	07-JAN-24 12,29.41.000000000 PM	+00 00:59:18.000000	59.3	-00 00:59:18.000000	59.3
22985975	CS5692				CPLK	31.66 07-JAN-24 11.46.11.000000000 AM	07-JAN-24 12.12.53.000000000 PM	+00 00:26:42.000000	26.7	-00 00:26:42.000000	26.7
22986262	CS5691				CPLK	23.71 07-JAN-24 11.55.31.000000000 AM	07-JAN-24 12.47.44.000000000 PM	+00 00:52:13.000000	52.22	2 -00 00:52:13.000000	52.22
22987036	CS5692				CPLK	45.39 07-JAN-24 12.15.39.000000000 PM	07-JAN-24 12.49.20.000000000 PM	+00 00:33:41.000000	33.68	-00 00:33:41.000000	33.68
22987766	CS5695				CPLK	62.8 07-JAN-24 12.34.44.000000000 PM	07-JAN-24 01.07.33.000000000 PM	+00 00:32:49.000000	32.82	-00 00:32:49.000000	32.82
22988544	CS5692				CPLK	20.24 07-JAN-24 12.53.15.000000000 PM	07-JAN-24 01.07.35.000000000 PM	+00 00:14:20.000000	14.33	-00 00:14:20.000000	14.33
22991804	CS5695				CPLK	30.69 07-JAN-24 02.10.55.000000000 PM	07-JAN-24 03.13.09.000000000 PM	+00 01:02:14.000000	62.23	-00 01:02:14.000000	62.23
22993367	CS5692				CPLK	24.43 07-JAN-24 02.49.08.000000000 PM	07-JAN-24 03.50.01.000000000 PM	+00 01:00:53.000000	60.88	-00 01:00:53.000000	60.88
22995827	CS5691				CPLK	35.2 07-JAN-24 03.46.45.0000000000 PM	07-JAN-24 04.40.44.000000000 PM	+00 00:53:59.000000	53.98	-00 00:53:59.000000	53.98
22996501	CS5695				CPLK	35.9 07-JAN-24 04.03.18.000000000 PM	07-JAN-24 05.04.03.000000000 PM	+00 01:00:45.000000	60.75	-00 01:00:45.000000	60.75
22997160	CS5692				CPLK	58.36 07-JAN-24 04.17.26.000000000 PM	07-JAN-24 05.17.30.000000000 PM	+00 01:00:04.000000		-00 01:00:04.000000	60.07
22999787	CS5691				CPLK	27.45 07-JAN-24 05.21.36.000000000 PM	07-JAN-24 05.44.17.000000000 PM	+00 00:22:41.000000	22.68	-00 00:22:41.000000	22.68
23001185	CS5692				CPLK	44.81 07-JAN-24 05.55.15.0000000000 PM	07-JAN-24 06.56.05.000000000 PM	+00 01:00:50.000000	60.83	-00 01:00:50.000000	60.83
			4								

	SESSION_ID	CHARGER_ID ADDRESS	СІТУ	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
23001759	CS5691			CPLK	66.44 07-JAN-24 06.10.13.000000000 PM	07-JAN-24 07.11.05.000000000 PM	+00 01:00:52.000000		-00 01:00:52.000000	60.87
23003623	CS5692			CPLK	20.21 07-JAN-24 06.57.34.000000000 PM	07-JAN-24 07.54.25.000000000 PM	+00 00:56:51.000000	56.85	-00 00:56:51.000000	56.85
23003864	CS5695			CPLK	44.48 07-JAN-24 07.03.57.000000000 PM	07-JAN-24 08.00.36.000000000 PM	+00 00:56:39.000000	56.65	-00 00:56:39.000000	56.65
23004977	CS5691			CPLK	25.27 07-JAN-24 07.34.23.000000000 PM	07-JAN-24 08.35.02.000000000 PM	+00 01:00:39.000000	60.69	-00 01:00:39.000000	60.65
23007753	CS5692			CPLK	22.91 07-JAN-24 08.57.48.000000000 PM	07-JAN-24 09.27.44.000000000 PM	+00 00:29:56.000000	29.93	-00 00:29:56.000000	29.93
23016291	CS5691			CPLK	4.05 08-JAN-24 05.53.21.000000000 AM	08-JAN-24 06.01.24.000000000 AM	+00 00:08:03.000000	8.09	-00 00:08:03.000000	8.05
23016394	CS5695			CPLK	14.45 08-JAN-24 06.03.51.000000000 AM	08-JAN-24 06.42.58.000000000 AM	+00 00:39:07.000000	39.12	-00 00:39:07.000000	39.12
23017592	CS5691			CPLK	16.13 08-JAN-24 07.28.52.000000000 AM	08-JAN-24 08.18.19.000000000 AM	+00 00:49:27.000000	49.45	-00 00:49:27.000000	49.45
23019281	CS5695			CPLK	69.98 08-JAN-24 08.52.08.000000000 AM	08-JAN-24 09.53.02.000000000 AM	+00 01:00:54.000000	60.9	-00 01:00:54.000000	60.9
23019455	CS5692			CPLK	21.77 08-JAN-24 08.58.23.000000000 AM	08-JAN-24 10.00.17.000000000 AM	+00 01:01:54.000000	61.9	-00 01:01:54.000000	61.9
23020381	CS5691			CPLK	42.47 08-JAN-24 09.32.54.000000000 AM	08-JAN-24 10.04.09.000000000 AM	+00 00:31:15,000000	31.25	-00 00:31:15.000000	31.25
23021942	CS5695			CPLK	29.85 08-JAN-24 10.29.11.000000000 AM	08-JAN-24 11.18.07.000000000 AM	+00 00:48:56.000000	48.93	-00 00:48:56.000000	48.93
23028889	CS5695			CPLK	39.08 08-JAN-24 01.40.31.000000000 PM	08-JAN-24 02.05.06,000000000 PM	+00 00:24:35.000000	24.58	-00 00:24:35.000000	24.58
23030298	CS5692			CPLK	47.89 08-JAN-24 02.19.28.000000000 PM	08-JAN-24 03.20.07.000000000 PM	+00 01:00:39,000000	60.69	-00 01:00:39.000000	60.65
23030319	CS5695			CPLK	49.08 08-JAN-24 02.19.59.000000000 PM	08-JAN-24 03.20.07.000000000 PM	+00 01:00:08.000000	60.13	-00 01:00:08.000000	60.13
23030501	CS5691			CPLK	37.78 08-JAN-24 02.24,20.000000000 PM	08-JAN-24 03.19.42.000000000 PM	+00 00:55:22.000000	55.37	-00 00:55:22.000000	55.37
23041225	CS5695			CPLK	11.14 08-JAN-24 07.10.41.000000000 PM	08-JAN-24 07.27.35.000000000 PM	+00 00:16:54.000000	16.9	-00 00:16:54.000000	16.9
23041737	CS5695			CPLK	54.74 08-JAN-24 07.30.56.000000000 PM	08-JAN-24 08.06.37.000000000 PM	+00 00:35:41.000000	35.68	-00 00:35:41.000000	35.68
23046255	CS5692			CPLK	41.69 08-JAN-24 09.56.52.000000000 PM	08-JAN-24 10.57.31.000000000 PM	+00 01:00:39,000000	60.69	-00 01:00:39.000000	60.65
23053126	CS5695			CPLK	59.85 09-JAN-24 06.43.55.000000000 AM	09-JAN-24 07.33.14.000000000 AM	+00 00:49:19.000000	49.32	-00 00:49:19.000000	49.32
23058546	CS5692			CPLK	28.85 09-JAN-24 10.43.29.000000000 AM	09-JAN-24 11.44.34.000000000 AM	+00 01:01:05.000000	61.08	-00 01:01:05.000000	61.08
23059078	CS5691			CPLK	11.47 09-JAN-24 10.59.51.000000000 AM	09-JAN-24 11.12.49.000000000 AM	+00 00:12:58,000000	12.97	-00 00:12:58.000000	12.97
23061508	CS5695			CPLK	52.06 09-JAN-24 12.12.56.000000000 PM	09-JAN-24 12.40.28.000000000 PM	+00 00:27:32.000000	27.53	-00 00:27:32.000000	27.53
23064287	CS5692			CPLK	25.44 09-JAN-24 01.30.33.000000000 PM	09-JAN-24 01.53.22.000000000 PM	+00 00:22:49.000000	22.82	-00 00:22:49.000000	22.82
23068108	CS5695			CPLK	39.83 09-JAN-24 03.11.45.000000000 PM	09-JAN-24 03.55.16.000000000 PM	+00 00:43:31.000000	43.52	-00 00:43:31.000000	43.52
23068875	CS5692			CPLK	40.06 09-JAN-24 03.32.07.000000000 PM	09-JAN-24 04.49.27.000000000 PM	+00 01:17:20.000000	77.33	-00 01:17:20.000000	77.33
23069189	CS5691			CPLK	44.43 09-JAN-24 03.39.49.000000000 PM	09-JAN-24 04.17.35.000000000 PM	+00 00:37:46,000000	37.77	-00 00:37:46.000000	37.77
23069986	CS5695			CPLK	66.05 09-JAN-24 04.01.41.000000000 PM	09-JAN-24 04.32.15.000000000 PM	+00 00:30:34.000000	30.57	-00 00:30:34.000000	30.57
23070771	CS5691			CPLK	42.44 09-JAN-24 04.21.42.000000000 PM	09-JAN-24 05.03.49.000000000 PM	+00 00:42:07.000000	42.12	-00 00:42:07.000000	42.12
23071658	CS5695			CPLK	13.79 09-JAN-24 04.45.18.000000000 PM	09-JAN-24 04.58.28.000000000 PM	+00 00:13:10.000000	13.17	-00 00:13:10.000000	13.17
23072501	CS5695			CPLK	35.97 09-JAN-24 05.08.16.000000000 PM	09-JAN-24 06.09.03.000000000 PM	+00 01:00:47.000000	60.78	-00 01:00:47.000000	60.78
23073067	CS5691			CPLK	62.84 09-JAN-24 05.22.59.000000000 PM	09-JAN-24 06.14.27.000000000 PM	+00 00:51:28.000000	51.47	-00 00:51:28.000000	51.47
23074926	CS5692			CPLK	20.05 09-JAN-24 06.14.04.000000000 PM	09-JAN-24 07.16.12.000000000 PM	+00 01:02:08.000000	62.13	-00 01:02:08.000000	62.13
23075732	CS5695			CPLK	14.94 09-JAN-24 06.36,07.000000000 PM	09-JAN-24 06.57.43.000000000 PM	+00 00:21:36.000000	21.6	-00 00:21:36.000000	21.6
23087366	CS5695			CPLK	30.88 10-JAN-24 05.36.21.000000000 AM	10-JAN-24 06.27.41.000000000 AM	+00 00:51:20.000000	51.33	-00 00:51:20.000000	51.33
23091090	CS5695			CPLK	59.15 10-JAN-24 09.06.51.000000000 AM	10-JAN-24 10.06.45.000000000 AM	+00 00:59:54.000000	59.9	-00 00:59:54.000000	59.9
23091929	CS5692			CPLK	46.31 10-JAN-24 09.36.53.000000000 AM	10-JAN-24 10.37.02.000000000 AM	+00 01:00:09.000000	60.15	-00 01:00:09.000000	60.15
23091955	CS5694			CPLK	18.16 10-JAN-24 09.37.47.000000000 AM	10-JAN-24 10.07.41.000000000 AM	+00 00:29:54.000000	29.9	-00 00:29:54.000000	29.9
23093378	CS5695			CPLK	23.06 10-JAN-24 10.22.21.000000000 AM	10-JAN-24 11.23.06.000000000 AM	+00 01:00:45.000000	60.7	-00 01:00:45.000000	60.75
23098782	CS5695			CPLK	19.02 10-JAN-24 12.50.49.000000000 PM	10-JAN-24 01.51.07.000000000 PM	+00 01:00:18.000000	60.3	-00 01:00:18.000000	60.3
23099662	CS5692			CPLK	19.22 10-JAN-24 01.14.48.000000000 PM	10-JAN-24 02.16.05.000000000 PM	+00 01:01:17.000000	61.28	-00 01:01:17.000000	61.28
23099676	CS5694			CPLK	71.48 10-JAN-24 01.15.00.000000000 PM	10-JAN-24 02.16.05.000000000 PM	+00 01:01:05.000000	61.08	-00 01:01:05.000000	61.08
23100059	CS5691			CPLK	23.21 10-JAN-24 01.25.30.000000000 PM	10-JAN-24 01.56.50.000000000 PM	+00 00:31:20,000000	31.33	-00 00:31:20.000000	31.33
23101374	CS5691			CPLK	40.33 10-JAN-24 02.00.09.000000000 PM	10-JAN-24 03.01.01.000000000 PM	+00 01:00:52.000000	60.87	-00 01:00:52.000000	60.87
23102738	CS5695			CPLK	68.62 10-JAN-24 02.34.49.000000000 PM	10-JAN-24 03.35.08.000000000 PM	+00 01:00:19.000000	60.32	-00 01:00:19.000000	60.32
23102792	CS5692			CPLK	1.32 10-JAN-24 02.36.06.000000000 PM	10-JAN-24 02.38.35.000000000 PM	+00 00:02:29.000000	2.48	-00 00:02:29.000000	2.48
23102981	CS5692			CPLK	26.32 10-JAN-24 02.40.02.000000000 PM	10-JAN-24 03.14.15.000000000 PM	+00 00:34:13.000000	34.22	-00 00:34:13.000000	34.22
23103494	CS5694			CPLK	47.95 10-JAN-24 02.52.23.000000000 PM	10-JAN-24 03.37.15.000000000 PM	+00 00:44:52,000000	44.87	-00 00:44:52.000000	44.87
23104009	CS5691			CPLK	61.42 10-JAN-24 03.04.20.000000000 PM	10-JAN-24 04.06.02.000000000 PM	+00 01:01:42.000000	61.7	-00 01:01:42.000000	61.7
23105678	CS5695			CPLK	20.14 10-JAN-24 03.47.02.0000000000 PM	10-JAN-24 04.52.20.000000000 PM	+00 01:05:18.000000	65.3	-00 01:05:18.000000	65.3
23106180	CS5692			CPLK	57.84 10-JAN-24 03.59.31.000000000 PM	10-JAN-24 04.50.26.000000000 PM	+00 00:50:55.000000		-00 00:50:55.000000	50.92
23107068	CS5691			CPLK	29.29 10-JAN-24 04.22.49.000000000 PM	10-JAN-24 05.23.39.000000000 PM	+00 01:00:50.000000	60.83	-00 01:00:50.000000	60.83
23108487	CS5695			CPLK	4.89 10-JAN-24 04.53.48.000000000 PM	10-JAN-24 05.16.12.000000000 PM	+00 00:22:24.000000	22.4	-00 00:22:24.000000	22.4
23107068	CS5691			CPLK	29.29 10-JAN-24 04.22.49.000000000 PM	10-JAN-24 05.23.39.000000000 PM	+00 01:00:50.000000	60.83	-00 01:00:50.000000	

SESSION	N_ID CHARGER_ID	ADDRESS CITY	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
23108965	CS5694		CPLK	60.35 10-JAN-24 05.04.49.000000000 PM	10-JAN-24 06.08.24.000000000 PM	+00 01:03:35.000000		-00 01:03:35.000000	63.58
23110907	CS5692		CPLK	39.48 10-JAN-24 05.54.46.000000000 PM	10-JAN-24 06.55.03.000000000 PM	+00 01:00:17.000000	60.28	-00 01:00:17.000000	60.28
23111152	CS5695		CPLK	39.99 10-JAN-24 06.01.18.000000000 PM	10-JAN-24 06.38.52.000000000 PM	+00 00:37:34.000000	37.57	-00 00:37:34.000000	37.57
23111806	CS5691		CPLK	48.67 10-JAN-24 06.17.53.000000000 PM	10-JAN-24 06.52.58.000000000 PM	+00 00:35:05.000000	35.08	-00 00:35:05.000000	35.08
23112189	CS5694		CPLK	49.58 10-JAN-24 06.28.05.000000000 PM	10-JAN-24 07,29,02,000000000 PM	+00 01:00:57.000000	60.95	-00 01:00:57.000000	60.95
23113659	CS5691		CPLK	39 10-JAN-24 07.07.58.000000000 PM	10-JAN-24 08.09.04.000000000 PM	+00 01:01:06.000000	61.1	-00 01:01:06.000000	61.1
23113845	CS5692		CPLK	9.2 10-JAN-24 07.13.02.000000000 PM	10-JAN-24 07.24.38.000000000 PM	+00 00:11:36.000000	11.6	-00 00:11:36.000000	11.6
23114409	CS5695		CPLK	28.58 10-JAN-24 07.28.50.000000000 PM	10-JAN-24 08.29.05.000000000 PM	+00 01:00:15.000000	60.25	-00 01:00:15.000000	60.25
23114776	CS5694		CPLK	44.44 10-JAN-24 07.39.47.000000000 PM	10-JAN-24 08.22.22.000000000 PM	+00 00:42:35.000000	42.58	-00 00:42:35.000000	42.58
23115787	CS5691		CPLK	17.3 10-JAN-24 08.10.37.000000000 PM	10-JAN-24 08.58.49.000000000 PM	+00 00;48;12,000000	48.2	-00 00:48:12.000000	48.2
23116023	CS5692		CPLK	69.17 10-JAN-24 08.18.06.000000000 PM	10-JAN-24 09.19.07.000000000 PM	+00 01:01:01.000000	61.02	-00 01:01:01.000000	61.02
28439821	CS5695		CPLK	15.33 25-MAY-24 10.21.37.000000000 AM	25-MAY-24 10.48.35.000000000 AM	+00 00:26:58.000000	26.97	-00 00:26:58.000000	26.97
28441505	CS5692		CPLK	2.48 25-MAY-24 11.04.47.0000000000 AM	25-MAY-24 11.10.02.000000000 AM	+00 00:05:15.000000	5.25	-00 00:05:15.000000	5.25
28442237	CS5694		CPLK	27.83 25-MAY-24 11.21.04.000000000 AM	25-MAY-24 11.45.12.000000000 AM	+00 00:24:08.000000	24.13	-00 00:24:08.000000	24.13
28443434	CS5695		CPLK	44.83 25-MAY-24 11.48.11.0000000000 AM	25-MAY-24 12.03.50.000000000 PM	+00 00:15:39.000000	15.65	-00 00:15:39.000000	15.65
28447551	CS5695		CPLK	19.42 25-MAY-24 01.12.26.000000000 PM	25-MAY-24 01.21.01.000000000 PM	+00 00:08:35.000000	8.58	-00 00:08:35.000000	8.58
28448082	CS5692		CPLK	41.92 25-MAY-24 01.24.04.0000000000 PM	25-MAY-24 01.53.59.000000000 PM	+00 00:29:55.000000	29.92	-00 00:29:55,000000	29.92
28448273	CS5695		CPLK	22.81 25-MAY-24 01.28.26.000000000 PM	25-MAY-24 01.54.30.000000000 PM	+00 00;26:04.000000	26.07	-00 00:26:04.000000	26.07
28448389	CS5694		CPLK	98.61 25-MAY-24 01.30.55.000000000 PM	25-MAY-24 02.30.31.000000000 PM	+00 00:59:36.000000	59.6	-00 00:59:36.000000	59.6
28450256	CS5695		CPLK	16.58 25-MAY-24 02.08.20.000000000 PM	25-MAY-24 02.14.23.000000000 PM	+00 00:06:03.000000	6.05	-00 00:06:03.000000	6.05
28451015	CS5691		CPLK	15.46 25-MAY-24 02.22.59.000000000 PM	25-MAY-24 02.32.55.000000000 PM	+00 00:09:56.000000	9.93	-00 00:09:56.000000	9.93
28451434	CS5695		CPLK	45.54 25-MAY-24 02.31.56.000000000 PM	25-MAY-24 03.20.35.000000000 PM	+00 00:48:39.000000	48.65	-00 00:48:39.000000	48.65
28451569	CS5694		CPLK	50.96 25-MAY-24 02.34.39.000000000 PM	25-MAY-24 02.59.54.000000000 PM	+00 00:25:15.000000	25.25	-00 00:25:15.000000	25.25
28489431	CS5695		CPLK	28.36 26-MAY-24 11.19.55.0000000000 AM	26-MAY-24 11.52.38.000000000 AM	+00 00:32:43.000000	32.72	-00 00:32:43.000000	32.72
24521201	CS5694		CPLK	56.86 17-FEB-24 05.35.01.000000000 PM	17-FEB-24 06.05.26.000000000 PM	+00 00:30:25.000000	30.42	-00 00:30:25.000000	30.42
24521709	CS5692	- L	CPLK	25.19 17-FEB-24 05.44.39.000000000 PM	17-FEB-24 06.13.43.000000000 PM	+00 00:29:04.000000	29.07	-00 00:29:04.000000	29.07
24522966	CS5694		CPLK	34.46 17-FEB-24 06.13.33.000000000 PM	17-FEB-24 07.37.45.000000000 PM	+00 01:24:12.000000	84.2	-00 01:24:12.000000	84.2
24523807	CS5695		CPLK	57.3 17-FEB-24 06.34.28.000000000 PM	17-FEB-24 08.56.34.000000000 PM	+00 02;22:06.000000	142.1	-00 02:22:06.000000	142.1
24524145	CS5691		CPLK	43.44 17-FEB-24 06.43.09.000000000 PM	17-FEB-24 07.58.16.000000000 PM	+00 01:15:07.000000	75.12	-00 01:15:07.000000	75.12
24524566	CS5692		CPLK	43.09 17-FEB-24 06.54.04.000000000 PM	17-FEB-24 08.24.41.000000000 PM	+00 01:30:37.000000	90.62	-00 01:30:37.000000	90.62
24528305	CS5694		CPLK	52.33 17-FEB-24 08.36.30.000000000 PM	17-FEB-24 09.15.18.000000000 PM	+00 00:38:48.000000	38.8	-00 00:38:48.000000	38.8
24530290	CS5695		CPLK	51.91 17-FEB-24 09.37.24.000000000 PM	17-FEB-24 11.03.16.000000000 PM	+00 01:25:52.000000	85.87	-00 01:25:52.000000	85.87
24532296	CS5694		CPLK	15.36 17-FEB-24 10.48.34.000000000 PM	17-FEB-24 11.00.27.000000000 PM	+00 00:11:53.000000		-00 00:11:53.000000	11.88
24533457	CS5695		CPLK	65.01 17-FEB-24 11.31.30.000000000 PM	18-FEB-24 12.17.17.000000000 AM	+00 00:45:47.000000	45.78	-00 00:45:47.000000	45.78
24538490	CS5691		CPLK	36.35 18-FEB-24 05.03.36.000000000 AM	18-FEB-24 05.30.49.000000000 AM	+00 00:27:13.000000	27.22	-00 00:27:13.000000	27.22
24542198	C\$5695		CPLK	72.41 18-FEB-24 08.59.52.000000000 AM	18-FEB-24 10.01.42.000000000 AM	+00 01:01:50.000000	61.83	-00 01:01:50.000000	61.83
24594146	CS5695		CPLK	45.29 19-FEB-24 01.58.58.000000000 PM	19-FEB-24 02.30.50,000000000 PM	+00 00:31:52.000000	31.87	-00 00:31:52.000000	31.87
24596061	CS5695		CPLK	31.43 19-FEB-24 02.45.27.000000000 PM	19-FEB-24 03.05.58.000000000 PM	+00 00:20:31.000000	20.52	-00 00:20:31.000000	20.52
24596481	CS5692		CPLK	28.59 19-FEB-24 02.55.06.000000000 PM	19-FEB-24 03.51.48.000000000 PM	+00 00:56:42.000000		-00 00:56:42.000000	56.7
24597933	CS5694		CPLK	36.2 19-FEB-24 03.28.53.000000000 PM	19-FEB-24 05.24.19.000000000 PM	+00 01:55:26.000000		-00 01:55:26.000000	115.43
24600285	CS5695		CPLK	24.75 19-FEB-24 04.24.08.000000000 PM	19-FEB-24 04.56.08.000000000 PM	+00 00:32:00.000000		-00 00:32:00.000000	32
24600789	CS5692		CPLK	41.79 19-FEB-24 04.36.26,000000000 PM	19-FEB-24 05.08.35.000000000 PM	+00 00:32:09.000000	32.15	-00 00:32:09.000000	32.15
24602700	CS5695		CPLK	53.42 19-FEB-24 05.21.54.000000000 PM	19-FEB-24 05.48.39.000000000 PM	+00 00:26:45.000000	26.75	-00 00:26:45.000000	26.75
24603110	CS5694		CPLK	68.96 19-FEB-24 05.32.01.000000000 PM	19-FEB-24 06.31.11.000000000 PM	+00 00:59:10.000000	59.17	-00 00:59:10.000000	59.17
24603493	CS5692		CPLK	19.29 19-FEB-24 05.43.23.000000000 PM	19-FEB-24 06.08.32.000000000 PM	+00 00:25:09.000000		-00 00:25:09.000000	25.15
24604352	CS5695		CPLK	59 19-FEB-24 06.05.40.000000000 PM	19-FEB-24 07.43.31.000000000 PM	+00 01:37:51.000000	97.85	-00 01:37:51.000000	97.85
24606161	CS5694		CPLK	21.66 19-FEB-24 06.55.04.000000000 PM	19-FEB-24 07.23.28.000000000 PM	+00 00:28:24.000000		-00 00:28:24.000000	28.4
24608505	CS5694		CPLK	64.54 19-FEB-24 08.01.03.000000000 PM	19-FEB-24 08.53.13.000000000 PM	+00 00:52:10.000000		-00 00:52:10.000000	52.17
24614708	CS5694		CPLK	43.37 20-FEB-24 12.24.35.000000000 AM	20-FEB-24 01.24.57.000000000 AM	+00 01:00:22.000000		-00 01:00:22.000000	60.37
24616267	CS5694		CPLK	54.35 20-FEB-24 02.32.09.000000000 AM	20-FEB-24 03.19.56,000000000 AM	+00 00:47:47.000000		-00 00:47:47.000000	47.78
24617986	CS5694		CPLK	11.96 20-FEB-24 05.48.20.000000000 AM	20-FEB-24 06.03.11.000000000 AM	+00 00:14:51.000000		-00 00:14:51.000000	14.85
24618036	CS5695		CPLK	36.81 20-FEB-24 05.53.03.000000000 AM	20-FEB-24 06.39.07.000000000 AM	+00 00:46:04.000000		-00 00:46:04.000000	46.07
24618234	CS5692		CPLK	39.17 20-FEB-24 06.09.53.000000000 AM	20-FEB-24 07.43.08.000000000 AM	+00 01:33:15.000000	93.25	-00 01:33:15.000000	93.25
		- 4							

	SESSION_ID	CHARGER ID	ADDRESS	СПУ	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DITM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
24621364	CS5694				CPLK	9.41 20-FEB-24 09.06.18.000000000 AM	20-FEB-24 09.23.38.000000000 AM	+00 00:17:20.000000		-00 00:17:20.000000	17.33
24622354	CS5695				CPLK	20.95 20-FEB-24 09.42.49.000000000 AM	20-FEB-24 10.03.08.000000000 AM	+00 00:20:19.000000	20.32	-00 00:20:19.000000	20.32
24629966	CS5692				CPLK	36.62 20-FEB-24 01.30.47.000000000 PM	20-FEB-24 02.20.58.000000000 PM	+00 00:50:11.000000	50.18	-00 00:50:11.000000	50.18
24630644	CS5695				CPLK	51.64 20-FEB-24 01.50.11.000000000 PM	20-FEB-24 03.00.41.000000000 PM	+00 01:10:30.000000	70.5	-00 01:10:30.000000	70.5
24631063	CS5694				CPLK	51.25 20-FEB-24 02.01.16.000000000 PM	20-FEB-24 02.38.05.000000000 PM	+00 00:36:49.000000	36.82	-00 00:36:49.000000	36.82
24631061	CS5691				CPLK	32.64 20-FEB-24 02.01.17.000000000 PM	20-FEB-24 02.45.27.000000000 PM	+00 00:44:10.000000	44.17	-00 00:44:10.000000	44.17
24637625	CS5695				CPLK	35.45 20-FEB-24 05.14.22.000000000 PM	20-FEB-24 05.33.34.000000000 PM	+00 00:19:12.000000	19.2	-00 00:19:12.000000	19.2
24639128	CS5695				CPLK	19.76 20-FEB-24 05.57.18.000000000 PM	20-FEB-24 06.19.43.000000000 PM	+00 00:22:25.000000	22.42	-00 00:22:25.000000	22.42
24643839	CS5695				CPLK	75.71 20-FEB-24 08.21.46.000000000 PM	20-FEB-24 09.23.14.000000000 PM	+00 01:01:28.000000	61.47	-00 01:01:28.000000	61.47
24645944	CS5692				CPLK	32.16 20-FEB-24 09.38.16.000000000 PM	20-FEB-24 10.24.59.000000000 PM	+00 00:46:43.000000	46.72	-00 00:46:43.000000	46.72
24652773	CS5694				CPLK	14.19 21-FEB-24 06.07.13.000000000 AM	21-FEB-24 06.31.49.000000000 AM	+00 00:24:36.000000	24.6	-00 00:24:36.000000	24.6
24661292	CS5694				CPLK	70.85 21-FEB-24 11.59.39.000000000 AM	21-FEB-24 01.50.04.000000000 PM	+00 01:50:25.000000	110.42	-00 01:50:25.000000	110.42
24664700	CS5695				CPLK	40.35 21-FEB-24 01.34.17.000000000 PM	21-FEB-24 01.52.14.000000000 PM	+00 00:17:57.000000	17.95	-00 00:17:57.000000	17.95
24725034	CS5695				CPLK	34.54 23-FEB-24 08.23.16.000000000 AM	23-FEB-24 08.55.49.000000000 AM	+00 00:32:33.000000	32.55	-00 00:32:33.000000	32.55
24725214	CS5694				CPLK	7.54 23-FEB-24 08.30.59.000000000 AM	23-FEB-24 08.34.19.000000000 AM	+00 00:03:20.000000	3.33	-00 00:03:20.000000	3.33
24727598	CS5692				CPLK	36.28 23-FEB-24 09.57.54,000000000 AM	23-FEB-24 10.30.02.000000000 AM	+00 00:32:08.000000	32.13	-00 00:32:08.000000	32.13
22864072	CS5691				CPLK	35.47 04-JAN-24 07.45.26.000000000 AM	04-JAN-24 08.46.01.000000000 AM	+00 01:00:35.000000	60.58	-00 01:00:35.000000	60.58
22865036	CS5695				CPLK	38.45 04-JAN-24 08.34.08.000000000 AM	04-JAN-24 09.33.38.000000000 AM	+00 00:59:30.000000	59.5	-00 00:59:30.000000	59.5
22865450	CS5691				CPLK	17.54 04-JAN-24 08.50.58.000000000 AM	04-JAN-24 09.42.31.000000000 AM	+00 00:51:33.000000	51.55	-00 00:51:33.000000	51.55
22865527	CS5692				CPLK	67.11 04-JAN-24 08.53.42,000000000 AM	04-JAN-24 09.48.25.000000000 AM	+00 00:54:43.000000	54.72	-00 00:54:43.000000	54.72
22867870	CS5692				CPLK	24.56 04-JAN-24 10.21.45.000000000 AM	04-JAN-24 11.06.46.000000000 AM	+00 00:45:01.000000	45.02	-00 00:45:01.000000	45.02
22868152	CS5691				CPLK	36.61 04-JAN-24 10.30.43.000000000 AM	04-JAN-24 11.06.06.0000000000 AM	+00 00:35:23.000000	35.38	-00 00:35:23.000000	35.38
22868743	CS5695				CPLK	19.16 04-JAN-24 10.48.40.000000000 AM	04-JAN-24 11.49.04.000000000 AM	+00 01:00:24.000000	60.4	-00 01:00:24.000000	60.4
22869795	CS5691				CPLK	17.12 04-JAN-24 11.22.05.000000000 AM	04-JAN-24 12.24.38.000000000 PM	+00 01:02:33.000000	62.5	-00 01:02:33.000000	62.55
22870929	CS5695				CPLK	8.42 04-JAN-24 11.54.29.000000000 AM	04-JAN-24 12.33.45.000000000 PM	+00 00:39:16.000000	39.27	-00 00:39:16.000000	39.27
22872158	CS5691				CPLK	33.66 04-JAN-24 12.29.47.000000000 PM	04-JAN-24 01.26.24.000000000 PM	+00 00:56:37.000000	56.62	-00 00:56:37.000000	56.62
22873639	CS5692				CPLK	25.97 04-JAN-24 01.08.01.000000000 PM	04-JAN-24 01.36.38.000000000 PM	+00 00:28:37.000000	28.62	-00 00:28:37.000000	28.62
22874826	CS5695				CPLK	21.51 04-JAN-24 01.40.29.000000000 PM	04-JAN-24 02,29.58.000000000 PM	+00 00:49:29.000000	49.48	-00 00:49:29.000000	49.48
22876142	CS5692				CPLK	27.28 04-JAN-24 02.14.04.000000000 PM	04-JAN-24 02.50.59.000000000 PM	+00 00:36:55.000000	36.92	-00 00:36:55.000000	36.92
22876568	CS5691				CPLK	16.62 04-JAN-24 02.25.26.000000000 PM	04-JAN-24 02.51.12.000000000 PM	+00 00:25:46.000000	25.77	-00 00:25:46.000000	25.77
22879709	CS5695				CPLK	37.4 04-JAN-24 03.45.00.000000000 PM	04-JAN-24 04.04.31.000000000 PM	+00 00:19:31.000000	19.52	-00 00:19:31.000000	19.52
22883341	CS5695				CPLK	16.71 04-JAN-24 05.19.36.000000000 PM	04-JAN-24 05.32.50.000000000 PM	+00 00:13:14.000000	13.23	-00 00:13:14.000000	13.23
22883362	CS5692				CPLK	40.93 04-JAN-24 05.19.58.000000000 PM	04-JAN-24 06.20.21.000000000 PM	+00 01:00:23.000000	60.38	-00 01:00:23.000000	60.38
22884449	CS5691				CPLK	31.42 04-JAN-24 05.48.36.000000000 PM	04-JAN-24 06.39,24.000000000 PM	+00 00:50:48.000000	50.8	-00 00:50:48.000000	50.8
22884734	CS5695				CPLK	54.96 04-JAN-24 05.56.08.000000000 PM	04-JAN-24 06.50.48.000000000 PM	+00 00:54:40.000000	54.67	-00 00:54:40.000000	54.67
22888834	CS5695				CPLK	25.22 04-JAN-24 08.08.20.000000000 PM	04-JAN-24 08.21.54.000000000 PM	+00 00:13:34.000000	13.57	-00 00:13:34.000000	13.57
22889227	CS5691				CPLK	34.9 04-JAN-24 08.20.44.000000000 PM	04-JAN-24 09.05.40.000000000 PM	+00 00:44:56.000000	44.93	-00 00:44:56.000000	44.93
22889383	CS5692				CPLK	14.49 04-JAN-24 08.25.39.000000000 PM	04-JAN-24 09.00.06.000000000 PM	+00 00:34:27.000000	34.45	-00 00:34:27.000000	34.45
22892060	CS5695				CPLK	48.11 04-JAN-24 09.55.51.000000000 PM	04-JAN-24 10.56.04.000000000 PM	+00 01:00:13.000000	60.22	-00 01:00:13.000000	60.22
22894375	CS5695				CPLK	35.55 04-JAN-24 11.33.46.000000000 PM	05-JAN-24 12.34.03.000000000 AM	+00 01:00:17.000000	60.28	-00 01:00:17.000000	60.28
22895539	CS5692				CPLK	16.09 05-JAN-24 12,42,52,000000000 AM	05-JAN-24 01.43.13.000000000 AM	+00 01:00:21.000000	60.3	-00 01:00:21.000000	60.35
22899589	CS5692				CPLK	44.35 05-JAN-24 06.49.59.000000000 AM	05-JAN-24 07.32.51.000000000 AM	+00 00:42:52.000000	42.87	-00 00:42:52.000000	42.87
22901475	CS5695				CPLK	77.99 05-JAN-24 08.29.55.000000000 AM	05-JAN-24 09.02.28.000000000 AM	+00 00:32:33.000000	32.55	-00 00:32:33.000000	32.55
22902618	CS5695				CPLK	40.72 05-JAN-24 09.16.01.000000000 AM	05-JAN-24 09.46.19.000000000 AM	+00 00:30:18.000000	30.3	-00 00:30:18.000000	30.3
22903890	CS5692				CPLK	38.34 05-JAN-24 09.55.43.000000000 AM	05-JAN-24 10.55.48.000000000 AM	+00 01:00:05.000000	60.08	-00 01:00:05.000000	60.08
22905337	CS5691				CPLK	24.35 05-JAN-24 10.42.15.000000000 AM	05-JAN-24 11.09.04.000000000 AM	+00 00:26:49.000000	26.82	-00 00:26:49.000000	26.82
22906669	CS5695				CPLK	19.28 05-JAN-24 11.19.28.000000000 AM	05-JAN-24 12.21.10.000000000 PM	+00 01:01:42.000000	61.7	-00 01:01:42.000000	61.7
22908870	CS5692				CPLK	40.33 05-JAN-24 12.18.52.000000000 PM	05-JAN-24 12.55.08.000000000 PM	+00 00:36:16.000000	36.27	-00 00:36:16.000000	36.27
22913251	CS5695				CPLK	31.91 05-JAN-24 02.08.35.000000000 PM	05-JAN-24 02.49.05.000000000 PM	+00 00:40:30.000000	40.5	-00 00:40:30.000000	40.5
22913545	CS5692				CPLK	58 05-JAN-24 02.15.47.000000000 PM	05-JAN-24 03.06.41.000000000 PM	+00 00:50:54.000000	50.9	-00 00:50:54.000000	50.9
22913581	CS5691				CPLK	42.79 05-JAN-24 02.16.15.000000000 PM	05-JAN-24 03.01.22.000000000 PM	+00 00:45:07.000000	45.12	-00 00:45:07.000000	45.12
22915500	CS5695	T M			CPLK	22.27 05-JAN-24 03.01.26.000000000 PM	05-JAN-24 03.30.22.000000000 PM	+00 00:28:56.000000	28.93	-00 00:28:56.000000	28.93
22919510	CS5695				CPLK	54.45 05-JAN-24 04.30.34.000000000 PM	05-JAN-24 05.03.54.000000000 PM	+00 00:33:20.000000	33.33	-00 00:33:20.000000	33.33

	SESSION_ID	CHARGER_ID	ADDRESS	CITY STA	TION	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
22920902	CS5692				CPLK	28.33 05-JAN-24 05.01.57.000000000 PM	05-JAN-24 06.02.29.000000000 PM	+00 01:00:32.000000	60.53	-00 01:00:32.000000	60.53
22921373	CS5691				CPLK	49.98 05-JAN-24 05.13.23.000000000 PM	05-JAN-24 06.14.04.000000000 PM	+00 01:00:41.000000	60.68	-00 01:00:41.000000	60.68
22925065	CS5691				CPLK	20.68 05-JAN-24 06.43.43.000000000 PM	05-JAN-24 07.05.35.000000000 PM	+00 00:21:52.000000	21.87	-00 00:21:52.000000	21.87
22927263	CS5695				CPLK	32.86 05-JAN-24 07.43.30.000000000 PM	05-JAN-24 08.46.04.000000000 PM	+00 01:02:34.000000	62.57	-00 01:02:34.000000	62.57
22927407	CS5692				CPLK	44.88 05-JAN-24 07.46.53,000000000 PM	05-JAN-24 08.21.13.000000000 PM	+00 00:34:20.000000	34.33	-00 00:34:20.000000	34.33
22928086	CS5691				CPLK	69.12 05-JAN-24 08.06.08.000000000 PM	05-JAN-24 09.07.01.000000000 PM	+00 01:00:53.000000	60.88	-00 01:00:53.000000	60.88
22929003	CS5692				CPLK	2.44 05-JAN-24 08.32.57.000000000 PM	05-JAN-24 08.37.57.000000000 PM	+00 00:05:00.000000	5	-00 00:05:00.000000	5
22930620	CS5695				CPLK	33.67 05-JAN-24 09.21.13.000000000 PM	05-JAN-24 10.21.55.000000000 PM	+00 01:00:42.000000	60.7	-00 01:00:42.000000	60.7
22931221	CS5692				CPLK	36.83 05-JAN-24 09.45.18.000000000 PM	05-JAN-24 10.46.01.000000000 PM	+00 01:00:43.000000	60.72	-00 01:00:43.000000	60.72
22932386	CS5695				CPLK	14.1 05-JAN-24 10.30.14.000000000 PM	05-JAN-24 11.11.39.000000000 PM	+00 00:41:25.000000	41.42	-00 00:41:25.000000	41.42
22932903	CS5692				CPLK	16.51 05-JAN-24 10.49.49.000000000 PM	05-JAN-24 11.41.08.000000000 PM	+00 00:51:19,000000	51.32	-00 00:51:19.000000	51.32
22933410	CS5691				CPLK	34.58 05-JAN-24 11.08.06.000000000 PM	06-JAN-24 12.08.31.000000000 AM	+00 01:00:25.000000	60.42	-00 01:00:25.000000	60.42
22935633	CS5695				CPLK	75.22 06-JAN-24 12.56,14,000000000 AM	06-JAN-24 01.33.21.000000000 AM	+00 00:37:07.000000	37.12	-00 00:37:07.000000	37.12
22947151	CS5692				CPLK	22.68 06-JAN-24 11.44.09.000000000 AM	06-JAN-24 12.44.24.000000000 PM	+00 01:00:15.000000	60.25	-00 01:00:15.000000	60.25
22948198	CS5695				CPLK	13.09 06-JAN-24 12.10.30.000000000 PM	06-JAN-24 12.26.03.000000000 PM	+00 00:15:33.000000	15.55	-00 00:15:33.000000	15.55
22948386	CS5691				CPLK	66.27 06-JAN-24 12.15.14.000000000 PM	06-JAN-24 01.13.12.000000000 PM	+00 00:57:58.000000	57.97	-00 00:57:58.000000	57.97
22949719	CS5695				CPLK	43.26 06-JAN-24 12.47.36.000000000 PM	06-JAN-24 01.30.37.000000000 PM	+00 00:43:01.000000	43.02	-00 00:43:01.000000	43.02
22950837	CS5692				CPLK	18.15 06-JAN-24 01.14.08.000000000 PM	06-JAN-24 01.37.22.000000000 PM	+00 00:23:14.000000	23.23	-00 00:23:14.000000	23.23
22954210	CS5691				CPLK	68.1 06-JAN-24 02.30.23.000000000 PM	06-JAN-24 03.58.29.000000000 PM	+00 01:28:06.000000	88.1	-00 01:28:06.000000	88.1
22955046	CS5692				CPLK	35.85 06-JAN-24 02.48.24,000000000 PM	06-JAN-24 03.48.30.000000000 PM	+00 01:00:06.000000	60.1	-00 01:00:06.000000	60.1
22955754	CS5695				CPLK	23.08 06-JAN-24 03.04.18.000000000 PM	06-JAN-24 04.05.03.000000000 PM	+00 01:00:45.000000	60.75	-00 01:00:45.000000	60.75
22958270	CS5692				CPLK	32.69 06-JAN-24 04.01.52.000000000 PM	06-JAN-24 04.44.34.000000000 PM	+00 00:42:42,000000	42.7	-00 00:42:42.000000	42.7
22958685	CS5695				CPLK	35.57 06-JAN-24 04.12.52.000000000 PM	06-JAN-24 05.14.05.000000000 PM	+00 01:01:13.000000	61.22	-00 01:01:13.000000	61.22
22962622	CS5695				CPLK	2.11 06-JAN-24 05.44.42.000000000 PM	06-JAN-24 05.50.04.000000000 PM	+00 00:05:22.000000	5.37	-00 00:05:22.000000	5.37
22963276	CS5695				CPLK	30.35 06-JAN-24 06.00.18.000000000 PM	06-JAN-24 07.01.05.000000000 PM	+00 01:00:47.000000	60.78	-00 01:00:47.000000	60.78
22963588	CS5692				CPLK	28.43 06-JAN-24 06.08.42.000000000 PM	06-JAN-24 07.06.21.000000000 PM	+00 00:57:39.000000	57.65	-00 00:57:39.000000	57.65
22963882	CS5691				CPLK	57.02 06-JAN-24 06.17.07.000000000 PM	06-JAN-24 07.18.03.000000000 PM	+00 01:00:56.000000	60.93	-00 01:00:56.000000	60.93
22968315	CS5695				CPLK	10.95 06-JAN-24 08.21.56.000000000 PM	06-JAN-24 08.34.58.000000000 PM	+00 00:13:02.000000	13.03	-00 00:13:02.000000	13.03
22970129	CS5695				CPLK	71.1 06-JAN-24 09.19.56,000000000 PM	06-JAN-24 09.56.14.000000000 PM	+00 00:36:18.000000	36.3	-00 00:36:18.000000	36.3
22970488	CS5692				CPLK	36.25 06-JAN-24 09.33.43.000000000 PM	06-JAN-24 10.32.50.000000000 PM	+00 00:59:07.000000	59.12	-00 00:59:07.000000	59.12
22970614	CS5691				CPLK	45.66 06-JAN-24 09.38.34.000000000 PM	06-JAN-24 10.40.02.000000000 PM	+00 01:01:28.000000	61.47	-00 01:01:28.000000	61.47
22972145	CS5691				CPLK	9.59 06-JAN-24 10.42.45.000000000 PM	06-JAN-24 11.04.49.000000000 PM	+00 00:22:04.000000	22.07	-00 00:22:04.000000	22.07
22972276	CS5692				CPLK	41.05 06-JAN-24 10.49.05.000000000 PM	06-JAN-24 11.50.01.000000000 PM	+00 01:00:56.000000	60.93	-00 01:00:56.000000	60.93
22975158	CS5695				CPLK	60.4 07-JAN-24 01.09.31.000000000 AM	07-JAN-24 02.10.03.000000000 AM	+00 01:00:32.000000	60.53	-00 01:00:32.000000	60.53
22975297	CS5692				CPLK	36.67 07-JAN-24 01.19.47.000000000 AM	07-JAN-24 02.18.46.000000000 AM	+00 00:58:59.000000	58.98	-00 00:58:59.000000	58.98
22976703	CS5691				CPLK	61.24 07-JAN-24 03.12.04.000000000 AM	07-JAN-24 04.13.01.000000000 AM	+00 01:00:57.000000	60.95	-00 01:00:57.000000	60.95
22979932	CS5695				CPLK	60.22 07-JAN-24 08.08.41.000000000 AM	07-JAN-24 08.46.11.000000000 AM	+00 00:37:30.000000		-00 00:37:30.000000	37.5
22980840	CS5695				CPLK	51.99 07-JAN-24 08.53.51.000000000 AM	07-JAN-24 09.37.16.000000000 AM	+00 00:43:25.000000	43.42	-00 00:43:25.000000	43.42
22982281	CS5695				CPLK	20.01 07-JAN-24 09.52.51.000000000 AM	07-JAN-24 10.16.03.000000000 AM	+00 00:23:12,000000	23.2	-00 00:23:12.000000	23.2
22983315	CS5695				CPLK	37.91 07-JAN-24 10.26.54.000000000 AM	07-JAN-24 11.05.36.000000000 AM	+00 00:38:42.000000	38.7	-00 00:38:42.000000	38.7
32417762	CS5691				CPLK	34.17 18-AUG-24 11.40.18.000000000 AM	18-AUG-24 12.01.48.000000000 PM	+00 00:21:30.000000	21.5	-00 00:21:30.000000	21.5
32417836	CS5692				CPLK	38.92 18-AUG-24 11.42.01.000000000 AM	18-AUG-24 12.15.36.000000000 PM	+00 00:33:35.000000	33.58	-00 00:33:35.000000	33.58
32417891	CS5694				CPLK	26.27 18-AUG-24 11.43.03.0000000000 AM	18-AUG-24 12.01.25.000000000 PM	+00 00:18:22,000000	18.37	-00 00:18:22.000000	18.37
32420890	CS5692				CPLK	53.28 18-AUG-24 12.39.01.000000000 PM	18-AUG-24 01.55.59.000000000 PM	+00 01:16:58.000000	76.97	-00 01:16:58.000000	76.97
32421637	CS5691				CPLK	38.1 18-AUG-24 12.54.19.000000000 PM	18-AUG-24 01.47.53.000000000 PM	+00 00:53:34.000000	53.57	-00 00:53:34.000000	53.57
32422869	CS5694				CPLK	5.71 18-AUG-24 01.15.48.000000000 PM	18-AUG-24 01.18.43.000000000 PM	+00 00:02:55.000000	2.92	-00 00:02:55.000000	2.92
32424477	CS5695				CPLK	9.22 18-AUG-24 01.43.49.000000000 PM	18-AUG-24 01.48.22.000000000 PM	+00 00:04:33.000000	4.55	-00 00:04:33.000000	4.55
32426161	CS5692				CPLK	34.57 18-AUG-24 02.13.14.000000000 PM	18-AUG-24 02.52.57.000000000 PM	+00 00:39:43.000000		-00 00:39:43.000000	39.72
32426361	CS5691				CPLK	43.31 18-AUG-24 02.17.09.000000000 PM		+00 01:18:47.000000		-00 01:18:47.000000	78.78
32426558	CS5695				CPLK	40.33 18-AUG-24 02.20.19.0000000000 PM	18-AUG-24 02.50.41.000000000 PM	+00 00:30;22.000000	30.37	-00 00:30:22.000000	30.37
32427017	CS5694				CPLK	50.17 18-AUG-24 02.29.02.0000000000 PM	18-AUG-24 03.20.38.000000000 PM	+00 00:51:36.000000	51.6	-00 00:51:36.000000	51.6
32429001	CS5695				CPLK	36.36 18-AUG-24 03.03.13.0000000000 PM	18-AUG-24 03.50.26.000000000 PM	+00 00:47:13.000000	47.22	-00 00:47:13.000000	47.22
32429532	CS5692				CPLK	21.36 18-AUG-24 03.12.43.000000000 PM	18-AUG-24 03.26.14.000000000 PM	+00 00:13:31.000000	13.52	-00 00:13:31.000000	13.52
		- 4									

	SESSION_ID	CHARGER_ID	ADDRESS	CITY	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION	TOTAL DURATION MINUTES
32431790	CS5694				CPLK	41.99 18-AUG-24 03.54.36.000000000 PM	18-AUG-24 04.07.24.000000000 PM	+00 00:12:48.000000		-00 00:12:48.000000	12.8
32432295	CS5692				CPLK	17.06 18-AUG-24 04.03.39.000000000 PM	18-AUG-24 04.18.22.000000000 PM	+00 00:14:43.000000	14.72	-00 00:14:43.000000	14.72
32436004	CS5692		T		CPLK	42.56 18-AUG-24 05.10.00.000000000 PM	18-AUG-24 06.29.36.000000000 PM	+00 01:19:36.000000	79.6	-00 01:19:36.000000	79.6
32436520	CS5691				CPLK	19.85 18-AUG-24 05.20.00.000000000 PM	18-AUG-24 05.42.32.000000000 PM	+00 00:22:32.000000	22.53	-00 00:22:32.000000	22.53
32441111	CS5695				CPLK	68.56 18-AUG-24 06.46.53.000000000 PM	18-AUG-24 08.12.13.000000000 PM	+00 01:25:20.000000	85.33	-00 01:25:20.000000	85.33
32441185	CS5691				CPLK	30.14 18-AUG-24 06.48.33.0000000000 PM	18-AUG-24 07.47.02.000000000 PM	+00 00:58:29.000000	58.48	-00 00:58:29.000000	58.48
32442441	CS5692				CPLK	58.98 18-AUG-24 07.12.54.000000000 PM	18-AUG-24 08.51.48.000000000 PM	+00 01:38:54.000000	98.9	-00 01:38:54.000000	98.9
32442650	CS5694				CPLK	60.92 18-AUG-24 07.17.31.000000000 PM	18-AUG-24 07.59.23.000000000 PM	+00 00:41:52.000000	41.87	-00 00:41:52.000000	41.87
32445126	CS5694				CPLK	65.94 18-AUG-24 08.08.20.000000000 PM	18-AUG-24 08.42.58.000000000 PM	+00 00:34:38.000000	34.63	-00 00:34:38.000000	34.63
32446945	CS5695				CPLK	43.07 18-AUG-24 08.46.57.000000000 PM	18-AUG-24 09.45.35.000000000 PM	+00 00:58:38.000000	58.63	-00 00:58:38.000000	58.63
32451928	CS5695				CPLK	31.74 18-AUG-24 10.55.02.000000000 PM	18-AUG-24 11.26.39.000000000 PM	+00 00:31:37,000000	31.62	-00 00:31:37.000000	31.62
32453948	CS5694				CPLK	56.91 18-AUG-24 11.57.35.000000000 PM	19-AUG-24 01.34.32.000000000 AM	+00 01:36:57.000000	96.95	-00 01:36:57.000000	96.95
32457697	CS5694				CPLK	32.69 19-AUG-24 03.03.46.000000000 AM	19-AUG-24 03.19.47.000000000 AM	+00 00:16:01.000000	16.02	-00 00:16:01.000000	16.02
32458911	CS5695				CPLK	110.35 19-AUG-24 04.36.20.000000000 AM	19-AUG-24 05.38.32.000000000 AM	+00 01:02:12,000000	62.2	-00 01:02:12.000000	62.2
32543329	CS5691				CPLK	35.25 20-AUG-24 09.06.46.000000000 PM	20-AUG-24 09.52.02.000000000 PM	+00 00:45:16.000000	45.27	-00 00:45:16.000000	45.27
32545822	CS5694				CPLK	51.81 20-AUG-24 10.12.47.000000000 PM	20-AUG-24 10.46.38.000000000 PM	+00 00:33:51,000000	33.85	-00 00:33:51.000000	33.85
32548636	CS5694				CPLK	47.38 20-AUG-24 11.40.55.000000000 PM	21-AUG-24 12.55.00.000000000 AM	+00 01:14:05.000000	74.08	-00 01:14:05.000000	74.08
32549336	CS5695				CPLK	38.41 21-AUG-24 12.05.35.0000000000 AM	21-AUG-24 12.23.32.000000000 AM	+00 00:17:57.000000	17.95	-00 00:17:57.000000	17.95
32549769	CS5692				CPLK	44.07 21-AUG-24 12.22.20.000000000 AM	21-AUG-24 01.50.58.000000000 AM	+00 01:28:38.000000	88.63	-00 01:28:38.000000	88.63
32550268	CS5691				CPLK	29.35 21-AUG-24 12.41.30.000000000 AM	21-AUG-24 02.00.46.000000000 AM	+00 01:19:16.000000	79.27	-00 01:19:16.000000	79.27
32555014	CS5692				CPLK	34.89 21-AUG-24 07.03.19.000000000 AM	21-AUG-24 07.33.38.000000000 AM	+00 00:30:19.000000	30.32	-00 00:30:19.000000	30.32
32555601	CS5694				CPLK	67.41 21-AUG-24 07.24.01.000000000 AM	21-AUG-24 07.54.54.000000000 AM	+00 00:30:53.000000	30.88	-00 00:30:53.000000	30.88
32556073	CS5692				CPLK	47.28 21-AUG-24 07.41.45.0000000000 AM	21-AUG-24 09.09.12.000000000 AM	+00 01:27:27.000000	87.45	-00 01:27:27.000000	87.45
32557425	CS5695				CPLK	58.52 21-AUG-24 08.29.02.0000000000 AM	21-AUG-24 09.01.24.000000000 AM	+00 00:32:22.000000	32.37	-00 00:32:22.000000	32.37
32559208	CS5692				CPLK	18.64 21-AUG-24 09.27,22,0000000000 AM	21-AUG-24 09.49.19.000000000 AM	+00 00:21:57.000000	21.95	-00 00:21:57.000000	21.95
32560167	CS5692				CPLK	18.87 21-AUG-24 09.54.58.000000000 AM	21-AUG-24 10.31.43.000000000 AM	+00 00:36:45.000000	36.75	-00 00:36:45.000000	36.75
32560978	CS5695				CPLK	49.23 21-AUG-24 10.15.58.000000000 AM	21-AUG-24 10.37.14.000000000 AM	+00 00:21:16.000000	21.27	-00 00:21:16.000000	21.27
32563704	CS5695				CPLK	52.9 21-AUG-24 11.21.26.000000000 AM	21-AUG-24 11.57.40.000000000 AM	+00 00:36:14.000000	36.23	-00 00:36:14.000000	36.23
32564736	CS5692				CPLK	7.44 21-AUG-24 11.46,22,0000000000 AM	21-AUG-24 11.51.40.000000000 AM	+00 00:05:18.000000	5.3	-00 00:05:18.000000	5.3
32567007	CS5692				CPLK	28.3 21-AUG-24 12.38,35.0000000000 PM	21-AUG-24 01.39.40.000000000 PM	+00 01:01:05.000000	61.08	-00 01:01:05.000000	61.08
32568095	CS5695				CPLK	54.07 21-AUG-24 01.03.43.000000000 PM	21-AUG-24 01.53.07.000000000 PM	+00 00:49:24.000000	49.4	-00 00:49:24.000000	49.4
32570321	CS5692				CPLK	38.19 21-AUG-24 01.53.53.000000000 PM	21-AUG-24 02.30.56.000000000 PM	+00 00:37:03.000000	37.05	-00 00:37:03.000000	37.05
32570754	CS5694				CPLK	43.2 21-AUG-24 02.03.36.000000000 PM	21-AUG-24 02.19.53.000000000 PM	+00 00:16:17.000000		-00 00:16:17.000000	16.28
32571560	CS5695				CPLK	53.84 21-AUG-24 02.19.24.000000000 PM	21-AUG-24 03.01.43.000000000 PM	+00 00:42:19.000000	42.32	-00 00:42:19.000000	42.32
32572145	CS5691				CPLK	28.04 21-AUG-24 02.31.46.000000000 PM	21-AUG-24 03.06.23.000000000 PM	+00 00:34:37,000000	34.62	-00 00:34:37.000000	34.62
32574630	CS5695				CPLK	52.83 21-AUG-24 03.24.50.000000000 PM	21-AUG-24 03.53.49.000000000 PM	+00 00:28:59.000000	28.98	-00 00:28:59.000000	28.98
32575162	CS5692				CPLK	56.7 21-AUG-24 03.37.05.000000000 PM	21-AUG-24 04.33.42.000000000 PM	+00 00:56:37.000000	56.62	-00 00:56:37.000000	56.62
32576237	CS5691				CPLK	31.06 21-AUG-24 03.59.23.000000000 PM	21-AUG-24 05.13.06.000000000 PM	+00 01:13:43.000000	73.72	-00 01:13:43.000000	73.72
32576938	CS5695				CPLK	40.31 21-AUG-24 04.13.14.000000000 PM	21-AUG-24 04.48.11.000000000 PM	+00 00:34:57.000000		-00 00:34:57.000000	34.95
32579054	CS5692				CPLK	52.05 21-AUG-24 04.58.01.000000000 PM	21-AUG-24 05.30.44.000000000 PM	+00 00:32:43.000000	32.72	-00 00:32:43.000000	32.72
32579887	CS5691				CPLK	12.74 21-AUG-24 05.15.38.000000000 PM	21-AUG-24 05.26.29.000000000 PM	+00 00:10:51.000000	10.85	-00 00:10:51.000000	10.85
32586287	CS5692				CPLK	40.75 21-AUG-24 07.27.36.000000000 PM	21-AUG-24 08.27.28.000000000 PM	+00 00:59:52.000000	59.87	-00 00:59:52.000000	59.87
32587344	CS5695				CPLK	16.67 21-AUG-24 07.53.16.000000000 PM	21-AUG-24 07.59.27.000000000 PM	+00 00:06:11.000000		-00 00:06:11.000000	6.18
32587349	CS5694				CPLK	65.71 21-AUG-24 07.53.25.000000000 PM	21-AUG-24 08.29.32.000000000 PM	+00 00:36:07.000000	36.12	-00 00:36:07.000000	36.12
32690196	CS5692				CPLK	50.08 23-AUG-24 08.51.40.000000000 PM	23-AUG-24 10.07.20.000000000 PM	+00 01:15:40.000000	75.67	-00 01:15:40.000000	75.67
32690573	CS5691				CPLK	25.25 23-AUG-24 09.01.17.000000000 PM	23-AUG-24 09.29.57.000000000 PM	+00 00:28:40.000000	28.67	-00 00:28:40.000000	28.67
32691354	CS5694				CPLK	68.02 23-AUG-24 09.19.45.000000000 PM		+00 00:38:40.000000		-00 00:38:40.000000	38.67
28490704	CS5691				CPLK	16.26 26-MAY-24 11.50.01.0000000000 AM		+00 00:18:13.000000		-00 00:18:13.000000	18.22
28492858	CS5691				CPLK	54.39 26-MAY-24 12.37.33.000000000 PM		+00 00:38:19.000000		-00 00:38:19.000000	38.32
28499065	CS5691				CPLK	27.92 26-MAY-24 02.45.18.000000000 PM		+00 00:20:28.000000		-00 00:20:28.000000	20.47
28500266	CS5692				CPLK	21.09 26-MAY-24 03.06.43.000000000 PM	26-MAY-24 04.07.15.000000000 PM	+00 01:00:32,000000		-00 01:00:32.000000	60.53
28500323	CS5695				CPLK	55.23 26-MAY-24 03.08.11.000000000 PM	26-MAY-24 04.01.32.000000000 PM	+00 00:53:21.000000		-00 00:53:21.000000	53.35
28501841	CS5691				CPLK	27.83 26-MAY-24 03.38.10.000000000 PM	26-MAY-24 04.02.29.000000000 PM	+00 00:24:19.000000	24.32	-00 00:24:19.000000	24.32
			4								

	SESSION_ID	CHARGER_ID	ADDRESS	СПУ	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
28503732	CS5691				CPLK	20.08 26-MAY-24 04.19.48.0000000000 PM	26-MAY-24 04.33.47.000000000 PM	+00 00:13:59.000000	13.98	-00 00:13:59.000000	13.98
28504366	CS5692				CPLK	50.69 26-MAY-24 04.32.48.000000000 PM	26-MAY-24 05.22.08.000000000 PM	+00 00:49:20.000000	49.33	-00 00:49:20.000000	49.33
28504616	CS5695				CPLK	32.01 26-MAY-24 04.37.55.000000000 PM	26-MAY-24 05.30.46.000000000 PM	+00 00:52:51.000000	52.85	-00 00:52:51.000000	52.85
28505136	CS5691				CPLK	8.22 26-MAY-24 04.49.55.000000000 PM	26-MAY-24 05.12.41.000000000 PM	+00 00:22:46.000000	22.77	-00 00:22:46.000000	22.77
28506305	CS5691				CPLK	78.96 26-MAY-24 05.15.24.000000000 PM	26-MAY-24 06.31.25.000000000 PM	+00 01:16:01.000000	76.02	-00 01:16:01.000000	76.02
28507751	CS5694				CPLK	43.9 26-MAY-24 05.47.02.000000000 PM	26-MAY-24 06.13.38.000000000 PM	+00 00:26:36.000000	26.6	-00 00:26:36.000000	26.6
28512136	C\$5695				CPLK	47.24 26-MAY-24 07.27.48.000000000 PM	26-MAY-24 09.04.22.000000000 PM	+00 01:36:34.000000	96.57	-00 01:36:34.000000	96.57
28512331	CS5694				CPLK	53.36 26-MAY-24 07.32.29.000000000 PM	26-MAY-24 08.23.43.000000000 PM	+00 00:51:14.000000	51.23	-00 00:51:14.000000	51.23
28513416	CS5692				CPLK	30.92 26-MAY-24 07.58.10.000000000 PM	26-MAY-24 08.34.18.000000000 PM	+00 00:36:08.000000	36.13	-00 00:36:08.000000	36.13
28515172	CS5692				CPLK	43.94 26-MAY-24 08.42,55,0000000000 PM	26-MAY-24 09.49.29.000000000 PM	+00 01:06:34.000000	66.57	-00 01:06:34.000000	66.57
28515779	CS5694				CPLK	8.36 26-MAY-24 09.01.16.000000000 PM	26-MAY-24 09.04.26.000000000 PM	+00 00:03:10.000000	3.17	-00 00:03:10.000000	3.17
28515977	CS5694				CPLK	48.32 26-MAY-24 09.06.36.000000000 PM	26-MAY-24 09.35.05.000000000 PM	+00 00:28:29.000000	28.48	-00 00:28:29.000000	28.48
28516394	CS5695				CPLK	9.79 26-MAY-24 09.19.11.000000000 PM	26-MAY-24 09.30.40.000000000 PM	+00 00:11:29.000000	11.48	-00 00:11:29.000000	11.48
28517401	CS5695				CPLK	46.64 26-MAY-24 09.47.34.000000000 PM	26-MAY-24 10.12.23.000000000 PM	+00 00:24:49.000000	24.82	-00 00:24:49.000000	24.82
28518844	CS5695				CPLK	45.62 26-MAY-24 10.31.47.000000000 PM	26-MAY-24 11.41.58.000000000 PM	+00 01:10:11.000000	70.18	-00 01:10:11.000000	70.18
28527026	CS5695				CPLK	34.11 27-MAY-24 06.23.21.000000000 AM	27-MAY-24 06.52.21.000000000 AM	+00 00:29:00.000000		-00 00:29:00.000000	29
28528587	CS5695				CPLK	31.1 27-MAY-24 08.00.52.000000000 AM	27-MAY-24 08.43.35.000000000 AM	+00 00:42:43.000000	42.72	-00 00:42:43.000000	42.72
28530510	CS5695				CPLK	48.66 27-MAY-24 09.22.14.000000000 AM	27-MAY-24 09.45.19.000000000 AM	+00 00:23:05.000000	23.08	-00 00:23:05.000000	23.08
28531414	CS5695				CPLK	54.98 27-MAY-24 09.49.42.000000000 AM	27-MAY-24 10.09.05.000000000 AM	+00 00:19:23.000000	19.38	-00 00:19:23.000000	19.38
28533449	CS5695				CPLK	17.05 27-MAY-24 10.45.23.000000000 AM	27-MAY-24 10.55.45.000000000 AM	+00 00:10:22.000000	10.37	-00 00:10:22.000000	10.37
28535097	CS5691				CPLK	29.54 27-MAY-24 11.28.20.000000000 AM	27-MAY-24 12.07.32.000000000 PM	+00 00:39:12,000000	39.2	-00 00:39:12.000000	39.2
28535915	CS5692				CPLK	42.88 27-MAY-24 11.47.33.000000000 AM	27-MAY-24 12.55.59.000000000 PM	+00 01:08:26.000000	68.43	-00 01:08:26.000000	68.43
28537479	C\$5695				CPLK	40.7 27-MAY-24 12.22.25.000000000 PM	27-MAY-24 01.18.21.000000000 PM	+00 00:55:56,000000		-00 00:55:56.000000	55.93
28584389	CS5694				CPLK	12.93 28-MAY-24 02.31.15,000000000 PM	28-MAY-24 02.50.18.000000000 PM	+00 00:19:03.000000		-00 00:19:03.000000	19.05
28585829	C\$5695		4		CPLK	30.62 28-MAY-24 03.04.51.000000000 PM	28-MAY-24 03.20.50.000000000 PM	+00 00:15:59,000000		-00 00:15:59.000000	15.98
28586294	CS5692				CPLK	22.86 28-MAY-24 03.16.14.000000000 PM	28-MAY-24 03.33.07.000000000 PM	+00 00:16:53.000000		-00 00:16:53.000000	16.88
28587079	CS5695				CPLK	58.95 28-MAY-24 03.36.45.000000000 PM	28-MAY-24 04.17.17.000000000 PM	+00 00:40:32.000000	40.53	-00 00:40:32.000000	40.53
28587190	CS5694				CPLK	50.9 28-MAY-24 03.39.38.000000000 PM	28-MAY-24 03.58.49.000000000 PM	+00 00:19:11.000000		-00 00:19:11.000000	19.18
28587621	CS5692				CPLK	10.41 28-MAY-24 03.50.52.000000000 PM	28-MAY-24 04.07.50.000000000 PM	+00 00:16:58.000000		-00 00:16:58.000000	16.97
28587790	CS5691				CPLK	21.82 28-MAY-24 03.55.15.0000000000 PM	28-MAY-24 04.14.08.000000000 PM	+00 00:18:53.000000		-00 00:18:53.000000	18.88
28588098	CS5694				CPLK	60.05 28-MAY-24 04.02.42.000000000 PM	28-MAY-24 04.35.38.000000000 PM	+00 00:32:56.000000		-00 00:32:56.000000	32.93
28594910	CS5695				CPLK	30.99 28-MAY-24 06.50.54.000000000 PM	28-MAY-24 08.04.07.000000000 PM	+00 01:13:13.000000		-00 01:13:13.000000	73.22
28598263	CS5692				CPLK	54.3 28-MAY-24 08.20.22.000000000 PM	28-MAY-24 10.04.06,000000000 PM	+00 01:43:44.000000		-00 01:43:44.000000	103.73
28600716	CS5695				CPLK	33.25 28-MAY-24 09.31.06.000000000 PM	28-MAY-24 10.36.14.000000000 PM	+00 01:05:08.000000		-00 01:05:08.000000	65.13
28601030	CS5691				CPLK	41.35 28-MAY-24 09.39.28.0000000000 PM	28-MAY-24 10.46.15.0000000000 PM	+00 01:06:47.000000		-00 01:06:47.000000	66.78
28602696	CS5692				CPLK	47.14 28-MAY-24 10.35.36.000000000 PM	29-MAY-24 12.02.46.0000000000 AM	+00 01:27:10.000000		-00 01:27:10.000000	87.17
28607418	CS5691				CPLK	51.47 29-MAY-24 02.55.51.000000000 AM	29-MAY-24 04.10.28.000000000 AM	+00 01:14:37.000000		-00 01:14:37.000000	74.62
28610480	CS5691				CPLK	13.46 29-MAY-24 07.33.01.000000000 AM	29-MAY-24 07.44.16.0000000000 AM	+00 00:11:15.000000		-00 00:11:15.000000	11.25
28613889	CS5691				CPLK	55.7 29-MAY-24 09.46.35.0000000000 AM	29-MAY-24 10.46.06.0000000000 AM	+00 00:59:31.000000		-00 00:59:31.000000	59.52
28614627	CS5694				CPLK	44.24 29-MAY-24 10.12.10.0000000000 AM	29-MAY-24 10.42.44.0000000000 AM	+00 00:30:34.000000		-00 00:30:34.000000	30.57
28617331	CS5694				CPLK	42.92 29-MAY-24 11.29.54.0000000000 AM	29-MAY-24 12.44.49.0000000000 PM	+00 01:14:55,000000		-00 01:14:55.000000	74.92
28617530	CS5695				CPLK	30.32 29-MAY-24 11.35.12.0000000000 AM	29-MAY-24 11.53.55.0000000000 AM	+00 00:18:43.000000		-00 00:18:43.000000	18.72
28618668	CS5695				CPLK	73.87 29-MAY-24 12.06.04.000000000 PM	29-MAY-24 01.05.45.0000000000 PM	+00 00:59:41.000000		-00 00:59:41.000000 -00 00:25:30.000000	59.68
28620451	CS5692				CPLK	21.3 29-MAY-24 12.56.06.000000000 PM	29-MAY-24 01.21.36.000000000 PM	+00 00:25:30.000000			25.5
28622218	CS5691				CPLK	45.79 29-MAY-24 01.44.57,0000000000 PM	29-MAY-24 02.13.44.0000000000 PM	+00 00:28:47.000000		-00 00:28:47.000000	28.78
28622428	CS5692				CPLK	45.95 29-MAY-24 01.50.40.0000000000 PM	29-MAY-24 02.29.28.000000000 PM	+00 00:38:48.000000	7.77	-00 00:38:48.000000	38.8
28622630	CS5694				CPLK	50.12 29-MAY-24 01.56.19.0000000000 PM		+00 01:36:21.000000		-00 01:36:21.000000	96.35
28622718	CS5695				CPLK	69.32 29-MAY-24 01.59.29.000000000 PM		+00 00:37:06.000000		-00 00:37:06.000000	37.1
28623356	CS5691				CPLK			+00 00:46:31.000000		-00 00:46:31.000000	46.52
28623984	CS5692				CPLK	44.52 29-MAY-24 02.32.39.000000000 PM		+00 00:33:34.000000		-00 00:33:34.000000	33.57 10.83
28625948 28629871	CS5695 CS5695				CPLK CPLK	24.13 29-MAY-24 03.24.30.000000000 PM 47.27 29-MAY-24 05.05.34.000000000 PM	29-MAY-24 03.35.20.000000000 PM	+00 00:10:50.000000 +00 01:34:17.000000		-00 00:10:50.000000 -00 01:34:17.000000	94.28
					CPLK			+00 01:34:17.000000			37.12
28630874	CS5694		ya.		CPLK	7 0.00 29-MAT-24 05.32.55.000000000 PM	29-MAY-24 06.10.02.000000000 PM	+00 00:37:07.000000	37.12	-00 00:37:07.000000	31.12

	SESSION_ID	CHARGER_ID	ADDRESS	СПУ	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
28631123	CS5691				CPLK	44.84 29-MAY-24 05.40.07.000000000 PM	29-MAY-24 06.19.19.000000000 PM	+00 00:39:12.000000	39.2	-00 00:39:12.000000	39.2
28631874	CS5692	1			CPLK	33.53 29-MAY-24 05.57.00.000000000 PM	29-MAY-24 06.39.06.000000000 PM	+00 00:42:06.000000	42.1	-00 00:42:06.000000	42.1
28633336	CS5694				CPLK	37.14 29-MAY-24 06.35.13.000000000 PM	24-MAY-24 06.16.36.000000000 PM	-05 00:18:37.000000	18.62	+05 00:18:37.000000	18.62
28634989	CS5691				CPLK	25.37 29-MAY-24 07.18.19.000000000 PM	29-MAY-24 08.12.32.000000000 PM	+00 00:54:13.000000	54.22	-00 00:54:13.000000	54.22
28640549	CS5691				CPLK	46.64 29-MAY-24 09.56.30.000000000 PM	29-MAY-24 10.41.14.000000000 PM	+00 00:44:44.000000	44.73	-00 00:44:44.000000	44.73
23546521	CS5695				CPLK	57.53 21-JAN-24 06.39.42.000000000 PM	21-JAN-24 07.11.07.000000000 PM	+00 00:31:25.000000	31.42	-00 00:31:25.000000	31.42
23549668	CS5695				CPLK	52.86 21-JAN-24 08.12.29.000000000 PM	21-JAN-24 08.53.32.000000000 PM	+00 00:41:03.000000	41.05	-00 00:41:03.000000	41.05
23559307	CS5692				CPLK	33.57 22-JAN-24 06.09.55.000000000 AM	22-JAN-24 07.10.02.000000000 AM	+00 01:00:07.000000	60.12	-00 01:00:07.000000	60.12
23560129	CS5692				CPLK	14.6 22-JAN-24 07.11.24.000000000 AM	22-JAN-24 08.06.28.000000000 AM	+00 00:55:04.000000	55.07	-00 00:55:04.000000	55.07
23560952	CS5695				CPLK	38.96 22-JAN-24 07.58.33.000000000 AM	22-JAN-24 08.55.48.000000000 AM	+00 00:57:15.000000	57.25	-00 00:57:15.000000	57.25
23565498	CS5695				CPLK	14.86 22-JAN-24 10.53,49,000000000 AM	22-JAN-24 11.08.29.000000000 AM	+00 00:14:40,000000	14.67	-00 00:14:40.000000	14.67
23568925	CS5695				CPLK	27.97 22-JAN-24 12.33.19.000000000 PM	22-JAN-24 01.30.23.000000000 PM	+00 00:57:04.000000	57.07	-00 00:57:04.000000	57.07
23572912	CS5695				CPLK	72.75 22-JAN-24 02.25,49,000000000 PM	22-JAN-24 02.57.24.000000000 PM	+00 00:31:35.000000	31.58	-00 00:31:35.000000	31.58
23574745	CS5692				CPLK	35.83 22-JAN-24 03.15.26.000000000 PM	22-JAN-24 04.17.05.000000000 PM	+00 01:01:39.000000	61.65	-00 01:01:39.000000	61.65
23575840	CS5695				CPLK	44.85 22-JAN-24 03.45.52.000000000 PM	22-JAN-24 04.12.44.000000000 PM	+00 00:26:52.000000	26.87	-00 00:26:52.000000	26.87
23577450	CS5695				CPLK	39.08 22-JAN-24 04.28.18.000000000 PM	22-JAN-24 05.12.35.000000000 PM	+00 00:44:17.000000	44.28	-00 00:44:17.000000	44.28
23578032	CS5692				CPLK	35.75 22-JAN-24 04.44.14.000000000 PM	22-JAN-24 05.45.08.000000000 PM	+00 01:00:54.000000	60.9	-00 01:00:54.000000	60.9
23579048	CS5691				CPLK	45.32 22-JAN-24 05.12.17.000000000 PM	22-JAN-24 05.45.50.000000000 PM	+00 00:33:33.000000	33.55	-00 00:33:33.000000	33.55
23580909	CS5695				CPLK	18.35 22-JAN-24 06.00.49.000000000 PM	22-JAN-24 07.09.55.000000000 PM	+00 01:09:06.000000	69.1	-00 01:09:06.000000	69.1
23581299	CS5691				CPLK	36.59 22-JAN-24 06.12.57.000000000 PM	22-JAN-24 06.52.38.000000000 PM	+00 00:39:41.000000	39.68	-00 00:39:41.000000	39.68
23581836	CS5692				CPLK	31.21 22-JAN-24 06.26.45.000000000 PM	22-JAN-24 07.04.08.000000000 PM	+00 00:37:23.000000	37.38	-00 00:37:23.000000	37.38
23583316	CS5692				CPLK	36.65 22-JAN-24 07.09.35.000000000 PM	22-JAN-24 08.11.11.000000000 PM	+00 01:01:36.000000	61.6	-00 01:01:36.000000	61.6
23585330	CS5692				CPLK	17.3 22-JAN-24 08.12.51.000000000 PM	22-JAN-24 09.12.40.000000000 PM	+00 00:59:49.000000	59.82	-00 00:59:49.000000	59.82
23585391	CS5695				CPLK	59.09 22-JAN-24 08.14.53.000000000 PM	22-JAN-24 09.10,23.000000000 PM	+00 00:55:30.000000	55.5	-00 00:55:30.000000	55.5
23585758	CS5691				CPLK	31.31 22-JAN-24 08.27.15.000000000 PM	22-JAN-24 09.28.11.000000000 PM	+00 01:00:56.000000	60.93	-00 01:00:56.000000	60.93
23593830	CS5695				CPLK	25.78 23-JAN-24 06.02.53.000000000 AM	23-JAN-24 06.54.39.000000000 AM	+00 00:51:46.000000	51.77	-00 00:51:46.000000	51.77
23594571	CS5695				CPLK	17.05 23-JAN-24 07.02.44.000000000 AM	23-JAN-24 08.03.02.000000000 AM	+00 01:00:18.000000	60.3	-00 01:00:18.000000	60.3
23595578	CS5691				CPLK	2.7 23-JAN-24 08.03.54.000000000 AM	23-JAN-24 08.11.46.000000000 AM	+00 00:07:52.000000	7.87	-00 00:07:52.000000	7.87
23600632	CS5695				CPLK	4.04 23-JAN-24 11.14,30,000000000 AM	23-JAN-24 11.18.47.000000000 AM	+00 00:04:17.000000	4.28	-00 00:04:17.000000	4.28
23600911	CS5695				CPLK	27.43 23-JAN-24 11.22.04.000000000 AM	23-JAN-24 11.51.41.000000000 AM	+00 00:29:37.000000	29.62	-00 00:29:37.000000	29.62
23601807	CS5692				CPLK	24.01 23-JAN-24 11.48.52.000000000 AM	23-JAN-24 12.49.09.000000000 PM	+00 01:00:17.000000	60.28	-00 01:00:17.000000	60.28
23605499	CS5695				CPLK	46.03 23-JAN-24 01.36.45.000000000 PM	23-JAN-24 02.16.42.000000000 PM	+00 00:39:57.000000	39.95	-00 00:39:57.000000	39.95
32692322	CS5691				CPLK	43.31 23-AUG-24 09.42.22.000000000 PM	23-AUG-24 10.48.04.000000000 PM	+00 01:05:42.000000	65.7	-00 01:05:42.000000	65.7
32693238	CS5695				CPLK	1.98 23-AUG-24 10.04.19.000000000 PM	23-AUG-24 10.17.06.000000000 PM	+00 00:12:47,000000	12.78	-00 00:12:47.000000	12.78
32693913	CS5694				CPLK	23.06 23-AUG-24 10.22.14.000000000 PM	23-AUG-24 10.31.03.000000000 PM	+00 00:08:49.000000	8.82	-00 00:08:49.000000	8.82
32696360	CS5695				CPLK	67.3 23-AUG-24 11.30.50.000000000 PM	24-AUG-24 12.14.22.000000000 AM	+00 00:43:32.000000	43.53	-00 00:43:32.000000	43.53
32697991	CS5692				CPLK	30.99 24-AUG-24 12.27.12.000000000 AM	24-AUG-24 01.20.42,000000000 AM	+00 00:53:30.000000	53.5	-00 00:53:30.000000	53.5
32700398	CS5694				CPLK	28.7 24-AUG-24 02.10.40.000000000 AM	24-AUG-24 03.09.17.000000000 AM	+00 00:58:37.000000	58.62	-00 00:58:37.000000	58.62
32702888	CS5692				CPLK	55.01 24-AUG-24 04.49.32.000000000 AM	24-AUG-24 05.38.38.000000000 AM	+00 00:49:06.000000	49.1	-00 00:49:06.000000	49.1
32703312	CS5694				CPLK	39.16 24-AUG-24 05.17.23.000000000 AM	24-AUG-24 05.52.59.000000000 AM	+00 00:35:36.000000	35.6	-00 00:35:36.000000	35.6
32703443	CS5695				CPLK	102.83 24-AUG-24 05.24.01.000000000 AM	24-AUG-24 06.24.30.000000000 AM	+00 01:00:29.000000	60.48	-00 01:00:29.000000	60.48
32705823	CS5694				CPLK	56.57 24-AUG-24 07.29.12.000000000 AM	24-AUG-24 07.47.17.000000000 AM	+00 00:18:05.000000	18.08	-00 00:18:05.000000	18.08
32708074	CS5694				CPLK	45.26 24-AUG-24 08.45.13.000000000 AM	24-AUG-24 09.16.43.000000000 AM	+00 00:31:30.000000	31.5	-00 00:31:30.000000	31.5
32708095	CS5692				CPLK	12.87 24-AUG-24 08.45.59.000000000 AM	24-AUG-24 09.00.25.000000000 AM	+00 00:14:26.000000	14.43	-00 00:14:26.000000	14.43
32708418	CS5691				CPLK	48.67 24-AUG-24 08.57.12.000000000 AM	24-AUG-24 09.39.29.000000000 AM	+00 00:42:17.000000	42.28	-00 00:42:17.000000	42.28
32708498	CS5695				CPLK	63.19 24-AUG-24 08.59.42.000000000 AM	24-AUG-24 09.41.03.000000000 AM	+00 00:41:21.000000	41.35	-00 00:41:21.000000	41.35
32712818	CS5695				CPLK	50.6 24-AUG-24 10.45.27.000000000 AM		+00 00:42:15.000000	42.25	-00 00:42:15.000000	42.25
32715042	CS5695				CPLK	55.6 24-AUG-24 11.32.44.000000000 AM		+00 00:33:47.000000	33.78	-00 00:33:47.000000	33.78
26014668	CS5691				CPLK	65.1 27-MAR-24 04.58,45.000000000 PM	27-MAR-24 06.02.26.000000000 PM	+00 01:03:41.000000		-00 01:03:41.000000	63.68
26015235	CS5692				CPLK	59.38 27-MAR-24 05.13.47.000000000 PM	27-MAR-24 06.41.01.000000000 PM	+00 01:27:14.000000		-00 01:27:14.000000	87.23
26017765	CS5694				CPLK	36.71 27-MAR-24 06.20.09.000000000 PM	27-MAR-24 06.54.37.000000000 PM	+00 00:34:28.000000		-00 00:34:28.000000	34.47
26020146	CS5695				CPLK	31.62 27-MAR-24 07.24.54.000000000 PM	27-MAR-24 08.05.19.000000000 PM	+00 00:40:25.000000	40.42	-00 00:40:25.000000	40.42
26023649	CS5691				CPLK	7.33 27-MAR-24 09.13.26.000000000 PM	27-MAR-24 10.00.09.000000000 PM	+00 00:46:43.000000	46.72	-00 00:46:43.000000	46.72
		4									

	SESSION_ID	CHARGER_ID	ADDRESS	СІТУ	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION	TOTAL DURATION MINUTES
26026219	CS5694				CPLK	10 27-MAR-24 10.49.47.000000000 PM	27-MAR-24 11.08.22.000000000 PM	+00 00:18:35.000000		-00 00:18:35.000000	18.58
26028388	CS5695				CPLK	62.93 28-MAR-24 12.25.11.000000000 AM	28-MAR-24 01.28.55.000000000 AM	+00 01:03:44.000000	63.73	-00 01:03:44.000000	63.73
26032246	CS5694				CPLK	41.49 28-MAR-24 05.56.17.000000000 AM	28-MAR-24 06.51.40.000000000 AM	+00 00:55:23.000000	55.38	-00 00:55:23.000000	55.38
26033045	CS5691				CPLK	46.06 28-MAR-24 06.53.22.000000000 AM	28-MAR-24 07.35.07.000000000 AM	+00 00:41:45.000000	41.75	-00 00:41:45.000000	41.75
26036031	CS5694				CPLK	49.24 28-MAR-24 09.12.18.000000000 AM	28-MAR-24 09.58.30.000000000 AM	+00 00:46:12.000000	46.2	-00 00:46:12.000000	46.2
26036279	CS5695				CPLK	36.98 28-MAR-24 09.21.02.000000000 AM	28-MAR-24 09.52.11.000000000 AM	+00 00:31:09.000000	31.15	-00 00:31:09.000000	31.15
26036918	CS5692				CPLK	31.82 28-MAR-24 09.42.39.000000000 AM	28-MAR-24 10.12.33.000000000 AM	+00 00:29:54.000000	29.9	-00 00:29:54.000000	29.9
26037343	CS5695				CPLK	38.51 28-MAR-24 09.56,22.000000000 AM	28-MAR-24 11.00.37.000000000 AM	+00 01:04:15.000000	64.25	-00 01:04:15.000000	64.25
26042180	CS5692				CPLK	14.03 28-MAR-24 12.13.49.000000000 PM	28-MAR-24 12.57.02.000000000 PM	+00 00:43:13.000000	43.22	-00 00:43:13.000000	43.22
26044418	CS5695				CPLK	62.53 28-MAR-24 01.11.41.000000000 PM	28-MAR-24 01.36.12.000000000 PM	+00 00:24:31.000000	24.52	-00 00:24:31.000000	24.52
26098755	CS5692				CPLK	37.51 29-MAR-24 06.03.29.000000000 PM	29-MAR-24 06.34.52.000000000 PM	+00 00:31:23.000000	31.38	-00 00:31:23.000000	31.38
26099054	CS5695				CPLK	24.81 29-MAR-24 06.11.20.000000000 PM	29-MAR-24 06.54.44.000000000 PM	+00 00:43:24.000000	43.4	-00 00:43:24.000000	43.4
26100519	CS5694				CPLK	71.82 29-MAR-24 06.46.25.000000000 PM	29-MAR-24 07.48.42.000000000 PM	+00 01:02:17.000000	62.28	-00 01:02:17.000000	62.28
26101409	CS5695				CPLK	25.66 29-MAR-24 07.09.07.0000000000 PM	29-MAR-24 07.20.58.000000000 PM	+00 00:11:51.000000	11.85	-00 00:11:51.000000	11.85
26101751	CS5692				CPLK	29.61 29-MAR-24 07.17.27.000000000 PM	29-MAR-24 07.44.54.000000000 PM	+00 00:27:27.000000	27.45	-00 00:27:27.000000	27.45
26102801	CS5691				CPLK	4.95 29-MAR-24 07.42.41.000000000 PM	29-MAR-24 08.15.45.000000000 PM	+00 00:33:04.000000	33.07	-00 00:33:04.000000	33.07
26103234	CS5695				CPLK	34.81 29-MAR-24 07.54.08.000000000 PM	29-MAR-24 08.42.30.000000000 PM	+00 00:48:22.000000	48.37	-00 00:48:22.000000	48.37
26104065	CS5692				CPLK	38.41 29-MAR-24 08.15.03.000000000 PM	29-MAR-24 09.16.02.000000000 PM	+00 01:00:59.000000	60.98	-00 01:00:59.000000	60.98
26106357	CS5692				CPLK	9.62 29-MAR-24 09.19.06.000000000 PM	29-MAR-24 10.07.04.000000000 PM	+00 00:47:58.000000	47.97	-00 00:47:58.000000	47.97
26116917	CS5695				CPLK	19.44 30-MAR-24 07.24.25.000000000 AM	30-MAR-24 07.34.20.000000000 AM	+00 00:09:55.000000	9.92	-00 00:09:55.000000	9.92
26117149	CS5694				CPLK	41.73 30-MAR-24 07.38.38.000000000 AM	30-MAR-24 08.21.09.000000000 AM	+00 00;42;31,000000	42.52	-00 00:42:31.000000	42.52
26118497	CS5694				CPLK	4.8 30-MAR-24 08.45.48.000000000 AM	30-MAR-24 08.55.31.000000000 AM	+00 00:09:43.000000	9.72	-00 00:09:43.000000	9.72
26122141	CS5691				CPLK	27.04 30-MAR-24 10.46.23.0000000000 AM	30-MAR-24 11.13.02.000000000 AM	+00 00:26:39.000000	26.65	-00 00:26:39.000000	26.65
26127258	CS5695				CPLK	31.18 30-MAR-24 12.47.26.000000000 PM	30-MAR-24 12.58.56.000000000 PM	+00 00:11:30.000000	11.5	-00 00:11:30.000000	11.5
26129634	CS5691				CPLK	25.26 30-MAR-24 01.38,35.000000000 PM	30-MAR-24 02.19.36.000000000 PM	+00 00:41:01.000000	41.02	-00 00:41:01.000000	41.02
26129790	CS5692				CPLK	22.59 30-MAR-24 01.41.32.000000000 PM	30-MAR-24 02.17.41.000000000 PM	+00 00:36:09.000000	36.15	-00 00:36:09.000000	36.15
26130526	CS5694				CPLK	13.24 30-MAR-24 01.56.33.000000000 PM	30-MAR-24 02.11.22.000000000 PM	+00 00:14:49,000000	14.82	-00 00:14:49.000000	14.82
26131190	CS5695	5.7			CPLK	57.05 30-MAR-24 02.10.27.000000000 PM	30-MAR-24 03.11.03.000000000 PM	+00 01:00:36.000000	60.6	-00 01:00:36.000000	60.6
26132909	CS5691				CPLK	30.18 30-MAR-24 02.49.31.000000000 PM	30-MAR-24 03.50.03.000000000 PM	+00 01:00:32.000000	60.53	-00 01:00:32.000000	60.53
26132967	CS5694				CPLK	39.62 30-MAR-24 02.50.43.000000000 PM	30-MAR-24 03.53.22.000000000 PM	+00 01:02:39.000000	62.65	-00 01:02:39.000000	62.65
26134273	CS5692				CPLK	58.93 30-MAR-24 03.17.32.000000000 PM	30-MAR-24 04.07.43.000000000 PM	+00 00:50:11.000000	50.18	-00 00:50:11.000000	50.18
26134351	CS5695				CPLK	50.43 30-MAR-24 03.19.10.000000000 PM	30-MAR-24 03.50.46.000000000 PM	+00 00:31:36.000000	31.6	-00 00:31:36.000000	31.6
26139587	CS5694				CPLK	35.69 30-MAR-24 05,09.39.000000000 PM	30-MAR-24 05.27.40.000000000 PM	+00 00:18:01.000000	18.02	-00 00:18:01.000000	18.02
26140413	CS5695				CPLK	105.05 30-MAR-24 05.26.57.000000000 PM	30-MAR-24 06.27.14.000000000 PM	+00 01:00:17.000000	60.28	-00 01:00:17.000000	60.28
26140915	CS5691				CPLK	21.5 30-MAR-24 05.38.19.000000000 PM	30-MAR-24 05.51.50.000000000 PM	+00 00:13:31.000000	13.52	-00 00:13:31.000000	13.52
26141544	CS5694				CPLK	59.93 30-MAR-24 05.51.32.000000000 PM	30-MAR-24 07.03.29.000000000 PM	+00 01:11:57.000000	71.95	-00 01:11:57.000000	71.95
26145001	CS5695				CPLK	34.99 30-MAR-24 07.09.35.000000000 PM	30-MAR-24 07.36.34.000000000 PM	+00 00:26:59.000000	26.98	-00 00:26:59.000000	26.98
26147945	CS5691				CPLK	16.05 30-MAR-24 08.26.54.000000000 PM	30-MAR-24 08.44.37.000000000 PM	+00 00:17:43.000000	17.72	-00 00:17:43.000000	17.72
26149532	CS5695				CPLK	37.05 30-MAR-24 09.13.32.000000000 PM	30-MAR-24 09.46.21.000000000 PM	+00 00:32:49.000000	32.82	-00 00:32:49.000000	32.82
26151126	CS5695				CPLK	41.59 30-MAR-24 10.01.57.000000000 PM	30-MAR-24 10.23.58.000000000 PM	+00 00:22:01.000000	22.02	-00 00:22:01.000000	22.02
26215385	CS5695				CPLK	61.84 01-APR-24 02.29.30.000000000 PM	01-APR-24 02.55.27.000000000 PM	+00 00:25:57.000000	25.95	-00 00:25:57.000000	25.95
26216512	CS5694				CPLK	42.33 01-APR-24 02.55.55.0000000000 PM	01-APR-24 03.31.57.000000000 PM	+00 00:36:02.000000	36.03	-00 00:36:02.000000	36.03
26216534	CS5691				CPLK	23.76 01-APR-24 02.56.28.000000000 PM	01-APR-24 03.25.00.000000000 PM	+00 00:28:32.000000	28.53	-00 00:28:32.000000	28.53
26216689	CS5692				CPLK	23.84 01-APR-24 02.59.59.000000000 PM	01-APR-24 03.29.51.000000000 PM	+00 00:29:52.000000	29.87	-00 00:29:52.000000	29.87
26217774	CS5691				CPLK	11.39 01-APR-24 03.27.57.000000000 PM	01-APR-24 03.46.50.000000000 PM	+00 00:18:53.000000	18.88	-00 00:18:53.000000	18.88
26219757	CS5691				CPLK	38.68 01-APR-24 04.16.12.000000000 PM	01-APR-24 04.54.38.000000000 PM	+00 00:38:26.000000	38.43	-00 00:38:26.000000	38.43
26220468	CS5692				CPLK	14.69 01-APR-24 04.34.22.000000000 PM	01-APR-24 04.48.15.000000000 PM	+00 00:13:53.000000		-00 00:13:53.000000	13.88
26221309	CS5695				CPLK	62.21 01-APR-24 04.54.26.000000000 PM	01-APR-24 05.21.12.000000000 PM	+00 00:26:46.000000	26.77	-00 00:26:46.000000	26.77
26232794	CS5695				CPLK	52.17 01-APR-24 10.32.43.0000000000 PM	01-APR-24 11.18.55.000000000 PM	+00 00:46:12.000000	46.2	-00 00:46:12.000000	46.2
26238244	CS5695				CPLK	23.64 02-APR-24 04.58.35.000000000 AM	02-APR-24 05.11.48.000000000 AM	+00 00:13:13.000000	13.22	-00 00:13:13.000000	13.22
26240118	CS5695				CPLK	15.28 02-APR-24 07.31.07.000000000 AM	02-APR-24 08.26.17.000000000 AM	+00 00:55:10.000000	55.17	-00 00:55:10.000000	55.17
26240641	CS5691	7			CPLK	18.88 02-APR-24 08.02.38.000000000 AM	02-APR-24 08.26.16.000000000 AM	+00 00:23:38.000000	23.63	-00 00:23:38.000000	23.63
26242878	CS5695				CPLK	38.91 02-APR-24 09.36.05.0000000000 AM	02-APR-24 10.20.43.000000000 AM	+00 00:44:38.000000	44.63	-00 00:44:38.000000	44.63
		The second secon									

	SESSION_ID	CHARGER_ID	ADDRESS	СІТУ	STATE ZIP JURISDIC	ENERGY CONNECT	ION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
26243083	CS5692				CPLK	14.9 02-APR-24 09.4	3.01.000000000 AM	02-APR-24 10.11.08.000000000 AM	+00 00:28:07.000000	28.12	-00 00:28:07.000000	28.12
26243094	CS5691				CPLK	37.39 02-APR-24 09.4	3.25.000000000 AM	02-APR-24 10.11.30.000000000 AM	+00 00:28:05.000000	28.08	-00 00:28:05.000000	28.08
26245226	CS5694				CPLK	23.22 02-APR-24 10.5	1.51.000000000 AM	02-APR-24 11.15.09.000000000 AM	+00 00:23:18.000000	23.3	-00 00:23:18.000000	23.3
26245243	CS5691				CPLK	21.29 02-APR-24 10.5	2.29.000000000 AM	02-APR-24 11.18,40.000000000 AM	+00 00:26:11.000000	26.18	-00 00:26:11.000000	26.18
26246403	CS5695				CPLK	41.87 02-APR-24 11.2	9.32.000000000 AM	02-APR-24 12.05.57.000000000 PM	+00 00:36;25.000000	36.42	-00 00:36:25.000000	36.42
26248198	CS5692				CPLK	12.1 02-APR-24 12.2	2.31.000000000 PM	02-APR-24 01.19.01.000000000 PM	+00 00:56:30.000000	56.5	-00 00:56:30.000000	56.5
26250242	CS5694				CPLK	31.21 02-APR-24 01.1	4.39.000000000 PM	02-APR-24 02.25.35.000000000 PM	+00 01:10:56.000000	70.93	-00 01:10:56.000000	70.93
26250884	CS5691				CPLK	26.02 02-APR-24 01.5	7.28.000000000 PM	02-APR-24 02.30.11.000000000 PM	+00 00:32:43.000000	32.72	-00 00:32:43.000000	32.72
26251061	CS5692				CPLK	34.05 02-APR-24 01.5	9.13.000000000 PM	02-APR-24 02.39.59.000000000 PM	+00 00:40:46.000000	40.77	-00 00:40:46.000000	40.77
26253390	CS5695				CPLK	31.45 02-APR-24 02.5	3.09.000000000 PM	02-APR-24 03.36.21.000000000 PM	+00 00:43:12.000000	43.2	-00 00:43:12.000000	43.2
26253682	CS5692				CPLK	71.17 02-APR-24 03.0	0.11.000000000 PM	02-APR-24 04.23.01.000000000 PM	+00 01:22:50,000000	82.83	-00 01:22:50.000000	82.83
26259282	CS5695				CPLK	48.86 02-APR-24 05.2	2.24.000000000 PM	02-APR-24 05.57.31.000000000 PM	+00 00:35:07.000000	35.12	-00 00:35:07.000000	35.12
26259306	CS5692				CPLK	9.02 02-APR-24 05.2	2.44.000000000 PM	02-APR-24 06.19.54.000000000 PM	+00 00:57:10.000000	57.17	-00 00:57:10.000000	57.17
26263740	CS5695				CPLK	41.71 02-APR-24 07.2	4.36.000000000 PM	02-APR-24 07.47.23.000000000 PM	+00 00:22:47.000000	22.78	-00 00:22:47.000000	22.78
26264773	CS5695				CPLK	51.09 02-APR-24 07.5	5.44.000000000 PM	02-APR-24 09.31.37.000000000 PM	+00 01:35:53.000000	95.88	-00 01:35:53.000000	95.88
26265125	CS5691				CPLK	20.47 02-APR-24 08.0	6.25.000000000 PM	02-APR-24 08.38.58.000000000 PM	+00 00:32:33.000000	32.55	-00 00:32:33,000000	32.55
23608062	CS5692				CPLK	22.36 23-JAN-24 02.4	7.27.000000000 PM	23-JAN-24 03.18.54.000000000 PM	+00 00:31:27.000000	31.45	-00 00:31:27.000000	31.45
23608440	CS5695				CPLK	44.52 23-JAN-24 02.58	3.43.000000000 PM	23-JAN-24 03.39.56.000000000 PM	+00 00:41:13.000000	41.22	-00 00:41:13.000000	41.22
23608504	CS5691				CPLK	47.56 23-JAN-24 03.00	0.10.0000000000 PM	23-JAN-24 03.34.37.000000000 PM	+00 00:34:27.000000	34.45	-00 00:34:27.000000	34.45
23609792	CS5692				CPLK	11.68 23-JAN-24 03.3	5.55.000000000 PM	23-JAN-24 03.56.13.000000000 PM	+00 00:20:18.000000		-00 00:20:18.000000	20.3
23610400	CS5695				CPLK	76.34 23-JAN-24 03.53	3.45.000000000 PM	23-JAN-24 04.36.16.000000000 PM	+00 00:42:31,000000	42.52	-00 00:42:31.000000	42.52
23610842	CS5691				CPLK	50.69 23-JAN-24 04.0	5.31.000000000 PM	23-JAN-24 04.47.04.000000000 PM	+00 00:41:33.000000	41.55	-00 00:41:33.000000	41.55
23611067	CS5692				CPLK	21.23 23-JAN-24 04.13	2.37.000000000 PM	23-JAN-24 04.27.14.000000000 PM	+00 00:14:37.000000	14.62	-00 00:14:37.000000	14.62
23611748	CS5692				CPLK	29.04 23-JAN-24 04.3	1.19.000000000 PM	23-JAN-24 05.32.02.000000000 PM	+00 01:00:43.000000	60.72	-00 01:00:43.000000	60.72
23613938	CS5691				CPLK	20.32 23-JAN-24 05.30	6.06.000000000 PM	23-JAN-24 05.54.12.000000000 PM	+00 00:18:06.000000	18.1	-00 00:18:06.000000	18.1
23615165	CS5695				CPLK	24.37 23-JAN-24 06.10	0.32.000000000 PM	23-JAN-24 06.34.43.000000000 PM	+00 00:24:11.000000		-00 00:24:11.000000	24.18
23616538	CS5695				CPLK	36.24 23-JAN-24 06.5	3.33.000000000 PM	23-JAN-24 07.37.52.000000000 PM	+00 00:44:19,000000	44.32	-00 00:44:19.000000	44.32
23616975	CS5692				CPLK	18.58 23-JAN-24 07.03	7.24.000000000 PM	23-JAN-24 07.25.52.000000000 PM	+00 00:18:28.000000		-00 00:18:28.000000	18.47
23617347	CS5691				CPLK	31.3 23-JAN-24 07.1	7.54.000000000 PM	23-JAN-24 08.18.03.000000000 PM	+00 01:00:09.000000	60.15	-00 01:00:09.000000	60.15
23620271	CS5695				CPLK	68.39 23-JAN-24 09.0	1.08.000000000 PM	23-JAN-24 09.57.44.000000000 PM	+00 00:56:36.000000	56.6	-00 00:56:36.000000	56.6
23624047	CS5695				CPLK	68.6 23-JAN-24 11.5		24-JAN-24 12.53.08.000000000 AM	+00 01:00:06.000000		-00 01:00:06.000000	60.1
23625659	CS5695				CPLK	32.59 24-JAN-24 02.0	2.48.000000000 AM	24-JAN-24 02.41.35.000000000 AM	+00 00:38:47.000000		-00 00:38:47.000000	38.78
23627695	CS5695				CPLK	14.4 24-JAN-24 06.1		24-JAN-24 06.48.35.000000000 AM	+00 00:31:32.000000		-00 00:31:32.000000	31.53
23632607	CS5695				CPLK	43.93 24-JAN-24 10.24		24-JAN-24 11.26.28.000000000 AM	+00 01:01:41.000000		-00 01:01:41.000000	61.68
23632699	CS5692				CPLK	18.44 24-JAN-24 10.2		24-JAN-24 10.53.50.000000000 AM	+00 00:25:53.000000		-00 00:25:53.000000	25.88
23637427	CS5695				CPLK	1.43 24-JAN-24 12.49		24-JAN-24 12.52.29.000000000 PM	+00 00:03:07.000000		-00 00:03:07.000000	3.12
23637953	CS5692				CPLK	65.11 24-JAN-24 01.04		24-JAN-24 02.01.54.000000000 PM	+00 00:57:29.000000		-00 00:57:29.000000	57.48
23638636	CS5695				CPLK	34.19 24-JAN-24 01.2	2.47.000000000 PM	24-JAN-24 01.48.16.000000000 PM	+00 00:25:29.000000		-00 00:25:29.000000	25.48
23640468	CS5692				CPLK	35.35 24-JAN-24 02.13		24-JAN-24 03.14.06.000000000 PM	+00 01:00:45.000000		-00 01:00:45.000000	60.75
23642570	CS5695				CPLK	67.8 24-JAN-24 03.13		24-JAN-24 04.08.36.000000000 PM	+00 00:56:25.000000		-00 00:56:25.000000	56.42
23642648	CS5691				CPLK	7.99 24-JAN-24 03.14		24-JAN-24 03.32.30.000000000 PM	+00 00:17:39.000000		-00 00:17:39.000000	17.65
23642712	CS5692				CPLK	15 24-JAN-24 03.1		24-JAN-24 04.13.14.000000000 PM	+00 00:56:05.000000		-00 00:56:05.000000	56.08
23646469	CS5695				CPLK	55.87 24-JAN-24 05.00		24-JAN-24 06.03.01.000000000 PM	+00 01:00:12.000000		-00 01:00:12.000000	60.2
23646603	CS5692				CPLK	38.29 24-JAN-24 05.00		24-JAN-24 05.37.10.000000000 PM	+00 00:30:40.000000		-00 00:30:40.000000	30.67
23648887	CS5692				CPLK	50.23 24-JAN-24 06.08		24-JAN-24 07.11.08.000000000 PM	+00 01:02:09.000000	62.15	-00 01:02:09.000000	62.15
23649811	CS5695				CPLK	46.26 24-JAN-24 06.3		24-JAN-24 07.26.20.000000000 PM	+00 00:50:47.000000	50.78	-00 00:50:47.000000	50.78
23663984	CS5695				CPLK	66.84 25-JAN-24 08.1			+00 00:49:01.000000		-00 00:49:01.000000	49.02
23664380	CS5692				CPLK	29.49 25-JAN-24 08.34		25-JAN-24 08.54.58.000000000 AM	+00 00:20:26.000000		-00 00:20:26.000000	20.43
23665375	CS5692				CPLK	45.03 25-JAN-24 09.18		25-JAN-24 09.54.38.000000000 AM	+00 00:36:32.000000		-00 00:36:32.000000	36.53
23666769	CS5692				CPLK	28.9 25-JAN-24 10.10		25-JAN-24 10.56.27.000000000 AM	+00 00:45:33.000000		-00 00:45:33.000000	45.55
23669045	CS5692				CPLK	27.77 25-JAN-24 11.20		25-JAN-24 12.05.42.000000000 PM	+00 00:45:34.000000		-00 00:45:34.000000	45.57
23669938	CS5695				CPLK	47.72 25-JAN-24 11.44		25-JAN-24 12.25.06.000000000 PM	+00 00:38:50.000000		-00 00:38:50.000000	38.83
23671616	CS5695				CPLK	50.66 25-JAN-24 12.34	4.58.000000000 PM	25-JAN-24 01.36.07.000000000 PM	+00 01:01:09.000000	61.15	-00 01:01:09.000000	61.15
			9									

	SESSION_ID	CHARGER_ID	ADDRESS CITY	STATE ZIP JURISDIC	USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
23675282	CS5695			CPLK	43.68 25-JAN-24 02.11.44.000000000 PM	25-JAN-24 02.47.00.000000000 PM	+00 00:35:16.000000	35.27	-00 00:35:16.000000	35.27
23676665	CS5695			CPLK	53.94 25-JAN-24 02.49.39.000000000 PM	25-JAN-24 03.19.55.000000000 PM	+00 00:30:16.000000	30.27	-00 00:30:16.000000	30.27
23678484	CS5695			CPLK	5.17 25-JAN-24 03.39.54.000000000 PM	25-JAN-24 03.45.34.000000000 PM	+00 00:05:40.000000	5.67	-00 00:05:40.000000	5.67
23681257	CS5695			CPLK	54.53 25-JAN-24 04.59.28.000000000 PM	25-JAN-24 05.38.04.000000000 PM	+00 00:38:36.000000	38.6	-00 00:38:36.000000	38.6
23683279	CS5695			CPLK	25.59 25-JAN-24 05.57.01.000000000 PM	25-JAN-24 06.09.32.000000000 PM	+00 00:12:31,000000	12.52	-00 00:12:31.000000	12.52
23683409	CS5692			CPLK	11.11 25-JAN-24 06.00.58.000000000 PM	25-JAN-24 06.10.09.000000000 PM	+00 00:09:11.000000	9.18	-00 00:09:11.000000	9.18
23684088	CS5695			CPLK	23.02 25-JAN-24 06.21.04.000000000 PM	25-JAN-24 06.29.20.000000000 PM	+00 00:08:16.000000	8.27	-00 00:08:16.000000	8.27
23686352	CS5695			CPLK	34.74 25-JAN-24 07.33.08.000000000 PM	25-JAN-24 08.34.23.000000000 PM	+00 01:01:15.000000	61.25	-00 01:01:15.000000	61.25
23691105	CS5695			CPLK	57.71 25-JAN-24 10.19.24.000000000 PM	25-JAN-24 11.14.41.000000000 PM	+00 00:55:17.000000	55.28	-00 00:55:17.000000	55.28
23692992	CS5695			CPLK	26.36 25-JAN-24 11.47.59.000000000 PM	26-JAN-24 12.48.02.000000000 AM	+00 01:00:03.000000	60.05	-00 01:00:03.000000	60.05
23694087	CS5692			CPLK	25.21 26-JAN-24 12.51.40.000000000 AM	26-JAN-24 01.17.05.000000000 AM	+00 00:25:25.000000	25.42	-00 00:25:25.000000	25.42
23698199	CS5695			CPLK	17.87 26-JAN-24 07.08.50.000000000 AM	26-JAN-24 07.40.14.000000000 AM	+00 00:31:24.000000	31.4	-00 00:31:24.000000	31.4
23699141	CS5695			CPLK	35.18 26-JAN-24 08.03.39.000000000 AM	26-JAN-24 08.38.11.000000000 AM	+00 00:34:32.000000	34.53	-00 00:34:32.000000	34.53
23700258	CS5695			CPLK	35.11 26-JAN-24 08.51.56.000000000 AM	26-JAN-24 09.34.20.000000000 AM	+00 00:42:24.000000	42.4	-00 00:42:24.000000	42.4
23702007	CS5692			CPLK	43.72 26-JAN-24 09.56.50.000000000 AM	26-JAN-24 10.34.01.000000000 AM	+00 00:37:11.000000	37.18	-00 00:37:11.000000	37.18
23705501	CS5695			CPLK	37.76 26-JAN-24 11.37.35.000000000 AM	26-JAN-24 12.14.00.000000000 PM	+00 00:36:25.000000	36.42	-00 00:36:25.000000	36.42
23706684	CS5692			CPLK	27.66 26-JAN-24 12.09.28.000000000 PM	26-JAN-24 01.23.10.000000000 PM	+00 01:13:42.000000	73.7	-00 01:13:42.000000	73.7
23709139	CS5695			CPLK	53.4 26-JAN-24 01.16.21.000000000 PM	26-JAN-24 01.52.54.000000000 PM	+00 00:36:33.000000	36.55	-00 00:36:33.000000	36.55
23710126	CS5692			CPLK	31.81 26-JAN-24 01.42.53.000000000 PM	26-JAN-24 02.09.25.000000000 PM	+00 00:26:32.000000	26.53	-00 00:26:32.000000	26.53
23710988	CS5695			CPLK	37.81 26-JAN-24 02.06.13.000000000 PM	26-JAN-24 02.49.15.000000000 PM	+00 00:43:02.000000	43.03	-00 00:43:02.000000	43.03
23711367	CS5692			CPLK	47.06 26-JAN-24 02.15.12.000000000 PM	26-JAN-24 02.56.45.000000000 PM	+00 00:41:33.000000	41.55	-00 00:41:33.000000	41.55
23717957	CS5692			CPLK	49.08 26-JAN-24 05.02.24.000000000 PM	26-JAN-24 06.57.59.000000000 PM	+00 01:55:35.000000	115.58	-00 01:55:35.000000	115.58
23718798	CS5695			CPLK	49.84 26-JAN-24 05.25.23.000000000 PM	26-JAN-24 06.23.58.000000000 PM	+00 00:58:35.000000	58.58	-00 00:58:35.000000	58.58
23722140	CS5695			CPLK	56.99 26-JAN-24 06.59.31.000000000 PM	26-JAN-24 08.01.03.000000000 PM	+00 01:01:32.000000	61.53	-00 01:01:32.000000	61.53
23724652	CS5695			CPLK	63.07 26-JAN-24 08.10.07.000000000 PM	26-JAN-24 09.07.30.000000000 PM	+00 00:57:23.000000	57.38	-00 00:57:23.000000	57.38
23725662	CS5692	-		CPLK	32.62 26-JAN-24 08.42.18.000000000 PM	26-JAN-24 10.38.31.000000000 PM	+00 01:56:13.000000	116.22	-00 01:56:13.000000	116.22
23726522	CS5695			CPLK	40.14 26-JAN-24 09.10.47.000000000 PM	26-JAN-24 10.11.03.000000000 PM	+00 01:00:16.000000	60.27	-00 01:00:16.000000	60.27
23728385	CS5695	6.7		CPLK	2.53 26-JAN-24 10.16.26.000000000 PM	26-JAN-24 10.22.27.000000000 PM	+00 00:06:01.000000	6.02	-00 00:06:01.000000	6.02
23732454	CS5695			CPLK	64.71 27-JAN-24 01.51.21.000000000 AM	27-JAN-24 03.11.08.000000000 AM	+00 01:19:47.000000	79.78	-00 01:19:47.000000	79.78
23732829	CS5692			CPLK	23.67 27-JAN-24 02.16.17.000000000 AM	27-JAN-24 02.52.11.000000000 AM	+00 00:35:54.000000	35.9	-00 00:35:54.000000	35.9
23736924	CS5695			CPLK	22.48 27-JAN-24 08.21.34.000000000 AM	27-JAN-24 08.54.09.000000000 AM	+00 00:32:35.000000	32.58	-00 00:32:35.000000	32.58
23740047	CS5695			CPLK	23.54 27-JAN-24 10.20.39.000000000 AM	27-JAN-24 10.47.06.000000000 AM	+00 00:26:27,000000	26.45	-00 00:26:27.000000	26.45
23741083	CS5695			CPLK	28.17 27-JAN-24 10.53.39,000000000 AM	27-JAN-24 11.14.48.000000000 AM	+00 00:21:09.000000	21.15	-00 00:21:09.000000	21.15
23741998	CS5695			CPLK	66.02 27-JAN-24 11.20.57.000000000 AM	27-JAN-24 11.59.43.000000000 AM	+00 00:38:46.000000	38.77	-00 00:38:46.000000	38.77
23742130	CS5692			CPLK	38.4 27-JAN-24 11.23.44.000000000 AM	27-JAN-24 12.17.40.000000000 PM	+00 00:53:56.000000	53.93	-00 00:53:56.000000	53.93
23745428	CS5692			CPLK	43.92 27-JAN-24 12.47.16.000000000 PM	27-JAN-24 01.31.04.000000000 PM	+00 00:43:48.000000	43.8	-00 00:43:48.000000	43.8
23745679	CS5695			CPLK	40.52 27-JAN-24 12.54.29.000000000 PM	27-JAN-24 01.52.26.000000000 PM	+00 00:57:57.000000	57.95	-00 00:57:57.000000	57.95
23746782	CS5691			CPLK	4.3 27-JAN-24 01.19.56.000000000 PM	27-JAN-24 01.38.34.000000000 PM	+00 00:18:38.000000	18.63	-00 00:18:38.000000	18.63
23750331	CS5695			CPLK	64.96 27-JAN-24 02.46.58.000000000 PM	27-JAN-24 03.54.34.000000000 PM	+00 01:07:36.000000	67.6	-00 01:07:36.000000	67.6
23750673	CS5692			CPLK	40.4 27-JAN-24 02.55.11.000000000 PM	27-JAN-24 04.08.00.000000000 PM	+00 01:12:49,000000	72.82	-00 01:12:49.000000	72.82
23755090	CS5695			CPLK	75.62 27-JAN-24 04.36.55.000000000 PM	27-JAN-24 05.24.09.000000000 PM	+00 00:47:14.000000	47.23	-00 00:47:14.000000	47.23
23755226	CS5692			CPLK	10.76 27-JAN-24 04.40.44.000000000 PM	27-JAN-24 04.49.18.000000000 PM	+00 00:08:34.000000	8.57	-00 00:08:34.000000	8.57
23757022	CS5692			CPLK	33.99 27-JAN-24 05.21.57.000000000 PM	27-JAN-24 06.09.32.000000000 PM	+00 00:47:35.000000	47.58	-00 00:47:35.000000	47.58
23757200	CS5695			CPLK	47.78 27-JAN-24 05.26.01.000000000 PM	27-JAN-24 06.55.24.000000000 PM	+00 01:29:23.000000	89.38	-00 01:29:23.000000	89.38
23760406	CS5691			CPLK	8.54 27-JAN-24 06.53.15.000000000 PM	27-JAN-24 07.13.34.000000000 PM	+00 00:20:19.000000	20.32	-00 00:20:19.000000	20.32
23762406	CS5692			CPLK	13.33 27-JAN-24 07.55.55.000000000 PM	27-JAN-24 08.28.39.000000000 PM	+00 00:32:44.000000	32.73	-00 00:32:44.000000	32.73
23768469	CS5695			CPLK	61.59 27-JAN-24 11.45.16.000000000 PM	28-JAN-24 12.37.53.000000000 AM	+00 00:52:37.000000	52.62	-00 00:52:37.000000	52.62
23769189	CS5692			CPLK	18.55 28-JAN-24 12.22.22.000000000 AM	28-JAN-24 12.49.35.000000000 AM	+00 00:27:13.000000	27.22	-00 00:27:13.000000	27.22
23770624	CS5692			CPLK	46.88 28-JAN-24 01.50.13.000000000 AM	28-JAN-24 03.08.45.000000000 AM	+00 01:18:32.000000	78.53	-00 01:18:32.000000	78.53
23770907	CS5695			CPLK	42.71 28-JAN-24 02.08.41.000000000 AM	28-JAN-24 04.21.51.000000000 AM	+00 02:13:10.000000	133.17	-00 02:13:10.000000	133.17
23772451	CS5692			CPLK	50.7 28-JAN-24 04.18.58.000000000 AM	28-JAN-24 06.12.43.000000000 AM	+00 01:53:45.000000	113.75	-00 01:53:45.000000	113.75
23780519	CS5695	200		CPLK	27.21 28-JAN-24 11.28.54.000000000 AM	28-JAN-24 12.06.07.000000000 PM	+00 00:37:13.000000	37.22	-00 00:37:13.000000	37.22
23792878	CS5695			CPLK	22.94 28-JAN-24 04.36.10.000000000 PM	28-JAN-24 05.23.44.000000000 PM	+00 00:47:34.000000	47.57	-00 00:47:34.000000	47.57

	SESSION_ID	CHARGER_ID	ADDRESS CITY	STATE ZIP JURISDIC	USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION	TOTAL DURATION MINUTES
23794712	CS5692			CPLK	13.98 28-JAN-24 05.26.33.000000000 PM	28-JAN-24 05.48.18.000000000 PM	+00 00:21:45.000000		-00 00:21:45.000000	21.75
26265224	CS5692	1		CPLK	43.51 02-APR-24 08.09.20.000000000 PM	02-APR-24 08.40.08.000000000 PM	+00 00:30:48.000000	30.8	-00 00:30:48.000000	30.8
26325599	CS5692			CPLK	14.3 04-APR-24 12.36.03.0000000000 PM	04-APR-24 01.28.34.000000000 PM	+00 00:52:31.000000	52.52	-00 00:52:31.000000	52.52
26328961	CS5695			CPLK	25.73 04-APR-24 01.56.39.000000000 PM	04-APR-24 02.11.48.000000000 PM	+00 00:15:09.000000	15.15	-00 00:15:09.000000	15.15
26329455	CS5692			CPLK	51.93 04-APR-24 02.08.24.000000000 PM	04-APR-24 03.07.42,000000000 PM	+00 00:59:18.000000	59.3	-00 00:59:18.000000	59.3
26331520	CS5695			CPLK	21.79 04-APR-24 02.56.52.000000000 PM	04-APR-24 03.34.39.000000000 PM	+00 00:37:47.000000	37.78	-00 00:37:47.000000	37.78
26333707	CS5694			CPLK	51.31 04-APR-24 03.48.54.000000000 PM	04-APR-24 04.39.11.000000000 PM	+00 00:50:17.000000	50.28	-00 00:50:17.000000	50.28
26341322	CS5695			CPLK	11.31 04-APR-24 06.50.13.000000000 PM	04-APR-24 07.09.04.000000000 PM	+00 00:18:51.000000	18.85	-00 00:18:51.000000	18.85
26342306	CS5695			CPLK	33.09 04-APR-24 07.15.26.000000000 PM	04-APR-24 08.10.44.000000000 PM	+00 00:55:18.000000	55.3	-00 00:55:18.000000	55.3
26343863	CS5694			CPLK	60.75 04-APR-24 07.58.24.000000000 PM	04-APR-24 09.08.51.000000000 PM	+00 01:10:27.000000	70.45	-00 01:10:27.000000	70.45
26344211	CS5691			CPLK	33.91 04-APR-24 08.08.15.000000000 PM	04-APR-24 08.51.50.000000000 PM	+00 00:43:35.000000	43.58	-00 00:43:35.000000	43.58
26345991	CS5695			CPLK	22.39 04-APR-24 08.54.49.000000000 PM	04-APR-24 09.15.57.000000000 PM	+00 00:21:08.000000	21.13	-00 00:21:08.000000	21.13
26346942	CS5695			CPLK	62.55 04-APR-24 09.23.36.000000000 PM	04-APR-24 11.20.20.000000000 PM	+00 01:56:44.000000	116.73	-00 01:56:44.000000	116.73
26349898	CS5692			CPLK	29.95 04-APR-24 11.06.20.000000000 PM	04-APR-24 11.48.49.000000000 PM	+00 00:42:29.000000	42.48	-00 00:42:29.000000	42.48
26354203	CS5694			CPLK	41.84 05-APR-24 02.58.54.000000000 AM	05-APR-24 03.20.08.000000000 AM	+00 00:21:14.000000	21.23	-00 00:21:14.000000	21.23
26359671	CS5695			CPLK	46.85 05-APR-24 08.51.46.000000000 AM	05-APR-24 10.12.00.000000000 AM	+00 01:20:14.000000	80.23	-00 01:20:14.000000	80.23
26360325	CS5691			CPLK	9.35 05-APR-24 09.12.04.000000000 AM	05-APR-24 09.33.34.000000000 AM	+00 00:21:30.000000	21.5	-00 00:21:30.000000	21.5
26360579	CS5694			CPLK	43.24 05-APR-24 09.21.12.0000000000 AM	05-APR-24 09.47.02.000000000 AM	+00 00:25:50.000000	25.83	-00 00:25:50.000000	25.83
26360611	CS5692			CPLK	74.63 05-APR-24 09.22.08.000000000 AM	05-APR-24 10.23.13.000000000 AM	+00 01:01:05.000000	61.08	-00 01:01:05.000000	61.08
26361659	CS5691			CPLK	18.99 05-APR-24 09.55.27.000000000 AM	05-APR-24 10.55.41.000000000 AM	+00 01:00:14.000000	60.23	-00 01:00:14.000000	60.23
26362867	CS5695			CPLK	56.72 05-APR-24 10.28.40.000000000 AM	05-APR-24 10.59.08.000000000 AM	+00 00:30:28.000000	30.47	-00 00:30:28.000000	30.47
26363526	CS5692			CPLK	26.81 05-APR-24 10.44.21.000000000 AM	05-APR-24 11.16.46.000000000 AM	+00 00:32:25.000000		-00 00:32:25.000000	32.42
26364650	CS5694			CPLK	19.87 05-APR-24 11.12.50.000000000 AM	05-APR-24 11.24.49.000000000 AM	+00 00:11:59.000000	11.98	-00 00:11:59.000000	11.98
26368932	CS5692			CPLK	12.57 05-APR-24 12.51.28.000000000 PM	05-APR-24 01.46.16.000000000 PM	+00 00:54:48.000000		-00 00:54:48.000000	54.8
26369153	CS5695			CPLK	25.48 05-APR-24 12.56.11.000000000 PM	05-APR-24 01.05.23.000000000 PM	+00 00:09:12.000000		-00 00:09:12.000000	9.2
26370623	CS5694			CPLK	56.49 05-APR-24 01.30.50.000000000 PM	05-APR-24 02.03.12.000000000 PM	+00 00:32:22,000000		-00 00:32:22.000000	32.37
26370961	CS5695			CPLK	55.89 05-APR-24 01.38.03,000000000 PM	05-APR-24 02.14.25.000000000 PM	+00 00:36:22.000000		-00 00:36:22.000000	36.37
26372215	CS5691			CPLK	62.42 05-APR-24 02.02.18.000000000 PM	05-APR-24 03.00.20.000000000 PM	+00 00:58:02.000000		-00 00:58:02.000000	58.03
26373949	CS5694			CPLK	17.43 05-APR-24 02.38.00.000000000 PM	05-APR-24 02.48.20.000000000 PM	+00 00:10:20.000000		-00 00:10:20.000000	10.33
26374710	CS5694			CPLK	19.24 05-APR-24 02.54.15.000000000 PM	05-APR-24 03.27.31.000000000 PM	+00 00:33:16.000000		-00 00:33:16.000000	33.27
26375159	CS5692			CPLK	62.72 05-APR-24 03.03.23.000000000 PM	05-APR-24 04.05.31.000000000 PM	+00 01:02:08.000000		-00 01:02:08.000000	62.13
26377427	CS5691			CPLK	33.19 05-APR-24 03.52,53.0000000000 PM	05-APR-24 04.53.05.000000000 PM	+00 01:00:12.000000		-00 01:00:12.000000	60.2
26429555	CS5691			CPLK	37.43 06-APR-24 05.27.46.000000000 PM	06-APR-24 06.28.06.000000000 PM	+00 01:00:20.000000		-00 01:00:20.000000	60.33
26429725	CS5694			CPLK	63.16 06-APR-24 05.31.07.000000000 PM	06-APR-24 05.54,20.000000000 PM	+00 00:23:13.000000		-00 00:23:13.000000	23.22
26430683	CS5695			CPLK	54.81 06-APR-24 05.51.52.0000000000 PM	06-APR-24 06.41.58.000000000 PM	+00 00:50:06.000000		-00 00:50:06.000000	50.1
26431229	CS5692			CPLK	31.39 06-APR-24 06.02.25.0000000000 PM	06-APR-24 06.34.02.000000000 PM	+00 00:31:37.000000		-00 00:31:37.000000	31.62
26432069	CS5694			CPLK	48.22 06-APR-24 06.21.04.0000000000 PM	06-APR-24 08.03.19.000000000 PM	+00 01:42:15.000000		-00 01:42:15.000000	102.25
26432494	CS5691			CPLK	45.63 06-APR-24 06.30.54.0000000000 PM	06-APR-24 07.31.48.000000000 PM	+00 01:00:54.000000		-00 01:00:54.000000	60.9
26435629	CS5692			CPLK	21.6 06-APR-24 07.45.20.0000000000 PM	06-APR-24 08.03.12.000000000 PM	+00 00:17:52.000000		-00 00:17:52.000000	17.87
26439926	CS5692			CPLK	15.6 06-APR-24 09.40,33.0000000000 PM	06-APR-24 10.47.04.000000000 PM	+00 01:06:31.000000		-00 01:06:31.000000	66.52
26440529	CS5695			CPLK	36.42 06-APR-24 09.59.24.0000000000 PM	06-APR-24 10.19.51.000000000 PM	+00 00:20:27.000000		-00 00:20:27.000000	20.45
26443265	CS5695			CPLK	65.98 06-APR-24 11.34.54.000000000 PM	07-APR-24 12.21.07.0000000000 AM	+00 00:46:13.000000		-00 00:46:13.000000	46.22
26443859	CS5691			CPLK	22.12 06-APR-24 11.57.07.0000000000 PM	07-APR-24 12.19.07.0000000000 AM	+00 00:22:00.000000		-00 00:22:00.000000	22
26447359	CS5694			CPLK	59.84 07-APR-24 02.51.02.0000000000 AM	07-APR-24 03.32.55.000000000 AM	+00 00:41:53.000000		-00 00:41:53.000000	41.88
26448130	CS5695			CPLK CPLK	27.07 07-APR-24 03.56.49.000000000 AM 34.63 07-APR-24 06.27.58.000000000 AM	07-APR-24 04.19.56.000000000 AM 07-APR-24 07.02.59.000000000 AM	+00 00:23:07.000000 +00 00:35:01.000000		-00 00:23:07.000000 -00 00:35:01.000000	23.12 35.02
26449779	CS5695					44 15 10 20 20 0 10 20 20 20 20 20 20 20 20 20 20 20 20 20				
26453083	CS5691			CPLK	6.92 07-APR-24 09.15.20.000000000 AM	07-APR-24 09.40.21.000000000 AM	+00 00:25:01.000000		-00 00:25:01.000000	25.02
26454448	CS5695			CPLK	31.75 07-APR-24 09.58.15.0000000000 AM	07-APR-24 10.32.01.000000000 AM	+00 00:33:46.000000		-00 00:33:46.000000	33.77
26454634	CS5694			CPLK	60.1 07-APR-24 10.03.16.0000000000 AM	07-APR-24 11.38.52.000000000 AM	+00 01:35:36.000000		-00 01:35:36.000000	95.6
26454755	CS5691			CPLK	19.76 07-APR-24 10.06.49.0000000000 AM	07-APR-24 10.30.29.000000000 AM	+00 00:23:40.000000		-00 00:23:40.000000 -00 00:34:40.000000	23.67 34.67
26457065 26458987	CS5695 CS5695			CPLK CPLK	59.1 07-APR-24 11.04.48.0000000000 AM 20.91 07-APR-24 11.49.48.000000000 AM	07-APR-24 11.39.28.000000000 AM 07-APR-24 12.17.30.000000000 PM	+00 00:34:40.000000 +00 00:27:42.000000		-00 00:34:40.000000	27.7
				CPLK	47.32 07-APR-24 11.49.48.000000000 AM	07-APR-24 12.17.30.000000000 PM	+00 00:27:42.000000		-00 00:27:42.000000	49.5
26459535	CS5692			CPLK	41.32 U/-AFR-2412,02,01,000000000PM	U7-AFR-24 12,31,31,000000000 PM	+00 00:49:30.000000	49.5	-00 00:49:30:000000	49.5

	SESSION_ID	CHARGER_ID	ADDRESS	CITY S	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
26464274	CS5695				CPLK	46.81 07-APR-24 01.39.18.000000000 PM	07-APR-24 02.54.54.000000000 PM	+00 01:15:36.000000		-00 01:15:36.000000	75.6
26467679	CS5692				CPLK	55.77 07-APR-24 02.45.49.000000000 PM	07-APR-24 03.44.13.000000000 PM	+00 00:58:24.000000	58.4	-00 00:58:24.000000	58.4
26468834	CS5695				CPLK	4.49 07-APR-24 03.08.09.000000000 PM	07-APR-24 03.27.05.000000000 PM	+00 00:18:56.000000	18.93	-00 00:18:56.000000	18.93
26471135	CS5695				CPLK	41.87 07-APR-24 03.51.59.000000000 PM	07-APR-24 04.22.18.000000000 PM	+00 00:30:19.000000	30.32	-00 00:30:19.000000	30.32
26472658	CS5692				CPLK	10.66 07-APR-24 04.22.45.000000000 PM	07-APR-24 04.35.00.000000000 PM	+00 00:12:15.000000	12.25	-00 00:12:15.000000	12.25
26473356	CS5695				CPLK	29.17 07-APR-24 04.36.03.000000000 PM	07-APR-24 04.48.23.000000000 PM	+00 00:12:20.000000	12.33	-00 00:12:20.000000	12.33
26477039	CS5694				CPLK	50.53 07-APR-24 05.49.57.000000000 PM	07-APR-24 06.17.58.000000000 PM	+00 00;28:01.000000	28.02	-00 00:28:01.000000	28.02
26481145	CS5695				CPLK	27.47 07-APR-24 07.22.39.000000000 PM	07-APR-24 08.01.45.000000000 PM	+00 00:39:06.000000	39.1	-00 00:39:06.000000	39.1
26483499	CS5695				CPLK	26.8 07-APR-24 08.21.38.000000000 PM	07-APR-24 09.10.06.000000000 PM	+00 00:48:28.000000	48.47	-00 00:48:28.000000	48.47
26541017	CS5695				CPLK	15.01 09-APR-24 11.42.32.000000000 AM	09-APR-24 12.01.06.000000000 PM	+00 00:18:34.000000	18.57	-00 00:18:34.000000	18.57
26541064	CS5692				CPLK	26.4 09-APR-24 11.43.39.000000000 AM	09-APR-24 12.03.30.000000000 PM	+00 00:19:51.000000	19.85	-00 00:19:51.000000	19.85
26541876	CS5695				CPLK	49.43 09-APR-24 12.05.59.000000000 PM	09-APR-24 12.27.37.000000000 PM	+00 00:21:38.000000	21.63	-00 00:21:38.000000	21.63
26542238	CS5692				CPLK	28.14 09-APR-24 12.15.51.000000000 PM	09-APR-24 01.03.00.000000000 PM	+00 00:47:09.000000	47.15	-00 00:47:09.000000	47.15
26542598	CS5694				CPLK	43.32 09-APR-24 12.25.39.000000000 PM	09-APR-24 12.59.40.000000000 PM	+00 00:34:01.000000	34.02	-00 00:34:01.000000	34.02
26542958	CS5695				CPLK	51.86 09-APR-24 12.36.01.000000000 PM	09-APR-24 01.11.55.000000000 PM	+00 00:35:54.000000	35.9	-00 00:35:54.000000	35.9
26544148	CS5691				CPLK	59.54 09-APR-24 01.06.53.000000000 PM	09-APR-24 01.49.55.000000000 PM	+00 00:43:02.000000	43.03	-00 00:43:02.000000	43.03
26544306	CS5692				CPLK	38.58 09-APR-24 01.10.33.000000000 PM	09-APR-24 01.45.34.000000000 PM	+00 00:35:01.000000	35.02	-00 00:35:01.000000	35.02
26546297	CS5692				CPLK	46.5 09-APR-24 02.01.37.000000000 PM	09-APR-24 03.03.02.000000000 PM	+00 01:01:25.000000	61.42	-00 01:01:25.000000	61.42
26546662	CS5695				CPLK	44.09 09-APR-24 02.11.47.000000000 PM	09-APR-24 02.35.48.000000000 PM	+00 00:24:01.000000	24.02	-00 00:24:01.000000	24.02
26546966	CS5691				CPLK	42.91 09-APR-24 02.18.36.000000000 PM	09-APR-24 03.08.41.000000000 PM	+00 00:50:05.000000	50.08	-00 00:50:05.000000	50.08
26547240	CS5694				CPLK	30.63 09-APR-24 02.25.34.000000000 PM	09-APR-24 03.02.06.000000000 PM	+00 00:36:32.000000	36.53	-00 00:36:32.000000	36.53
26548070	CS5695				CPLK	57.94 09-APR-24 02.46.35.000000000 PM	09-APR-24 03.12.00.000000000 PM	+00 00:25:25.000000	25.42	-00 00:25:25.000000	25.42
26549098	CS5691				CPLK	20.47 09-APR-24 03.12.11.000000000 PM	09-APR-24 03.37.20.000000000 PM	+00 00:25:09.000000	25.15	-00 00:25:09.000000	25.15
26550687	CS5695				CPLK	72.9 09-APR-24 03.54.35.000000000 PM	09-APR-24 04.34.46,000000000 PM	+00 00:40:11.000000	40.18	-00 00:40:11.000000	40.18
26551125	CS5692				CPLK	20.68 09-APR-24 04.05.55.0000000000 PM	09-APR-24 04.39.02.000000000 PM	+00 00:33:07.000000	33.12	-00 00:33:07.000000	33.12
26552215	CS5691				CPLK	38.45 09-APR-24 04.35.45.000000000 PM	09-APR-24 05.16.16.000000000 PM	+00 00:40:31.000000	40.52	-00 00:40:31.000000	40.52
26553933	CS5695				CPLK	41.09 09-APR-24 05.21.04.000000000 PM	09-APR-24 05.49.01.000000000 PM	+00 00:27:57,000000	27.95	-00 00:27:57.000000	27.95
26555198	CS5691				CPLK	20.29 09-APR-24 05.53.52.000000000 PM	09-APR-24 06.08.55.000000000 PM	+00 00:15:03.000000	15.05	-00 00:15:03.000000	15.05
26555256	CS5694				CPLK	55.2 09-APR-24 05.55.07.000000000 PM	09-APR-24 06.33.46.000000000 PM	+00 00:38:39.000000	38.65	-00 00:38:39.000000	38.65
26556641	CS5691				CPLK	5.45 09-APR-24 06.32.39.000000000 PM	09-APR-24 06.36.09.000000000 PM	+00 00:03:30.000000	3.5	-00 00:03:30.000000	3.5
26556828	CS5692				CPLK	124.03 09-APR-24 06.37.22.000000000 PM	09-APR-24 08.00.04.000000000 PM	+00 01:22:42.000000	82.7	-00 01:22:42.000000	82.7
26556871	CS5694				CPLK	45.32 09-APR-24 06.38.31.000000000 PM	09-APR-24 06.55.51.000000000 PM	+00 00:17:20.000000	17.33	-00 00:17:20.000000	17.33
26556893	CS5695				CPLK	32.48 09-APR-24 06.39.06.000000000 PM	09-APR-24 07.10.47.000000000 PM	+00 00:31:41.000000	31.68	-00 00:31:41.000000	31.68
26558090	CS5694				CPLK	8.65 09-APR-24 07.13,36.000000000 PM	09-APR-24 07.32.46.000000000 PM	+00 00:19:10.000000	19.17	-00 00:19:10.000000	19.17
26559091	CS5691				CPLK	33.59 09-APR-24 07.42.03.000000000 PM	09-APR-24 08.18.38.000000000 PM	+00 00:36:35.000000	36.58	-00 00:36:35.000000	36.58
26561773	CS5695				CPLK	53.12 09-APR-24 09.06.30.000000000 PM	09-APR-24 09.49.40.000000000 PM	+00 00:43:10.000000	43.17	-00 00:43:10.000000	43.17
26568441	CS5695				CPLK	51.57 10-APR-24 02.54.40.000000000 AM	10-APR-24 04.15.58.000000000 AM	+00 01:21:18.000000	81.3	-00 01:21:18.000000	81.3
26569788	CS5694				CPLK	19.37 10-APR-24 05.38.43.000000000 AM	10-APR-24 05,55.44.000000000 AM	+00 00:17:01.000000	17.02	-00 00:17:01.000000	17.02
26574834	CS5695				CPLK	10.26 10-APR-24 10.08.15.000000000 AM	10-APR-24 10.29.55.000000000 AM	+00 00:21:40.000000	21.67	-00 00:21:40.000000	21.67
23809404	CS5695				CPLK	36.27 29-JAN-24 05.20.02.0000000000 AM	29-JAN-24 06.11.50.000000000 AM	+00 00:51:48.000000	51.8	-00 00:51:48.000000	51.8
23812641	CS5695				CPLK	26.57 29-JAN-24 08.50.58.000000000 AM	29-JAN-24 09.39.55.000000000 AM	+00 00:48:57.000000	48.95	-00 00:48:57.000000	48.95
23815592	CS5692				CPLK	27.98 29-JAN-24 10.39.54.0000000000 AM	29-JAN-24 11.35.42.000000000 AM	+00 00:55:48.000000	55.8	-00 00:55:48.000000	55.8
23820174	CS5695				CPLK	1.99 29-JAN-24 12.57.00.000000000 PM	29-JAN-24 01.01.22.000000000 PM	+00 00:04:22.000000	4.37	-00 00:04:22.000000	4.37
23820357	CS5694				CPLK	15.32 29-JAN-24 01.03.22.000000000 PM	29-JAN-24 01.26.07.000000000 PM	+00 00:22:45.000000	22.75	-00 00:22:45.000000	22.75
23822699	CS5692				CPLK	18.42 29-JAN-24 02.11.24.000000000 PM	29-JAN-24 02.45.34.000000000 PM	+00 00:34:10.000000	34.17	-00 00:34:10.000000	34.17
23824884	CS5695				CPLK	57.44 29-JAN-24 03.11.35.000000000 PM	29-JAN-24 03.41.40.000000000 PM	+00 00:30:05.000000	30.08	-00 00:30:05.000000	30.08
23825196	CS5692				CPLK	32.01 29-JAN-24 03.20.54.000000000 PM	29-JAN-24 03.44.50.000000000 PM	+00 00:23:56.000000	23.93	-00 00:23:56.000000	23.93
23828534	CS5694				CPLK	25.3 29-JAN-24 04.56.40.000000000 PM	29-JAN-24 05.44.05.000000000 PM	+00 00:47:25.000000	47.42	-00 00:47:25.000000	47.42
23830745	CS5695				CPLK	59.45 29-JAN-24 06.01.24.000000000 PM	29-JAN-24 06.52.37.000000000 PM	+00 00:51:13.000000	51.22	-00 00:51:13.000000	51.22
23832013	CS5692				CPLK	40.28 29-JAN-24 06.40.37.000000000 PM	29-JAN-24 07.16.39.000000000 PM	+00 00:36:02.000000	36.03	-00 00:36:02.000000	36.03
23835305	CS5695				CPLK	59.22 29-JAN-24 08.28.02,0000000000 PM	29-JAN-24 09.07.33.000000000 PM	+00 00:39:31.000000	39.52	-00 00:39:31.000000	39.52
23836163	CS5692				CPLK	34.19 29-JAN-24 08.59.44.000000000 PM	29-JAN-24 09.54.09.000000000 PM	+00 00:54:25.000000	54.42	-00 00:54:25.000000	54.42
23842532	CS5695				CPLK	28.78 30-JAN-24 04.52.12,000000000 AM	30-JAN-24 05.23.42.000000000 AM	+00 00:31:30.000000	31.5	-00 00:31:30.000000	31.5
			N. Committee of the Com								

	SESSION_ID	CHARGER_ID ADDRES	s CITY	STATE ZIP TION	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DITM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION	TOTAL DURATION MINUTES
23843123	CS5692			CPLK	28.08 30-JAN-24 06.01.41.000000000 AM	30-JAN-24 06.39.56.000000000 AM	+00 00:38:15.000000		-00 00:38:15.000000	38.25
23843909	CS5695			CPLK	42.35 30-JAN-24 07.03.32.000000000 AM	30-JAN-24 07.26.39.000000000 AM	+00 00:23:07.000000	23.12	-00 00:23:07.000000	23.12
23844526	CS5692			CPLK	10.59 30-JAN-24 07.42.37.000000000 AM	30-JAN-24 08.02.39.000000000 AM	+00 00:20:02.000000	20.03	-00 00:20:02.000000	20.03
23845466	CS5694			CPLK	28.94 30-JAN-24 08.33.15.000000000 AM	30-JAN-24 09.07.18.000000000 AM	+00 00:34:03.000000	34.05	-00 00:34:03.000000	34.05
23846233	CS5692			CPLK	74.12 30-JAN-24 09.06.45.0000000000 AM	30-JAN-24 10.27.16.000000000 AM	+00 01:20:31.000000	80.52	-00 01:20:31.000000	80.52
23846344	CS5695			CPLK	15.75 30-JAN-24 09.12.22.000000000 AM	30-JAN-24 09.29.38.000000000 AM	+00 00:17:16.000000	17.27	-00 00:17:16.000000	17.27
23848460	CS5695			CPLK	30.77 30-JAN-24 10.32.18.000000000 AM	30-JAN-24 11.03.22.000000000 AM	+00 00:31:04.000000	31.07	-00 00:31:04.000000	31.07
23853628	CS5694			CPLK	25.35 30-JAN-24 01.12.41.000000000 PM	30-JAN-24 01.48.30.000000000 PM	+00 00:35:49.000000	35.82	-00 00:35:49.000000	35.82
23855592	CS5692			CPLK	22.04 30-JAN-24 02.08.45.000000000 PM	30-JAN-24 02.46.40.000000000 PM	+00 00:37:55.000000	37.92	-00 00:37:55.000000	37.92
23856159	CS5695			CPLK	18.82 30-JAN-24 02.23.53.000000000 PM	30-JAN-24 03.03.34.000000000 PM	+00 00:39:41.000000	39.68	-00 00:39:41.000000	39.68
23856630	CS5694			CPLK	19.09 30-JAN-24 02.37.43.000000000 PM	30-JAN-24 03.01.52.000000000 PM	+00 00:24:09.000000	24.15	-00 00:24:09.000000	24.15
23857261	CS5692			CPLK	54.83 30-JAN-24 02.56.04.000000000 PM	30-JAN-24 04.27.47.000000000 PM	+00 01:31:43.000000	91.72	-00 01:31:43.000000	91.72
23857658	CS5694			CPLK	55.87 30-JAN-24 03.07.26.000000000 PM	30-JAN-24 04.25.55.000000000 PM	+00 01:18:29.000000	78.48	-00 01:18:29.000000	78.48
23862887	CS5695			CPLK	26.21 30-JAN-24 06.40.32.000000000 PM	30-JAN-24 07.38.04.000000000 PM	+00 00:57:32.000000	57.53	-00 00:57:32.000000	57.53
23864013	CS5692			CPLK	35.64 30-JAN-24 07.14.40.000000000 PM	30-JAN-24 07.49.20.000000000 PM	+00 00:34:40.000000	34.67	-00 00:34:40.000000	34.67
23865601	CS5695			CPLK	18.44 30-JAN-24 08.10.53,000000000 PM	30-JAN-24 09.01.03.000000000 PM	+00 00:50:10.000000	50.17	-00 00:50:10.000000	50.17
23866329	CS5692			CPLK	9.09 30-JAN-24 08.37.52.000000000 PM	30-JAN-24 09.18.56.000000000 PM	+00 00:41:04.000000	41.07	-00 00:41:04.000000	41.07
23867454	CS5695			CPLK	59.32 30-JAN-24 09.21.09.000000000 PM	30-JAN-24 10.00.48.000000000 PM	+00 00:39:39.000000	39.65	-00 00:39:39.000000	39.65
23870284	CS5695			CPLK	33.31 30-JAN-24 11.27.26.000000000 PM	31-JAN-24 12.00.45.000000000 AM	+00 00:33:19.000000	33.32	-00 00:33:19.000000	33.32
23870760	CS5694			CPLK	46.64 30-JAN-24 11.54.35.000000000 PM	31-JAN-24 01.13.00.000000000 AM	+00 01:18:25.000000	78.42	-00 01:18:25.000000	78.42
23871370	CS5695			CPLK	25.9 31-JAN-24 12.35.11.000000000 AM	31-JAN-24 01.41.46.000000000 AM	+00 01:06:35.000000	66.58	-00 01:06:35.000000	66.58
37412284	CS5695			CPLK	40.23 27-NOV-24 09.18.15.000000000 AM	27-NOV-24 10.11.41.000000000 AM	+00 00;53;26.000000	53.43	-00 00:53:26.000000	53.43
37412842	CS5692			CPLK	58.92 27-NOV-24 09.32.27.000000000 AM	27-NOV-24 10.25.48.000000000 AM	+00 00:53:21.000000	53.35	-00 00:53:21.000000	53.35
37413283	CS5694			CPLK	23.24 27-NOV-24 09.44.02.000000000 AM	27-NOV-24 10.20.16.000000000 AM	+00 00:36:14.000000	36.23	-00 00:36:14.000000	36.23
37414706	CS5695			CPLK	34.88 27-NOV-24 10.16.46.000000000 AM	27-NOV-24 10.52.17.000000000 AM	+00 00:35:31.000000	35.52	-00 00:35:31.000000	35.52
37415174	CS5694			CPLK	93.53 27-NOV-24 10.26.23.000000000 AM	27-NOV-24 11.08.50.000000000 AM	+00 00:42:27.000000	42.45	-00 00:42:27.000000	42.45
37417841	CS5694			CPLK	55.18 27-NOV-24 11.19.47.000000000 AM	27-NOV-24 11.52.27.000000000 AM	+00 00:32:40.000000	32.67	-00 00:32:40.000000	32.67
37518306	CS5695	5.00 m		CPLK	52.03 29-NOV-24 11.03.08.000000000 AM	29-NOV-24 11.24.57.000000000 AM	+00 00:21:49.000000	21.82	-00 00:21:49.000000	21.82
37518582	CS5691			CPLK	31.26 29-NOV-24 11.08.11.0000000000 AM	29-NOV-24 11.56.49.000000000 AM	+00 00:48:38.000000	48.63	-00 00:48:38.000000	48.63
37518748	CS5692			CPLK	33.73 29-NOV-24 11.11.51.000000000 AM	29-NOV-24 12.17.20.000000000 PM	+00 01:05:29.000000	65.48	-00 01:05:29.000000	65.48
37519749	CS5695			CPLK	47.54 29-NOV-24 11.29.32.000000000 AM	29-NOV-24 01.17.00.000000000 PM	+00 01:47:28.000000	107.47	-00 01:47:28.000000	107.47
37520742	CS5694			CPLK	15.34 29-NOV-24 11.45.34.000000000 AM	29-NOV-24 11.59.33.000000000 AM	+00 00:13:59,000000	13.98	-00 00:13:59.000000	13.98
37521575	CS5691			CPLK	12.32 29-NOV-24 11.59.39.000000000 AM	29-NOV-24 12.31.31.000000000 PM	+00 00:31:52.000000	31.87	-00 00:31:52.000000	31.87
37521718	CS5694			CPLK	36.73 29-NOV-24 12.02.09.0000000000 PM	29-NOV-24 01.14.31.000000000 PM	+00 01:12:22,000000	72.37	-00 01:12:22.000000	72.37
37522863	CS5692			CPLK	29.23 29-NOV-24 12.22.15.000000000 PM	29-NOV-24 12.44.14.000000000 PM	+00 00:21:59.000000	21.98	-00 00:21:59.000000	21.98
37523915	CS5691			CPLK	49.42 29-NOV-24 12.39.47.000000000 PM	29-NOV-24 01.22.33.000000000 PM	+00 00:42:46.000000	42.77	-00 00:42:46.000000	42.77
37525459	CS5692			CPLK	17.84 29-NOV-24 01.04.00.0000000000 PM	29-NOV-24 01.29.25.000000000 PM	+00 00:25:25.000000	25.42	-00 00:25:25.000000	25.42
37526537	CS5694			CPLK	88.47 29-NOV-24 01.21.02.000000000 PM	29-NOV-24 02.06.11.000000000 PM	+00 00:45:09.000000	45.15	-00 00:45:09.000000	45.15
37527307	CS5695			CPLK	67.86 29-NOV-24 01.33.31.000000000 PM	29-NOV-24 02.30.16.000000000 PM	+00 00:56:45.000000	56.75	-00 00:56:45.000000	56.75
37527439	CS5692			CPLK	37.22 29-NOV-24 01.35.37.000000000 PM	29-NOV-24 02.20.11.000000000 PM	+00 00:44:34.000000	44.57	-00 00:44:34.000000	44.57
37527970	CS5691			CPLK	51.55 29-NOV-24 01.43.45.000000000 PM	29-NOV-24 02.52.29.000000000 PM	+00 01:08:44.000000	68.73	-00 01:08:44.000000	68.73
37531217	CS5695			CPLK	50.24 29-NOV-24 02.37.50.000000000 PM	29-NOV-24 03.15.36.000000000 PM	+00 00:37:46.000000	37.77	-00 00:37:46.000000	37.77
37531564	CS5694			CPLK	20.89 29-NOV-24 02.42.48.000000000 PM	29-NOV-24 03.07,59.000000000 PM	+00 00:25:11.000000		-00 00:25:11.000000	25.18
37531658	CS5692			CPLK	24.49 29-NOV-24 02.44.04.000000000 PM	29-NOV-24 03.15.17.000000000 PM	+00 00:31:13.000000	31.22	-00 00:31:13.000000	31.22
37539401	CS5694			CPLK	11.88 29-NOV-24 04,50,23,000000000 PM	29-NOV-24 05.02.59.000000000 PM	+00 00:12:36.000000	12.6	-00 00:12:36.000000	12.6
37541681	CS5695			CPLK	35.52 29-NOV-24 05.29.55.000000000 PM	29-NOV-24 06.15.20.000000000 PM	+00 00:45:25.000000	45.42	-00 00:45:25.000000	45.42
37542705	CS5691			CPLK	32.79 29-NOV-24 05.47.54.000000000 PM	29-NOV-24 07.05.37.000000000 PM	+00 01:17:43.000000	77.72	-00 01:17:43.000000	77.72
37542991	CS5692			CPLK	34.57 29-NOV-24 05.52.41.000000000 PM	29-NOV-24 06.56.08.000000000 PM	+00 01:03:27.000000	63.45	-00 01:03:27.000000	63.45
37544142	CS5694			CPLK	37.14 29-NOV-24 06.14.23.0000000000 PM	29-NOV-24 06.45.09.000000000 PM	+00 00:30:46.000000	30.77	-00 00:30:46.000000	30.77
37544507	CS5695			CPLK	20.15 29-NOV-24 06.20.34.000000000 PM		+00 00:54;20.000000	54.33	-00 00:54:20.000000	54.33
37546015	CS5694			CPLK	61.81 29-NOV-24 06.49.05.0000000000 PM	29-NOV-24 07.31.25.000000000 PM	+00 00:42:20.000000	42.33	-00 00:42:20.000000	42.33
37548842	CS5695			CPLK	25.09 29-NOV-24 07.43.05.000000000 PM		+00 00:33:12.000000		-00 00:33:12.000000	33.2
37549727	CS5692			CPLK	14.46 29-NOV-24 08.02.37.000000000 PM	29-NOV-24 08.40.53.000000000 PM	+00 00:38:16.000000	38.27	-00 00:38:16.000000	38.27
		34								

	SESSION_ID	CHARGER_ID	ADDRESS	СІТУ	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
37549753	CS5694				CPLK	31.14 29-NOV-24 08.03.20.000000000 PM	29-NOV-24 08.58.34.000000000 PM	+00 00:55:14.000000	55.23	-00 00:55:14.000000	55.23
37550125	CS5691	<u> </u>			CPLK	37.15 29-NOV-24 08.11.20.000000000 PM	29-NOV-24 09.09.15.000000000 PM	+00 00:57:55.000000	57.92	-00 00:57:55.000000	57.92
37551155	CS5695	- 1			CPLK	46.64 29-NOV-24 08.32.52,000000000 PM	29-NOV-24 09.17.35.000000000 PM	+00 00:44:43.000000	44.72	-00 00:44:43.000000	44.72
37551959	CS5692				CPLK	12.91 29-NOV-24 08.51.30.000000000 PM	29-NOV-24 09.08.47.000000000 PM	+00 00:17:17.000000	17.28	-00 00:17:17.000000	17.28
37689035	CS5695				CPLK	31.74 02-DEC-2409.06.30.000000000 AM	02-DEC-24 10.18.32.000000000 AM	+00 01;12;02,000000	72.03	-00 01:12:02.000000	72.03
37689753	CS5694				CPLK	79.8 02-DEC-24 09.26.26.000000000 AM	02-DEC-24 10.10.10.000000000 AM	+00 00:43:44.000000	43.73	-00 00:43:44.000000	43.73
37690541	CS5692				CPLK	14.98 02-DEC-24 09.48.28.000000000 AM	02-DEC-24 10.09.18.000000000 AM	+00 00:20:50.000000	20.83	-00 00:20:50.000000	20.83
37690564	CS5691				CPLK	14.25 02-DEC-24 09.49.09.000000000 AM	02-DEC-24 10.05.51.000000000 AM	+00 00:16;42,000000	16.7	-00 00:16:42.000000	16.7
37694706	CS5692				CPLK	11.4 02-DEC-24 11.24.00.000000000 AM	02-DEC-24 11.42.49.000000000 AM	+00 00:18:49.000000	18.82	-00 00:18:49.000000	18.82
37695449	CS5695				CPLK	44.16 02-DEC-24 11.39.34.000000000 AM	02-DEC-24 12.11.36.000000000 PM	+00 00:32:02.000000	32.03	-00 00:32:02.000000	32.03
37698750	CS5692				CPLK	60.17 02-DEC-24 12.48.09.000000000 PM	02-DEC-24 01.47.21.000000000 PM	+00 00:59:12,000000	59.2	-00 00:59:12.000000	59.2
37698991	CS5691				CPLK	13.32 02-DEC-24 12.52,36.000000000 PM	02-DEC-24 01.13.40.000000000 PM	+00 00:21:04.000000	21.07	-00 00:21:04.000000	21.07
37700933	CS5691				CPLK	28.71 02-DEC-24 01.32.17.000000000 PM	02-DEC-24 02.09.51.000000000 PM	+00 00:37:34.000000	37.57	-00 00:37:34.000000	37.57
37701216	CS5694				CPLK	125.11 02-DEC-24 01.38.23.000000000 PM	02-DEC-24 02.47.33.000000000 PM	+00 01:09:10.000000	69.17	-00 01:09:10.000000	69.17
37701749	CS5695				CPLK	22.07 02-DEC-24 01.49.14.000000000 PM	02-DEC-24 02.22.21.000000000 PM	+00 00:33:07.000000	33.12	-00 00:33:07.000000	33.12
37702197	CS5692				CPLK	30.48 02-DEC-24 01.58.24.000000000 PM	02-DEC-24 02.31.49.000000000 PM	+00 00:33;25.000000	33.42	-00 00:33:25.000000	33.42
37702909	CS5691				CPLK	17.48 02-DEC-2402.13.13.000000000 PM	02-DEC-24 02.43.48.000000000 PM	+00 00:30:35.000000	30.58	-00 00:30:35.000000	30.58
37703580	CS5695				CPLK	9.4 02-DEC-24 02.25.41.000000000 PM	02-DEC-24 02,39,33,000000000 PM	+00 00:13:52.000000	13.87	-00 00:13:52.000000	13.87
37705649	CS5691				CPLK	14.8 02-DEC-24 03.06.14.000000000 PM	02-DEC-24 03.29.16.000000000 PM	+00 00:23:02.000000	23.03	-00 00:23:02.000000	23.03
37706654	CS5695				CPLK	34.02 02-DEC-24 03.26.48.000000000 PM	02-DEC-24 03.59.07.000000000 PM	+00 00:32:19,000000	32.32	-00 00:32:19.000000	32.32
37708716	CS5695				CPLK	26.45 02-DEC-24 04.07.49.000000000 PM	02-DEC-24 04.38.13.000000000 PM	+00 00:30;24.000000	30.4	-00 00:30:24.000000	30.4
37711092	CS5694				CPLK	41.26 02-DEC-24 04.53.55.000000000 PM	02-DEC-24 06.01.48.000000000 PM	+00 01:07:53.000000	67.88	-00 01:07:53.000000	67.88
37711692	CS5695				CPLK	78.4 02-DEC-24 05.07.17.000000000 PM	02-DEC-24 05.53.31.000000000 PM	+00 00:46:14.000000	46.23	-00 00:46:14.000000	46.23
37711723	CS5692				CPLK	53.47 02-DEC-24 05.07.51.000000000 PM	02-DEC-24 07.08.01.000000000 PM	+00 02:00:10.000000		-00 02:00:10.000000	120.17
26623273	CS5694				CPLK	6.7 11-APR-24 03.11.51.000000000 PM	11-APR-24 03.15.29.000000000 PM	+00 00:03:38.000000		-00 00:03:38.000000	3.63
26623494	CS5695				CPLK	43.04 11-APR-24 03.16.49.000000000 PM	11-APR-24 03.41.15.000000000 PM	+00 00:24:26.000000		-00 00:24:26.000000	24.43
26624179	CS5691				CPLK	57.97 11-APR-24 03.34.18.000000000 PM	11-APR-24 04.35.17.000000000 PM	+00 01:00:59.000000	60.98	-00 01:00:59.000000	60.98
26625420	CS5695				CPLK	20.37 11-APR-24 04.04.26.000000000 PM	11-APR-24 04.28,38.000000000 PM	+00 00:24:12.000000		-00 00:24:12.000000	24.2
26626115	CS5692				CPLK	3.24 11-APR-24 04.23.02.000000000 PM	11-APR-24 04.34.45.000000000 PM	+00 00:11:43.000000		-00 00:11:43.000000	11.72
26626635	CS5692				CPLK	1.48 11-APR-24 04.36.52.000000000 PM	11-APR-24 04.42.33.000000000 PM	+00 00:05:41.000000		-00 00:05:41.000000	5.68
26629596	CS5695				CPLK	41.84 11-APR-24 05.54.48.000000000 PM	11-APR-24 07.16.53.000000000 PM	+00 01:22:05.000000		-00 01:22:05.000000	82.08
26629659	CS5692				CPLK	23.57 11-APR-24 05.56.49.000000000 PM	11-APR-24 06.31.34.000000000 PM	+00 00:34:45.000000		-00 00:34:45.000000	34.75
26630694	CS5694				CPLK	48.59 11-APR-24 06.22.38.0000000000 PM	11-APR-24 07.22.45.000000000 PM	+00 01:00:07.000000		-00 01:00:07.000000	60.12
26632979	CS5694				CPLK	6.83 11-APR-24 07.26.26.0000000000 PM	11-APR-24 07.49.22.0000000000 PM	+00 00:22:56.000000		-00 00:22:56.000000	22.93
26635234	CS5694				CPLK	6.54 11-APR-24 08.34.44.0000000000 PM	11-APR-24 08.37.29.0000000000 PM	+00 00:02:45.000000		-00 00:02:45.000000	2.75
26635420	CS5694				CPLK	40.64 11-APR-24 08.40.40.0000000000 PM	11-APR-24 08.59.01.0000000000 PM	+00 00:18:21.000000		-00 00:18:21.000000	18.35
26638242	CS5695				CPLK	47.07 11-APR-24 10.10.42.0000000000 PM	11-APR-24 11.33.44.000000000 PM	+00 01:23:02.000000		-00 01:23:02.000000	83.03
26643536	CS5695				CPLK	69.89 12-APR-24 02.15.40.000000000 AM	12-APR-24 03.07.57.0000000000 AM	+00 00:52:17.000000		-00 00:52:17.000000	52.28
26643886	CS5694				CPLK	53.13 12-APR-24 02.42.30.0000000000 AM	12-APR-24 03.09.51.0000000000 AM	+00 00:27:21.000000		-00 00:27:21.000000	27.35
26645912	CS5695				CPLK	28.11 12-APR-24 05.59.05.0000000000 AM	12-APR-24 06.15.55.0000000000 AM	+00 00:16:50,000000		-00 00:16:50.000000	16.83
26645937	CS5694				CPLK	36.44 12-APR-24 06.00.34.0000000000 AM	12-APR-24 06.41.37.000000000 AM	+00 00:41:03.000000		-00 00:41:03.000000	41.05
26646530	CS5695				CPLK	13.94 12-APR-24 06.45.50.0000000000 AM	12-APR-24 06.54.51.0000000000 AM	+00 00:09:01.000000		-00 00:09:01.000000	9.02
26647240	CS5695				CPLK	15.42 12-APR-24 07.25.28.0000000000 AM	12-APR-24 07.57.58.000000000 AM	+00 00:32:30.000000		-00 00:32:30.000000	32.5
26648221	CS5695				CPLK	49.18 12-APR-24 08.11.30.0000000000 AM	12-APR-24 08.36.41.000000000 AM	+00 00:25:11.000000		-00 00:25:11.000000	25.18
26652813	CS5692				CPLK CPLK	67.32 12-APR-24 10.45.05.0000000000 AM	12-APR-24 11.48.58.000000000 AM 12-APR-24 12.00.29.000000000 PM	+00 01:03:53.000000		-00 01:03:53.000000	63.88
26654301	CS5694					30.83 12-APR-24 11.23.01.0000000000 AM		+00 00:37:28.000000		-00 00:37:28.000000	37.47
26657483	CS5692				CPLK	13.47 12-APR-24 12.38.36.000000000 PM	12-APR-24 01.23.26.000000000 PM	+00 00:44:50.000000		-00 00:44:50.000000	44.83
26661961	CS5691				CPLK	18.31 12-APR-24 02.25.56.0000000000 PM	12-APR-24 03.57.18.000000000 PM	+00 01:31:22.000000		-00 01:31:22.000000	91.37
26662481	CS5692				CPLK	52.12 12-APR-24 02.37.53.000000000 PM 46.53 12-APR-24 03.26,29.000000000 PM	12-APR-24 03.33.40.000000000 PM	+00 00:55:47.000000		-00 00:55:47.000000	55.78
26664648	CS5695				CPLK		12-APR-24 04.00.35.000000000 PM	+00 00:34:06.000000 +00 00:24:45.000000		-00 00:34:06.000000	34.1
26665500 26668003	CS5694 CS5694				CPLK CPLK	57.83 12-APR-24 03.46.51.000000000 PM 14.61 12-APR-24 04.42.48.000000000 PM	12-APR-24 04.11.36.000000000 PM 12-APR-24 04.54.06.000000000 PM	+00 00:24:45.000000		-00 00:24:45.000000 -00 00:11:18.000000	24.75 11.3
	CS5694				CPLK	38.18 12-APR-24 04.58.31.000000000 PM	12-APR-24 05.58.44.000000000 PM	+00 00:11:18.000000		-00 00:11:18.000000	60.22
26668702	C55094				CPLK	30. 10 12-AFR-24 04,36,31,000000000 PM	12-AF N-24 U3.36,44,0000000000 PM	+00 01:00:13.000000	60.22	-00 01:00:13.000000	60.22

	SESSION_ID	CHARGER_ID	ADDRESS	СІТУ	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION	TOTAL DURATION MINUTES
26669016	CS5692				CPLK	38.78 12-APR-24 05.05.30.000000000 PM	12-APR-24 05.55.05.000000000 PM	+00 00:49:35.000000	49.58	-00 00:49:35.000000	49.58
26703514	CS5695				CPLK	49.46 13-APR-24 01.53.41.000000000 PM	13-APR-24 03.04.39.000000000 PM	+00 01:10:58.000000	70.97	-00 01:10:58.000000	70.97
26703556	CS5692	9			CPLK	43.08 13-APR-24 01.54.31.000000000 PM	13-APR-24 02.55.03.000000000 PM	+00 01:00:32,000000	60.53	-00 01:00:32.000000	60.53
26704516	CS5694				CPLK	34.32 13-APR-24 02.14.17.000000000 PM	13-APR-24 02.56.13.000000000 PM	+00 00:41:56.000000	41.93	-00 00:41:56.000000	41.93
26707054	CS5691				CPLK	4.83 13-APR-24 03.04.22.000000000 PM	13-APR-24 03.08.50.000000000 PM	+00 00:04;28.000000	4.47	-00 00:04:28.000000	4.47
26707146	CS5692				CPLK	13.73 13-APR-24 03.06.37.000000000 PM	13-APR-24 03.22.14.000000000 PM	+00 00:15:37.000000	15.62	-00 00:15:37.000000	15.62
26707373	CS5694				CPLK	53.67 13-APR-24 03.11.46.000000000 PM	13-APR-24 03.42.07.000000000 PM	+00 00:30:21.000000	30.35	-00 00:30:21.000000	30.35
26707387	CS5695				CPLK	36.21 13-APR-24 03.11.59.000000000 PM	13-APR-24 03.31.48.000000000 PM	+00 00:19:49.000000	19.82	-00 00:19:49.000000	19.82
26707618	CS5691				CPLK	37.47 13-APR-24 03.16.43.000000000 PM	13-APR-24 03.47.58.000000000 PM	+00 00:31:15.000000	31.25	-00 00:31:15.000000	31.25
26709195	CS5695				CPLK	36.6 13-APR-24 03.50.07.000000000 PM	13-APR-24 04.34.46.000000000 PM	+00 00:44:39.000000	44.65	-00 00:44:39.000000	44.65
26709758	CS5694				CPLK	39.39 13-APR-24 04.01.58.000000000 PM	13-APR-24 04.23.16.000000000 PM	+00 00:21:18.000000	21.3	-00 00:21:18.000000	21.3
26710483	CS5692				CPLK	59.52 13-APR-24 04.17.18.000000000 PM	13-APR-24 05.07.05.000000000 PM	+00 00:49:47.000000	49.78	-00 00:49:47.000000	49.78
26710769	CS5691				CPLK	32.74 13-APR-24 04.22,58.000000000 PM	13-APR-24 05.05.02.000000000 PM	+00 00:42:04.000000	42.07	-00 00:42:04.000000	42.07
26710985	CS5694				CPLK	45.44 13-APR-24 04.27.02.000000000 PM	13-APR-24 05.29.07.000000000 PM	+00 01:02:05.000000	62.08	-00 01:02:05.000000	62.08
26711577	CS5695				CPLK	77.89 13-APR-24 04.38.41.000000000 PM	13-APR-24 05.32.21.000000000 PM	+00 00:53:40.000000	53.67	-00 00:53:40.000000	53.67
26716678	CS5695				CPLK	33.14 13-APR-24 06.33.12.000000000 PM	13-APR-24 07.14.55.000000000 PM	+00 00:41:43.000000	41.72	-00 00:41:43.000000	41.72
26717663	CS5692				CPLK	75.59 13-APR-24 06.57.06.000000000 PM	13-APR-24 08.02.42.000000000 PM	+00 01:05:36.000000	65.6	-00 01:05:36.000000	65.6
26719826	CS5695				CPLK	33.8 13-APR-24 07.52.45.000000000 PM	13-APR-24 08.55.37.000000000 PM	+00 01:02:52.000000	62.87	-00 01:02:52.000000	62.87
26721389	CS5694				CPLK	30.51 13-APR-24 08.34.41.000000000 PM	13-APR-24 08.46.47.000000000 PM	+00 00:12:06.000000	12.1	-00 00:12:06.000000	12.1
26725572	CS5695				CPLK	20.34 13-APR-24 10.40.08.0000000000 PM	13-APR-24 10.54.12.000000000 PM	+00 00:14:04.000000	14.07	-00 00:14:04.000000	14.07
26731929	CS5695				CPLK	36.55 14-APR-24 04.20.56.000000000 AM	14-APR-24 04.51.47.000000000 AM	+00 00:30:51.000000	30.85	-00 00:30:51.000000	30.85
26731951	CS5694				CPLK	39.26 14-APR-24 04.23.00.000000000 AM	14-APR-24 04.43.41.000000000 AM	+00 00:20:41.000000	20.68	-00 00:20:41.000000	20.68
26733704	CS5695				CPLK	76.79 14-APR-24 06.53.41.000000000 AM	14-APR-24 07.29.18.000000000 AM	+00 00:35:37.000000	35.62	-00 00:35:37.000000	35.62
26736052	CS5692				CPLK	27.79 14-APR-24 08.51.19.000000000 AM	14-APR-24 09.21.54.000000000 AM	+00 00:30:35.000000	30.58	-00 00:30:35.000000	30.58
26736362	CS5695				CPLK	39.96 14-APR-24 09.03.05.000000000 AM	14-APR-24 09.50.01.000000000 AM	+00 00:46:56.000000	46.93	-00 00:46:56.000000	46.93
26737324	CS5694				CPLK	41.32 14-APR-24 09.36.14.000000000 AM	14-APR-24 09.55.17.000000000 AM	+00 00:19:03.000000	19.05	-00 00:19:03.000000	19.05
26738032	CS5694				CPLK	13.06 14-APR-24 09.57.52.000000000 AM	14-APR-24 10.37.29.000000000 AM	+00 00:39:37.000000	39.62	-00 00:39:37.000000	39.62
26738237	CS5692				CPLK	36.73 14-APR-24 10.04.12.000000000 AM	14-APR-24 10.51.30.000000000 AM	+00 00:47:18.000000	47.3	-00 00:47:18.000000	47.3
26742230	CS5694				CPLK	45.89 14-APR-24 11.50.34.000000000 AM	14-APR-24 01.30.27.000000000 PM	+00 01:39:53.000000	99.88	-00 01:39:53.000000	99.88
26745654	CS5695				CPLK	22.1 14-APR-24 01.03.01.000000000 PM	14-APR-24 01.11.00.000000000 PM	+00 00:07:59.000000	7.98	-00 00:07:59.000000	7.98
26745894	CS5692				CPLK	20.25 14-APR-24 01.08.28.000000000 PM	14-APR-24 01.25.09.000000000 PM	+00 00:16:41.000000	16.68	-00 00:16:41.000000	16.68
26804184	CS5692				CPLK	56.28 15-APR-24 07.59.50.000000000 PM	15-APR-24 08.41.16.000000000 PM	+00 00:41:26.000000	41.43	-00 00:41:26.000000	41.43
26805985	CS5692				CPLK	45.59 15-APR-24 08.48.42.000000000 PM	15-APR-24 09.32.21.000000000 PM	+00 00:43:39.000000	43.65	-00 00:43:39.000000	43.65
26806609	CS5695				CPLK	62.89 15-APR-24 09.08,34.000000000 PM	15-APR-24 09.53.02.000000000 PM	+00 00:44;28.000000	44.47	-00 00:44:28.000000	44.47
26809076	CS5692				CPLK	46.54 15-APR-24 10.33.48.000000000 PM	15-APR-24 11.16.43.000000000 PM	+00 00:42:55.000000	42.92	-00 00:42:55.000000	42.92
26809886	CS5695				CPLK	35.04 15-APR-24 11.06.37.000000000 PM	16-APR-24 12.00.44.000000000 AM	+00 00:54:07.000000	54.12	-00 00:54:07.000000	54.12
26810856	CS5692				CPLK	56.66 15-APR-24 11.50.45.000000000 PM	16-APR-24 01.22.05.000000000 AM	+00 01:31:20.000000	91.33	-00 01:31:20.000000	91.33
26814661	CS5694				CPLK	35.17 16-APR-24 05.48.57.000000000 AM	16-APR-24 06.23.03.000000000 AM	+00 00:34:06.000000	34.1	-00 00:34:06.000000	34.1
26815635	CS5695				CPLK	24.6 16-APR-24 07.12.00.000000000 AM	16-APR-24 07.24.40.000000000 AM	+00 00:12:40.000000	12.67	-00 00:12:40.000000	12.67
26816331	CS5694				CPLK	27.18 16-APR-24 07.48.52.000000000 AM	16-APR-24 08.29.25.000000000 AM	+00 00;40;33,000000	40.55	-00 00:40:33.000000	40.55
26818204	CS5691				CPLK	37.23 16-APR-24 09.13.30.000000000 AM	16-APR-24 11.01.55.000000000 AM	+00 01:48:25.000000	108.42	-00 01:48:25.000000	108.42
26819373	CS5695				CPLK	15.75 16-APR-24 09.56.48.000000000 AM	16-APR-24 10.28.31.000000000 AM	+00 00:31:43.000000	31.72	-00 00:31:43.000000	31.72
26820284	CS5692				CPLK	49.66 16-APR-24 10.29.09.000000000 AM	16-APR-24 11.42.50.000000000 AM	+00 01:13:41.000000	73.68	-00 01:13:41.000000	73.68
26820446	CS5695				CPLK	15.6 16-APR-24 10.34.06.000000000 AM	16-APR-24 11.29.56.000000000 AM	+00 00:55:50.000000	55.83	-00 00:55:50.000000	55.83
26820451	CS5694				CPLK	27.61 16-APR-24 10.34,18,0000000000 AM	16-APR-24 11.35.05.0000000000 AM	+00 01:00:47.000000	60.78	-00 01:00:47.000000	60.78
26823368	CS5692				CPLK	33.38 16-APR-24 11.58.47.000000000 AM	16-APR-24 12.36.04.000000000 PM	+00 00:37:17.000000	37.28	-00 00:37:17.000000	37.28
26824296	CS5695				CPLK	56.56 16-APR-24 12.25.53.000000000 PM		+00 00:23:27.000000	23.45	-00 00:23:27.000000	23.45
26824501	CS5694				CPLK	73.01 16-APR-24 12.31.56.000000000 PM	16-APR-24 01.21.46.000000000 PM	+00 00:49:50.000000	49.83	-00 00:49:50.000000	49.83
26827525	CS5695				CPLK	47.93 16-APR-24 01.51.48.000000000 PM	16-APR-24 02.27.31.000000000 PM	+00 00:35:43.000000	35.72	-00 00:35:43.000000	35.72
26828209	CS5691				CPLK	21.1 16-APR-24 02.09.26.000000000 PM	16-APR-24 02.27.49.000000000 PM	+00 00:18:23.000000	18.38	-00 00:18:23.000000	18.38
26829123	CS5692				CPLK	24.74 16-APR-24 02.31.22.000000000 PM	16-APR-24 03.03.37.000000000 PM	+00 00:32:15.000000	32.25	-00 00:32:15.000000	32.25
26829457	CS5691				CPLK	66.03 16-APR-24 02.39.25.000000000 PM	16-APR-24 03.21.21.000000000 PM	+00 00;41:56.000000	41.93	-00 00:41:56.000000	41.93
26830283	CS5695				CPLK	45.94 16-APR-24 03.00.37.000000000 PM	16-APR-24 03.48.39.000000000 PM	+00 00:48:02.000000	48.03	-00 00:48:02.000000	48.03

	SESSION_ID	CHARGER_ID	ADDRESS	CITY	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DITM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
26830842	CS5692				CPLK	14.57 16-APR-24 03.15.33.000000000 PM	16-APR-24 03.32.21.000000000 PM	+00 00:16:48.000000		-00 00:16:48.000000	16.8
26831154	CS5691	1			CPLK	24.07 16-APR-24 03.24.14.000000000 PM	16-APR-24 03.39.21.000000000 PM	+00 00:15:07.000000	15.12	-00 00:15:07.000000	15.12
26833997	CS5694	- 1			CPLK	56.47 16-APR-24 04.38.16.000000000 PM	16-APR-24 05.14.26.000000000 PM	+00 00:36:10.000000	36.17	-00 00:36:10.000000	36.17
26835085	CS5695				CPLK	13.72 16-APR-24 05.06.56.000000000 PM	16-APR-24 05.20.36.000000000 PM	+00 00:13:40.000000	13.67	-00 00:13:40.000000	13.67
26835139	CS5692				CPLK	17.19 16-APR-24 05.08.09.000000000 PM	16-APR-24 05.19.05.000000000 PM	+00 00:10:56.000000	10.93	-00 00:10:56.000000	10.93
26835999	CS5695				CPLK	67.43 16-APR-24 05.31.43.000000000 PM	16-APR-24 06.27.15.000000000 PM	+00 00:55:32.000000	55.53	-00 00:55:32.000000	55.53
26836587	CS5694				CPLK	53 16-APR-24 05.46.26.000000000 PM	16-APR-24 06.17.35.000000000 PM	+00 00:31:09.000000	31.15	-00 00:31:09.000000	31.15
26836958	CS5692				CPLK	88.89 16-APR-24 05.56.27.000000000 PM	16-APR-24 07.15.24.000000000 PM	+00 01:18:57.000000	78.95	-00 01:18:57.000000	78.95
26894584	CS5694				CPLK	4.63 18-APR-24 09.36.44.000000000 AM	18-APR-24 09.45.44.000000000 AM	+00 00:09:00.000000	ç	-00 00:09:00.000000	9
37713527	CS5691				CPLK	18.96 02-DEC-24 05.45.31.000000000 PM	02-DEC-24 06.15.46.000000000 PM	+00 00:30:15.000000	30.25	-00 00:30:15.000000	30.25
37714518	CS5694				CPLK	59.34 02-DEC-24 06.06.10.000000000 PM	02-DEC-24 06.34.13.000000000 PM	+00 00:28:03.000000	28.05	-00 00:28:03.000000	28.05
37715239	CS5691				CPLK	37.65 02-DEC-2406.22.06.000000000 PM	02-DEC-24 07.01.02.000000000 PM	+00 00:38:56.000000	38.93	-00 00:38:56.000000	38.93
37715317	CS5695				CPLK	63.31 02-DEC-2406.23.29.000000000 PM	02-DEC-24 07.06,45.000000000 PM	+00 00:43:16.000000	43.27	-00 00:43:16.000000	43.27
37716232	CS5694				CPLK	78.27 02-DEC-24 06.43.34.000000000 PM	02-DEC-24 07.30.32.000000000 PM	+00 00:46:58.000000	46.97	-00 00:46:58.000000	46.97
37717149	CS5691				CPLK	35.72 02-DEC-24 07.03.14.000000000 PM	02-DEC-24 08.01.35.000000000 PM	+00 00:58:21.000000	58.35	-00 00:58:21.000000	58.35
37719375	CS5695				CPLK	29.16 02-DEC-2407.50.53.000000000 PM	02-DEC-24 08.16.19.000000000 PM	+00 00:25:26.000000	25.43	-00 00:25:26.000000	25.43
37719616	CS5692				CPLK	52.7 02-DEC-24 07.56.28.0000000000 PM	02-DEC-24 08.39.39.000000000 PM	+00 00:43:11.000000	43.18	-00 00:43:11.000000	43.18
37720021	CS5691				CPLK	40.1 02-DEC-24 08.05.34.000000000 PM	02-DEC-24 09.28.28.000000000 PM	+00 01:22:54.000000	82.9	-00 01:22:54.000000	82.9
37723394	CS5694				CPLK	52.34 02-DEC-24 09.29.06.000000000 PM	02-DEC-24 10.28.30,000000000 PM	+00 00:59:24.000000	59.4	-00 00:59:24.000000	59.4
37851950	CS5691				CPLK	8.09 05-DEC-24 01.14.38.000000000 PM	05-DEC-24 01.21.28.000000000 PM	+00 00:06:50.000000	6.83	-00 00:06:50.000000	6.83
37852041	CS5695				CPLK	50.07 05-DEC-24 01.16.16.0000000000 PM	05-DEC-24 02.49.54.000000000 PM	+00 01:33:38.000000	93.63	-00 01:33:38.000000	93.63
37852390	CS5692				CPLK	57.44 05-DEC-24 01.22.22.000000000 PM	05-DEC-24 02.18.17.000000000 PM	+00 00:55:55.000000	55.92	-00 00:55:55.000000	55.92
23873980	CS5694				CPLK	35.23 31-JAN-24 05.43.25.000000000 AM	31-JAN-24 06.33.26.000000000 AM	+00 00:50:01.000000	50.02	-00 00:50:01.000000	50.02
23876552	CS5695				CPLK	48.55 31-JAN-24 08.35.33.000000000 AM	31-JAN-24 10.48.16.000000000 AM	+00 02:12:43.000000	132.72	-00 02:12:43.000000	132.72
23884003	CS5695				CPLK	51.39 31-JAN-24 12.47.15.000000000 PM	31-JAN-24 01.17.38.000000000 PM	+00 00:30:23.000000	30.38	-00 00:30:23.000000	30.38
23886719	CS5692				CPLK	21.31 31-JAN-24 02.07.13.000000000 PM	31-JAN-24 02.44.02.000000000 PM	+00 00:36:49.000000	36.82	-00 00:36:49.000000	36.82
23890533	CS5695				CPLK	42.16 31-JAN-24 03.54.55.0000000000 PM	31-JAN-24 05,51,07,000000000 PM	+00 01:56:12.000000	116.2	-00 01:56:12.000000	116.2
23890654	CS5694				CPLK	65.11 31-JAN-24 03.58.04.000000000 PM	31-JAN-24 04.55.11.000000000 PM	+00 00:57:07.000000	57.12	-00 00:57:07.000000	57.12
23892425	CS5692				CPLK	54.27 31-JAN-24 04.48.53.000000000 PM	31-JAN-24 05.27.29.000000000 PM	+00 00:38:36.000000	38.6	-00 00:38:36.000000	38.6
23894644	CS5692				CPLK	22.47 31-JAN-24 05.50.06.000000000 PM	31-JAN-24 06.25.05.000000000 PM	+00 00:34:59.000000	34.98	-00 00:34:59.000000	34.98
23894958	CS5695				CPLK	35.59 31-JAN-24 05.59.45.000000000 PM	31-JAN-24 06.22.01.000000000 PM	+00 00:22:16.000000	22.27	-00 00:22:16.000000	22.27
23899877	CS5695				CPLK	55.63 31-JAN-24 08.36.51.000000000 PM	31-JAN-24 09.27.21.000000000 PM	+00 00:50:30.000000	50.5	-00 00:50:30.000000	50.5
23900262	CS5692				CPLK	34.19 31-JAN-24 08.51.33.000000000 PM	31-JAN-24 09.53.02.000000000 PM	+00 01:01:29.000000	61.48	-00 01:01:29.000000	61.48
37852404	CS5691				CPLK	9.59 05-DEC-24 01.22.40.000000000 PM	05-DEC-24 01.29.28.000000000 PM	+00 00:06:48.000000	6.8	-00 00:06:48,000000	6.8
37852891	CS5691				CPLK	4.93 05-DEC-24 01.31.27.000000000 PM	05-DEC-24 01.35.08.000000000 PM	+00 00:03:41.000000	3.68	-00 00:03:41.000000	3.68
37853173	CS5691				CPLK	18.2 05-DEC-24 01.36.48.000000000 PM	05-DEC-24 01.48.29.000000000 PM	+00 00:11:41.000000	11.68	-00 00:11:41.000000	11.68
37854038	CS5694				CPLK	51.63 05-DEC-24 01.53.20.000000000 PM	05-DEC-24 02.43,58.000000000 PM	+00 00:50:38.000000	50.63	-00 00:50:38.000000	50.63
37854397	CS5691				CPLK	45.48 05-DEC-24 02.00.43.000000000 PM	05-DEC-24 02.47.53.000000000 PM	+00 00:47:10.000000	47.17	-00 00:47:10.000000	47.17
37855415	CS5692				CPLK	15.88 05-DEC-24 02.20.42.000000000 PM	05-DEC-24 02.45.23.000000000 PM	+00 00:24:41.000000	24.68	-00 00:24:41.000000	24.68
37857320	CS5694				CPLK	45.56 05-DEC-24 02.55.38.000000000 PM	05-DEC-24 03.32.06.000000000 PM	+00 00:36:28.000000	36.47	-00 00:36:28.000000	36.47
37858413	CS5695				CPLK	38.65 05-DEC-24 03.15.40.000000000 PM	05-DEC-24 03.35.25.000000000 PM	+00 00:19:45.000000	19.75	-00 00:19:45.000000	19.75
37859359	CS5692				CPLK	30.31 05-DEC-2403.33.38.0000000000 PM	05-DEC-24 05.06.08.000000000 PM	+00 01:32:30.000000	92.5	-00 01:32:30.000000	92.5
37860399	CS5695				CPLK	52.09 05-DEC-24 03.51.00.000000000 PM	05-DEC-24 04.51.34.000000000 PM	+00 01:00:34.000000	60.57	-00 01:00:34.000000	60.57
37861051	CS5694				CPLK	61.84 05-DEC-24 04.03.46.000000000 PM	05-DEC-24 05.07.47.000000000 PM	+00 01:04:01.000000	64.02	-00 01:04:01.000000	64.02
37861416	CS5691				CPLK	35.81 05-DEC-24 04.10.27.000000000 PM	05-DEC-24 05.10.35.000000000 PM	+00 01:00:08.000000	60.13	-00 01:00:08.000000	60.13
37863869	CS5695				CPLK	64.53 05-DEC-24 04.56.46.0000000000 PM	05-DEC-24 05.24,27.000000000 PM	+00 00:27:41.000000	27.68	-00 00:27:41.000000	27.68
37865669	CS5695				CPLK	52.41 05-DEC-24 05.31.31.000000000 PM		+00 00:53:26.000000	53.43	-00 00:53:26.000000	53.43
37867564	CS5692				CPLK	20.7 05-DEC-24 06.09.46.000000000 PM	05-DEC-24 06.40.29.000000000 PM	+00 00:30:43.000000	30.72	-00 00:30:43.000000	30.72
37870818	CS5691				CPLK	18.02 05-DEC-2407.15.11.0000000000 PM	05-DEC-24 07.31.46.000000000 PM	+00 00:16:35.000000	16.58	-00 00:16:35.000000	16.58
37871031	CS5695				CPLK	73.44 05-DEC-24 07.19.26.000000000 PM	05-DEC-24 07.59.58.000000000 PM	+00 00:40:32.000000	40.53	-00 00:40:32.000000	40.53
37873888	CS5695				CPLK	42.46 05-DEC-24 08.20.49.000000000 PM	05-DEC-24 08.57.11.000000000 PM	+00 00:36:22.000000	36.37	-00 00:36:22.000000	36.37
37875529	CS5694				CPLK	41.49 05-DEC-24 08.59.01.000000000 PM	05-DEC-24 09.27.04.000000000 PM	+00 00:28:03.000000	28.05	-00 00:28:03.000000	28.05
37881542	CS5695				CPLK	42.13 05-DEC-2411.45.58.000000000 PM	06-DEC-24 12.27.14.000000000 AM	+00 00:41:16.000000	41.27	-00 00:41:16.000000	41.27

	SESSION_ID CHARGER	ID ADDRESS CITY	STATE ZIP JURISDIC	USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
37882158	CS5694		CPLK	36.93 06-DEC-24 12.06.19.000000000 AM	06-DEC-24 02.02.05.000000000 AM	+00 01:55:46.000000		-00 01:55:46.000000	115.77
37882674	CS5692		CPLK	65.58 06-DEC-24 12.24.02.000000000 AM	06-DEC-24 02.24.47.000000000 AM	+00 02:00:45.000000	120.75	-00 02:00:45.000000	120.75
37882797	CS5695		CPLK	9.15 06-DEC-24 12.28.36.000000000 AM	06-DEC-24 12.38.15.000000000 AM	+00 00:09:39.000000	9.65	-00 00:09:39.000000	9.65
37884885	CS5695		CPLK	53.89 06-DEC-24 01.57.02.000000000 AM	06-DEC-24 02.49.29.000000000 AM	+00 00:52:27.000000	52.45	-00 00:52:27.000000	52.45
37885922	CS5694		CPLK	49.57 06-DEC-24 02.46.57.000000000 AM	06-DEC-24 03.16.34.000000000 AM	+00 00:29:37.000000	29.62	-00 00:29:37.000000	29.62
37886091	CS5691		CPLK	51.35 06-DEC-24 02.55.43.000000000 AM	06-DEC-24 04.57.01.000000000 AM	+00 02:01:18.000000	121.3	-00 02:01:18.000000	121.3
37888696	CS5695		CPLK	5.25 06-DEC-24 05.35.46.000000000 AM	06-DEC-24 05.59.15.000000000 AM	+00 00:23:29.000000	23.48	-00 00:23:29.000000	23.48
38021436	CS5695		CPLK	45.58 08-DEC-24 02.01.05.000000000 PM	08-DEC-24 02.49.18.000000000 PM	+00 00:48:13.000000	48.22	-00 00:48:13.000000	48.22
38023165	CS5692		CPLK	23.69 08-DEC-24 02.31.58.000000000 PM	08-DEC-24 02.52.19.000000000 PM	+00 00:20:21.000000	20.35	-00 00:20:21.000000	20.35
38023952	CS5691		CPLK	24.62 08-DEC-24 02.45.36.000000000 PM	08-DEC-24 03.43.57.000000000 PM	+00 00:58:21.000000	58.35	-00 00:58:21.000000	58.35
38024251	CS5694		CPLK	45.71 08-DEC-24 02.50.31.000000000 PM	08-DEC-24 03.22.14.000000000 PM	+00 00:31:43.000000	31.72	-00 00:31:43.000000	31.72
38034278	CS5695		CPLK	27.53 08-DEC-24 05.51.37.000000000 PM	08-DEC-24 06.55.22.000000000 PM	+00 01:03:45.000000	63.75	-00 01:03:45.000000	63.75
38034763	CS5692		CPLK	25.82 08-DEC-24 06.01.35.000000000 PM	08-DEC-24 06.51.58.000000000 PM	+00 00:50:23.000000	50.38	-00 00:50:23.000000	50.38
38035371	CS5691		CPLK	68.83 08-DEC-24 06.14.41.000000000 PM	08-DEC-24 07.49.47.000000000 PM	+00 01:35:06.000000	95.1	-00 01:35:06.000000	95.1
38035472	CS5694		CPLK	13.36 08-DEC-24 06.17.08.000000000 PM	08-DEC-24 06.36.26.000000000 PM	+00 00:19:18.000000	19.3	-00 00:19:18.000000	19.3
38038517	CS5694		CPLK	53.21 08-DEC-24 07.21.09.000000000 PM	08-DEC-24 07.58.18.000000000 PM	+00 00:37:09.000000	37.15	-00 00:37:09.000000	37.15
38041944	CS5695		CPLK	28.18 08-DEC-24 08.42.56.000000000 PM	08-DEC-24 09.21.31.000000000 PM	+00 00:38:35.000000	38.58	-00 00:38:35.000000	38.58
38044582	CS5695		CPLK	63.18 08-DEC-24 09.55.38.000000000 PM	08-DEC-24 10.38.22.000000000 PM	+00 00:42:44.000000	42.73	-00 00:42:44.000000	42.73
38048624	CS5692		CPLK	14.01 09-DEC-24 12.09.53.000000000 AM	09-DEC-24 01.01.20.000000000 AM	+00 00:51:27.000000	51.45	-00 00:51:27.000000	51.45
38048887	CS5695		CPLK	25.77 09-DEC-24 12.21.28.000000000 AM	09-DEC-24 01.01.30.000000000 AM	+00 00:40:02.000000	40.03	-00 00:40:02.000000	40.03
38049649	CS5694		CPLK	27.8 09-DEC-24 01.00.03.000000000 AM	09-DEC-24 01.15.42.000000000 AM	+00 00:15:39.000000	15.65	-00 00:15:39.000000	15.65
38053355	CS5695		CPLK	47.33 09-DEC-24 04.45.37.000000000 AM	09-DEC-24 05.46.20.000000000 AM	+00 01:00:43.000000	60.72	-00 01:00:43.000000	60.72
38053823	CS5692		CPLK	46.42 09-DEC-24 05.19.05.000000000 AM	09-DEC-24 06.11.43.000000000 AM	+00 00:52:38.000000	52.63	-00 00:52:38.000000	52.63
38057463	CS5692		CPLK	26.32 09-DEC-24 08.14.52.000000000 AM	09-DEC-24 09.11.22.000000000 AM	+00 00:56:30.000000	56.5	-00 00:56:30.000000	56.5
38060685	CS5691		CPLK	15.59 09-DEC-2409.51.22.000000000 AM	09-DEC-24 11.14.48.000000000 AM	+00 01:23:26.000000	83.43	-00 01:23:26.000000	83.43
38063910	CS5692		CPLK	32.97 09-DEC-24 11.08.36.000000000 AM	09-DEC-24 01.10.04.000000000 PM	+00 02:01:28.000000	121.47	-00 02:01:28.000000	121.47
38064659	CS5694		CPLK	32.09 09-DEC-24 11.23.36.000000000 AM	09-DEC-24 12.21.34.000000000 PM	+00 00:57:58.000000	57.97	-00 00:57:58.000000	57.97
38064667	CS5691		CPLK	55.97 09-DEC-24 11.23.43.000000000 AM	09-DEC-24 12.06.00.000000000 PM	+00 00:42:17.000000	42.28	-00 00:42:17.000000	42.28
38068444	CS5691		CPLK	9.29 09-DEC-24 12.45.55.000000000 PM	09-DEC-24 12.57.04.000000000 PM	+00 00:11:09.000000	11.15	-00 00:11:09.000000	11.15
38069026	CS5691		CPLK	23.72 09-DEC-24 12.58.47.000000000 PM	09-DEC-24 01.42.49.000000000 PM	+00 00:44:02.000000	44.03	-00 00:44:02.000000	44.03
38069573	CS5694		CPLK	38.74 09-DEC-24 01.10.14.000000000 PM	09-DEC-24 01.55.01.000000000 PM	+00 00:44:47.000000	44.78	-00 00:44:47.000000	44.78
38071298	CS5695		CPLK	48.35 09-DEC-24 01.48.17.000000000 PM	09-DEC-24 02.34.34.000000000 PM	+00 00:46:17.000000	46.28	-00 00:46:17.000000	46.28
38072163	CS5691		CPLK	11.13 09-DEC-24 02.08.50.000000000 PM	09-DEC-24 02.56.36.000000000 PM	+00 00:47:46.000000	47.77	-00 00:47:46.000000	47.77
38073836	CS5695		CPLK	28.54 09-DEC-2402.46,42,000000000 PM	09-DEC-24 03.02.32.000000000 PM	+00 00:15:50.000000	15.83	-00 00:15:50.000000	15.83
38074263	CS5692		CPLK	34.91 09-DEC-24 02.56.42.000000000 PM	09-DEC-24 03.32.35.000000000 PM	+00 00:35:53.000000	35.88	-00 00:35:53.000000	35.88
38078931	CS5695		CPLK	34.57 09-DEC-24 04.38.45.000000000 PM	09-DEC-24 05.47.55.000000000 PM	+00 01:09:10.000000	69.17	-00 01:09:10.000000	69.17
38080512	CS5694		CPLK	81.96 09-DEC-24 05.14.40.000000000 PM	09-DEC-24 05.50.10.000000000 PM	+00 00:35:30.000000	35.5	-00 00:35:30.000000	35.5
38192056	CS5694		CPLK	59.24 12-DEC-24 12.44.13.000000000 AM	12-DEC-24 01.27.01.000000000 AM	+00 00:42:48.000000	42.8	-00 00:42:48.000000	42.8
38192126	CS5692		CPLK	38.98 12-DEC-24 12.47.34.000000000 AM	12-DEC-24 02.31.00.000000000 AM	+00 01:43:26.000000	103.43	-00 01:43:26.000000	103.43
38192913	CS5691		CPLK	47.71 12-DEC-24 01.28.27,000000000 AM	12-DEC-24 03.16.42.000000000 AM	+00 01:48:15.000000	108.25	-00 01:48:15.000000	108.25
38198012	CS5695		CPLK	60.7 12-DEC-24 06.37.02.000000000 AM	12-DEC-24 07.27.54.000000000 AM	+00 00:50:52.000000	50.87	-00 00:50:52.000000	50.87
38201424	CS5695		CPLK	16.89 12-DEC-24 08.29.21.000000000 AM	12-DEC-24 08.48.41.000000000 AM	+00 00:19:20.000000	19.33	-00 00:19:20.000000	19.33
38201601	CS5692		CPLK	59.77 12-DEC-24 08.35.08.000000000 AM	12-DEC-24 09.18.20.000000000 AM	+00 00:43:12.000000	43.2	-00 00:43:12.000000	43.2
38202292	CS5694		CPLK	53.15 12-DEC-24 08.54.03.0000000000 AM	12-DEC-24 09.30.42.000000000 AM	+00 00:36:39.000000	36.65	-00 00:36:39.000000	36.65
38202558	CS5691		CPLK	12.55 12-DEC-24 09.00.38.000000000 AM	12-DEC-24 09.46,39.000000000 AM	+00 00:46:01.000000	46.02	-00 00:46:01.000000	46.02
38203766	CS5695		CPLK	55.72 12-DEC-24 09.32,51,000000000 AM	12-DEC-24 10.12.44.000000000 AM	+00 00:39:53.000000	39.88	-00 00:39:53.000000	39.88
38205749	CS5694		CPLK	20.89 12-DEC-24 10.19.14.000000000 AM	12-DEC-24 10.47.58.000000000 AM	+00 00:28:44.000000	28.73	-00 00:28:44.000000	28.73
26894966	CS5694		CPLK	35.98 18-APR-24 09.48.32.000000000 AM	18-APR-24 11.04.28.000000000 AM	+00 01:15:56.000000	75.93	-00 01:15:56.000000	75.93
26895337	CS5692		CPLK	16.23 18-APR-24 09.59.59.000000000 AM	18-APR-24 10.20.19.000000000 AM	+00 00:20:20.000000	20.33	-00 00:20:20.000000	20.33
26896501	CS5695		CPLK	68.4 18-APR-24 10.31.35.0000000000 AM	18-APR-24 11.08.58.000000000 AM	+00 00:37:23.000000	37.38	-00 00:37;23.000000	37.38
26898055	CS5694		CPLK	103.95 18-APR-24 11.16.40.000000000 AM	18-APR-24 11.57.10.000000000 AM	+00 00:40:30.000000	40.5	-00 00:40:30.000000	40.5
26898801	CS5691		CPLK	14.64 18-APR-24 11.37.53.000000000 AM	18-APR-24 11.50.01.000000000 AM	+00 00:12:08.000000	12.13	-00 00:12:08.000000	12.13
26898833	CS5692		CPLK	14.24 18-APR-24 11.38.35.0000000000 AM	18-APR-24 11.54.53.000000000 AM	+00 00:16:18.000000	16.3	-00 00:16:18.000000	16.3

	SESSION_ID	CHARGER_ID	ADDRESS	СІТУ	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION	TOTAL DURATION MINUTES
26899102	CS5695				CPLK	7.53 18-APR-24 11.45.36.000000000 AM	18-APR-24 12.39.17.000000000 PM	+00 00:53:41.000000		-00 00:53:41.000000	53.68
26900779	CS5692				CPLK	43.4 18-APR-24 12.28.42.000000000 PM	18-APR-24 01.30.12.000000000 PM	+00 01:01:30.000000	61.5	-00 01:01:30.000000	61.5
26904719	CS5695	9			CPLK	43.99 18-APR-24 02.08.48.000000000 PM	18-APR-24 02.54.16.000000000 PM	+00 00:45:28.000000	45.47	-00 00:45:28.000000	45.47
26905145	CS5692				CPLK	59.16 18-APR-24 02.19.29.000000000 PM	18-APR-24 02.58.15.000000000 PM	+00 00:38:46.000000	38.77	-00 00:38:46.000000	38.77
26907189	CS5692				CPLK	36.53 18-APR-24 03.06.28.000000000 PM	18-APR-24 03.49.18.000000000 PM	+00 00:42:50.000000	42.83	-00 00:42:50.000000	42.83
26907924	CS5691				CPLK	29.88 18-APR-24 03.23.32.000000000 PM	18-APR-24 03.50.23.000000000 PM	+00 00:26:51.000000	26.85	-00 00:26:51.000000	26.85
26910564	CS5694				CPLK	43.44 18-APR-24 04.27.24.000000000 PM	18-APR-24 04.49.02.000000000 PM	+00 00:21:38.000000	21.63	-00 00:21:38.000000	21.63
26911236	CS5691				CPLK	52.95 18-APR-24 04.43.46.000000000 PM	18-APR-24 05.45.07.000000000 PM	+00 01:01:21.000000	61.35	-00 01:01:21.000000	61.35
26911778	CS5695				CPLK	30.88 18-APR-24 04.58.36.000000000 PM	18-APR-24 05.59.59.000000000 PM	+00 01:01:23.000000	61.38	-00 01:01:23.000000	61.38
26916389	CS5694				CPLK	46.15 18-APR-24 06.54.31.0000000000 PM	18-APR-24 07.18.14.000000000 PM	+00 00:23:43.000000	23.72	-00 00:23:43.000000	23.72
26917596	CS5691				CPLK	34.54 18-APR-24 07.27.03.000000000 PM	18-APR-24 07.55.57.000000000 PM	+00 00:28:54.000000	28.9	-00 00:28:54.000000	28.9
26918079	CS5694				CPLK	14.45 18-APR-24 07.39.29.000000000 PM	18-APR-24 07.55.44.000000000 PM	+00 00:16:15.000000	16.25	-00 00:16:15.000000	16.25
26918664	CS5692				CPLK	7.63 18-APR-24 07.54.29.000000000 PM	18-APR-24 08.03.21.000000000 PM	+00 00:08:52.000000	8.87	-00 00:08:52.000000	8.87
26921747	CS5692				CPLK	35.89 18-APR-24 09.18.44.000000000 PM	18-APR-24 10.14.56.000000000 PM	+00 00:56:12.000000	56.2	-00 00:56:12.000000	56.2
26922882	CS5691				CPLK	5.97 18-APR-24 09.54.59.000000000 PM	18-APR-24 10.01.48.000000000 PM	+00 00:06:49.000000	6.82	-00 00:06:49.000000	6.82
26931076	CS5694				CPLK	45.87 19-APR-24 05.51.57.000000000 AM	19-APR-24 06.44.22.000000000 AM	+00 00:52:25.000000	52.42	-00 00:52:25.000000	52.42
26932241	CS5692				CPLK	34.84 19-APR-24 07.07.12.000000000 AM	19-APR-24 08.09.01.000000000 AM	+00 01:01:49.000000	61.82	-00 01:01:49.000000	61.82
26932677	CS5691				CPLK	37.26 19-APR-24 07.30.31.000000000 AM	19-APR-24 08.49.29.000000000 AM	+00 01:18:58.000000	78.97	-00 01:18:58.000000	78.97
26933713	CS5695				CPLK	19.65 19-APR-24 08.16.57.000000000 AM	19-APR-24 08.42.17.000000000 AM	+00 00:25:20.000000	25.33	-00 00:25:20.000000	25.33
26934838	CS5694				CPLK	53.53 19-APR-24 09.02.20.000000000 AM	19-APR-24 09.31.42.000000000 AM	+00 00:29:22.000000	29.37	-00 00:29:22.000000	29.37
26936080	CS5694				CPLK	14.18 19-APR-24 09.44.37.000000000 AM	19-APR-24 10.10.56.000000000 AM	+00 00:26:19.000000	26.32	-00 00:26:19.000000	26.32
26939994	CS5695				CPLK	82.58 19-APR-24 11.27.00.000000000 AM	19-APR-24 12.07.32.000000000 PM	+00 00:40:32.000000	40.53	-00 00:40:32.000000	40.53
26940227	CS5694				CPLK	61.55 19-APR-24 11.33.27.000000000 AM	19-APR-24 12.23.34.000000000 PM	+00 00;50;07.000000	50.12	-00 00:50:07.000000	50.12
26993055	CS5692				CPLK	37.37 20-APR-24 02.17.57.000000000 PM	20-APR-24 03.05.03.000000000 PM	+00 00:47:06.000000	47.1	-00 00:47:06.000000	47.1
26993372	CS5694				CPLK	18.64 20-APR-24 02.23.45.000000000 PM	20-APR-24 03.07.30.000000000 PM	+00 00:43:45.000000	43.75	-00 00:43:45.000000	43.75
26994865	CS5691				CPLK	40.9 20-APR-24 02.55.33.000000000 PM	20-APR-24 03.36.46.000000000 PM	+00 00:41:13.000000	41.22	-00 00:41:13.000000	41.22
26995428	CS5692				CPLK	13.69 20-APR-24 03.07.35.000000000 PM	20-APR-24 03.27.36.000000000 PM	+00 00:20:01.000000	20.02	-00 00:20:01.000000	20.02
26996400	CS5694				CPLK	32.43 20-APR-24 03.29.21.000000000 PM	20-APR-24 04.18.14.000000000 PM	+00 00:48:53.000000	48.88	-00 00:48:53.000000	48.88
26997278	CS5691				CPLK	4.29 20-APR-24 03.48.34.000000000 PM	20-APR-24 03.51.59.000000000 PM	+00 00:03:25.000000	3.42	-00 00:03:25.000000	3.42
26997545	CS5695				CPLK	86.98 20-APR-24 03.54.16.000000000 PM	20-APR-24 04.37.43.000000000 PM	+00 00:43:27.000000	43.45	-00 00:43:27.000000	43.45
27000362	CS5691				CPLK	31.7 20-APR-24 04.54.03.000000000 PM	20-APR-24 06.03.01.000000000 PM	+00 01:08:58.000000		-00 01:08:58.000000	68.97
27000563	CS5695				CPLK	65.94 20-APR-24 04.58.09.000000000 PM	20-APR-24 05.39.16.000000000 PM	+00 00:41:07.000000	41.12	-00 00:41:07.000000	41.12
27001993	CS5692				CPLK	40.1 20-APR-24 05.29.40.000000000 PM	20-APR-24 06.58.31.000000000 PM	+00 01:28:51.000000		-00 01:28:51.000000	88.85
27004821	CS5694				CPLK	53.81 20-APR-24 06.31.30.000000000 PM	20-APR-24 06.59.42.000000000 PM	+00 00:28:12.000000		-00 00:28:12.000000	28.2
27007727	CS5695				CPLK	29.79 20-APR-24 07.38.55.000000000 PM	20-APR-24 07.52.51.000000000 PM	+00 00:13:56.000000		-00 00:13:56.000000	13.93
27012102	CS5692				CPLK	25.47 20-APR-24 09.42.00.000000000 PM	20-APR-24 10.11.29.000000000 PM	+00 00:29:29.000000		-00 00:29:29.000000	29.48
27015497	CS5695				CPLK	12.15 20-APR-24 11.34.48.000000000 PM	20-APR-24 11.49.11.000000000 PM	+00 00:14:23.000000		-00 00:14:23.000000	14.38
27015838	CS5692				CPLK	52.05 20-APR-24 11.47.29.000000000 PM	21-APR-24 12.39.41.000000000 AM	+00 00:52:12.000000		-00 00:52:12.000000	52.2
27016070	CS5695				CPLK	25.19 20-APR-24 11.55.50.000000000 PM	21-APR-24 12.31.45.000000000 AM	+00 00:35:55.000000		-00 00:35:55.000000	35.92
27019117	CS5692				CPLK	35.9 21-APR-24 02.24.52.000000000 AM	21-APR-24 03.23.52.000000000 AM	+00 00:59:00.000000		-00 00:59:00.000000	59
27023300	CS5692				CPLK	41.28 21-APR-24 07.35.11.000000000 AM	21-APR-24 08.22.56.000000000 AM	+00 00:47:45.000000		-00 00:47:45.000000	47.75
27023608	CS5691				CPLK	84.11 21-APR-24 07.52.59.0000000000 AM	21-APR-24 09.09.17.000000000 AM	+00 01:16:18.000000		-00 01:16:18.000000	76.3
27023634	CS5695				CPLK	16.35 21-APR-24 07.54.13.0000000000 AM	21-APR-24 08.41.08.000000000 AM	+00 00:46:55.000000		-00 00:46:55.000000	46.92
27024430	CS5694				CPLK	27.74 21-APR-24 08.34.41.000000000 AM	21-APR-24 09.06.22.000000000 AM	+00 00:31:41.000000		-00 00:31:41.000000	31.68
27025885	CS5691				CPLK	43.34 21-APR-24 09,27,19.000000000 AM	21-APR-24 10.31.40.000000000 AM	+00 01:04:21.000000		-00 01:04:21.000000	64.35
27028808	CS5694				CPLK	38.64 21-APR-24 10.50.58.0000000000 AM	21-APR-24 11.50.09.0000000000 AM	+00 00:59:11.000000		-00 00:59:11.000000	59.18
27029507	CS5692				CPLK	43.71 21-APR-24 11.06.33.0000000000 AM		+00 01:00:30.000000		-00 01:00:30.000000	60.5
27034057	CS5695				CPLK	69 21-APR-24 12.43.12.0000000000 PM		+00 01:01:09.000000		-00 01:01:09.000000	61.15
27035141	CS5694				CPLK	78.22 21-APR-24 01.05.23.0000000000 PM		+00 00:52:50.000000		-00 00:52:50.000000	52.83
27037304	CS5692				CPLK	38.07 21-APR-24 01.48.24.000000000 PM		+00 00:44:33.000000		-00 00:44:33.000000	44.55
27040678	CS5695				CPLK	46.96 21-APR-24 02.54.47.0000000000 PM	21-APR-24 03.17.27.000000000 PM	+00 00:22:40.000000		-00 00:22:40.000000	22.67
27042817	CS5695				CPLK	58.59 21-APR-24 03.36.37.0000000000 PM		+00 00:42:11.000000		-00 00:42:11.000000	42.18
27045787	CS5695				CPLK	34.1 21-APR-24 04.37,16.000000000 PM	21-APR-24 05.14.09.000000000 PM	+00 00:36:53.000000	36.88	-00 00:36:53.000000	36.88
		- 4									

	SESSION_ID	CHARGER_ID	ADDRESS	СІТУ	STATE ZIP JURISDIC	ENERGY USAGE	CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
27213309	CS5694				CPLK	3.69 25-APF	R-24 09.16.25.000000000 PM	25-APR-24 09.18.12.000000000 PM	+00 00:01:47.000000	1.78	-00 00:01:47.000000	1.78
27213705	CS5691		<u> </u>		CPLK	36.26 25-APF	R-24 09.28.56.000000000 PM	25-APR-24 10.01.02.000000000 PM	+00 00:32:06.000000	32.1	-00 00:32:06.000000	32.1
27218050	CS5692				CPLK	45.14 26-APF	R-24 12.06.41.000000000 AM	26-APR-24 01.36.23.000000000 AM	+00 01:29:42.000000	89.7	-00 01:29:42.000000	89.7
27219358	CS5691				CPLK	61.02 26-APF	R-24 01.13.09.000000000 AM	26-APR-24 02.39.45.000000000 AM	+00 01:26:36.000000	86.6	-00 01:26:36.000000	86.6
27223319	CS5694				CPLK	12.45 26-APF	R-24 06.44.57.000000000 AM	26-APR-24 07.19.12.000000000 AM	+00 00:34:15.000000	34.25	-00 00:34:15.000000	34.25
27230554	CS5694				CPLK	19.13 26-APF	R-24 11.08.25.000000000 AM	26-APR-24 11.46.27.000000000 AM	+00 00:38:02.000000	38.03	-00 00:38:02.000000	38.03
27230613	CS5691				CPLK	41.46 26-APF	R-24 11.10.10.000000000 AM	26-APR-24 11.58.01.000000000 AM	+00 00:47:51.000000	47.85	-00 00:47:51.000000	47.85
27231443	CS5695				CPLK	30.72 26-APF	R-24 11.29.22.000000000 AM	26-APR-24 12.12.58.000000000 PM	+00 00:43:36.000000	43.6	-00 00:43:36.000000	43.6
27233063	CS5691				CPLK	23.33 26-APF	R-24 12.08.57.000000000 PM	26-APR-24 12.39.20.000000000 PM	+00 00:30:23.000000	30.38	-00 00:30:23.000000	30.38
27233450	CS5694				CPLK	81.26 26-APF	R-24 12.18.14.000000000 PM	26-APR-24 01.06.15.000000000 PM	+00 00:48:01.000000	48.02	-00 00:48:01.000000	48.02
27233638	CS5695				CPLK	112.14 26-APF	R-24 12.23.18.000000000 PM	26-APR-24 01.17.47.000000000 PM	+00 00:54:29.000000	54.48	-00 00:54:29.000000	54.48
27234651	CS5692				CPLK	8.16 26-APF	R-24 12.48.36.000000000 PM	26-APR-24 12.58,23.000000000 PM	+00 00:09:47.000000	9.78	-00 00:09:47.000000	9.78
27235030	CS5691				CPLK	50.2 26-APF	R-24 12.57.40.000000000 PM	26-APR-24 01.53,41.000000000 PM	+00 00:56:01.000000	56.02	-00 00:56:01.000000	56.02
27237189	CS5692				CPLK	7.67 26-APF	R-24 01.46.13.000000000 PM	26-APR-24 02.02.10.000000000 PM	+00 00:15:57.000000	15.95	-00 00:15:57.000000	15.95
27237398	CS5695				CPLK	9.09 26-APF	R-24 01.51.09.000000000 PM	26-APR-24 02.01.43.000000000 PM	+00 00:10:34.000000	10.57	-00 00:10:34.000000	10.57
27239934	CS5694				CPLK	40.88 26-APF	R-24 02.47.10.000000000 PM	26-APR-24 04.34,20.000000000 PM	+00 01:47:10.000000	107.17	-00 01:47:10.000000	107.17
27240256	CS5691				CPLK	33.82 26-APF	R-24 02.53.55.000000000 PM	26-APR-24 03.42,33.000000000 PM	+00 00:48:38.000000	48.63	-00 00:48:38.000000	48.63
27244849	CS5695				CPLK	29.23 26-APF	R-24 04.36.15.000000000 PM	26-APR-24 05.50.53.000000000 PM	+00 01:14:38.000000	74.63	-00 01:14:38.000000	74.63
27247278	CS5691				CPLK	21.36 26-APF	R-24 05.29.06.000000000 PM	26-APR-24 05.54.22.000000000 PM	+00 00:25:16.000000	25.27	-00 00:25:16.000000	25.27
27248467	CS5695				CPLK	7.81 26-APF	R-24 05.56.43.000000000 PM	26-APR-24 06.07.48.000000000 PM	+00 00:11:05.000000	11.08	-00 00:11:05.000000	11.08
27249024	CS5691				CPLK	15.03 26-APF	R-24 06.10.23.000000000 PM	26-APR-24 06.21.37.000000000 PM	+00 00:11:14.000000	11.23	-00 00:11:14.000000	11.23
27250124	CS5692				CPLK	29 26-APF	R-24 06.37.01.000000000 PM	26-APR-24 07.22.30.000000000 PM	+00 00:45:29.000000	45.48	-00 00:45:29.000000	45.48
27251248	CS5695				CPLK	33.95 26-APF	R-24 07.04.15.000000000 PM	26-APR-24 07.31.26.000000000 PM	+00 00:27:11.000000	27.18	-00 00:27:11.000000	27.18
27251413	CS5691				CPLK		R-24 07.07.55.000000000 PM	26-APR-24 08.01.33.000000000 PM	+00 00:53:38.000000		-00 00:53:38.000000	53.63
27252480	CS5694				CPLK	49.92 26-APF	R-24 07.34.24.000000000 PM	26-APR-24 08.32.02.000000000 PM	+00 00:57:38.000000		-00 00:57:38.000000	57.63
27255291	CS5695		~		CPLK		R-24 08.50.35.000000000 PM	26-APR-24 10.06.54.000000000 PM	+00 01:16:19.000000		-00 01:16:19.000000	76.32
27256460	CS5692				CPLK		R-24 09.23.19.000000000 PM	26-APR-24 10.27.08.000000000 PM	+00 01:03:49,000000		-00 01:03:49.000000	63.82
27260774	CS5692				CPLK		R-24 11.47.16.000000000 PM	27-APR-24 12.37.20.000000000 AM	+00 00:50:04.000000		-00 00:50:04.000000	50.07
27260787	CS5695				CPLK		R-24 11.47.41.000000000 PM	27-APR-24 12.14.02.000000000 AM	+00 00:26:21.000000		-00 00:26:21.000000	26.35
27264143	CS5695				CPLK		R-24 02.46.38.000000000 AM	27-APR-24 03.16.58.000000000 AM	+00 00:30:20.000000		-00 00:30:20.000000	30.33
27411322	CS5692				CPLK		R-24 04.42.46.000000000 PM	30-APR-24 05.23.09.000000000 PM	+00 00:40:23.000000		-00 00:40:23.000000	40.38
38207126	CS5692				CPLK		C-24 10.46.37.000000000 AM	12-DEC-24 11.24.21.000000000 AM	+00 00:37:44.000000		-00 00:37:44.000000	37.73
38208028	CS5694				CPLK		C-24 11.04.59.000000000 AM	12-DEC-24 12.00.56.000000000 PM	+00 00:55:57.000000		-00 00:55:57.000000	55.95
38208549	CS5695				CPLK		C-24 11.15.25.000000000 AM	12-DEC-24 12.29.01.000000000 PM	+00 01:13:36.000000		-00 01:13:36.000000	73.6
38209538	CS5691				CPLK		C-24 11.34.52.000000000 AM	12-DEC-24 11.51.44.000000000 AM	+00 00:16:52.000000		-00 00:16:52.000000	16.87
38209836	CS5692				CPLK		C-24 11.41.09.000000000 AM	12-DEC-24 12.06.45.000000000 PM	+00 00:25:36.000000		-00 00:25:36.000000	25.6
38210489	CS5691				CPLK		C-24 11.54,26.000000000 AM	12-DEC-24 12.01.08.000000000 PM	+00 00:06:42.000000		-00 00:06:42.000000	6.7
38211012	CS5694				CPLK		C-24 12.03.56.000000000 PM	12-DEC-24 12.40.54.000000000 PM	+00 00:36:58.000000		-00 00:36:58.000000	36.97
38212829	CS5691				CPLK		C-24 12.37.48.000000000 PM	12-DEC-24 01.32.36.000000000 PM	+00 00:54:48.000000		-00 00:54:48.000000	54.8
38212895	CS5692				CPLK		C-24 12.39.12.000000000 PM	12-DEC-24 01.29.58.000000000 PM	+00 00:50:46.000000		-00 00:50:46.000000	50.77
38215356	CS5695				CPLK		C-24 01.29.43.000000000 PM	12-DEC-24 01.35.15.000000000 PM	+00 00:05:32.000000		-00 00:05:32.000000	5.53
38215686	CS5692				CPLK		C-24 01.37.02.000000000 PM	12-DEC-24 02.10.42.0000000000 PM	+00 00:33:40.000000		-00 00:33:40.000000	33.67
38219237	CS5692				CPLK		C-24 02.44.43.0000000000 PM	12-DEC-24 03.07.09.000000000 PM	+00 00:22:26.000000		-00 00:22:26.000000	22.43
38222967	C\$5695				CPLK		C-24 03.52.02.0000000000 PM	12-DEC-24 05.02.12.0000000000 PM	+00 01:10:10.000000		-00 01:10:10.000000	70.17
38223494	CS5692				CPLK		C-24 04.01.48.000000000 PM	12-DEC-24 04.40.42.000000000 PM	+00 00:38:54.000000		-00 00:38:54.000000	38.9
38224127	CS5694				CPLK		C-24 04.13.51.000000000 PM	12-DEC-24 04.49.31.000000000 PM	+00 00:35:40.000000		-00 00:35:40.000000	35.67
38225229	CS5691				CPLK		C-24 04.33.41.000000000 PM	12-DEC-24 04.48.40.0000000000 PM	+00 00:14:59.000000		-00 00:14:59.000000	14.98
38225848	CS5692				CPLK		C-24 04.44.48.000000000 PM	12-DEC-24 04.49.12.0000000000 PM	+00 00:04:24.000000		-00 00:04:24.000000	4.4
38226288	CS5691				CPLK		C-24 04.52.51.000000000 PM	12-DEC-24 06.18.38.000000000 PM	+00 01:25:47.000000		-00 01:25:47.000000	85.78
38226441	CS5692				CPLK		C-24 04.56.21.000000000 PM	12-DEC-24 06.34.44.000000000 PM	+00 01:38:23.000000		-00 01:38:23.000000	98.38
38226562	CS5694				CPLK		C-24 04.58.47.000000000 PM	12-DEC-24 05.21.31.0000000000 PM	+00 00:22:44.000000		-00 00:22:44.000000	22.73
38374314	CS5694				CPLK		C-24 06.39.24.000000000 AM	15-DEC-24 08.39.14.000000000 AM	+00 01:59:50.000000		-00 01:59:50.000000	119.83
29957588	C\$5692		4		CPLK	17.64 28-JUN	N-24 02,30.47.000000000 PM	28-JUN-24 02.46.07.000000000 PM	+00 00:15:20.000000	15.33	-00 00:15:20.000000	15.33

	SESSION_ID	CHARGER_ID	ADDRESS	CITY	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DITM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
29957702	CS5694				CPLK	40.14 28-JUN-2402.33.22.000000000 PM	28-JUN-24 02.48.51.000000000 PM	+00 00:15:29.000000	15.48	-00 00:15:29.000000	15.48
29958005	CS5691				CPLK	20.94 28-JUN-24 02.39.49.000000000 PM	28-JUN-24 03.07.35.000000000 PM	+00 00:27:46.000000	27.77	-00 00:27:46.000000	27.77
29958252	CS5695				CPLK	45.78 28-JUN-24 02.44,35.000000000 PM	28-JUN-24 03.47.38.000000000 PM	+00 01:03:03.000000	63.05	-00 01:03:03.000000	63.05
29958470	CS5692				CPLK	10.21 28-JUN-24 02.48.40.000000000 PM	28-JUN-24 03.21.20.000000000 PM	+00 00:32:40.000000	32.67	-00 00:32:40.000000	32.67
29959608	CS5691				CPLK	49.29 28-JUN-24 03.10.22,0000000000 PM	28-JUN-24 03.41.44.000000000 PM	+00 00:31:22,000000	31.37	-00 00:31:22.000000	31.37
29960359	CS5692				CPLK	48.42 28-JUN-24 03.24.05.000000000 PM	28-JUN-24 04.12.03.000000000 PM	+00 00:47:58.000000	47.97	-00 00:47:58.000000	47.97
29961462	CS5694				CPLK	35.25 28-JUN-24 03.46.24.000000000 PM	28-JUN-24 04.16.04.000000000 PM	+00 00:29:40.000000	29.67	-00 00:29:40.000000	29.67
30056401	CS5694				CPLK	50.74 30-JUN-24 01.39.08.000000000 PM	30-JUN-24 01.58.05.000000000 PM	+00 00:18:57.000000	18.95	-00 00:18:57.000000	18.95
30056862	CS5695				CPLK	33.67 30-JUN-24 01.48.10.000000000 PM	30-JUN-24 02.13.22.000000000 PM	+00 00:25:12.000000	25.2	-00 00:25:12.000000	25.2
30057618	CS5694				CPLK	50.59 30-JUN-2402.01.12.000000000 PM	30-JUN-24 02.33.27.000000000 PM	+00 00:32:15.000000	32.25	-00 00:32:15.000000	32.25
30058569	CS5695				CPLK	46.15 30-JUN-2402,19,02,000000000 PM	30-JUN-24 02.39.23.000000000 PM	+00 00:20:21.000000	20.35	-00 00:20:21.000000	20.35
30062396	CS5691				CPLK	48.54 30-JUN-2403,28.47.000000000 PM	30-JUN-24 04.48.48.000000000 PM	+00 01:20:01.000000	80.02	-00 01:20:01.000000	80.02
30063779	CS5694				CPLK	60.92 30-JUN-24 03.54,26,0000000000 PM	30-JUN-24 04.19.12.000000000 PM	+00 00:24:46.000000	24.77	-00 00:24:46.000000	24.77
30064281	CS5692				CPLK	56.41 30-JUN-24 04.03.21.000000000 PM	30-JUN-24 05.33.32.000000000 PM	+00 01:30:11.000000	90.18	-00 01:30:11.000000	90.18
30065353	CS5694				CPLK	41.59 30-JUN-2404,24,43,0000000000 PM	30-JUN-24 05.28.16.000000000 PM	+00 01:03:33.000000	63.55	-00 01:03:33.000000	63.55
30065704	CS5695				CPLK	57.4 30-JUN-2404,31.13,000000000 PM	30-JUN-24 06.08.16.000000000 PM	+00 01:37:03.000000	97.05	-00 01:37:03.000000	97.05
30066824	CS5691				CPLK	41.43 30-JUN-24 04.51,25.0000000000 PM	30-JUN-24 05.47.17.000000000 PM	+00 00:55:52.000000	55.87	-00 00:55:52.000000	55.87
30068934	CS5694				CPLK	36.4 30-JUN-24 05.33.21.000000000 PM	30-JUN-24 05.50.18.000000000 PM	+00 00:16:57.000000	16.95	-00 00:16:57.000000	16.95
30069759	CS5691				CPLK	21.2 30-JUN-24 05.49.58.000000000 PM	30-JUN-24 06.07.51.000000000 PM	+00 00:17:53.000000	17.88	-00 00:17:53.000000	17.88
30070860	CS5691				CPLK	55.2 30-JUN-24 06.11.48.000000000 PM	30-JUN-24 07.26.56.000000000 PM	+00 01:15:08.000000	75.13	-00 01:15:08.000000	75.13
30071070	CS5694				CPLK	38.87 30-JUN-24 06.16.47.0000000000 PM	30-JUN-24 06.55.18.000000000 PM	+00 00:38:31,000000	38.52	-00 00:38:31.000000	38.52
30072138	CS5692				CPLK	43.5 30-JUN-24 06.38.33.000000000 PM	30-JUN-24 07.37.21.000000000 PM	+00 00:58:48.000000	58.8	-00 00:58:48.000000	58.8
30072485	CS5695				CPLK	27.1 30-JUN-24 06,45,36,0000000000 PM	30-JUN-24 07.17.16.000000000 PM	+00 00:31:40.000000	31.67	-00 00:31:40.000000	31.67
30073119	CS5694				CPLK	14.65 30-JUN-2406,59,01,000000000 PM	30-JUN-24 07.09.21.000000000 PM	+00 00:10:20.000000	10.33	-00 00:10:20.000000	10.33
30073837	CS5694				CPLK	30.92 30-JUN-24 07.13.02.000000000 PM	30-JUN-24 08.42.18.000000000 PM	+00 01:29:16.000000	89.27	-00 01:29:16.000000	89.27
30074318	CS5695		4.5		CPLK	10.92 30-JUN-24 07.23.00.000000000 PM	30-JUN-24 07.41.01.000000000 PM	+00 00:18:01.000000	18.02	-00 00:18:01.000000	18.02
30074619	CS5691				CPLK	39.84 30-JUN-24 07,29,28,0000000000 PM	30-JUN-24 08.13.57.000000000 PM	+00 00:44:29.000000	44.48	-00 00:44:29.000000	44.48
30075222	CS5692				CPLK	43.35 30-JUN-2407.41.30.000000000 PM	30-JUN-24 08.42.45.000000000 PM	+00 01:01:15.000000	61.25	-00 01:01:15.000000	61.25
30075457	CS5695				CPLK	35.16 30-JUN-24 07.46,35,0000000000 PM	30-JUN-24 08.43.39.000000000 PM	+00 00:57:04.000000	57.07	-00 00:57:04.000000	57.07
30076870	CS5691				CPLK	11.39 30-JUN-24 08.18,14.000000000 PM	30-JUN-24 08.31.19.000000000 PM	+00 00:13:05.000000	13.08	-00 00:13:05.000000	13.08
30079491	CS5694				CPLK	79.38 30-JUN-2409.23.10.0000000000 PM	30-JUN-24 09.50.52.000000000 PM	+00 00:27:42.000000	27.7	-00 00:27:42.000000	27.7
30080650	CS5692				CPLK	34.12 30-JUN-24 09.52,09,000000000 PM	30-JUN-24 10.23.36.000000000 PM	+00 00:31:27,000000	31.45	-00 00:31:27.000000	31.45
30082003	CS5694				CPLK	28.43 30-JUN-24 10.31.41.000000000 PM	30-JUN-24 11.12.34.000000000 PM	+00 00:40:53.000000	40.88	-00 00:40:53.000000	40.88
30085568	CS5691				CPLK	50.89 01-JUL-24 12.24.40.000000000 AM	01-JUL-24 01.13.13.000000000 AM	+00 00:48:33.000000	48.55	-00 00:48:33,000000	48.55
30087386	CS5695				CPLK	63.36 01-JUL-24 01.57.44.000000000 AM	01-JUL-24 02.33.15.000000000 AM	+00 00:35:31.000000	35.52	-00 00:35:31.000000	35.52
30090735	CS5694				CPLK	50.55 01-JUL-24 06.19.27.000000000 AM	01-JUL-24 07.13.04.000000000 AM	+00 00:53:37.000000	53.62	-00 00:53:37.000000	53.62
30090784	CS5691				CPLK	26.39 01-JUL-24 06.23.08.000000000 AM	01-JUL-24 06,47.05.000000000 AM	+00 00:23:57.000000	23.95	-00 00:23:57.000000	23.95
30204980	CS5695				CPLK	47.29 03-JUL-24 05.19.59.000000000 PM	03-JUL-24 06.01.18.000000000 PM	+00 00:41:19.000000	41.32	-00 00:41:19.000000	41.32
30205379	CS5691				CPLK	36.08 03-JUL-24 05.28.44.000000000 PM	03-JUL-24 06.13.51.000000000 PM	+00 00:45:07.000000	45.12	-00 00:45:07.000000	45.12
30206652	CS5692				CPLK	33.78 03-JUL-24 05.55.55.000000000 PM	03-JUL-24 06.17.28.000000000 PM	+00 00:21:33.000000	21.55	-00 00:21:33.000000	21.55
30207632	CS5695				CPLK	32.73 03-JUL-24 06.16.30.000000000 PM	03-JUL-24 06.39.51.000000000 PM	+00 00:23:21.000000	23.35	-00 00:23:21.000000	23.35
30207878	CS5692				CPLK	47.8 03-JUL-24 06.21.26.000000000 PM	03-JUL-24 07.05.01.000000000 PM	+00 00:43:35.000000	43.58	-00 00:43:35.000000	43.58
30210789	CS5691				CPLK	44.09 03-JUL-24 07.23.31.000000000 PM	03-JUL-24 08.36.45.000000000 PM	+00 01:13:14.000000	73.23	-00 01:13:14.000000	73.23
30211544	CS5695				CPLK	13.23 03-JUL-24 07.39.55.000000000 PM	03-JUL-24 07.58.34.000000000 PM	+00 00:18:39.000000	18.65	-00 00:18:39.000000	18.65
30213227	CS5695				CPLK	48.68 03-JUL-24 08.16.58.000000000 PM	03-JUL-24 08,32,53,000000000 PM	+00 00:15:55.000000	15.92	-00 00:15:55.000000	15.92
30215197	CS5695				CPLK	51.02 03-JUL-24 09.03.58.000000000 PM	03-JUL-24 09.38.35.000000000 PM	+00 00:34:37.000000	34.62	-00 00:34:37.000000	34.62
30215870	CS5692				CPLK	41.08 03-JUL-24 09.20.41.000000000 PM	03-JUL-24 10.16.44.000000000 PM	+00 00:56:03.000000	56.05	-00 00:56:03.000000	56.05
30226932	CS5692				CPLK	32.5 04-JUL-24 04.52.31.000000000 AM	04-JUL-24 05.20.30.000000000 AM	+00 00:27:59.000000	27.98	-00 00:27:59.000000	27.98
30227273	CS5695				CPLK	35.63 04-JUL-24 05.17.56.000000000 AM	04-JUL-24 06.30.46.000000000 AM	+00 01:12:50.000000		-00 01:12:50.000000	72.83
30227949	CS5692				CPLK	29.32 04-JUL-2406.11.45.000000000 AM	04-JUL-24 06.56.47.000000000 AM	+00 00:45:02.000000		-00 00:45:02.000000	45.03
30228759	CS5691				CPLK	29.63 04-JUL-24 06.59.17.000000000 AM	04-JUL-24 07.36.35.000000000 AM	+00 00:37:18.000000	37.3	-00 00:37:18.000000	37.3
30228840	CS5695				CPLK	48.61 04-JUL-24 07.04.02.000000000 AM	04-JUL-24 07.41.24.000000000 AM	+00 00;37;22,000000	37.37	-00 00:37:22.000000	37.37
30231485	CS5691				CPLK	21.49 04-JUL-24 08.56.08.000000000 AM	04-JUL-24 09.19.08.000000000 AM	+00 00:23:00.000000	23	-00 00:23:00.000000	23

	SESSION_ID	CHARGER_ID	ADDRESS	СІТУ	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DITM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
30232303	CS5691				CPLK	38.58 04-JUL-24 09.22.07.000000000 AM	04-JUL-24 09.54.28.000000000 AM	+00 00:32:21.000000	32.35	-00 00:32:21.000000	32.35
30232333	CS5695				CPLK	29.47 04-JUL-24 09.23.02.000000000 AM	04-JUL-24 09.56.40.000000000 AM	+00 00:33:38.000000	33.63	-00 00:33:38.000000	33.63
30232447	CS5692	9			CPLK	40.76 04-JUL-24 09.25.45.000000000 AM	04-JUL-24 10.05.51.000000000 AM	+00 00:40:06.000000	40.1	-00 00:40:06.000000	40.1
30233576	CS5695				CPLK	39.69 04-JUL-24 09.58.28.000000000 AM	04-JUL-24 10.25.31.000000000 AM	+00 00:27:03.000000	27.05	-00 00:27:03.000000	27.05
30233584	CS5691				CPLK	41.55 04-JUL-24 09.58.41.000000000 AM	04-JUL-24 10.28.49.000000000 AM	+00 00:30:08.000000	30.13	-00 00:30:08.000000	30.13
30234797	CS5695				CPLK	65.78 04-JUL-24 10.32.41.000000000 AM	04-JUL-24 10.59.11.000000000 AM	+00 00:26:30.000000	26.5	-00 00:26:30.000000	26.5
30235108	CS5692				CPLK	32.99 04-JUL-24 10.40.31.000000000 AM	04-JUL-24 11.04.46.000000000 AM	+00 00:24:15.000000	24.25	-00 00:24:15.000000	24.25
30236038	CS5695				CPLK	58.51 04-JUL-24 11.02.59.000000000 AM	04-JUL-24 11.24.25.000000000 AM	+00 00:21:26.000000	21.43	-00 00:21:26.000000	21.43
30238180	CS5695				CPLK	45.06 04-JUL-24 11.52.50.000000000 AM	04-JUL-24 12,58.48.000000000 PM	+00 01:05:58.000000	65.97	-00 01:05:58.000000	65.97
30238861	CS5692				CPLK	38.27 04-JUL-24 12.07.50.000000000 PM	04-JUL-24 12.44.35.000000000 PM	+00 00:36:45.000000	36.75	-00 00:36:45.000000	36.75
30241079	CS5691				CPLK	20.08 04-JUL-24 12.56.53.000000000 PM	04-JUL-24 01.20.09.000000000 PM	+00 00:23:16.000000	23.27	-00 00:23:16.000000	23.27
30241422	CS5695				CPLK	28.65 04-JUL-24 01.04.54.000000000 PM	04-JUL-24 01.45.22.000000000 PM	+00 00:40:28.000000	40.47	-00 00:40:28.000000	40.47
30242653	CS5691				CPLK	43.51 04-JUL-24 01.34.19.000000000 PM	04-JUL-24 02.54.56.000000000 PM	+00 01:20:37.000000	80.62	-00 01:20:37.000000	80.62
30248050	CS5695				CPLK	23.27 04-JUL-24 03.24.16.000000000 PM	04-JUL-24 03.36.31.000000000 PM	+00 00:12:15.000000	12.25	-00 00:12:15.000000	12.25
30370713	CS5692				CPLK	60.58 07-JUL-24 12.12.40.000000000 AM	07-JUL-24 01.06.33.000000000 AM	+00 00:53:53.000000	53.88	-00 00:53:53.000000	53.88
27413444	CS5691				CPLK	6.47 30-APR-24 05.40.17.000000000 PM	30-APR-24 05.45.11.000000000 PM	+00 00:04:54.000000	4.9	-00 00:04:54.000000	4.9
27413803	CS5695				CPLK	61.78 30-APR-24 05.49.13.000000000 PM	30-APR-24 06.20.55.000000000 PM	+00 00:31:42.000000	31.7	-00 00:31:42.000000	31.7
27415154	CS5695				CPLK	30.99 30-APR-24 06.24.59.000000000 PM	30-APR-24 07.07.15.000000000 PM	+00 00:42:16.000000	42.27	-00 00:42:16.000000	42.27
27417022	CS5691				CPLK	16.23 30-APR-24 07.13.43.000000000 PM	30-APR-24 07.51.54.000000000 PM	+00 00:38:11.000000	38.18	-00 00:38:11.000000	38.18
27417074	CS5695				CPLK	36.77 30-APR-24 07.15.11.000000000 PM	30-APR-24 07.52.04.000000000 PM	+00 00:36:53.000000	36.88	-00 00:36:53.000000	36.88
27422029	CS5691				CPLK	50.55 30-APR-24 09.41.06.000000000 PM	30-APR-24 11.33.41.000000000 PM	+00 01:52:35.000000	112.58	-00 01:52:35.000000	112.58
27427923	CS5695				CPLK	36.2 01-MAY-24 02.50.09.0000000000 AM	01-MAY-24 03.44.41.000000000 AM	+00 00:54:32.000000	54.53	-00 00:54:32.000000	54.53
27435528	CS5695				CPLK	24.02 01-MAY-24 10.37.09.0000000000 AM	01-MAY-24 11.16.50.000000000 AM	+00 00:39:41.000000	39.68	-00 00:39:41.000000	39.68
27438318	CS5695				CPLK	25.55 01-MAY-24 12.05.14.000000000 PM	01-MAY-24 12.14.48.000000000 PM	+00 00:09:34.000000	9.57	-00 00:09:34.000000	9.57
27440057	CS5692				CPLK	13.11 01-MAY-24 12.50.34.000000000 PM	01-MAY-24 01.44.10.000000000 PM	+00 00:53:36.000000	53.6	-00 00:53:36.000000	53.6
27441778	CS5695				CPLK	12.68 01-MAY-24 01.35.16.000000000 PM	01-MAY-24 02.12.11.000000000 PM	+00 00:36:55.000000	36.92	-00 00:36:55.000000	36.92
27442690	CS5692				CPLK	52.44 01-MAY-24 01.58.24.000000000 PM	01-MAY-24 02.53.04.000000000 PM	+00 00:54:40,000000	54.67	-00 00:54:40.000000	54.67
27443739	CS5695				CPLK	51.52 01-MAY-24 02.25.19.000000000 PM	01-MAY-24 03.45.35.000000000 PM	+00 01:20:16.000000	80.27	-00 01:20:16.000000	80.27
27444624	CS5691				CPLK	35.66 01-MAY-24 02.48.17.000000000 PM	01-MAY-24 03.18.50.000000000 PM	+00 00:30:33.000000	30.55	-00 00:30:33.000000	30.55
27447530	CS5695				CPLK	32.74 01-MAY-24 04.04.04.0000000000 PM	01-MAY-24 05.22.12.000000000 PM	+00 01:18:08.000000	78.13	-00 01:18:08.000000	78.13
27448278	CS5694				CPLK	24.5 01-MAY-24 04.22.41.000000000 PM	01-MAY-24 04.33.53.000000000 PM	+00 00:11:12.000000	11.2	-00 00:11:12.000000	11.2
27448324	CS5692				CPLK	40.45 01-MAY-24 04.23.51.000000000 PM	01-MAY-24 05.22.52.000000000 PM	+00 00:59:01.000000	59.02	-00 00:59:01.000000	59.02
27451951	CS5692				CPLK	43.83 01-MAY-24 05.54.09.000000000 PM	01-MAY-24 06.33.35.000000000 PM	+00 00:39:26.000000	39.43	-00 00:39:26.000000	39.43
27452225	CS5691				CPLK	29.88 01-MAY-24 06.02.41.000000000 PM	01-MAY-24 06.42.29.000000000 PM	+00 00:39:48.000000	39.8	-00 00:39:48.000000	39.8
27452787	CS5695				CPLK	22.29 01-MAY-24 06.18.31.000000000 PM	01-MAY-24 06.43.56.000000000 PM	+00 00:25:25.000000	25.42	-00 00:25:25.000000	25.42
27454062	CS5695				CPLK	26.69 01-MAY-24 06.52.15.000000000 PM	01-MAY-24 07.36.43.000000000 PM	+00 00:44:28.000000	44.47	-00 00:44:28.000000	44.47
27455087	CS5692				CPLK	14.02 01-MAY-24 07.21.32.000000000 PM	01-MAY-24 08.03.55.000000000 PM	+00 00:42:23.000000	42.38	-00 00:42:23.000000	42.38
27457167	CS5694				CPLK	52.93 01-MAY-24 08.21.20.000000000 PM	01-MAY-24 08.54.21.000000000 PM	+00 00:33:01.000000	33.02	-00 00:33:01.000000	33.02
27470276	CS5694				CPLK	50.46 02-MAY-24 08.31.39.000000000 AM	02-MAY-24 09.16.26.000000000 AM	+00 00:44:47.000000		-00 00:44:47.000000	44.78
27471860	CS5692				CPLK	29.95 02-MAY-24 09.30.05.000000000 AM	02-MAY-24 10.09.21.000000000 AM	+00 00:39:16.000000	39.27	-00 00:39:16.000000	39.27
27475311	CS5691				CPLK	27.02 02-MAY-24 11.18.25.000000000 AM	02-MAY-24 12.01.54.000000000 PM	+00 00:43:29.000000	43.48	-00 00:43:29.000000	43.48
27477838	CS5695				CPLK	79.42 02-MAY-24 12.27.13.000000000 PM	02-MAY-24 01.13.48.000000000 PM	+00 00:46:35.000000	46.58	-00 00:46:35.000000	46.58
27479126	CS5694				CPLK	30.03 02-MAY-24 01.00.19.000000000 PM	02-MAY-24 01.24.48.000000000 PM	+00 00:24:29.000000		-00 00:24:29.000000	24.48
27479567	CS5692				CPLK	4.97 02-MAY-24 01.11.51.000000000 PM	02-MAY-24 01.15.03.000000000 PM	+00 00:03:12.000000	3.2	-00 00:03:12.000000	3.2
27691187	CS5695				CPLK	46.89 07-MAY-24 02.12.50.000000000 PM		+00 00:16:01.000000	16.02	-00 00:16:01.000000	16.02
27692739	CS5691				CPLK	18.77 07-MAY-24 02.54.05.000000000 PM	07-MAY-24 03.24.23.000000000 PM	+00 00:30:18.000000	30.3	-00 00:30:18.000000	30.3
27693030	CS5695				CPLK	47.25 07-MAY-24 03.02.21.000000000 PM		+00 01:28:02.000000		-00 01:28:02.000000	88.03
27695228	CS5694				CPLK	33.19 07-MAY-24 03.58.19.000000000 PM		+00 00:22:26.000000		-00 00:22:26.000000	22.43
27697293	CS5692				CPLK	25.7 07-MAY-24 04.52.01.000000000 PM		+00 00:30:34.000000		-00 00:30:34.000000	30.57
27697805	CS5695				CPLK	106.02 07-MAY-24 05.04.37.000000000 PM		+00 01:00:59.000000		-00 01:00:59.000000	60.98
27707765	CS5691				CPLK	26.71 07-MAY-24 09.45.26.000000000 PM		+00 00:36:32.000000		-00 00:36:32.000000	36.53
27709976	CS5695				CPLK	49.48 07-MAY-24 11.08.11.000000000 PM		+00 00:29:59.000000	29.98	-00 00:29:59.000000	29.98
27710918	CS5695				CPLK	66.96 07-MAY-24 11.46.22.000000000 PM	08-MAY-24 12.30.32.000000000 AM	+00 00;44:10.000000	44.17	-00 00:44:10.000000	44.17
2,,10010	00000				OI LIC	30.00 57 1811 27 12.70.22.00000000111	SO THE ET ALIGNOLIUGUOUUUNIT	20 001711201000000	44.17	22 001711201000000	4-

	SESSION_ID	CHARGER_ID	ADDRESS	СІТУ	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION	TOTAL DURATION MINUTES
27711075	CS5691				CPLK	70.55 07-MAY-24 11.54.50.000000000 PM	08-MAY-24 01.55.02.000000000 AM	+00 02:00:12.000000		-00 02:00:12.000000	120.2
32365842	CS5691				CPLK	55.29 17-AUG-24 11.53.35.000000000 AM	17-AUG-24 12.34.14.000000000 PM	+00 00:40:39.000000	40.65	-00 00:40:39.000000	40.65
32366623	CS5695	- 1			CPLK	31.32 17-AUG-24 12.08.03.0000000000 PM	17-AUG-24 12.32.22.000000000 PM	+00 00:24:19.000000	24.32	-00 00:24:19.000000	24.32
32367639	CS5692				CPLK	39.88 17-AUG-24 12.26.29.000000000 PM	17-AUG-24 01.16.18.000000000 PM	+00 00:49:49.000000	49.82	-00 00:49:49.000000	49.82
32369231	CS5694				CPLK	65.92 17-AUG-24 12.57.46.000000000 PM	17-AUG-24 02.29.47.000000000 PM	+00 01:32:01.000000	92.02	-00 01:32:01.000000	92.02
32369871	CS5695				CPLK	47.89 17-AUG-24 01.08.51.000000000 PM	17-AUG-24 01.37.06.000000000 PM	+00 00:28:15.000000	28.25	-00 00:28:15.000000	28.25
32370890	CS5692				CPLK	101.56 17-AUG-24 01.28.11.000000000 PM	17-AUG-24 02.32.09.000000000 PM	+00 01:03:58.000000	63.97	-00 01:03:58.000000	63.97
32373976	CS5695				CPLK	26.6 17-AUG-24 02.26.03.0000000000 PM	17-AUG-24 02.58.39.000000000 PM	+00 00:32:36.000000	32.6	-00 00:32:36.000000	32.6
32378226	CS5695				CPLK	30.81 17-AUG-24 03.43.46.000000000 PM	17-AUG-24 03.58.14.000000000 PM	+00 00:14:28.000000	14.47	-00 00:14:28.000000	14.47
32378806	CS5694				CPLK	30.15 17-AUG-24 03.54.19.000000000 PM	17-AUG-24 04.06.39.000000000 PM	+00 00:12:20.000000	12.33	-00 00:12:20.000000	12.33
32379941	CS5692				CPLK	55.43 17-AUG-24 04.15.27.000000000 PM	17-AUG-24 05.51.22.000000000 PM	+00 01:35:55.000000	95.92	-00 01:35:55.000000	95.92
32379961	CS5694				CPLK	26.46 17-AUG-24 04.15.56.000000000 PM	17-AUG-24 04.46.07.000000000 PM	+00 00:30:11.000000	30.18	-00 00:30:11.000000	30.18
32383148	CS5695				CPLK	86.27 17-AUG-24 05.13.56.000000000 PM	17-AUG-24 06.14.07.000000000 PM	+00 01:00:11.000000	60.18	-00 01:00:11.000000	60.18
32384477	CS5694				CPLK	57.48 17-AUG-24 05.39.47.000000000 PM	17-AUG-24 06.31.26.000000000 PM	+00 00:51:39.000000	51.65	-00 00:51:39.000000	51.65
32384554	CS5691				CPLK	41.6 17-AUG-24 05.41.13.0000000000 PM	17-AUG-24 06.15.53.000000000 PM	+00 00:34:40.000000	34.67	-00 00:34:40.000000	34.67
32386457	CS5695				CPLK	67.75 17-AUG-24 06.18.01.000000000 PM	17-AUG-24 06.56.04.000000000 PM	+00 00:38:03.000000	38.05	-00 00:38:03.000000	38.05
32387682	CS5694				CPLK	54.7 17-AUG-24 06.42.32.000000000 PM	17-AUG-24 07.05.43.000000000 PM	+00 00:23:11.000000	23.18	-00 00:23:11.000000	23.18
32389767	CS5695				CPLK	20.11 17-AUG-24 07.28.15.000000000 PM	17-AUG-24 07.38.08.000000000 PM	+00 00:09:53.000000	9.88	-00 00:09:53.000000	9.88
32390926	CS5694				CPLK	38.47 17-AUG-24 07.55.10.000000000 PM	17-AUG-24 08.09.26.000000000 PM	+00 00:14:16.000000	14.27	-00 00:14:16.000000	14.27
32394349	CS5691				CPLK	28.95 17-AUG-24 09.11.25.000000000 PM	17-AUG-24 09.45.30.000000000 PM	+00 00:34:05.000000	34.08	-00 00:34:05.000000	34.08
32394989	CS5695				CPLK	22.66 17-AUG-24 09.26.57.000000000 PM	17-AUG-24 09.43.05.000000000 PM	+00 00:16:08.000000	16.13	-00 00:16:08.000000	16.13
32395036	CS5694				CPLK	55.96 17-AUG-24 09.27.54.000000000 PM	17-AUG-24 09.59.05.000000000 PM	+00 00:31:11.000000	31.18	-00 00:31:11.000000	31.18
32398107	CS5695				CPLK	28.6 17-AUG-24 10.46.57.0000000000 PM	17-AUG-24 11.19.47.000000000 PM	+00 00:32:50.000000	32.83	-00 00:32:50.000000	32.83
32398398	CS5692				CPLK	43.05 17-AUG-24 10.55.19.000000000 PM	17-AUG-24 11.52.24.000000000 PM	+00 00:57:05.000000	57.08	-00 00:57:05.000000	57.08
32400453	CS5694				CPLK	43.16 17-AUG-24 11.58.47.000000000 PM	18-AUG-24 01.11.33.000000000 AM	+00 01:12:46.000000	72.77	-00 01:12:46.000000	72.77
32400553	CS5692				CPLK	59.53 18-AUG-24 12.02.42.000000000 AM	18-AUG-24 01.07.16.000000000 AM	+00 01:04:34.000000	64.57	-00 01:04:34.000000	64.57
32402917	CS5694				CPLK	49.08 18-AUG-24 01.44.52.000000000 AM	18-AUG-24 02.20.58.000000000 AM	+00 00:36:06.000000	36.1	-00 00:36:06.000000	36.1
32404868	CS5692				CPLK	28.7 18-AUG-24 03.30.39.0000000000 AM	18-AUG-24 04.08.59.000000000 AM	+00 00:38:20.000000	38.33	-00 00:38:20.000000	38.33
32405550	CS5695				CPLK	47.23 18-AUG-24 04.18.23.0000000000 AM	18-AUG-24 05.04.56.000000000 AM	+00 00:46:33.000000	46.55	-00 00:46:33.000000	46.55
32412078	CS5694				CPLK	76.01 18-AUG-24 09.27.49.000000000 AM	18-AUG-24 10.19.41.000000000 AM	+00 00:51:52.000000	51.87	-00 00:51:52.000000	51.87
32650807	CS5694				CPLK	50.48 23-AUG-24 05.20.29.000000000 AM	23-AUG-24 06.11.57.000000000 AM	+00 00:51:28.000000	51.47	-00 00:51:28.000000	51.47
32651561	CS5691				CPLK	51.99 23-AUG-24 06.04.06.0000000000 AM	23-AUG-24 06.43.34.000000000 AM	+00 00:39:28.000000	39.47	-00 00:39:28.000000	39.47
32653619	CS5695				CPLK	43.75 23-AUG-24 07,42,01,0000000000 AM	23-AUG-24 08.16.00.000000000 AM	+00 00:33:59.000000	33.98	-00 00:33:59.000000	33.98
32654590	CS5691				CPLK	41.72 23-AUG-24 08.17.35.000000000 AM	23-AUG-24 08.57.48.000000000 AM	+00 00:40:13.000000	40.22	-00 00:40:13.000000	40.22
32655636	CS5694				CPLK	28.45 23-AUG-24 08.50,30,0000000000 AM	23-AUG-24 09.17.37.000000000 AM	+00 00:27:07.000000	27.12	-00 00:27:07.000000	27.12
32657445	CS5695				CPLK	42.99 23-AUG-24 09.40.25.0000000000 AM	23-AUG-24 09.55.44.000000000 AM	+00 00:15:19.000000	15.32	-00 00:15:19.000000	15.32
32659885	CS5694				CPLK	77.93 23-AUG-24 10.40.03.0000000000 AM	23-AUG-24 11.03.49.000000000 AM	+00 00:23:46.000000	23.77	-00 00:23:46.000000	23.77
32662491	CS5692				CPLK	31.04 23-AUG-24 11.38.18.000000000 AM	23-AUG-24 12.26.21.000000000 PM	+00 00:48:03.000000	48.05	-00 00:48:03.000000	48.05
32662538	CS5694				CPLK	43.77 23-AUG-24 11.39.38.0000000000 AM	23-AUG-24 12.52.41.000000000 PM	+00 01:13:03.000000	73.05	-00 01:13:03.000000	73.05
32662795	CS5695				CPLK	28.9 23-AUG-24 11.44.46.0000000000 AM	23-AUG-24 12.43.39.000000000 PM	+00 00:58:53.000000	58.88	-00 00:58:53.000000	58.88
32666626	CS5692				CPLK	44.16 23-AUG-24 01.02.18.000000000 PM	23-AUG-24 02.17.24.000000000 PM	+00 01:15:06.000000	75.1	-00 01:15:06.000000	75.1
32666721	CS5691				CPLK	33.95 23-AUG-24 01.04.03.0000000000 PM	23-AUG-24 01.45.45.000000000 PM	+00 00:41:42.000000	41.7	-00 00:41:42.000000	41.7
32666786	CS5695				CPLK	20.12 23-AUG-24 01.05.24.000000000 PM	23-AUG-24 01.28.25.000000000 PM	+00 00:23:01.000000	23.02	-00 00:23:01.000000	23.02
32667856	CS5694				CPLK	8.81 23-AUG-24 01.26.10.0000000000 PM	23-AUG-24 01.42.26.000000000 PM	+00 00:16:16.000000	16.27	-00 00:16:16.000000	16.27
32669811	CS5695				CPLK	33.48 23-AUG-24 02.03.14.0000000000 PM	23-AUG-24 02.23.50.000000000 PM	+00 00:20:36.000000	20.6	-00 00:20:36.000000	20.6
32670228	CS5691				CPLK	23.47 23-AUG-24 02.11.04.0000000000 PM	23-AUG-24 02.35.48.000000000 PM	+00 00:24:44.000000	24.73	-00 00:24:44.000000	24.73
32670344	CS5694				CPLK	43.15 23-AUG-24 02.13.00.000000000 PM	23-AUG-24 02.36.06.000000000 PM	+00 00:23:06.000000	23.1	-00 00:23:06.000000	23.1
32670791	CS5692				CPLK	14.86 23-AUG-24 02.21.45.0000000000 PM	23-AUG-24 02.31.09.000000000 PM	+00 00:09:24.000000	9.4	-00 00:09:24.000000	9.4
32671407	CS5695				CPLK	59.15 23-AUG-24 02.33,36.000000000 PM	23-AUG-24 03.06.56.000000000 PM	+00 00:33:20.000000	33.33	-00 00:33:20.000000	33.33
32674539	CS5695				CPLK	23.83 23-AUG-24 03,33,00,0000000000 PM	23-AUG-24 03.42.52,000000000 PM	+00 00:09:52.000000	9.87	-00 00:09:52.000000	9.87
32674701	CS5694				CPLK	35.29 23-AUG-24 03.35.58.0000000000 PM	23-AUG-24 03.51.40.000000000 PM	+00 00:15:42.000000	15.7	-00 00:15:42.000000	15.7
32676530	CS5695				CPLK	45.79 23-AUG-24 04.12.28.0000000000 PM	23-AUG-24 04.28.41.000000000 PM	+00 00:16:13.000000	16.22	-00 00:16:13.000000	16.22
32676742	CS5694				CPLK	14.43 23-AUG-24 04.16.32.0000000000 PM	23-AUG-24 04.37.32,000000000 PM	+00 00:21:00.000000	21	-00 00:21:00.000000	21

32676924 32684433 32684770 32685169	CS5692 CS5695			USAGE		DURATION HMS	MINUTES	HMS	MINUTES
32684770	CCECCE		CPLK	33.83 23-AUG-24 04.19.51.0000000000 PM	23-AUG-24 04.43.58.000000000 PM	+00 00:24:07.000000	24.12	-00 00:24:07.000000	24.12
	C33093	32	CPLK	39.58 23-AUG-24 06.46.15.000000000 PM	23-AUG-24 07.18.24.000000000 PM	+00 00:32:09,000000	32.15	-00 00:32:09.000000	32.15
32685169	CS5692		CPLK	56.27 23-AUG-24 06.52.30.0000000000 PM	23-AUG-24 08.23.53.000000000 PM	+00 01:31:23.000000	91.38	-00 01:31:23.000000	91.38
	CS5694		CPLK	12.06 23-AUG-24 06.59.28.000000000 PM	23-AUG-24 07.09.46.000000000 PM	+00 00:10:18.000000	10.3	-00 00:10:18.000000	10.3
32685822	CS5694		CPLK	26.58 23-AUG-24 07.12.38.000000000 PM	23-AUG-24 07.36.50.000000000 PM	+00 00:24:12,000000	24.2	-00 00:24:12.000000	24.2
32686464	CS5691		CPLK	24.98 23-AUG-2407.25.32.000000000 PM	23-AUG-24 08.02.23.000000000 PM	+00 00:36:51.000000	36.85	-00 00:36:51.000000	36.85
32690005	CS5695		CPLK	57.96 23-AUG-24 08.47.13.000000000 PM	23-AUG-24 10.01.15.000000000 PM	+00 01:14:02.000000	74.03	-00 01:14:02.000000	74.03
33019466	CS5692		CPLK	19.81 30-AUG-24 02.23.51.000000000 PM	30-AUG-24 02.56.51.000000000 PM	+00 00:33:00.000000	33	-00 00:33:00.000000	33
33020144	CS5695		CPLK	55.79 30-AUG-24 02.34.13.000000000 PM	30-AUG-24 03.05.58.000000000 PM	+00 00:31:45.000000	31.75	-00 00:31:45.000000	31.75
33021986	CS5692		CPLK	42.06 30-AUG-24 03.07.13.000000000 PM	30-AUG-24 03.49.46.000000000 PM	+00 00:42:33.000000	42.55	-00 00:42:33.000000	42.55
33025715	CS5694		CPLK	18.86 30-AUG-24 04.16.49.000000000 PM	30-AUG-24 04.31.58.000000000 PM	+00 00:15:09.000000	15.15	-00 00:15:09.000000	15.15
33028955	CS5692		CPLK	43 30-AUG-24 05.14.44.000000000 PM	30-AUG-24 06.25.06.000000000 PM	+00 01:10:22.000000	70.37	-00 01:10:22.000000	70.37
33030511	CS5695		CPLK	57.16 30-AUG-24 05.43.57.0000000000 PM	30-AUG-24 07.14.58.000000000 PM	+00 01:31:01.000000	91.02	-00 01:31:01.000000	91.02
33030748	CS5691		CPLK	39.94 30-AUG-24 05.48.55.0000000000 PM	30-AUG-24 06.49.27.000000000 PM	+00 01:00:32,000000	60.53	-00 01:00:32.000000	60.53
33031266	CS5694		CPLK	40.4 30-AUG-24 05.59.30.0000000000 PM	30-AUG-24 06.18.22.000000000 PM	+00 00:18:52.000000	18.87	-00 00:18:52.000000	18.87
33032400	CS5694		CPLK	41.76 30-AUG-2406.21.05.0000000000 PM	30-AUG-24 07.10.14.000000000 PM	+00 00:49:09.000000	49.15	-00 00:49:09.000000	49.15
33034428	CS5692		CPLK	20.11 30-AUG-24 07.02.16.000000000 PM	30-AUG-24 07.28.01.000000000 PM	+00 00:25:45.000000	25.75	-00 00:25:45.000000	25.75
33035431	CS5691		CPLK	61.84 30-AUG-2407.22.24.000000000 PM	30-AUG-24 08.29.10.000000000 PM	+00 01:06:46.000000	66.77	-00 01:06:46.000000	66.77
33036310	CS5694		CPLK	34.02 30-AUG-24 07.41.52.000000000 PM	30-AUG-24 08.08.27.000000000 PM	+00 00:26:35.000000	26.58	-00 00:26:35.000000	26.58
33037052	CS5695		CPLK	5.48 30-AUG-24 07.57.59.000000000 PM	30-AUG-24 08.06.16.000000000 PM	+00 00:08:17.000000	8.28	-00 00:08:17.000000	8.28
33037235	CS5692		CPLK	27.13 30-AUG-24 08.01.55.0000000000 PM	30-AUG-24 08.29.04.000000000 PM	+00 00:27:09.000000	27.15	-00 00:27:09.000000	27.15
33040911	CS5695		CPLK	50.41 30-AUG-24 09.25.09.0000000000 PM	30-AUG-24 09.41.23.000000000 PM	+00 00:16:14.000000	16.23	-00 00:16:14.000000	16.23
33041406	CS5694		CPLK	19.73 30-AUG-24 09.35.42.000000000 PM	30-AUG-24 09.51.43.000000000 PM	+00 00:16:01.000000	16.02	-00 00:16:01.000000	16.02
33041473	CS5692		CPLK	36.74 30-AUG-24 09.37.08.0000000000 PM	30-AUG-24 10.36.26.000000000 PM	+00 00:59:18.000000	59.3	-00 00:59:18.000000	59.3
33741660	CS5695		CPLK	28.97 13-SEP-24 11.59.08.0000000000 PM	14-SEP-24 12.59.00.000000000 AM	+00 00:59:52.000000	59.87	-00 00:59:52.000000	59.87
33741745	CS5691		CPLK	57.81 14-SEP-24 12.02.28.000000000 AM	14-SEP-24 01.39.03.000000000 AM	+00 01:36:35.000000	96.58	-00 01:36:35.000000	96.58
33745814	CS5694		CPLK	57.59 14-SEP-24 03.03.44.000000000 AM	14-SEP-24 04.21.31.000000000 AM	+00 01:17:47.000000	77.78	-00 01:17:47.000000	77.78
33746364	CS5692		CPLK	47.43 14-SEP-2403.38.39.0000000000 AM	14-SEP-24 04.41.14.000000000 AM	+00 01:02:35.000000	62.58	-00 01:02:35.000000	62.58
33746844	CS5695		CPLK	18.76 14-SEP-24 04.20.16.0000000000 AM	14-SEP-24 04.35.18.000000000 AM	+00 00:15:02.000000	15.03	-00 00:15:02.000000	15.03
33747418	CS5691		CPLK	39.79 14-SEP-24 04.58.00.000000000 AM	14-SEP-24 06.20.09.000000000 AM	+00 01:22:09.000000	82.15	-00 01:22:09.000000	82.15
33748141	CS5695		CPLK	98.2 14-SEP-24 05.41.32.000000000 AM	14-SEP-24 06.39.34.000000000 AM	+00 00:58:02.000000	58.03	-00 00:58:02.000000	58.03
33749739	CS5695		CPLK	48.7 14-SEP-24 07.07.54.000000000 AM	14-SEP-24 07.22.40.000000000 AM	+00 00:14:46.000000	14.77	-00 00:14:46.000000	14.77
33751053	CS5692		CPLK	42.89 14-SEP-24 08,03.35.000000000 AM	14-SEP-24 08.53.56.000000000 AM	+00 00:50:21.000000	50.35	-00 00:50:21.000000	50.35
33999625	CS5692		CPLK	30.07 19-SEP-24 10.57.08.000000000 AM	19-SEP-24 11.29.22.000000000 AM	+00 00:32:14.000000	32.23	-00 00:32:14.000000	32.23
34001203	CS5694		CPLK	60.82 19-SEP-2411.36.35.0000000000 AM	19-SEP-24 11.57.19.000000000 AM	+00 00:20:44.000000	20.73	-00 00:20:44.000000	20.73
34004211	CS5692		CPLK	21.69 19-SEP-24 12.44.18.000000000 PM	19-SEP-24 01.03.24.000000000 PM	+00 00:19:06.000000	19.1	-00 00:19:06.000000	19.1
34007533	CS5695		CPLK	46.38 19-SEP-24 01.59.26.000000000 PM	19-SEP-24 02.34.43.000000000 PM	+00 00:35:17.000000	35.28	-00 00:35:17.000000	35.28
34007910	CS5692		CPLK	40.14 19-SEP-24 02.07.28.000000000 PM	19-SEP-24 02.45.41.000000000 PM	+00 00:38:13.000000	38.22	-00 00:38:13.000000	38.22
34007964	CS5694		CPLK	38.28 19-SEP-24 02.08.36.000000000 PM	19-SEP-24 03.18.11.000000000 PM	+00 01:09:35.000000	69.58	-00 01:09:35.000000	69.58
34010962	CS5695		CPLK	69.61 19-SEP-24 03.14.14.000000000 PM	19-SEP-24 03.53.37.000000000 PM	+00 00:39:23,000000	39.38	-00 00:39:23.000000	39.38
34011519	CS5694		CPLK	87.34 19-SEP-24 03.24.06.000000000 PM	19-SEP-24 03.56.58.000000000 PM	+00 00:32:52.000000	32.87	-00 00:32:52.000000	32.87
34012828	CS5692		CPLK	24.68 19-SEP-24 03.52.53.000000000 PM	19-SEP-24 04.13.16.000000000 PM	+00 00:20:23.000000	20.38	-00 00:20:23.000000	20.38
34014086	CS5695		CPLK	51.54 19-SEP-24 04.21.53.000000000 PM	19-SEP-24 04.38.05.000000000 PM	+00 00:16:12.000000	16.2	-00 00:16:12.000000	16.2
34014718	CS5692		CPLK	24.78 19-SEP-24 04.35.58.0000000000 PM	19-SEP-24 04.57.22.000000000 PM	+00 00:21:24.000000	21.4	-00 00:21:24.000000	21.4
34014838	CS5691		CPLK	49.25 19-SEP-24 04.38.57.000000000 PM	19-SEP-24 05.20.24.000000000 PM	+00 00:41:27.000000	41.45	-00 00:41:27.000000	41.45
34015046	CS5694		CPLK	52.28 19-SEP-24 04.43.35.000000000 PM	19-SEP-24 05.29.43.000000000 PM	+00 00:46:08.000000	46.13	-00 00:46:08.000000	46.13
34015048	CS5695		CPLK	38.09 19-SEP-24 04.43.45.0000000000 PM	19-SEP-24 05.07.56.000000000 PM	+00 00:24:11.000000	24.18	-00 00:24:11.000000	24.18
34016115	CS5692		CPLK	30.54 19-SEP-24 05.07.45.000000000 PM	19-SEP-24 05.36.20.000000000 PM	+00 00:28:35.000000	28.58	-00 00:28:35.000000	28.58
34018040	CS5692		CPLK	20.66 19-SEP-24 05.49.56.000000000 PM	19-SEP-24 06.08.48.000000000 PM	+00 00:18:52.000000	18.87	-00 00:18:52.000000	18.87
34018954	CS5695		CPLK	32.66 19-SEP-24 06.08.30.000000000 PM	19-SEP-24 06.19.58.000000000 PM	+00 00:11:28.000000	11.47	-00 00:11:28.000000	11.47
34019718	CS5695		CPLK	22.54 19-SEP-2406.24.05.0000000000 PM	19-SEP-24 06.30.31.000000000 PM	+00 00:06:26.000000	6.43	-00 00:06:26.000000	6.43
34021614	CS5694		CPLK	38.84 19-SEP-24 07.06.17.0000000000 PM	19-SEP-24 07.21.00.000000000 PM	+00 00:14:43.000000	14.72	-00 00:14:43.000000	14.72
34023678	CS5694		CPLK	41.32 19-SEP-24 07.52.41.000000000 PM	19-SEP-24 08.23.49.000000000 PM	+00 00:31:08.000000	31.13	-00 00:31:08.000000	31.13

Selection Column		SESSION_ID	CHARGER_ID	ADDRESS CITY	STATE ZIP JURISDIC	USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION_HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
Section Company Comp	34025956	CS5694			CPLK	34.05 19-SEP-24 08.45.25.0000000000 PM	19-SEP-24 09.25.43.000000000 PM	+00 00:40:18.000000	40.3	-00 00:40:18.000000	40.3
Section 19 Colored C	34027133	CS5692			CPLK	54.26 19-SEP-24 09.14.21.0000000000 PM	19-SEP-24 10.51.50.000000000 PM	+00 01:37:29.000000	97.48	-00 01:37:29.000000	97.48
Second Critic Second Critic Second S	34027711	CS5694			CPLK	10.29 19-SEP-24 09.29.29.0000000000 PM	19-SEP-24 09.34.43.000000000 PM	+00 00:05:14.000000	5.23	-00 00:05:14.000000	5.23
Seption Case	34027875	CS5695			CPLK	58.29 19-SEP-24 09.33.48.0000000000 PM	19-SEP-24 10.07.07.000000000 PM	+00 00:33:19.000000	33.32	-00 00:33:19.000000	33.32
Selection Content Selection Content Selection Selectio	34028080	CS5694			CPLK	54.34 19-SEP-24 09.39.21.0000000000 PM	19-SEP-24 10.15.29.000000000 PM	+00 00:36:08.000000	36.13	-00 00:36:08.000000	36.13
Selection Colored Co	34030711	CS5695			CPLK	38.64 19-SEP-24 10.53.04,000000000 PM	19-SEP-24 11.26.15.000000000 PM	+00 00:33:11.000000	33.18	-00 00:33:11.000000	33.18
Selection Common	34036193	CS5694			CPLK	44.1 20-SEP-24 02.49.45.0000000000 AM	20-SEP-24 03.14.00.000000000 AM	+00 00:24:15.000000	24.25	-00 00:24:15.000000	24.25
Selection Case Ca	34036574	CS5692			CPLK	44.14 20-SEP-24 03.16.05.0000000000 AM	20-SEP-24 04.41.25.000000000 AM	+00 01:25:20.000000	85.33	-00 01:25:20.000000	85.33
Section Case	34038531	CS5692			CPLK	85.04 20-SEP-24 05.34.14.0000000000 AM	20-SEP-24 06.29.01.000000000 AM	+00 00:54:47.000000	54.78	-00 00:54:47.000000	54.78
1415989	34039134	CS5695			CPLK	22.14 20-SEP-2406.10.22.0000000000 AM	20-SEP-24 06.42.14.000000000 AM	+00 00:31:52.000000	31.87	-00 00:31:52.000000	31.87
1415994	34148466	CS5691			CPLK	66.87 22-SEP-24 09.01.34.000000000 AM	22-SEP-24 09.54.40.000000000 AM	+00 00:53:06.000000	53.1	-00 00:53:06.000000	53.1
11.1 400 11.5 400 400 11.5 400 400 40.5 40	34149606	CS5694			CPLK	8.86 22-SEP-24 09.32.58.0000000000 AM	22-SEP-24 09.45.37.000000000 AM	+00 00:12:39.000000	12.65	-00 00:12:39.000000	12.65
SEED	34150694	CS5695			CPLK	53.68 22-SEP-24 10.02,09.0000000000 AM	22-SEP-24 10.52.47.000000000 AM	+00 00:50:38.000000	50.63	-00 00:50:38.000000	50.63
SHISTER CS5902 CFK THE SERVED CFK THE S	34151483	CS5691			CPLK	9.57 22-SEP-24 10.22.13.000000000 AM	22-SEP-24 10.33.19.000000000 AM	+00 00:11:06.000000	11.1	-00 00:11:06.000000	11.1
H155940 C\$5966 CPLK 59.97 27-8FF 241.11.74.70.000000000 PM 25.9F 241.02.55.00000000 PM 25.9F 240.000000 PM 25.9F 240.000000 PM 25.9F 240.000000 PM 25.9F 240.0000000 PM 25.9F 240.0000000 PM 25.9F 240.0000000 PM 25.9F 240.0000000 PM 25.9F 240.00000000 PM 25.9F 240.000000000 PM 25.9F 240.00000000 PM 25.9F 240.00000000 PM 25.9F 240.00000000 PM 25.9F 240.0000000000 PM 25.9F 240.000000000 PM 25.9F 240.000000000 PM 25.9F 240.00000000 PM 25.9F 240.00000000 PM 25.9F 240.000000000 PM 25.9F 240.000000000 PM 25.9F 240.000000000 PM 25.9F 240.00000000000 PM 25.9F 240.00000000000 PM 25.9F 240.0000000000 PM 25.9F 240.000000000000 PM 25.9F 240.000000000000 PM 25.9F 240.00000000000000 PM 25.9F 240.00000000000000 PM 25.9F 240.00000000000000000000000000000000000	34151804	CS5694			CPLK	86.12 22-SEP-24 10.30.11.000000000 AM	22-SEP-24 11.08.06.0000000000 AM	+00 00:37:55.000000	37.92	-00 00:37:55.000000	37.92
SERIOR CSSMM CFLK CSSMM	34153218	CS5692			CPLK	14.05 22-SEP-24 11.01.10.0000000000 AM	22-SEP-24 11.18.29.000000000 AM	+00 00:17:19.000000	17.32	-00 00:17:19.000000	17.32
S115/2888 C\$5996	34153840	CS5695			CPLK	50.92 22-SEP-24 11.13.26.0000000000 AM	22-SEP-24 12.02.56.000000000 PM	+00 00:49:30.000000	49.5	-00 00:49:30.000000	49.5
Section Common	34155485	CS5694			CPLK	23.28 22-SEP-24 11.47.47.0000000000 AM	22-SEP-24 12.16.31.000000000 PM	+00 00:28:44.000000	28.73	-00 00:28:44.000000	28.73
A1191896	34156888	CS5695			CPLK	51.33 22-SEP-2412.15.57.000000000 PM	22-SEP-24 01.17.09.000000000 PM	+00 01:01:12.000000	61.2	-00 01:01:12.000000	61.2
CFK 43.5 2.5 2.5 2.4 2.5	34160899	CS5695			CPLK	76.45 22-SEP-24 01.31.31.0000000000 PM	22-SEP-24 02.42.46.000000000 PM	+00 01:11:15.000000	71.25	-00 01:11:15.000000	71.25
3416449 CS696 CS696 CFLK TO 17 2 SEP 240.235.13 (00000000 PM 22 SEP 240.235.03 (00000000 PM 22 SEP 240.235.13 (00000000 PM 22 SEP 240.235.000000000 PM 22 SEP 240.235.00000000 PM 22 SEP 240.235.000000000 PM 22 SEP 240.235.00000000 PM 22 SEP 240.235.0000000000 PM 22 SEP 240.235.00000000 PM 22 SEP 240.235.0000000 PM 22 SEP 240.235.00000000 PM 22 SEP 240.235.0000000 PM 22 SEP 240.235.00000000 PM 22 SEP 240.235.00000000 PM 22 SEP 240.235.0000000 PM 22	34161666	CS5694			CPLK	127 22-SEP-24 01.46.00.000000000 PM	22-SEP-24 02.33.15.000000000 PM	+00 00:47:15.000000	47.25	-00 00:47:15.000000	47.25
CS5696 CPLK 56.59 22.58P-24 02.52 12.00000000 PM 000-035:13.000000 35.3 0.000:35:13.000000 34.58 0.0000000 PM 000-035:13.000000 35.3 0.000:35:13.000000 34.58 0.0000000 PM 000-035:13.000000 34.58 0.0000000 PM 000-035:13.000000 00.00000 PM 000-035:13.000000 00.00000 PM 000-035:13.000000 PM 000-035:13.0000000 PM 000-035:13.000000 PM 000-035:13.0000000 PM 000-035:13.0000000 PM 000-035:13.0000000 PM 000-035:13.000000 PM 000-035:13.000000 PM 000-035:13.000000 PM 000-035:13.0000000 PM 00	34164071	CS5692			CPLK	43.5 22-SEP-24 02.28.27.000000000 PM	22-SEP-24 03.05.13.000000000 PM	+00 00:36:46.000000	36.77	-00 00:36:46.000000	36.77
CFLK 36.02 22-SFP-24.03.21.00000000000P 2-SFP-24.03.25.50.000000000 43.73.9.0000000 43.73.9.0000000 43.73.9.0000000 43.73.9.0000000 43.73.9.0000000 43.73.9.0000000 43.73.9.0000000 43.73.9.0000000 43.73.9.0000000 43.73.9.0000000 43.73.9.0000000 43.73.9.000000000 43.73.9.000000000 43.73.9.000000000000000000000000000000000	34164440	CS5691			CPLK	17.01 22-SEP-24 02.35.13.000000000 PM	22-SEP-24 02.54.56.000000000 PM	+00 00:19:43.000000	19.72	-00 00:19:43.000000	19.72
31167377 C\$5695 C\$15695 C\$15	34165309	CS5695			CPLK	56.59 22-SEP-24 02.51.29.000000000 PM	22-SEP-24 03.26.47.000000000 PM	+00 00:35:18.000000	35.3	-00 00:35:18.000000	35.3
3416982 C\$5695 CPLK 57.74 22.8F2 / 24.01.12.15 (0.0000000 PL 22.8F2 / 24.01.22.00000000 PL 41.75 22.8F2 / 24.01.12.15 (0.0000000 PL 23.8F2 / 24.01.22.00000000 PL 45.07 22.8F2 / 24.01.22.00000000 PL 23.8F2 / 24.0000000 PL 45.07 22.8F2 / 24.01.22.00000000 PL 23.8F2 / 24.00000000 PL 45.07 22.8F2 / 24.01.22.00000000 PL 45.07 22.8F2 / 24.01.23.00000000 PL 45.07 22.8F2 / 24.01.23.000000000 PL 45.07 22.8F2 / 24.01.23.000000000 PL 45.07 22.8F2 / 24.01.23.000000000000000000000000000000000	34165853	CS5691			CPLK	36.02 22-SEP-24 03.01.15.000000000 PM	22-SEP-24 03.35.59.000000000 PM	+00 00:34:44.000000	34.73	-00 00:34:44.000000	34.73
34169800 C55995 CFLK 54.52 25.5F.24.04.12.16.00000000 PM 25.5F.24.04.32.16.0000000 PM 40.00.11.94.8.000000	34167377	CS5695			CPLK	34.62 22-SEP-24 03.28.02.000000000 PM	22-SEP-24 04.08.26.000000000 PM	+00 00:40:24.000000	40.4	-00 00:40:24.000000	40.4
A17138	34167862	CS5692			CPLK	37.74 22-SEP-24 03.37.10.000000000 PM	22-SEP-24 04.42.30.000000000 PM	+00 01:05:20.000000	65.33	-00 01:05:20.000000	65.33
\$4177333	34169800	CS5695			CPLK	54.52 22-SEP-24 04.12.16.0000000000 PM	22-SEP-24 04.32.04.000000000 PM	+00 00:19:48.000000	19.8	-00 00:19:48.000000	19.8
S4182002 C55695 CPLK 62.65 22.85P-24.01.32.000000000 PM C2.85P-24.01.03.03.00000000 PM C2.85P-24.01.03.03.0000000 PM C2.85P-24.01.03.03.0000000 PM C2.85P-24.01.03.0000000 PM C2.85P-24.01.03.0000000 PM C2.85P-24.01.03.0000000 PM C2.85P-24.01.03.0000000 PM C2.85P-24.01.03.0000000 PM C2.85P-24.01.03.0000000 PM C2.85P-24.03.0000000 PM C2.85P-24.0000000 PM C2.85P-24.00000000 PM C2.85P-24.00000000 PM C2.85P-24.00000000 PM C2.85P-24.00000000 PM C2.85P-24.0000000 PM C2.85P-24.00000000 PM C2.85P-24.0000000 PM C2.85P-24.00000000 PM C2.85P-24.000000000 PM C2.85P-24.000000000 PM C2.85P-24.00000000 PM C2.85P-24.000000000 PM C2.85P-24.00	34171138	CS5695			CPLK	41.53 22-SEP-2404.36.04.000000000 PM	22-SEP-24 05.17.14.000000000 PM	+00 00:41:10.000000	41.17	-00 00:41:10.000000	41.17
\$\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	34177333	CS5695			CPLK	45.07 22-SEP-24 06.34.01.000000000 PM	22-SEP-24 07.12.56.000000000 PM	+00 00:38:55.000000	38.92	-00 00:38:55.000000	38.92
3418438	34182002	CS5695			CPLK	45.29 22-SEP-2408.11.32.000000000 PM	22-SEP-24 08.50.08.000000000 PM	+00 00:38:36,000000	38.6	-00 00:38:36.000000	38.6
\$4189156	34188349	CS5691			CPLK	62.65 22-SEP-24 11.02.53.000000000 PM	23-SEP-24 01.03.03.0000000000 AM	+00 02:00:10.000000	120.17	-00 02:00:10.000000	120.17
34190396 CS5695 CPLK 55.98 23-SEP-24 12.11.48.00000000 AM 34196811 CS5691 CPLK 34.55 23-SEP-24 05.48.16.000000000 AM 34198100 CS5695 CPLK 9.79 23-SEP-24 05.48.16.000000000 AM 34198533 CS5692 CPLK 30.63 23-SEP-24 07.58.34.00000000 AM 34199510 CS5695 CPLK 50 23-SEP-24 07.58.34.00000000 AM 34199510 CS5695 CPLK 35.22 24.00000000 AM 34199510 CS5695 CPLK 35.22 24.000000000 AM 34199510 CS5695 CPLK 35.22 24.000000000 AM 34199510 CS5695 CPLK 35.22 24.000000000 AM 34199510 CPLK 35.22 24.000000000 AM 3419510 CPLK 35.22 24.000000000 AM 3419510 CPLK 35.22 24.00000000 AM 3419510 CPLK 35.22 24.0000000 AM 3419510 CPLK 35.22 24.000000 AM 3419510 CPLK 35.22 24.0000000 AM 3419510 CPLK 35.00000000 AM 3419510 CPLK 35.0000000 AM 3419510 CPLK 35.00000000 AM 3419510 CPLK 35	34188438	CS5695			CPLK	46.84 22-SEP-2411.05.39.000000000 PM	22-SEP-24 11.51.18.000000000 PM	+00 00:45:39.000000	45.65	-00 00:45:39.000000	45.65
34196881 C\$5691 C\$5695 C\$PLK 34.55 23-SEP-24 08.64.64.00000000 AM 23-SEP-24 07.63.4.400000000 AM 400 01:16:30.000000 76.5 -00 01:16:30.0000000 76.5 -00 01:16:30.000000 76.5 -00 01:16:30.000000 76.5 -00 01:16:30.000000 76.5 -00 01:16:30.000000 76.5 -00 01:16:30.0000000 76.5 -00 01:16:30.0000000 76.5 -00 01:16:30.0000000 76.5 -00 01:16:30.0000000 76.5 -00 01:16:30.0000000 76.5 -00 01:16:30.0000000 76.5 -00 01:16:30.0000000 76.5 -00 01:16:30.0000000 76.5 -00 01:16:30.000000000000 76.5 -00 01:16:30.00000000000 76.5 -00 01:16:30.00000000000000000000000000000000000	34189156	CS5692			CPLK	56.65 22-SEP-24 11.26.08.0000000000 PM	23-SEP-24 01.22.24.000000000 AM	+00 01:56:16.000000	116.27	-00 01:56:16.000000	116.27
34198100 CS5695 CPLK 9.79 23-SEP-240.74.213.00000000 AM 34199833 CS5692 CPLK 30.63 29-SEP-240.75.83.400000000 AM 23-SEP-240.95.55.00000000 AM 23-SEP-240.95.55.0000000 AM 23-SEP-240.95.55.00000000 AM 23-SEP-240.95.55.0000000 AM 23-SEP-240.95.55.00000000 AM 23-SEP	34190396	CS5695			CPLK	55.98 23-SEP-24 12.11.48.000000000 AM	23-SEP-24 01.05.01.000000000 AM	+00 00:53:13.000000	53.22	-00 00:53:13.000000	53.22
34198533	34196881	CS5691			CPLK	34.55 23-SEP-2406.48.16.0000000000 AM	23-SEP-24 08.04.46.000000000 AM	+00 01:16:30.000000	76.5	-00 01:16:30.000000	76.5
S4199510 CS5695 CPLK 50 23-SEP-24 08.03.234,00000000 AM 23-SEP-24 09.06.24,00000000 AM 400 00:33:50,000000 33.83 - 00 00:33:50,000000 34203032 CS5694 CS5692 CPLK 37.01 26-SEP-24 11.34,19.00000000 AM 23-SEP-24 10.38,31.00000000 AM 400 00:15:42,000000 15.7 -00 00:15:42,000000 49.4 -00 00:49:24,000000 49.4 -00 00	34198100	CS5695			CPLK	9.79 23-SEP-24 07.42.13.0000000000 AM	23-SEP-24 07.53.44.000000000 AM	+00 00:11:31.000000	11.52	-00 00:11:31.000000	11.52
3420302 CS5694 CPLK 33.52 23-SEP-24 10.28.49.00000000 AM 23-SEP-24 10.38.31.00000000 AM 26-SEP-24 11.34.19.00000000 AM 26-SEP-24 11.23.49.0000000 AM 26-SEP-24 11.23.49.000000 AM 26-SEP-24 11.23.49.00000	34198533	CS5692			CPLK	30.63 23-SEP-24 07.58.34.0000000000 AM	23-SEP-24 08.25.15.000000000 AM	+00 00:26:41,000000	26.68	-00 00:26:41.000000	26.68
CPLK 37.01 26-SEP-24 11.34.19.00000000 AM 26-SEP-24 11.23.43.00000000 PM 400 00:49:24.000000 49.4 -00 00:49:24.000000 49.4 -00 00:49:24.000000 49.4 -00 00:49:24.000000 49.4 -00 00:49:24.000000 49.4 -00 00:49:24.000000 49.4 -00 00:49:24.000000 49.4 -00 00:49:24.000000 49.4 -00 00:49:24.000000 49.4 -00 00:49:24.0000000 PM 400 00:17:39.000000 PM	34199510	CS5695			CPLK	50 23-SEP-24 08.32.34.000000000 AM	23-SEP-24 09.06.24.000000000 AM	+00 00:33:50.000000	33.83	-00 00:33:50.000000	33.83
CPLK 12.92 26-SEP-24 11.57.37.00000000 AM 26-SEP-24 12.15.16.000000000 PM +00 00:17:39.000000 17.65 -00 00:17:39.000000 34341437 CS5691 26-SEP-24 12.17.20.00000000 PM +00 00:17:58.000000 17.97 -00 00:17:58.000000 34341883 CS5692 26-SEP-24 12.40.41.00000000 PM +00 00:37:43.000000 37.72 -00 00:37:43.000000 400 00:37:43.0000000 400 00:37:43.0000000 400 00:37:43.0000000 400 00:37:43.0000000 400 00:37:43.000000000 400 00:37:43.0000000 400 00:37:43.00000000 400 00:37:43.00000000 400 00:37:43.0000000 400 00:37:43.0000000000 400 00:37:43.00000000000 400 00:37:43.000000000000000000000000000000000000	34203032	CS5694			CPLK	33.52 23-SEP-24 10.22,49,0000000000 AM	23-SEP-24 10.38.31.000000000 AM	+00 00:15:42.000000	15.7	-00 00:15:42.000000	15.7
34341437 CS5691 21.35 26-SEP-24 12.17.20,00000000 PM 26-SEP-24 12.35,18,0000000 PM +00 00:17:58,000000 17.97 -00 00:17:58,000000 34341883 CS5692 38.61 26-SEP-24 12.27,18,0000000 PM 26-SEP-24 01.05,01,00000000 PM +00 00:37:43,00000 37.72 -00 00:37:43,00000 34342448 CS5691 31.12 26-SEP-24 12.40,41,0000000 PM 26-SEP-24 01.00,28,00000000 PM +00 00:19:47,00000 19.78 -00 00:19:47,00000 34344484 CS5691 60.18 26-SEP-24 01.26,24,00000000 PM 26-SEP-24 02.54,08,00000000 PM +00 00:19:47,00000 87.73 -00 01:27:44,00000 34345070 CS5692 CPLK 77.97 26-SEP-24 01.40,23,00000000 PM 26-SEP-24 02.30,09,00000000 PM +00 00:49:46,00000 49.77 -00 00:49:46,00000 34348679 CS5691 CPLK 20.52 26-SEP-24 02.57,34,00000000 PM 26-SEP-24 03.14,34,0000000 PM +00 00:17:00,000000 17 -00 00:17:00,000000 28401254 CS5695 CPLK 18.56 24-MAY-24 01.45,27,00000000 PM 24-MAY-24 02.30,00,00000000 PM +00 00:21:51,000000 7.73 -00 00:7:44,00000 28402295 CS5695 CPLK 38.91 24-MAY-24 02.08,09,000000000 PM 24-MAY-24 02.30,00,00000000 PM +00 00:21:51,000000 21.85 -00 00:21:51,000000	34339525	CS5692			CPLK	37.01 26-SEP-24 11.34.19.000000000 AM	26-SEP-24 12.23.43.000000000 PM	+00 00:49:24.000000	49.4	-00 00:49:24.000000	49.4
34341883 CS5692 38.61 26-SEP-24 12.27.18.00000000 PM 26-SEP-24 01.05.01.00000000 PM +00 00:37:43.00000 37.72 -00 00:37:43.00000 34342448 CS5691 31.12 26-SEP-24 12.40.41.0000000 PM 26-SEP-24 01.02.28.00000000 PM +00 00:19:47.00000 19.78 -00 00:19:47.00000 34344484 CS5691 60.18 26-SEP-24 01.26.24.0000000 PM 26-SEP-24 02.54.08.00000000 PM +00 01:27:44.00000 87.73 -00 01:27:44.00000 34345070 CS5692 CPLK 77.97 26-SEP-24 01.40.23.00000000 PM 26-SEP-24 02.30.09.00000000 PM +00 00:49:46.00000 49.77 -00 00:49:46.00000 34348679 CS5691 CPLK 20.52 26-SEP-24 02.57.34.0000000 PM 26-SEP-24 03.14.34.0000000 PM +00 00:17:00.00000 17 -00 00:17:00.00000 28401254 CS5695 CPLK 18.56 24-MAY-24 01.45.27.00000000 PM 24-MAY-24 01.53.11.00000000 PM +00 00:21:51.00000 7.73 -00 00:21:51.00000 28402295 CS5695 CPLK 38.91 24-MAY-24 02.08.09.000000000 PM 24-MAY-24 02.30.00.00000000 PM +00 00:21:51.000000 21.85 -00 00:21:51.000000	34340544	CS5691			CPLK	12.92 26-SEP-24 11.57.37.0000000000 AM	26-SEP-24 12.15.16.000000000 PM	+00 00:17:39.000000	17.65	-00 00:17:39.000000	17.65
34342448 CS5691 31.12 26-SEP-24 12.40.41.00000000 PM 26-SEP-24 01.00.28.000000000 PM +00 00:19:47.000000 19.78 -00 00:19:47.00000 34344484 CS5691 60.18 26-SEP-24 01.26.24.00000000 PM 26-SEP-24 02.54.08.00000000 PM +00 01:27:44.00000 87.73 -00 01:27:44.00000 34345070 CS5692 CPLK 77.97 26-SEP-24 01.40.23.0000000 PM 26-SEP-24 02.30.09.00000000 PM +00 00:49:46.00000 49.77 -00 00:49:46.00000 34348679 CS5691 CPLK 20.52 26-SEP-24 02.57.34.0000000 PM 26-SEP-24 03.14.34.0000000 PM +00 00:17:00.00000 17 -00 00:17:00.00000 28401254 CS5695 CPLK 18.56 24-MAY-24 01.45.27.00000000 PM 24-MAY-24 01.53.11.00000000 PM +00 00:21:51.000000 7.73 -00 00:7:44.00000 28402295 CS5695 CPLK 38.91 24-MAY-24 02.08.09.000000000 PM 24-MAY-24 02.30.00.00000000 PM +00 00:21:51.000000 21.85 -00 00:21:51.000000	34341437	CS5691			CPLK	21.35 26-SEP-24 12.17.20.000000000 PM	26-SEP-24 12.35.18.000000000 PM	+00 00:17:58.000000	17.97	-00 00:17:58.000000	17.97
34344484 CS5691 60.18 26-SEP-24 01.26.24,00000000 PM 26-SEP-24 02.54.08.00000000 PM +00 01:27:44,000000 87.73 -00 01:27:44.000000 34345070 CS5692 CPLK 77.97 26-SEP-24 01.40.23,00000000 PM 26-SEP-24 02.30.09,00000000 PM +00 00:49:46,000000 49.77 -00 00:49:46,00000 34348679 CS5691 CPLK 20.52 26-SEP-24 02.57,34,0000000 PM 26-SEP-24 03.14,34,0000000 PM +00 00:17:00,000000 17 -00 00:17:00,000000 28401254 CS5695 CPLK 18.56 24-MAY-24 01.45,27,00000000 PM 24-MAY-24 01.53,11,00000000 PM +00 00:07:44,00000 7.73 -00 00:744,00000 28402295 CS5695 CPLK 38.91 24-MAY-24 02.08,09,000000000 PM 24-MAY-24 02.30,00,000000000 PM +00 00:21:51,000000 21.85 -00 00:21:51,000000	34341883	CS5692			CPLK	38.61 26-SEP-24 12.27.18.000000000 PM	26-SEP-24 01.05.01.000000000 PM	+00 00:37:43.000000	37.72	-00 00:37:43.000000	37.72
34345070 CS5692 CPLK 77.97 26-SEP-24 01.40.23,000000000 PM 26-SEP-24 02.30,09.000000000 PM +00 00:49:46,000000 49.77 -00 00:49:46,000000 34348679 CS5691 20.52 26-SEP-24 02.57,34,0000000 PM 26-SEP-24 03.14,34,0000000 PM +00 00:17:00,000000 17 -00 00:17:00,000000 28401254 CS5695 24-MAY-24 01.45,27,00000000 PM 24-MAY-24 02.30,00,00000000 PM +00 00:07:44,000000 7.73 -00 00:07:44,00000 28402295 CS5695 24-MAY-24 02.08,09,000000000 PM 24-MAY-24 02.30,00,000000000 PM +00 00:21:51,000000 21.85 -00 00:21:51,000000	34342448	CS5691			CPLK	31.12 26-SEP-24 12.40.41.000000000 PM	26-SEP-24 01.00.28.000000000 PM	+00 00:19:47.000000	19.78	-00 00:19:47.000000	19.78
34348679 CS5691 CPLK 20.52 26-SEP-24 02.57.34.00000000 PM 26-SEP-24 03.14.34.00000000 PM +00 00:17:00.000000	34344484	CS5691			CPLK	60.18 26-SEP-24 01.26.24.000000000 PM	26-SEP-24 02.54.08.000000000 PM	+00 01:27:44.000000	87.73	-00 01:27:44.000000	87.73
28401254 CS5695 CPLK 18.56 24-MAY-24 01.45.27.000000000 PM 24-MAY-24 01.53.11.000000000 PM +00 00:07:44.000000 CPLK 38.91 24-MAY-24 02.08.09.00000000 PM +00 00:21:51,000000 PM +00 00:21:51,0000000 PM +00 00:21:51,0000000 PM +00 00:21:51,0000000 PM +00 00:21:51,000000000 PM +00 00:21:51,0000000 PM +00 00:21:51,00000000000 PM +00 00:21:51,0000000000 PM +00 00:21:51,00000000000 PM +00 00:21:51,000000000000 PM +00 00:21:51,000000000000 PM +00 00:21:51,000000000000000000 PM +00 00:21:51,000000000000000000000 PM +00 00:21:51,00000000000000000000000000000000000	34345070	CS5692			CPLK	77.97 26-SEP-24 01.40.23.0000000000 PM	26-SEP-24 02.30.09.000000000 PM	+00 00:49:46.000000	49.77	-00 00:49:46.000000	49.77
28402295 CS5695 CS5695 24-MAY-24 02.08.09.000000000 PM 24-MAY-24 02.30.00.00000000 PM +00 00:21:51.000000 21.85 -00 00:21:51.000000	34348679	CS5691			CPLK	20.52 26-SEP-24 02.57.34.000000000 PM	26-SEP-24 03.14.34.000000000 PM	+00 00:17:00.000000	17	-00 00:17:00.000000	17
	28401254	CS5695						+00 00:07:44.000000	7.73	-00 00:07:44.000000	7.73
20402422 CC5604 47.40 24 MAY 24 02 02 44 44 00000000 DM 40 00 44 44 0000000 DM 40 00 045 06 000000	28402295	CS5695			CPLK	38.91 24-MAY-24 02.08.09.0000000000 PN	24-MAY-24 02.30.00.0000000000 PM	+00 00:21:51.000000	21.85	-00 00:21:51.000000	21.85
	28403123	CS5691			CPLK	17.19 24-MAY-24 02.26.08.0000000000 PN	24-MAY-24 02.41.14.000000000 PM	+00 00:15:06.000000	15.1	-00 00:15:06.000000	15.1
28407689 CS5694 CS5694 CPLK 60.24 24-MAY-24 04.00.23.000000000 PM 24-MAY-24 04.24.22.000000000 PM +00 00:23:59,000000 23:59,000000 23:59,000000	28407689	CS5694			CPLK	60.24 24-MAY-24 04.00.23.000000000 PN	24-MAY-24 04.24.22.000000000 PM	+00 00:23:59.000000	23.98	-00 00:23:59.000000	23.98
28407890 CS5695 CS5695 CPLK 31.28 24-MAY-24 04.04.24,000000000 PM 24-MAY-24 04.21.13.00000000 PM +00 00:16:49.000000 16.82 -00 00:16:49.000000	28407890	CS5695			CPLK	31.28 24-MAY-24 04.04.24.0000000000 PN	24-MAY-24 04.21.13.000000000 PM	+00 00:16:49.000000	16.82	-00 00:16:49.000000	16.82

	SESSION_ID	CHARGER_ID	ADDRESS	СПУ	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION	TOTAL DURATION MINUTES
28410407	CS5694				CPLK	23.64 24-MAY-24 04.58.04.0000000000 PM	24-MAY-24 05.33.40.000000000 PM	+00 00:35:36.000000		-00 00:35:36.000000	35.6
28411587	CS5691				CPLK	21.08 24-MAY-24 05.22.01.000000000 PM	24-MAY-24 05.59.39.000000000 PM	+00 00:37:38.000000	37.63	-00 00:37:38.000000	37.63
28537906	CS5694				CPLK	17.94 27-MAY-24 12.31.50.000000000 PM	27-MAY-24 01.22.01.000000000 PM	+00 00:50:11.000000	50.18	-00 00:50:11.000000	50.18
28538436	CS5691				CPLK	66.02 27-MAY-24 12.43.04.000000000 PM	27-MAY-24 01.32.34.000000000 PM	+00 00:49:30.000000	49.5	-00 00:49:30.000000	49.5
28539251	CS5692				CPLK	26.97 27-MAY-24 01.01.00.000000000 PM	27-MAY-24 01.18.37.000000000 PM	+00 00:17:37.000000	17.62	-00 00:17:37.000000	17.62
28540154	CS5692				CPLK	50.38 27-MAY-24 01.22.22.000000000 PM	27-MAY-24 01.59.51.000000000 PM	+00 00:37:29.000000	37.48	-00 00:37:29.000000	37.48
28540188	CS5695				CPLK	55.55 27-MAY-24 01.23.13.000000000 PM	27-MAY-24 01.58.52.000000000 PM	+00 00:35:39.000000	35.65	-00 00:35:39.000000	35.65
28541997	CS5695				CPLK	21.44 27-MAY-24 02.02.02.0000000000 PM	27-MAY-24 02.12.13.000000000 PM	+00 00:10:11.000000	10.18	-00 00:10:11.000000	10.18
28542988	CS5694				CPLK	34.26 27-MAY-24 02.22.48.000000000 PM	27-MAY-24 02.57.51.000000000 PM	+00 00:35:03.000000	35.05	-00 00:35:03.000000	35.05
28547866	CS5694				CPLK	31.76 27-MAY-24 04.08.38.000000000 PM	27-MAY-24 04.33.02.000000000 PM	+00 00:24:24.000000	24.4	-00 00:24:24.000000	24.4
28548572	CS5695				CPLK	41.21 27-MAY-24 04.24.56.000000000 PM	27-MAY-24 04.49.39.000000000 PM	+00 00:24:43.000000	24.72	-00 00:24:43.000000	24.72
28550364	CS5695				CPLK	19.18 27-MAY-24 05.04.07.000000000 PM	27-MAY-24 05.39.52.000000000 PM	+00 00:35:45.000000	35.75	-00 00:35:45.000000	35.75
28552048	CS5692				CPLK	52.48 27-MAY-24 05.41.53.000000000 PM	27-MAY-24 06.32.34.000000000 PM	+00 00:50:41.000000	50.68	-00 00:50:41.000000	50.68
28552519	CS5695				CPLK	3.33 27-MAY-24 05.52.41.000000000 PM	27-MAY-24 05.54.15.000000000 PM	+00 00:01:34.000000	1.57	-00 00:01:34.000000	1.57
28553758	CS5695				CPLK	9.69 27-MAY-24 06.20.10.000000000 PM	27-MAY-24 06.24.41.000000000 PM	+00 00:04:31.000000	4.52	-00 00:04:31.000000	4.52
28554201	CS5694				CPLK	69.24 27-MAY-24 06.30.14.000000000 PM	27-MAY-24 07.59.41.000000000 PM	+00 01:29:27.000000	89.45	-00 01:29:27.000000	89.45
28557742	CS5692				CPLK	35.43 27-MAY-24 08.01.08.000000000 PM	27-MAY-24 08.50.07.000000000 PM	+00 00:48:59.000000	48.98	-00 00:48:59.000000	48.98
28559677	CS5695				CPLK	47.69 27-MAY-24 08.57.05.000000000 PM	27-MAY-24 10.45.07.000000000 PM	+00 01:48:02.000000	108.03	-00 01:48:02.000000	108.03
28560516	CS5694				CPLK	52.83 27-MAY-24 09.20.12.000000000 PM	27-MAY-24 09.39.39.000000000 PM	+00 00:19:27.000000	19.45	-00 00:19:27.000000	19.45
28560791	CS5692				CPLK	37.09 27-MAY-24 09.27.51.000000000 PM	27-MAY-24 09.51.14.000000000 PM	+00 00:23:23.000000	23.38	-00 00:23:23.000000	23.38
28563039	CS5692				CPLK	54.28 27-MAY-24 10.47.38.000000000 PM	28-MAY-24 12.07.38.000000000 AM	+00 01:20:00.000000	80	-00 01:20:00.000000	80
28564378	CS5695				CPLK	11.55 27-MAY-24 11.35.17.000000000 PM	27-MAY-24 11.56.37.000000000 PM	+00 00:21:20.000000	21.33	-00 00:21:20.000000	21.33
28568046	CS5694				CPLK	35.97 28-MAY-24 03.49.37.000000000 AM	28-MAY-24 04.26.09.000000000 AM	+00 00:36:32.000000	36.53	-00 00:36:32.000000	36.53
28570591	CS5691				CPLK	51.87 28-MAY-24 07.37.01.000000000 AM	28-MAY-24 08.32.20.000000000 AM	+00 00:55:19.000000	55.32	-00 00:55:19.000000	55.32
28572240	CS5695				CPLK	70.24 28-MAY-24 08.50.24.000000000 AM	28-MAY-24 09.21.34.000000000 AM	+00 00:31:10.000000	31.17	-00 00:31:10.000000	31.17
28572589	CS5692				CPLK	17.06 28-MAY-24 09.05.08.000000000 AM	28-MAY-24 09.52.24.000000000 AM	+00 00:47:16.000000	47.27	-00 00:47:16.000000	47.27
28573469	CS5695				CPLK	10.33 28-MAY-24 09.36.33.000000000 AM	28-MAY-24 10.09.02.000000000 AM	+00 00:32:29.000000	32.48	-00 00:32:29.000000	32.48
28577392	CS5695				CPLK	30.57 28-MAY-24 11.31.22.000000000 AM	28-MAY-24 12.08.08.000000000 PM	+00 00:36:46.000000	36.77	-00 00:36:46.000000	36.77
28578235	CS5691				CPLK	30.04 28-MAY-24 11.55.07.000000000 AM	28-MAY-24 01.15.10.000000000 PM	+00 01:20:03.000000	80.05	-00 01:20:03.000000	80.05
28578406	CS5694				CPLK	35.08 28-MAY-24 11.59.47.000000000 AM	28-MAY-24 12.15.22.000000000 PM	+00 00:15:35.000000	15.58	-00 00:15:35.000000	15.58
28578611	CS5692				CPLK	61.09 28-MAY-24 12.05.30.000000000 PM	28-MAY-24 12.54.26.000000000 PM	+00 00:48:56.000000	48.93	-00 00:48:56.000000	48.93
28583697	CS5695				CPLK	39.41 28-MAY-24 02.15.33.000000000 PM	28-MAY-24 02.53.04.000000000 PM	+00 00:37:31.000000	37.52	-00 00:37:31.000000	37.52
28792504	CS5695				CPLK	35.11 02-JUN-24 12.26.10.0000000000 PM	02-JUN-24 12.50.17.000000000 PM	+00 00:24:07.000000	24.12	-00 00:24:07.000000	24.12
28792671	CS5694				CPLK	44.62 02-JUN-24 12.29.28.000000000 PM	02-JUN-24 01.04.02.000000000 PM	+00 00:34:34.000000	34.57	-00 00:34:34.000000	34.57
28793857	CS5695				CPLK	41.27 02-JUN-24 12.53.17.000000000 PM	02-JUN-24 01.09.01.000000000 PM	+00 00:15:44.000000	15.73	-00 00:15:44.000000	15.73
28798362	CS5691				CPLK	13.96 02-JUN-24 02.28.35.0000000000 PM	02-JUN-24 02.45.13.000000000 PM	+00 00:16:38.000000	16.63	-00 00:16:38.000000	16.63
28798544	CS5694				CPLK	59.38 02-JUN-24 02.32.01.000000000 PM	02-JUN-24 02.54.18.000000000 PM	+00 00:22:17.000000	22.28	-00 00:22:17.000000	22.28
28799247	CS5692				CPLK	23.35 02-JUN-24 02.45.17.0000000000 PM	02-JUN-24 03.02.44.000000000 PM	+00 00:17:27.000000	17.45	-00 00:17:27.000000	17.45
28799279	CS5695				CPLK	38.55 02-JUN-24 02.45.53.0000000000 PM	02-JUN-24 03.04.18.000000000 PM	+00 00:18:25.000000	18.42	-00 00:18:25.000000	18.42
28801461	CS5691				CPLK	48.85 02-JUN-24 03.29.50.000000000 PM	02-JUN-24 05.15.20.000000000 PM	+00 01;45:30,000000	105.5	-00 01:45:30.000000	105.5
28803736	CS5692				CPLK	57.89 02-JUN-24 04.16.33.000000000 PM	02-JUN-24 05.52.11.000000000 PM	+00 01:35:38.000000	95.63	-00 01:35:38.000000	95.63
28808386	CS5695				CPLK	27.84 02-JUN-24 05.51.56.0000000000 PM	02-JUN-24 06.34.48.000000000 PM	+00 00:42:52.000000	42.87	-00 00:42:52.000000	42.87
28809999	CS5694				CPLK	42.82 02-JUN-2406.26.59.000000000 PM	02-JUN-24 06,52,25,000000000 PM	+00 00:25:26.000000	25.43	-00 00:25:26.000000	25.43
28815139	CS5695				CPLK	32.84 02-JUN-24 08.29.21.000000000 PM	02-JUN-24 08.49.02.000000000 PM	+00 00:19:41.000000	19.68	-00 00:19:41.000000	19.68
28815189	CS5691				CPLK	37.12 02-JUN-2408.31.13.0000000000 PM	02-JUN-24 09.38.00.000000000 PM	+00 01:06:47.000000	66.78	-00 01:06:47.000000	66.78
28821732	CS5695				CPLK	23.83 03-JUN-24 12.01.43.0000000000 AM	03-JUN-24 12.31.03.000000000 AM	+00 00:29:20.000000	29.33	-00 00:29:20.000000	29.33
34352877	CS5691				CPLK	17.28 26-SEP-24 04.30.57.0000000000 PM	26-SEP-24 04.43.48.000000000 PM	+00 00:12:51.000000	12.85	-00 00:12:51.000000	12.85
34352931	CS5692				CPLK	27.65 26-SEP-2404.32.24.000000000 PM	26-SEP-24 04.51.26.000000000 PM	+00 00:19:02.000000	19.03	-00 00:19:02.000000	19.03
34356042	CS5691				CPLK	11.6 26-SEP-24 05.41.03.0000000000 PM	26-SEP-24 05.54.07.000000000 PM	+00 00;13:04.000000	13.07	-00 00:13:04.000000	13.07
34358961	CS5691				CPLK	21 26-SEP-24 06.48.48.0000000000 PM	26-SEP-24 07.13.34.000000000 PM	+00 00:24:46.000000	24.77	-00 00:24:46.000000	24.77
34360243	CS5691				CPLK	13.23 26-SEP-2407.19.09.0000000000 PM	26-SEP-24 07.44.04.000000000 PM	+00 00:24:55.000000	24.92	-00 00:24:55.000000	24.92
34360309	CS5692				CPLK	16.68 26-SEP-24 07.20.47.000000000 PM	26-SEP-24 07.39.51.000000000 PM	+00 00:19:04.000000	19.07	-00 00:19:04.000000	19.07
34361313	CS5692				CPLK	18.06 26-SEP-24 07.45.27.000000000 PM	26-SEP-24 08.00.45.000000000 PM	+00 00:15:18.000000	15.3	-00 00:15:18.000000	15.3
			4								

	SESSION_ID	CHARGER_ID	ADDRESS CITY	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION	TOTAL DURATION MINUTES
34363979	CS5691			CPLK	44.48 26-SEP-2408.52.50.000000000 PM	26-SEP-24 10.37.36.000000000 PM	+00 01:44:46.000000		-00 01:44:46.000000	104.77
34365648	CS5692			CPLK	52.72 26-SEP-2409.37.51.000000000 PM	26-SEP-24 11.30.36.000000000 PM	+00 01:52:45.000000	112.75	-00 01:52:45.000000	112.75
34367743	CS5691			CPLK	51.27 26-SEP-24 10.40.18.000000000 PM	26-SEP-24 11.22.45.000000000 PM	+00 00:42:27.000000	42.45	-00 00:42:27.000000	42.45
34371674	CS5691			CPLK	49.47 27-SEP-2401.14.57.000000000 AM	27-SEP-24 02.13.11.000000000 AM	+00 00:58:14.000000	58.23	-00 00:58:14.000000	58.23
34374897	CS5692			CPLK	39.94 27-SEP-2404.40.23.000000000 AM	27-SEP-24 05.17.16.000000000 AM	+00 00:36:53.000000	36.88	-00 00:36:53.000000	36.88
34376415	CS5691			CPLK	28.15 27-SEP-2406.20.02.0000000000 AM	27-SEP-24 06.44.50.000000000 AM	+00 00:24:48.000000	24.8	-00 00:24:48.000000	24.8
34378567	CS5692			CPLK	42.49 27-SEP-24 07.55.26.000000000 AM	27-SEP-24 09.07.19.000000000 AM	+00 01:11:53.000000	71.88	-00 01:11:53.000000	71.88
34379966	CS5691			CPLK	48.96 27-SEP-2408.40.45.000000000 AM	27-SEP-24 10.07.49.000000000 AM	+00 01:27:04.000000	87.07	-00 01:27:04.000000	87.07
34381022	CS5692			CPLK	57.37 27-SEP-2409.12.39.000000000 AM	27-SEP-24 09.52.36.000000000 AM	+00 00:39:57.000000	39.95	-00 00:39:57.000000	39.95
34384917	CS5692			CPLK	28.41 27-SEP-24 10.53.13.0000000000 AM	27-SEP-24 11.51.02.000000000 AM	+00 00:57:49.000000	57.82	-00 00:57:49.000000	57.82
34389363	CS5691			CPLK	7.62 27-SEP-24 12.30.14.000000000 PM	27-SEP-24 12.37.13.000000000 PM	+00 00:06:59.000000	6.98	-00 00:06:59.000000	6.98
34389569	CS5692			CPLK	30.8 27-SEP-24 12.35.25.0000000000 PM	27-SEP-24 01.40.52.000000000 PM	+00 01:05:27.000000	65.45	-00 01:05:27.000000	65.45
34389956	CS5691			CPLK	36 27-SEP-24 12.43.48.0000000000 PM	27-SEP-24 01.38.20.000000000 PM	+00 00:54:32.000000	54.53	-00 00:54:32.000000	54.53
34392684	CS5691			CPLK	43.49 27-SEP-24 01.40.46.000000000 PM	27-SEP-24 02.20.23.000000000 PM	+00 00:39:37.000000	39.62	-00 00:39:37.000000	39.62
34393002	CS5692			CPLK	23.74 27-SEP-24 01.47.04.0000000000 PM	27-SEP-24 02.27.19.000000000 PM	+00 00:40:15.000000	40.25	-00 00:40:15.000000	40.25
34522615	CS5692			CPLK	36.12 29-SEP-2409.17.58.000000000 PM	29-SEP-24 09.51.20.000000000 PM	+00 00:33:22.000000	33.37	-00 00:33:22.000000	33.37
34524189	CS5692			CPLK	40.27 29-SEP-24 10.01.01.0000000000 PM	29-SEP-24 10.45.33.000000000 PM	+00 00:44:32.000000	44.53	-00 00:44:32.000000	44.53
34526403	CS5692			CPLK	49.59 29-SEP-2411.07.40.000000000 PM	30-SEP-24 12.08.42.000000000 AM	+00 01:01:02.000000	61.03	-00 01:01:02.000000	61.03
34529400	CS5691			CPLK	24.98 30-SEP-2401.11.24.0000000000 AM	30-SEP-24 02.10.14.000000000 AM	+00 00:58:50.000000	58.83	-00 00:58:50.000000	58.83
34531602	CS5691			CPLK	12.91 30-SEP-24 03.28.30.000000000 AM	30-SEP-24 03.42.10.000000000 AM	+00 00:13:40.000000	13.67	-00 00:13:40.000000	13.67
34532264	CS5692			CPLK	21.5 30-SEP-24 04.18.43.0000000000 AM	30-SEP-24 04.58.28.000000000 AM	+00 00:39:45.000000	39.75	-00 00:39:45.000000	39.75
34535738	CS5691			CPLK	27.57 30-SEP-24 07.38.05.0000000000 AM	30-SEP-24 08.15.07.000000000 AM	+00 00:37:02.000000	37.03	-00 00:37:02.000000	37.03
30372256	CS5695			CPLK	48.78 07-JUL-24 01.10.05.000000000 AM	07-JUL-24 01.57.23.000000000 AM	+00 00:47:18.000000	47.3	-00 00:47:18.000000	47.3
30373093	CS5692			CPLK	50.51 07-JUL-24 01.49.48,000000000 AM	07-JUL-24 02.53.03.000000000 AM	+00 01:03:15.000000	63.25	-00 01:03:15.000000	63.25
30377421	CS5695			CPLK	70.21 07-JUL-24 06.39.07.000000000 AM	07-JUL-24 07.38.40.000000000 AM	+00 00:59:33.000000	59.55	-00 00:59:33.000000	59.55
30377895	CS5691			CPLK	17.22 07-JUL-24 07.06.16.000000000 AM	07-JUL-24 07.25.43.000000000 AM	+00 00:19:27.000000	19.45	-00 00:19:27.000000	19.45
30378574	CS5691			CPLK	64.82 07-JUL-24 07.39.02.000000000 AM	07-JUL-24 09.11.10.000000000 AM	+00 01:32:08.000000	92.13	-00 01:32:08.000000	92.13
32491140	CS5694	5.7		CPLK	25.01 19-AUG-24 06.56.48.000000000 PM	19-AUG-24 07.42.06.000000000 PM	+00 00:45:18.000000	45.3	-00 00:45:18.000000	45.3
32492580	CS5695			CPLK	57.15 19-AUG-24 07.26.20.000000000 PM	19-AUG-24 07.47.53.000000000 PM	+00 00:21:33.000000	21.55	-00 00:21:33.000000	21.55
32587986	CS5691			CPLK	27.86 21-AUG-24 08.06.02.0000000000 PM	21-AUG-24 09.28.34.000000000 PM	+00 01:22:32.000000	82.53	-00 01:22:32.000000	82.53
32589974	CS5695			CPLK	33 21-AUG-24 08.52.37.000000000 PM	21-AUG-24 09.41.47.000000000 PM	+00 00:49:10.000000	49.17	-00 00:49:10.000000	49.17
32591038	CS5694			CPLK	86.45 21-AUG-24 09.18.43.000000000 PM	21-AUG-24 09.50.41.000000000 PM	+00 00:31:58.000000	31.97	-00 00:31:58.000000	31.97
32592461	CS5695			CPLK	33.2 21-AUG-24 09.55.15.000000000 PM	21-AUG-24 10.05.08.000000000 PM	+00 00:09:53.000000	9.88	-00 00:09:53.000000	9.88
32592891	CS5692			CPLK	17.1 21-AUG-24 10.06.16.0000000000 PM	21-AUG-24 10.25.46.000000000 PM	+00 00:19:30.000000	19.5	-00 00:19:30.000000	19.5
32595090	CS5692			CPLK	43.64 21-AUG-24 11.11.29.000000000 PM	21-AUG-24 11.58.23.000000000 PM	+00 00:46:54.000000	46.9	-00 00:46:54.000000	46.9
32597354	CS5694			CPLK	45.89 22-AUG-24 12.29.46.000000000 AM	22-AUG-24 01.52.48.000000000 AM	+00 01:23:02.000000	83.03	-00 01:23:02.000000	83.03
32600311	CS5695			CPLK	61.42 22-AUG-24 03.22,33.0000000000 AM	22-AUG-24 04.34.28.000000000 AM	+00 01:11:55.000000	71.92	-00 01:11:55.000000	71.92
32600852	CS5694			CPLK	52.47 22-AUG-24 04.10.31,000000000 AM	22-AUG-24 05.44.25.000000000 AM	+00 01:33:54.000000	93.9	-00 01:33:54.000000	93.9
32601040	CS5692			CPLK	11.37 22-AUG-24 04.24,26,0000000000 AM	22-AUG-24 04.34.04.000000000 AM	+00 00:09:38.000000	9.63	-00 00:09:38.000000	9.63
32603028	CS5692			CPLK	66.1 22-AUG-24 06.37,38.0000000000 AM	22-AUG-24 07.20.19.000000000 AM	+00 00:42:41.000000	42.68	-00 00:42:41.000000	42.68
32603271	CS5694			CPLK	4.76 22-AUG-24 06.51.10.0000000000 AM	22-AUG-24 06.55.32.000000000 AM	+00 00:04:22.000000	4.37	-00 00:04:22.000000	4.37
32603479	CS5694			CPLK	14.91 22-AUG-24 07.00.28.000000000 AM	22-AUG-24 07.16.12.000000000 AM	+00 00:15:44.000000	15.73	-00 00:15:44.000000	15.73
32605316	CS5695			CPLK	35.64 22-AUG-24 08.12.26.000000000 AM	22-AUG-24 09.20.24.000000000 AM	+00 01:07:58.000000	67.97	-00 01:07:58.000000	67.97
32605558	CS5692			CPLK	47.77 22-AUG-24 08.19.51.000000000 AM	22-AUG-24 09.02.26.000000000 AM	+00 00:42:35.000000	42.58	-00 00:42:35.000000	42.58
32606858	CS5694			CPLK	32.07 22-AUG-24 09.01.08.0000000000 AM	22-AUG-24 09.15.15.000000000 AM	+00 00:14:07.000000	14.12	-00 00:14:07.000000	14.12
32606999	CS5692			CPLK	39.32 22-AUG-24 09.04,49.0000000000 AM	22-AUG-24 10.23.12.000000000 AM	+00 01:18:23.000000	78.38	-00 01:18:23.000000	78.38
32607877	CS5694			CPLK	73.54 22-AUG-24 09.31.13.0000000000 AM	22-AUG-24 10.09.20.000000000 AM	+00 00:38:07.000000	38.12	-00 00:38:07.000000	38.12
32608179	CS5695			CPLK	19.03 22-AUG-24 09.39.46.000000000 AM	22-AUG-24 10.00.26.000000000 AM	+00 00:20:40.000000	20.67	-00 00:20:40.000000	20.67
32609132	CS5695			CPLK	56.02 22-AUG-24 10.07.23.000000000 AM	22-AUG-24 10.27.19.000000000 AM	+00 00:19:56,000000	19.93	-00 00:19:56.000000	19.93
32609178	CS5691			CPLK	24.39 22-AUG-24 10.08,32.000000000 AM	22-AUG-24 10.43.21.000000000 AM	+00 00:34:49.000000	34.82	-00 00:34:49.000000	34.82
32609372	CS5694			CPLK	48.47 22-AUG-24 10.12.38.000000000 AM	22-AUG-24 10.46.10.000000000 AM	+00 00:33:32.000000	33.53	-00 00:33:32.000000	33.53
32610951	CS5695			CPLK	39.35 22-AUG-24 10.50.08.0000000000 AM	22-AUG-24 11.22.46.000000000 AM	+00 00:32:38.000000	32.63	-00 00:32:38.000000	32.63
32611860	CS5692			CPLK	55.95 22-AUG-24 11.12.12.0000000000 AM	22-AUG-24 12,44.00.000000000 PM	+00 01:31:48.000000	91.8	-00 01:31:48.000000	91.8

	SESSION_ID	CHARGER ID	ADDRESS CITY	STATE ZIP JURISDIC	USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION_HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
32612913	CS5695			CPLK	63.92 22-AUG-24 11.37.04.000000000 AM	22-AUG-24 12.18.30.000000000 PM	+00 00:41:26.000000	41.43	00 00:41:26.000000	41.43
32614969	CS5695			CPLK	29.58 22-AUG-24 12.24.22.000000000 PM	22-AUG-24 12.56.36.000000000 PM	+00 00:32:14.000000	32.23	00 00:32:14.000000	32.23
32615412	CS5694			CPLK	54.46 22-AUG-24 12.34.10.000000000 PM	22-AUG-24 01.04.02.000000000 PM	+00 00:29:52.000000	29.87	00 00:29:52.000000	29.87
32616144	CS5692			CPLK	94.11 22-AUG-24 12.50.21.000000000 PM	22-AUG-24 02.04.21.000000000 PM	+00 01:14:00.000000	74	00 01:14:00.000000	74
32616982	CS5694			CPLK	27.62 22-AUG-24 01.08,59.000000000 PM	22-AUG-24 01.51.10.000000000 PM	+00 00:42:11.000000	42.18	00 00:42:11.000000	42.18
32618349	CS5691			CPLK	47.56 22-AUG-2401.36.31.000000000 PM	22-AUG-24 02.41.52.000000000 PM	+00 01:05:21.000000	65.35	00 01:05:21.000000	65.35
32618457	C\$5695			CPLK	40.98 22-AUG-2401.38,56,000000000 PM	22-AUG-24 01.54.48.000000000 PM	+00 00:15:52.000000	15.87	00 00:15:52.000000	15.87
32619367	CS5694			CPLK	53.62 22-AUG-24 02.00.26.000000000 PM	22-AUG-24 02.48.41.000000000 PM	+00 00:48:15.000000	48.25	00 00:48:15.000000	48.25
32619921	CS5695			CPLK	27.91 22-AUG-24 02.11.30.000000000 PM	22-AUG-24 02.47.31.000000000 PM	+00 00:36:01.000000	36.02	00 00:36:01.000000	36.02
32620266	CS5692			CPLK	34.39 22-AUG-2402.17.38.000000000 PM	22-AUG-24 03.00.37.000000000 PM	+00 00:42:59.000000	42.98	00 00:42:59.000000	42.98
32622063	CS5695			CPLK	55.22 22-AUG-24 02,53,12,000000000 PM	22-AUG-24 03.26.21.000000000 PM	+00 00:33:09.000000	33.15	00000:33:09.000000	33.15
32623300	CS5692			CPLK	37.58 22-AUG-2403.16.38.000000000 PM	22-AUG-24 04.07.02.000000000 PM	+00 00:50:24.000000	50.4	00 00:50:24.000000	50.4
32624247	CS5691			CPLK	3.98 22-AUG-24 03,35,21,000000000 PM	22-AUG-24 03.40.58.000000000 PM	+00 00:05:37.000000	5.62	-00 00:05:37.000000	5.62
32624459	CS5695			CPLK	51.83 22-AUG-24 03.39.48.000000000 PM	22-AUG-24 04.18.55.000000000 PM	+00 00:39:07.000000	39.12	00 00:39:07.000000	39.12
32626180	CS5691			CPLK	46.76 22-AUG-24 04.14.30.000000000 PM	22-AUG-24 04.50.15.000000000 PM	+00 00:35:45.000000	35.75	00 00:35:45.000000	35.75
32626588	CS5692			CPLK	27.43 22-AUG-24 04.22.46.000000000 PM	22-AUG-24 04.49.06.000000000 PM	+00 00:26:20.000000	26.33	00 00:26:20.000000	26.33
32627830	CS5695			CPLK	56.07 22-AUG-24 04.50.11.000000000 PM	22-AUG-24 05.28.13.000000000 PM	+00 00:38:02.000000	38.03	00 00:38:02.000000	38.03
32628522	CS5692			CPLK	52.93 22-AUG-24 05.03.49.000000000 PM	22-AUG-24 06.14.59.000000000 PM	+00 01:11:10.000000	71.17	00 01:11:10.000000	71.17
32630371	CS5695			CPLK	32.99 22-AUG-24 05.42,12,000000000 PM	22-AUG-24 05.51.42.000000000 PM	+00 00:09:30.000000	9.5	00000:09:30.000000	9.5
32631202	CS5694			CPLK	43.78 22-AUG-24 05.59.58.000000000 PM	22-AUG-24 06.34.35.000000000 PM	+00 00:34:37.000000	34.62	00 00:34:37.000000	34.62
32631704	CS5695			CPLK	24.5 22-AUG-24 06.10.08.000000000 PM	22-AUG-24 06.22.54.000000000 PM	+00 00:12:46.000000	12.77	00 00:12:46.000000	12.77
32632673	CS5695			CPLK	45.79 22-AUG-24 06.30.46.000000000 PM	22-AUG-24 07.00.13.000000000 PM	+00 00:29:27.000000	29.45	00 00:29:27.000000	29.45
32636385	CS5692			CPLK	11.87 22-AUG-24 07.50.55.000000000 PM	22-AUG-24 08.03.06.000000000 PM	+00 00:12:11.000000	12.18	00 00:12:11.000000	12.18
32636633	CS5694			CPLK	14.85 22-AUG-24 07.56.06.000000000 PM	22-AUG-24 08.01.56.000000000 PM	+00 00:05:50.000000	5.83	00 00:05:50.000000	5.83
32636687	CS5695			CPLK	29.15 22-AUG-24 07.57.03.000000000 PM	22-AUG-24 08.10.05.000000000 PM	+00 00:13:02.000000	13.03	00 00:13:02.000000	13.03
32636772	CS5691			CPLK	34.75 22-AUG-24 07.58.43.000000000 PM	22-AUG-24 09.26.12.000000000 PM	+00 01:27:29.000000	87.48	00 01:27:29.000000	87.48
32637039	CS5694			CPLK	50.8 22-AUG-24 08,05,48,0000000000 PM	22-AUG-24 08.35.59.000000000 PM	+00 00:30:11.000000	30.18	00 00:30:11.000000	30.18
32638279	CS5695	5.0		CPLK	52.73 22-AUG-24 08.35.50.000000000 PM	22-AUG-24 09.25.38.000000000 PM	+00 00:49:48.000000	49.8	00 00:49:48.000000	49.8
32638634	CS5692			CPLK	45.31 22-AUG-24 08.44.27.000000000 PM	22-AUG-24 09.53.45,000000000 PM	+00 01:09:18.000000	69.3	00 01:09:18.000000	69.3
32639344	CS5694			CPLK	45.65 22-AUG-24 09.03,21.000000000 PM	22-AUG-24 09.35.27.000000000 PM	+00 00:32:06.000000	32.1	00 00:32:06.000000	32.1
32640945	CS5695			CPLK	24.95 22-AUG-24 09.41.37.000000000 PM	22-AUG-24 10.37.39.000000000 PM	+00 00:56:02.000000	56.03	00 00:56:02.000000	56.03
32641628	CS5692			CPLK	42.76 22-AUG-24 10,00.58.000000000 PM	22-AUG-24 10.43.32.000000000 PM	+00 00:42:34.000000	42.57	00 00:42:34.000000	42.57
32641963	CS5694			CPLK	28.47 22-AUG-24 10.09.54.000000000 PM	22-AUG-24 10.41.02.000000000 PM	+00 00:31:08.000000	31.13	00000:31:08.000000	31.13
32642677	CS5691			CPLK	30.7 22-AUG-24 10.31.45.000000000 PM	22-AUG-24 11.28.51.000000000 PM	+00 00:57:06.000000	57.1	00 00:57:06.000000	57.1
32645375	CS5695			CPLK	27.84 22-AUG-24 11.59.47.000000000 PM	23-AUG-24 12.33.40.000000000 AM	+00 00:33:53.000000	33.88	00 00:33:53.000000	33.88
32648173	CS5692			CPLK	48.78 23-AUG-24 02.09.32.000000000 AM	23-AUG-24 03.16.46.000000000 AM	+00 01:07:14.000000	67.23	00 01:07:14.000000	67.23
32780388	CS5694			CPLK	51.99 25-AUG-24 03.11.10.000000000 PM	25-AUG-24 04.07.05.0000000000 PM	+00 00:55:55.000000	55.92	00 00:55:55.000000	55.92
32780738	CS5692			CPLK	10.86 25-AUG-24 03.17.42,000000000 PM	25-AUG-24 04.01.56.000000000 PM	+00 00:44:14.000000	44.23	00 00:44:14.000000	44.23
32781024	CS5695			CPLK	56.55 25-AUG-24 03.23.39.000000000 PM	25-AUG-24 04.24.50.000000000 PM	+00 01:01:11.000000	61.18	00 01:01:11.000000	61.18
32783480	CS5692			CPLK	60.78 25-AUG-24 04.07.38.000000000 PM	25-AUG-24 06.08.16.000000000 PM	+00 02:00:38.000000	120.63	00 02:00:38.000000	120.63
32786072	CS5691			CPLK	61.36 25-AUG-24 04.56,23.000000000 PM	25-AUG-24 06.53.34.000000000 PM	+00 01:57:11.000000	117.18	00 01:57:11.000000	117.18
32786224	CS5695			CPLK	35.43 25-AUG-24 04.59.27.000000000 PM	25-AUG-24 05.24.01.000000000 PM	+00 00:24:34.000000	24.57	00 00:24:34.000000	24.57
32788838	CS5695			CPLK	46.42 25-AUG-24 05,49,49,0000000000 PM	25-AUG-24 06.34.05.000000000 PM	+00 00:44:16.000000	44.27	00 00:44:16.000000	44.27
32788992	CS5694			CPLK	41.56 25-AUG-24 05.52.37.000000000 PM	25-AUG-24 06.49.08.000000000 PM	+00 00:56:31.000000	56.52	00 00:56:31.000000	56.52
32790557	CS5692			CPLK	2.17 25-AUG-24 06,23,11,0000000000 PM	25-AUG-24 06.25.05.000000000 PM	+00 00:01:54.000000	1.9	00 00:01:54.000000	1.9
32792554	CS5694			CPLK	95.5 25-AUG-24 07.02.14.000000000 PM	25-AUG-24 08.03.46.000000000 PM	+00 01:01:32.000000	61.53	00 01:01:32.000000	61.53
32794793	CS5695			CPLK	25.28 25-AUG-24 07.48.41.000000000 PM	25-AUG-24 08.22.04.000000000 PM	+00 00:33:23.000000	33.38	00 00:33:23.000000	33.38
32795332	CS5692			CPLK	21.08 25-AUG-24 08.00.42.0000000000 PM	25-AUG-24 08.14.00.000000000 PM	+00 00:13:18.000000	13.3	00 00:13:18.000000	13.3
32796017	CS5692			CPLK	42.89 25-AUG-24 08.15.20.000000000 PM	25-AUG-24 08.49.46.000000000 PM	+00 00:34:26.000000	34.43	00 00:34:26.000000	34.43
32796173	CS5694			CPLK	51.38 25-AUG-24 08.18.49.000000000 PM	25-AUG-24 08.52.50.000000000 PM	+00 00:34:01.000000	34.02	00 00:34:01.000000	34.02
32800767	CS5695			CPLK	56.56 25-AUG-24 10.10.15.000000000 PM	26-AUG-24 12.04.50.000000000 AM	+00 01:54:35.000000	114.58	00 01:54:35.000000	114.58
32805986	CS5695			CPLK	48.37 26-AUG-24 01.26.06.0000000000 AM	26-AUG-24 02.38.17.000000000 AM	+00 01:12:11.000000	72.18	00 01:12:11.000000	72.18
32808917	CS5695			CPLK	CO EC OC AUG DADA 40 ED DODDODDOD AM	26-AUG-24 06.33,10,000000000 AM	.00.04.44.40.000000	104.2	00 01:44:18.000000	104.3

	SESSION_ID	CHARGER_ID	ADDRESS	СІТУ	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
32809502	CS5691				CPLK	42.07 26-AUG-24 05.35.44.000000000 AM	26-AUG-24 06.17.11.000000000 AM	+00 00:41:27.000000	41.45	-00 00:41:27.000000	41.45
32809997	CS5692				CPLK	25.27 26-AUG-24 06.10.51.000000000 AM	26-AUG-24 06.58.54.000000000 AM	+00 00:48:03.000000	48.05	-00 00:48:03.000000	48.05
32810832	CS5691	- 1			CPLK	29.01 26-AUG-24 06.58.17.000000000 AM	26-AUG-24 07.39.37.000000000 AM	+00 00:41:20.000000	41.33	-00 00:41:20.000000	41.33
32811444	CS5692				CPLK	19.11 26-AUG-24 07.26.14.000000000 AM	26-AUG-24 07.43.05.000000000 AM	+00 00:16:51.000000	16.85	-00 00:16:51.000000	16.85
32813926	CS5695				CPLK	60.8 26-AUG-24 08.56.34.000000000 AM	26-AUG-24 09.27.49.000000000 AM	+00 00:31:15.000000	31.25	-00 00:31:15.000000	31.25
32814444	CS5692				CPLK	35.51 26-AUG-24 09.12.57.000000000 AM	26-AUG-24 09.59.27.000000000 AM	+00 00:46:30.000000	46.5	-00 00:46:30.000000	46.5
32814725	CS5691				CPLK	44.23 26-AUG-24 09.21.02,0000000000 AM	26-AUG-24 10.53.55.000000000 AM	+00 01:32:53.000000	92.88	-00 01:32:53.000000	92.88
34536514	CS5692				CPLK	40.83 30-SEP-2408.08.17.0000000000 AM	30-SEP-24 08.47.54.000000000 AM	+00 00:39:37.000000	39.62	-00 00:39:37.000000	39.62
34541421	CS5691				CPLK	58.49 30-SEP-24 10.34.30.0000000000 AM	30-SEP-24 11.11.15.000000000 AM	+00 00:36:45.000000	36.75	-00 00:36:45.000000	36.75
34544944	CS5691				CPLK	52.82 30-SEP-24 12.00.35.0000000000 PM	30-SEP-24 12.55.14.000000000 PM	+00 00:54:39.000000	54.65	-00 00:54:39.000000	54.65
34548925	CS5691				CPLK	45.01 30-SEP-24 01.30.55.000000000 PM	30-SEP-24 02.08.05.000000000 PM	+00 00:37:10.000000	37.17	-00 00:37:10.000000	37.17
34549596	CS5692				CPLK	26.28 30-SEP-2401.46.19.0000000000 PM	30-SEP-24 02.23.15.000000000 PM	+00 00:36:56.000000	36.93	-00 00:36:56.000000	36.93
34552167	CS5691				CPLK	22.09 30-SEP-24 02.41.16.000000000 PM	30-SEP-24 02.58.40.000000000 PM	+00 00:17:24.000000	17.4	-00 00:17:24.000000	17.4
34552667	CS5692				CPLK	25.22 30-SEP-24 02.52.46.000000000 PM	30-SEP-24 03.25.59.000000000 PM	+00 00:33:13.000000	33.22	-00 00:33:13.000000	33.22
34553560	CS5691				CPLK	39.77 30-SEP-24 03.12.34.000000000 PM	30-SEP-24 04.19.05.000000000 PM	+00 01:06:31.000000	66.52	-00 01:06:31.000000	66.52
34554848	CS5692				CPLK	48.42 30-SEP-2403.39.58.000000000 PM	30-SEP-24 04.44.11.000000000 PM	+00 01:04:13.000000	64.22	-00 01:04:13.000000	64.22
34557061	CS5691				CPLK	28.11 30-SEP-24 04.31.34.000000000 PM	30-SEP-24 05.14.40.000000000 PM	+00 00:43:06.000000	43.1	-00 00:43:06.000000	43.1
34562332	CS5692				CPLK	57.59 30-SEP-2406.29.22.000000000 PM	30-SEP-24 07.25.21.000000000 PM	+00 00:55:59.000000	55.98	-00 00:55:59.000000	55.98
34563484	CS5691				CPLK	52.38 30-SEP-24 06.55.40.000000000 PM	30-SEP-24 08.15.54.000000000 PM	+00 01:20:14.000000	80.23	-00 01:20:14.000000	80.23
34565791	CS5692				CPLK	49 30-SEP-24 07,49.32.000000000 PM	30-SEP-24 08.21.12.000000000 PM	+00 00:31:40.000000		-00 00:31:40.000000	31.67
34567378	CS5692				CPLK	32.94 30-SEP-2408.27.25.000000000 PM	30-SEP-24 09.23.51.000000000 PM	+00 00:56:26.000000	56.43	-00 00:56:26.000000	56.43
34571005	CS5691				CPLK	48.07 30-SEP-24 10.06.59.000000000 PM	30-SEP-24 10.39.33.000000000 PM	+00 00:32:34.000000	32.57	-00 00:32:34.000000	32.57
34572196	CS5692				CPLK	35.57 30-SEP-24 10.46.35.000000000 PM	30-SEP-24 11.20.03.000000000 PM	+00 00:33:28.000000	33.47	-00 00:33:28.000000	33.47
34572971	CS5691				CPLK	38.96 30-SEP-2411.13.48.000000000 PM	01-OCT-24 12.46.32.000000000 AM	+00 01:32:44.000000		-00 01:32:44.000000	92.73
34576934	CS5692				CPLK	37.15 01-OCT-24 02.34.05.000000000 AM	01-OCT-24 03.25.51.000000000 AM	+00 00:51:46.000000		-00 00:51:46.000000	51.77
34579527	CS5692	-	7		CPLK	44.35 01-OCT-2405.59.42.000000000 AM	01-OCT-24 07.21.53.0000000000 AM	+00 01:22:11.000000		-00 01:22:11.000000	82.18
34579544	CS5691				CPLK	40.89 01-OCT-2406.01.43.000000000 AM	01-OCT-24 06.39.11.0000000000 AM	+00 00:37:28.000000		-00 00:37:28.000000	37.47
34580848	CS5691				CPLK	75.52 01-OCT-24 07.12.12.000000000 AM	01-OCT-24 07.59.33.000000000 AM	+00 00:47:21.000000		-00 00:47:21.000000	47.35
34581543	CS5692				CPLK	37.03 01-OCT-24 07.45.49.000000000 AM	01-OCT-24 08.28.18.000000000 AM	+00 00:42:29.000000		-00 00:42:29.000000	42.48
34582308	CS5691				CPLK	39.43 01-OCT-24 08.16.07.0000000000 AM	01-OCT-24 08.55,29.000000000 AM	+00 00:39:22.000000		-00 00:39:22.000000	39.37
34853305	CS5691				CPLK	20.66 06-OCT-24 05.13.49.000000000 PM	06-OCT-24 05.31.42.0000000000 PM	+00 00:17:53.000000		-00 00:17:53.000000	17.88
34854741	CS5691				CPLK	41.08 06-OCT-24 05.41.42,0000000000 PM	06-OCT-24 06.36.12.000000000 PM	+00 00:54:30.000000		-00 00:54:30.000000	54.5
34858621	CS5692				CPLK	15.68 06-OCT-24 07.00.19.0000000000 PM	06-OCT-24 07.16.30.0000000000 PM	+00 00:16:11.000000		-00 00:16:11.000000	16.18
34859022	CS5691				CPLK	73.12 06-OCT-24 07.08.00.0000000000 PM	06-OCT-24 08.03.09.0000000000 PM	+00 00:55:09.000000		-00 00:55:09.000000	55.15
34863142	CS5692				CPLK	55.35 06-OCT-24 08.40.21.000000000 PM	06-OCT-24 10.28.36.0000000000 PM	+00 01:48:15.000000		-00 01:48:15.000000	108.25
34865425	CS5691				CPLK	13.69 06-OCT-24 09.36.53.000000000 PM	06-OCT-24 10.17.57.0000000000 PM	+00 00:41:04.000000		-00 00:41:04.000000	41.07
34868172	CS5692				CPLK	28.83 06-OCT-24 10.56.23.000000000 PM	06-OCT-24 11.20.16.0000000000 PM	+00 00:23:53.000000		-00 00:23:53.000000	23.88
34872093	CS5692				CPLK	21.07 07-OCT-24 01.27.07.0000000000 AM	07-OCT-24 01.57.06.0000000000 AM	+00 00:29:59.000000		-00 00:29:59.000000	29.98
34872414	CS5691				CPLK	44.47 07-OCT-24 01.43.43.000000000 AM	07-OCT-24 02.29.12.0000000000 AM	+00 00:45:29.000000		-00 00:45:29.000000	45.48
34872676	CS5692				CPLK	43.66 07-OCT-24 01.59.40.000000000 AM	07-OCT-24 03.11.34.0000000000 AM	+00 01:11:54.000000		-00 01:11:54.000000	71.9
34874898	CS5692				CPLK	46.77 07-OCT-24 04.23.31.000000000 AM	07-OCT-24 05.01.22.0000000000 AM	+00 00:37:51.000000		-00 00:37:51.000000	37.85
34875594	CS5692				CPLK	24.39 07-OCT-24 05.11.15.0000000000 AM	07-OCT-24 05.56.38.0000000000 AM	+00 00:45:23.000000		-00 00:45:23.000000	45.38
34879455	CS5691				CPLK	75.52 07-OCT-24 08.18.49.000000000 AM	07-OCT-24 09.06.11.0000000000 AM	+00 00:47:22.000000		-00 00:47:22.000000	47.37
34879595	CS5692				CPLK	57.51 07-OCT-24 08.23.45.000000000 AM	07-OCT-24 09.14.36.000000000 AM	+00 00:50:51.000000		-00 00:50:51.000000	50.85
34881002	CS5691				CPLK	75.53 07-OCT-24 09.10.42.0000000000 AM	07-OCT-24 09.58.13.0000000000 AM	+00 00:47:31,000000		-00 00:47:31.000000	47.52
34882151	CS5692				CPLK	51.86 07-OCT-24 09.43.44.0000000000 AM	07-OCT-24 10.34.32.000000000 AM	+00 00:50:48.000000		-00 00:50:48.000000	50.8
34883257	CS5691				CPLK	13.93 07-OCT-24 10.14.23.0000000000 AM		+00 00:27:18.000000		-00 00:27:18.000000	27.3
34884386	CS5692				CPLK	91.24 07-OCT-24 10.40.50.0000000000 AM		+00 00:56:58.000000		-00 00:56:58.000000	56.97
34884519	CS5691				CPLK	23.19 07-OCT-24 10.43.58.0000000000 AM		+00 00:35:48.000000		-00 00:35:48.000000	35.8
34886150	CS5691				CPLK	66.01 07-OCT-24 11.24.22.0000000000 AM		+00 00:42:14.000000		-00 00:42:14.000000	42.23 36.7
34886911 34890290	CS5692 CS5692				CPLK CPLK	29.95 07-OCT-24 11.41.40.0000000000 AM 30.73 07-OCT-24 12.59.36.000000000 PM		+00 00:36:42.000000 +00 00:32:30.000000		-00 00:36:42.000000 -00 00:32:30.000000	32.5
					CPLK			+00 00:32:30.000000			38.35
34892200	CS5692				CPLK	45.14 07-OCT-2401.40.25.0000000000 PM	07-0C1-24 02.16.40.0000000000 PM	+00 00:36:21.000000	38.35	-00 00:38:21.000000	30.35

	SESSION_ID	CHARGER_ID	ADDRESS	CITY STAT	TE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION	TOTAL DURATION MINUTES
34895020	CS5692				CPLK	44.39 07-OCT-2402.41.58.000000000 PM	07-OCT-24 03.09.47.000000000 PM	+00 00:27:49.000000		-00 00:27:49.000000	27.82
34897697	CS5692	1			CPLK	44.4 07-OCT-24 03.42.43.000000000 PM	07-OCT-24 04.15.16.000000000 PM	+00 00:32:33.000000	32.55	-00 00:32:33.000000	32.55
34904550	CS5692	1			CPLK	33.84 07-OCT-2406.16.53.0000000000 PM	07-OCT-24 07.10.24.000000000 PM	+00 00:53:31.000000	53.52	-00 00:53:31.000000	53.52
28823515	CS5691				CPLK	42.82 03-JUN-2401.39.10.000000000 AM	03-JUN-24 02.52.47.000000000 AM	+00 01:13:37.000000	73.62	-00 01:13:37.000000	73.62
28823641	CS5694				CPLK	63.78 03-JUN-2401.47.51.000000000 AM	03-JUN-24 02.29.35.000000000 AM	+00 00:41:44.000000	41.73	-00 00:41:44.000000	41.73
28826282	CS5691				CPLK	31 03-JUN-24 05.44.09.000000000 AM	03-JUN-24 06.11.19.000000000 AM	+00 00:27:10.000000	27.17	-00 00:27:10.000000	27.17
28826363	CS5694				CPLK	40.93 03-JUN-2405.50.44,0000000000 AM	03-JUN-24 06.28.37.000000000 AM	+00 00:37:53.000000	37.88	-00 00:37:53.000000	37.88
28827288	CS5695				CPLK	47.57 03-JUN-2407.00.06.000000000 AM	03-JUN-24 08.27.11.000000000 AM	+00 01:27:05.000000	87.08	-00 01:27:05.000000	87.08
28828720	CS5692				CPLK	26.42 03-JUN-24 08.13.06.000000000 AM	03-JUN-24 09.02.28.000000000 AM	+00 00:49:22.000000	49.37	-00 00:49:22.000000	49.37
28830407	CS5692				CPLK	35.84 03-JUN-2409.21.48.0000000000 AM	03-JUN-24 09.50.32.000000000 AM	+00 00:28:44.000000	28.73	-00 00:28:44.000000	28.73
28830415	CS5691				CPLK	38.35 03-JUN-24 09,22,10,000000000 AM	03-JUN-24 09.59.30.000000000 AM	+00 00:37:20.000000	37.33	-00 00:37:20.000000	37.33
28831326	CS5695				CPLK	38.35 03-JUN-2409.54.32.000000000 AM	03-JUN-24 10.53.41.000000000 AM	+00 00:59:09.000000	59.15	-00 00:59:09.000000	59.15
28834549	CS5691				CPLK	30.95 03-JUN-24 11.28.11.000000000 AM	03-JUN-24 11.54.48.000000000 AM	+00 00:26:37.000000	26.62	-00 00:26:37.000000	26.62
28835065	CS5694				CPLK	13.22 03-JUN-24 11.41.36.000000000 AM	03-JUN-24 11.56.34.000000000 AM	+00 00:14:58.000000	14.97	-00 00:14:58.000000	14.97
28837445	CS5695				CPLK	26.18 03-JUN-24 12.45.37.000000000 PM	03-JUN-24 01.12.56.000000000 PM	+00 00:27:19.000000	27.32	-00 00:27:19.000000	27.32
28838195	CS5691				CPLK	28 03-JUN-24 01.04.40.000000000 PM	03-JUN-24 01.32.22.000000000 PM	+00 00:27:42.000000	27.7	-00 00:27:42.000000	27.7
28840155	CS5692				CPLK	69.72 03-JUN-2401.56.57.000000000 PM	03-JUN-24 02.50.24.000000000 PM	+00 00:53:27.000000	53.45	-00 00:53:27.000000	53.45
28840337	CS5695				CPLK	37.4 03-JUN-24 02.02.03.0000000000 PM	03-JUN-24 02.15.33.000000000 PM	+00 00:13:30.000000	13.5	-00 00:13:30.000000	13.5
28841075	CS5694				CPLK	21.49 03-JUN-24 02.20.48.000000000 PM	03-JUN-24 02.42.38.000000000 PM	+00 00:21:50.000000	21.83	-00 00:21:50.000000	21.83
28991500	CS5692				CPLK	9.14 07-JUN-24 07.37.37.000000000 AM	07-JUN-24 07.56.30.000000000 AM	+00 00;18:53.000000	18.88	-00 00:18:53.000000	18.88
28992073	CS5691				CPLK	27.54 07-JUN-24 08.04.08.000000000 AM	07-JUN-24 08.27.24.000000000 AM	+00 00:23:16.000000	23.27	-00 00:23:16.000000	23.27
28992463	CS5692				CPLK	49.17 07-JUN-24 08.21.13.000000000 AM	07-JUN-24 09.25.44.000000000 AM	+00 01:04:31.000000	64.52	-00 01:04:31.000000	64.52
28992492	CS5695				CPLK	50.21 07-JUN-24 08.22,20,000000000 AM	07-JUN-24 08.39.45.000000000 AM	+00 00:17:25.000000	17.42	-00 00:17:25.000000	17.42
28993089	CS5691				CPLK	39.17 07-JUN-24 08.43.29.000000000 AM	07-JUN-24 09,49.12.000000000 AM	+00 01:05:43.000000		-00 01:05:43.000000	65.72
28993164	CS5694				CPLK	48.13 07-JUN-24 08.45.57.000000000 AM	07-JUN-24 09.11.14.000000000 AM	+00 00:25:17.000000		-00 00:25:17.000000	25.28
28993628	CS5695	-			CPLK	38.73 07-JUN-24 09.01.55.000000000 AM	07-JUN-24 09.56.24.000000000 AM	+00 00:54:29.000000		-00 00:54:29.000000	54.48
28994946	CS5694				CPLK	40.52 07-JUN-24 09.41.52.000000000 AM	07-JUN-24 10.16.30.000000000 AM	+00 00:34:38.000000	34.63	-00 00:34:38.000000	34.63
28995627	CS5695				CPLK	20.58 07-JUN-24 10.02.57,000000000 AM	07-JUN-24 10.22.39.000000000 AM	+00 00:19:42.000000		-00 00:19:42.000000	19.7
28996528	CS5695				CPLK	31.59 07-JUN-24 10.27.53.0000000000 AM	07-JUN-24 11.52.36.000000000 AM	+00 01:24:43.000000		-00 01:24:43.000000	84.72
28997152	CS5692				CPLK	47.27 07-JUN-24 10.42.59.000000000 AM	07-JUN-24 11.23.22.000000000 AM	+00 00:40:23.000000		-00 00:40:23.000000	40.38
28999188	CS5694				CPLK	46.31 07-JUN-24 11.35.54.000000000 AM	07-JUN-24 11.52.56.000000000 AM	+00 00:17:02.000000		-00 00:17:02.000000	17.03
28999905	CS5692				CPLK	11.95 07-JUN-24 11.53.15.0000000000 AM	07-JUN-24 12.25.12.000000000 PM	+00 00:31:57.000000		-00 00:31:57.000000	31.95
28999910	CS5691				CPLK	23.34 07-JUN-24 11.53.21.000000000 AM	07-JUN-24 12.19.35.000000000 PM	+00 00:26:14.000000		-00 00:26:14.000000	26.23
29000210	CS5694				CPLK	114.67 07-JUN-24 12.00.11.000000000 PM	07-JUN-24 12.40.00.000000000 PM	+00 00:39:49.000000		-00 00:39:49.000000	39.82
29003254	CS5695				CPLK	34.54 07-JUN-2401.08.42.0000000000 PM	07-JUN-24 01.25.34.000000000 PM	+00 00:16:52.000000		-00 00:16:52.000000	16.87
29003734	CS5692				CPLK	35.98 07-JUN-24 01.19.27.0000000000 PM	07-JUN-24 02.07.18.000000000 PM	+00 00:47:51.000000		-00 00:47:51.000000	47.85
29004232	CS5694				CPLK	45.48 07-JUN-24 01.30.32.0000000000 PM	07-JUN-24 02.10.02.0000000000 PM	+00 00:39:30.000000		-00 00:39:30.000000	39.5
29004741	CS5691				CPLK	62.2 07-JUN-24 01.42.30.0000000000 PM	07-JUN-24 02.38.09.0000000000 PM	+00 00:55:39.000000		-00 00:55:39.000000	55.65
29005858	C\$5695				CPLK	50.81 07-JUN-24 02.06.42.000000000 PM	07-JUN-24 03.32.05.0000000000 PM	+00 01:25:23.000000		-00 01:25:23.000000	85.38
29007098	CS5692				CPLK	42.83 07-JUN-24 02.32,40.0000000000 PM	07-JUN-24 03.09.11.000000000 PM	+00 00:36:31.000000		-00 00:36:31.000000	36.52
29008277	CS5691				CPLK	38.73 07-JUN-24 02.55.23.0000000000 PM	07-JUN-24 03.37.15.000000000 PM	+00 00:41:52.000000		-00 00:41:52.000000	41.87 90.18
29008386	CS5694				CPLK	39.04 07-JUN-24 02.58.00.0000000000 PM	07-JUN-24 04.28.11.000000000 PM	+00 01:30:11.000000		-00 01:30:11.000000	
29009519	CS5692				CPLK	23.83 07-JUN-24 03.21.28.000000000 PM	07-JUN-24 03.47.59.000000000 PM	+00 00:26:31.000000 +00 00:32:06.000000		-00 00:26:31.000000 -00 00:32:06.000000	26.52 32.1
29010878	CS5695 CS5692				CPLK CPLK	80.49 07-JUN-24 03.47.03.0000000000 PM	07-JUN-24 04.19.09.000000000 PM			-00 00:32:06.000000	8.32
29012199 32815802	CS5695				CPLK	12.83 07-JUN-24 04.12.42.000000000 PM 56.44 26-AUG-24 09.52.06.000000000 AM	07-JUN-24 04.21.01.000000000 PM 26-AUG-24 11.11.29.000000000 AM	+00 00:08:19.000000 +00 01:19:23.000000		-00 01:19:23.000000	79.38
32816596 32816903	CS5694 CS5692				CPLK CPLK	69.56 26-AUG-24 10.16.16.0000000000 AM 29.78 26-AUG-24 10.23.08.000000000 AM				-00 00:31:12.000000	31.2 84.53
					CPLK					-00 01:24:32.000000	37.37
32818071 32820394	CS5694 CS5695				CPLK	99.49 26-AUG-24 10.52.23.000000000 AM 46.26 26-AUG-24 11.47.02.000000000 AM		+00 00:37:22.000000		-00 00:37:22.000000 -00 00:27:52.000000	27.87
32820687	C\$5692				CPLK	16.63 26-AUG-24 11.53.54.000000000 AM		+00 00:27:32.000000		-00 00:27:32.000000	10.53
32820087	CS5692 CS5691				CPLK	14.63 27-AUG-24 04.24.43.000000000 PM		+00 00:10:32.000000		-00 00:10:32.000000	18.9
32879847	CS5691				CPLK	11.18 27-AUG-24 04.48.26.000000000 PM		+00 00:14:14.000000		-00 00:14:14.000000	14.23
320/904/	Ca3091	3			CFLK	11.10 27-700-24 04,40,20,0000000000 FM	27 100-24 00.02.40.000000000 FM	- 55 00, 14, 14,000000	14.23	00.14.14.000000	14.23

	SESSION_ID	CHARGER_ID ADD	RESS CITY	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
32881424	CS5694			CPLK	49.24 27-AUG-24 05.23.59.000000000 PM	27-AUG-24 05.58.03.000000000 PM	+00 00:34:04.000000		-00 00:34:04.000000	34.07
32883184	CS5692			CPLK	60.1 27-AUG-24 06.01.26.000000000 PM	27-AUG-24 07.11.38.000000000 PM	+00 01:10:12.000000	70.2	-00 01:10:12.000000	70.2
32883656	CS5695			CPLK	98.58 27-AUG-24 06.10.43.000000000 PM	27-AUG-24 07.06.12.000000000 PM	+00 00:55:29.000000	55.48	-00 00:55:29.000000	55.48
32899981	CS5692			CPLK	37.56 28-AUG-24 02.21.47.000000000 AM	28-AUG-24 03.31.14.000000000 AM	+00 01:09:27.000000	69.45	-00 01:09:27.000000	69.45
32902978	CS5692			CPLK	21.59 28-AUG-24 06.18.22.0000000000 AM	28-AUG-24 06.42.50.000000000 AM	+00 00:24:28.000000	24.47	-00 00:24:28.000000	24.47
32904067	CS5691			CPLK	37.34 28-AUG-24 07.12.55.0000000000 AM	28-AUG-24 07.43.59.000000000 AM	+00 00:31:04.000000	31.07	-00 00:31:04.000000	31.07
32904474	CS5692			CPLK	20.02 28-AUG-24 07.29.04.000000000 AM	28-AUG-24 08.25.00.000000000 AM	+00 00:55:56.000000	55.93	-00 00:55:56.000000	55.93
32905789	CS5695			CPLK	117.51 28-AUG-24 08.16.33.0000000000 AM	28-AUG-24 08.51.10.000000000 AM	+00 00:34:37.000000	34.62	-00 00:34:37.000000	34.62
32906115	CS5692			CPLK	62.45 28-AUG-24 08.27.35.000000000 AM	28-AUG-24 09.49.55.000000000 AM	+00 01:22:20.000000	82.33	-00 01:22:20.000000	82.33
32906170	CS5691			CPLK	43.5 28-AUG-24 08.29.11.000000000 AM	28-AUG-24 09.46.48.000000000 AM	+00 01:17:37.000000	77.62	-00 01:17:37.000000	77.62
32906224	CS5694			CPLK	67.64 28-AUG-24 08.31.07.000000000 AM	28-AUG-24 09.07.31.000000000 AM	+00 00:36:24.000000	36.4	-00 00:36:24.000000	36.4
32914059	CS5692			CPLK	36.52 28-AUG-24 12.02.40.000000000 PM	28-AUG-24 12.29.09.000000000 PM	+00 00:26:29.000000	26.48	-00 00:26:29.000000	26.48
32914790	CS5695			CPLK	24.46 28-AUG-24 12.18.08.000000000 PM	28-AUG-24 12.33.20.000000000 PM	+00 00:15:12.000000	15.2	-00 00:15:12.000000	15.2
32915429	CS5692			CPLK	30.33 28-AUG-24 12.31.42.000000000 PM	28-AUG-24 12.57.11.000000000 PM	+00 00:25:29.000000	25.48	-00 00:25:29.000000	25.48
32915515	CS5691			CPLK	51.59 28-AUG-24 12.33.14.000000000 PM	28-AUG-24 01.51.09.000000000 PM	+00 01:17:55.000000	77.92	-00 01:17:55.000000	77.92
32915607	CS5694			CPLK	33.21 28-AUG-24 12.35.10.000000000 PM	28-AUG-24 01.42.06.000000000 PM	+00 01:06:56.000000	66.93	-00 01:06:56.000000	66.93
32918253	CS5695			CPLK	45.52 28-AUG-24 01.33,57.000000000 PM	28-AUG-24 01.51.24.000000000 PM	+00 00:17:27.000000	17.45	-00 00:17:27.000000	17.45
32920294	CS5694			CPLK	95.97 28-AUG-24 02.17.30.000000000 PM	28-AUG-24 02.55.08.000000000 PM	+00 00:37:38.000000	37.63	-00 00:37:38.000000	37.63
32920619	CS5695			CPLK	66.21 28-AUG-24 02.25.11.000000000 PM	28-AUG-24 03.19.41.000000000 PM	+00 00:54:30.000000	54.5	-00 00:54:30.000000	54.5
32921595	CS5692			CPLK	42.09 28-AUG-24 02.45.30.000000000 PM	28-AUG-24 03.17.10.000000000 PM	+00 00:31:40.000000	31.67	-00 00:31:40.000000	31.67
32922603	CS5691			CPLK	31.49 28-AUG-24 03.06.48.000000000 PM	28-AUG-24 03.43.33.000000000 PM	+00 00:36:45.000000	36.75	-00 00:36:45.000000	36.75
32924512	CS5691			CPLK	40.01 28-AUG-24 03.48.46.000000000 PM	28-AUG-24 04.46.56.000000000 PM	+00 00:58:10.000000	58.17	-00 00:58:10.000000	58.17
32926795	CS5694			CPLK	32.09 28-AUG-24 04.37.57.000000000 PM	28-AUG-24 05.09.08.000000000 PM	+00 00:31:11.000000	31.18	-00 00:31:11.000000	31.18
32930279	CS5692			CPLK	64.56 28-AUG-24 05.51.06.000000000 PM	28-AUG-24 06.32.47.000000000 PM	+00 00:41:41.000000	41.68	-00 00:41:41.000000	41.68
32932481	CS5692			CPLK	25.29 28-AUG-24 06.38,20.000000000 PM	28-AUG-24 07.33.42.000000000 PM	+00 00:55:22.000000	55.37	-00 00:55:22.000000	55.37
32934686	CS5691			CPLK	29.63 28-AUG-24 07.27.45.000000000 PM	28-AUG-24 08.11.36.000000000 PM	+00 00:43:51.000000	43.85	-00 00:43:51.000000	43.85
32935170	CS5695			CPLK	55.1 28-AUG-24 07.38.01.000000000 PM	28-AUG-24 09.28.05.000000000 PM	+00 01:50:04.000000	110.07	-00 01:50:04.000000	110.07
32935409	CS5692			CPLK	64.23 28-AUG-24 07.43.53.0000000000 PM	28-AUG-24 08.36.38.000000000 PM	+00 00:52:45.000000	52.75	-00 00:52:45.000000	52.75
32979504	CS5695			CPLK	24.84 29-AUG-24 06.01.15.000000000 PM	29-AUG-24 06.36.16.000000000 PM	+00 00:35:01.000000	35.02	-00 00:35:01.000000	35.02
32983601	CS5694			CPLK	63.75 29-AUG-24 07.28.02.000000000 PM	29-AUG-24 08.31.17.000000000 PM	+00 01:03:15.000000	63.25	-00 01:03:15.000000	63.25
32985151	CS5692			CPLK	21.34 29-AUG-24 08.01.06.0000000000 PM	29-AUG-24 08.16.53.000000000 PM	+00 00:15:47.000000	15.78	-00 00:15:47.000000	15.78
32985665	CS5695			CPLK	33.49 29-AUG-24 08.12.41.000000000 PM	29-AUG-24 08.57.12.000000000 PM	+00 00:44:31.000000	44.52	-00 00:44:31.000000	44.52
32988255	CS5695			CPLK	60.46 29-AUG-24 09.12.04.000000000 PM	29-AUG-24 09.48.59.000000000 PM	+00 00:36:55.000000	36.92	-00 00:36:55.000000	36.92
32993901	CS5695			CPLK	64.4 30-AUG-24 12.01.00.000000000 AM	30-AUG-24 12.44.35,000000000 AM	+00 00:43:35.000000	43.58	-00 00:43:35.000000	43.58
32994390	CS5692			CPLK	40.83 30-AUG-24 12.19.39.000000000 AM	30-AUG-24 01.22.45.000000000 AM	+00 01:03:06.000000	63.1	-00 01:03:06.000000	63.1
32999385	CS5695			CPLK	58.23 30-AUG-24 05.16.14.000000000 AM	30-AUG-24 06.46.37.000000000 AM	+00 01:30:23.000000	90.38	-00 01:30:23.000000	90.38
32999455	CS5694			CPLK	42.19 30-AUG-24 05.21.04.000000000 AM	30-AUG-24 05.40.32.000000000 AM	+00 00:19:28.000000	19.47	-00 00:19:28,000000	19.47
32999909	CS5694			CPLK	44.77 30-AUG-24 05,48,51,000000000 AM	30-AUG-24 06.21.49.000000000 AM	+00 00:32:58.000000	32.97	-00 00:32:58.000000	32.97
33000238	CS5692			CPLK	52.21 30-AUG-24 06.07.51.000000000 AM	30-AUG-24 06.40.38.000000000 AM	+00 00:32:47.000000	32.78	-00 00:32:47.000000	32.78
33000461	CS5691			CPLK	36.49 30-AUG-24 06.20.04.000000000 AM	30-AUG-24 06.58.33.000000000 AM	+00 00:38:29.000000	38.48	-00 00:38:29.000000	38.48
33000610	CS5694			CPLK	34.51 30-AUG-2406.28,36.0000000000 AM	30-AUG-24 07.37.51.000000000 AM	+00 01:09:15.000000	69.25	-00 01:09:15.000000	69.25
33001600	CS5691			CPLK	42.13 30-AUG-24 07.13.00.000000000 AM	30-AUG-24 08.19.04.000000000 AM	+00 01:06:04.000000	66.07	-00 01:06:04.000000	66.07
33001669	CS5695			CPLK	42.15 30-AUG-24 07.16.01.000000000 AM	30-AUG-24 08.33.23.000000000 AM	+00 01:17:22.000000	77.37	-00 01:17:22.000000	77.37
33002642	CS5694			CPLK	81.09 30-AUG-24 07.52.37.000000000 AM	30-AUG-24 08.24.57.000000000 AM	+00 00:32:20.000000	32.33	-00 00:32:20.000000	32.33
33004256	CS5695			CPLK	37.77 30-AUG-24 08.43.14.000000000 AM	30-AUG-24 08.58.02,000000000 AM	+00 00:14:48.000000	14.8	-00 00:14:48.000000	14.8
33004549	CS5694			CPLK	52.41 30-AUG-24 08.51.43.000000000 AM	30-AUG-24 09.24.19.000000000 AM	+00 00:32:36.000000	32.6	-00 00:32:36.000000	32.6
33004984	CS5695			CPLK	22.56 30-AUG-24 09.04.27.0000000000 AM	30-AUG-24 10.08.20.000000000 AM	+00 01:03:53.000000	63.88	-00 01:03:53.000000	63.88
33005491	CS5691			CPLK	7.45 30-AUG-24 09.19.44.000000000 AM	30-AUG-24 09.25.44.000000000 AM	+00 00:06:00.000000	6	-00 00:06:00.000000	6
33005915	CS5694			CPLK	81.47 30-AUG-24 09.30.19.000000000 AM	30-AUG-24 10.03.44.000000000 AM	+00 00:33:25.000000	33.42	-00 00:33:25.000000	33.42
33010176	CS5694			CPLK	52.09 30-AUG-24 11.09.02.000000000 AM	30-AUG-24 11.37.06.000000000 AM	+00 00:28:04.000000	28.07	-00 00:28:04.000000	28.07
33014053	CS5692			CPLK	41.05 30-AUG-24 12.27.03.0000000000 PM	30-AUG-24 01.21.31.000000000 PM	+00 00:54:28.000000	54.47	-00 00:54:28.000000	54.47
33014198	CS5691			CPLK	29.11 30-AUG-24 12.30.05.0000000000 PM	30-AUG-24 01.01.04.000000000 PM	+00 00:30:59.000000	30.98	-00 00:30:59.000000	30.98
33016802	CS5695			CPLK	47.91 30-AUG-2401.21.49.000000000 PM	30-AUG-24 01.49.23.000000000 PM	+00 00:27:34.000000	27.57	-00 00:27:34.000000	27.57
		9								

	SESSION_ID	CHARGER_ID ADD	RESS CITY	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
37497986	CS5692			CPLK	34.59 28-NOV-2409.57.34.000000000 PM	28-NOV-24 10.56.00.000000000 PM	+00 00:58:26.000000	58.43	-00 00:58:26.000000	58.43
37505471	CS5694			CPLK	58.43 29-NOV-24 03.28.39.000000000 AM	29-NOV-24 05.05.05.0000000000 AM	+00 01:36:26.000000	96.43	-00 01:36:26.000000	96.43
37506527	CS5692			CPLK	41.53 29-NOV-24 04.54.29.000000000 AM	29-NOV-24 06.14.00.000000000 AM	+00 01:19:31.000000	79.52	-00 01:19:31.000000	79.52
37506633	CS5695			CPLK	40.07 29-NOV-24 05.01.50.000000000 AM	29-NOV-24 05.59.12.000000000 AM	+00 00:57:22.000000	57.37	-00 00:57:22.000000	57.37
37509434	CS5692			CPLK	39.41 29-NOV-2407.25.51.000000000 AM	29-NOV-24 09.11.12.000000000 AM	+00 01:45:21.000000	105.35	-00 01:45:21.000000	105.35
37509699	CS5691			CPLK	14.16 29-NOV-24 07.35.22.000000000 AM	29-NOV-24 07.52,15.000000000 AM	+00 00:16:53.000000	16.88	-00 00:16:53.000000	16.88
37510191	CS5695			CPLK	34.24 29-NOV-24 07.53.31.0000000000 AM	29-NOV-24 08.35.13.000000000 AM	+00 00:41:42.000000	41.7	-00 00:41:42.000000	41.7
37511764	CS5695			CPLK	23.12 29-NOV-24 08.42.35.000000000 AM	29-NOV-24 09.09.31.000000000 AM	+00 00:26:56.000000	26.93	-00 00:26:56.000000	26.93
37512497	CS5691			CPLK	66.04 29-NOV-24 09.01.48.000000000 AM	29-NOV-24 09.58.25.000000000 AM	+00 00:56:37.000000	56.62	-00 00:56:37.000000	56.62
37512913	CS5694			CPLK	89.14 29-NOV-24 09.11.56.000000000 AM	29-NOV-24 09.56.03.000000000 AM	+00 00:44:07.000000	44.12	-00 00:44:07.000000	44.12
37513505	CS5695			CPLK	112.83 29-NOV-24 09.27.34.000000000 AM	29-NOV-24 10.58.05.0000000000 AM	+00 01:30:31.000000	90.52	-00 01:30:31.000000	90.52
37515265	CS5691			CPLK	36.17 29-NOV-24 10.06.13.000000000 AM	29-NOV-24 10.35.38.000000000 AM	+00 00:29:25.000000	29.42	-00 00:29:25.000000	29.42
37515534	CS5694			CPLK	33.56 29-NOV-24 10.11.15.000000000 AM	29-NOV-24 11.00.34.000000000 AM	+00 00:49:19.000000	49.32	-00 00:49:19.000000	49.32
37515951	CS5692			CPLK	6.24 29-NOV-24 10.20.27.000000000 AM	29-NOV-24 10.47.42.000000000 AM	+00 00:27:15.000000	27.25	-00 00:27:15.000000	27.25
37517147	CS5691			CPLK	2.31 29-NOV-24 10.42,25,0000000000 AM	29-NOV-24 10.53.33.0000000000 AM	+00 00:11:08.000000	11.13	-00 00:11:08.000000	11.13
37517908	CS5692			CPLK	3.58 29-NOV-24 10.56.11.000000000 AM	29-NOV-24 10.58.29.000000000 AM	+00 00:02:18.000000	2.3	-00 00:02:18.000000	2.3
37815194	CS5691			CPLK	34.89 04-DEC-24 06.12.20.000000000 PM	04-DEC-24 06.56.46,000000000 PM	+00 00:44:26.000000	44.43	-00 00:44:26.000000	44.43
37815339	CS5694			CPLK	19.99 04-DEC-24 06.15.19.000000000 PM	04-DEC-24 06.37.06.000000000 PM	+00 00:21:47.000000	21.78	-00 00:21:47.000000	21.78
37816109	CS5692			CPLK	28.21 04-DEC-24 06.31.45.000000000 PM	04-DEC-24 06.54.51.000000000 PM	+00 00:23:06.000000	23.1	-00 00:23:06.000000	23.1
37816699	CS5694			CPLK	34.48 04-DEC-24 06.44.22,000000000 PM	04-DEC-24 07.37.38.000000000 PM	+00 00:53:16.000000	53.27	-00 00:53:16.000000	53.27
37817484	CS5692			CPLK	14.15 04-DEC-24 07.03.34.000000000 PM	04-DEC-24 07.15.56.0000000000 PM	+00 00:12:22,000000	12.37	-00 00:12:22.000000	12.37
37821068	CS5695			CPLK	39.01 04-DEC-24 08.22.38.000000000 PM	04-DEC-24 09.11.41.000000000 PM	+00 00:49:03.000000	49.05	-00 00:49:03.000000	49.05
37822137	CS5694			CPLK	32.93 04-DEC-24 08.47.40.000000000 PM	04-DEC-24 09.59.06.000000000 PM	+00 01:11:26.000000	71.43	-00 01:11:26.000000	71.43
37822567	CS5692			CPLK	29.03 04-DEC-2408.57.47.000000000 PM	04-DEC-24 09.24.54.000000000 PM	+00 00:27:07.000000	27.12	-00 00:27:07.000000	27.12
37826460	CS5695			CPLK	36.6 04-DEC-24 10.43.23.000000000 PM	04-DEC-24 11.04.07.000000000 PM	+00 00:20:44.000000	20.73	-00 00:20:44.000000	20.73
37827953	CS5695			CPLK	54.34 04-DEC-24 11.31.30.000000000 PM	05-DEC-24 01.09.01.0000000000 AM	+00 01:37:31.000000	97.52	-00 01:37:31.000000	97.52
37829757	CS5694			CPLK	29.06 05-DEC-24 12.38.19.000000000 AM	05-DEC-24 02.16.53,0000000000 AM	+00 01:38:34.000000	98.57	-00 01:38:34.000000	98.57
37829785	CS5692			CPLK	42.39 05-DEC-24 12.40.01.0000000000 AM	05-DEC-24 02.28.02.000000000 AM	+00 01:48:01.000000	108.02	-00 01:48:01.000000	108.02
37830834	CS5695			CPLK	65.74 05-DEC-24 01.33,19,000000000 AM	05-DEC-24 02.22.15.000000000 AM	+00 00:48:56.000000	48.93	-00 00:48:56.000000	48.93
37831932	CS5691			CPLK	12.03 05-DEC-24 02.31.38.000000000 AM	05-DEC-24 02.53.22.000000000 AM	+00 00:21:44.000000	21.73	-00 00:21:44.000000	21.73
29012731	CS5695			CPLK	31.99 07-JUN-24 04.23.25.000000000 PM	07-JUN-24 04.36.41.000000000 PM	+00 00:13:16.000000	13.27	-00 00:13:16.000000	13.27
29013273	CS5691			CPLK	36.26 07-JUN-2404.34.34.000000000 PM	07-JUN-24 05.06.56.000000000 PM	+00 00:32:22.000000	32.37	-00 00:32:22.000000	32.37
29014474	CS5694			CPLK	3.89 07-JUN-24 04.59.28.000000000 PM	07-JUN-24 05.03.59.000000000 PM	+00 00:04:31.000000	4.52	-00 00:04:31.000000	4.52
29016475	CS5692			CPLK	26.25 07-JUN-2405.41.19.000000000 PM	07-JUN-24 06.29.55.000000000 PM	+00 00:48:36.000000	48.6	-00 00:48:36.000000	48.6
29106461	CS5695			CPLK	16.68 09-JUN-24 04.01.00.000000000 PM	09-JUN-24 04.20.23.000000000 PM	+00 00:19:23.000000	19.38	-00 00:19:23.000000	19.38
29106886	CS5694			CPLK	55.77 09-JUN-24 04.10.07.000000000 PM	09-JUN-24 05.38.14.000000000 PM	+00 01:28:07.000000	88.12	-00 01:28:07.000000	88.12
29109542	CS5692			CPLK	63.17 09-JUN-24 05.04.33.000000000 PM	09-JUN-24 06.37.48.000000000 PM	+00 01:33:15.000000	93.25	-00 01:33:15.000000	93.25
29111979	CS5695			CPLK	31.77 09-JUN-24 05.56.19.000000000 PM	09-JUN-24 07.07.28.000000000 PM	+00 01:11:09.000000	71.15	-00 01:11:09.000000	71.15
29112757	CS5694			CPLK	118.09 09-JUN-2406.13.17.000000000 PM	09-JUN-24 07.15.16.000000000 PM	+00 01:01:59.000000	61.98	-00 01:01:59.000000	61.98
29113078	CS5691			CPLK	36.95 09-JUN-2406.20.21.000000000 PM	09-JUN-24 06.48.04.000000000 PM	+00 00:27:43.000000	27.72	-00 00:27:43.000000	27.72
29114010	CS5692			CPLK	58.05 09-JUN-2406,40.10.000000000 PM	09-JUN-24 08.11.36.000000000 PM	+00 01:31:26.000000	91.43	-00 01:31:26.000000	91.43
29114437	CS5691			CPLK	48.68 09-JUN-2406.50.46.000000000 PM	09-JUN-24 08.00.09.000000000 PM	+00 01:09:23.000000	69.38	-00 01:09:23.000000	69.38
29115309	CS5695			CPLK	66.59 09-JUN-24 07.12.18.000000000 PM	09-JUN-24 08.03.56.000000000 PM	+00 00:51:38.000000	51.63	-00 00:51:38.000000	51.63
29117066	CS5694			CPLK	46.7 09-JUN-24 07.52.49.000000000 PM	09-JUN-24 08.57.05.000000000 PM	+00 01:04:16.000000	64.27	-00 01:04:16.000000	64.27
29117506	CS5691			CPLK	2.14 09-JUN-24 08.04.17.000000000 PM	09-JUN-24 08.06.02.000000000 PM	+00 00:01:45.000000	1.75	-00 00:01:45.000000	1.75
29117653	CS5695			CPLK	27.71 09-JUN-24 08.08.01.000000000 PM	09-JUN-24 08.43.11.000000000 PM	+00 00:35:10.000000	35.17	-00 00:35:10.000000	35.17
29118554	CS5692			CPLK	41.23 09-JUN-2408.30.44,000000000 PM	09-JUN-24 09.11.44.000000000 PM	+00 00:41:00.000000	41	-00 00:41:00.000000	41
29119669	CS5691			CPLK	50.05 09-JUN-2409.00.28.000000000 PM	09-JUN-24 10.13.04.000000000 PM	+00 01:12:36.000000		-00 01:12:36.000000	72.6
29120773	CS5695			CPLK	60.19 09-JUN-24 09.31.56.000000000 PM	09-JUN-24 10.00.03.000000000 PM	+00 00:28:07.000000	28.12	-00 00:28:07.000000	28.12
29122650	CS5691			CPLK	37.69 09-JUN-24 10.31.12.000000000 PM	09-JUN-24 11.00.51.000000000 PM	+00 00:29:39.000000	29.65	-00 00:29:39.000000	29.65
29128520	CS5691			CPLK	42.71 10-JUN-24 04.02.05.000000000 AM	10-JUN-24 05.12.01.000000000 AM	+00 01:09:56.000000		-00 01:09:56.000000	69.93
29129660	CS5695			CPLK	101.83 10-JUN-2405.32.27.000000000 AM	10-JUN-24 06.30.51.000000000 AM	+00 00:58:24.000000	58.4	-00 00:58:24.000000	58.4
29130018	CS5692			CPLK	28.27 10-JUN-24 06.03.20.0000000000 AM	10-JUN-24 07.17.28.000000000 AM	+00 01:14:08.000000	74.13	-00 01:14:08.000000	74.13
29130018	CS5092	0.7.3		CPLK	20.21 10-JUN-24-06.03,20.0000000000 AM	10-JUN-24 07.17.28.0000000000 AM	+00 01:14:08.000000	(4.1)	-00 01:14:08.000000	

Part		SESSION_ID	CHARGER_ID	ADDRESS	СІТУ	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTT	M CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
\$25,000 \$25,	29130395	CS5691				CPLK	30.31 10-JUN-2406.32.40.000000000	AM 10-JUN-24 06.58.56.000000000 AM	+00 00:26:16.000000	26.27	-00 00:26:16.000000	26.27
PSET-1756 COMM CO	29130553	CS5694		1		CPLK	43.72 10-JUN-2406.43.59.000000000	AM 10-JUN-24 07.27.58.000000000 AM	+00 00:43:59,000000	43.98	-00 00:43:59.000000	43.98
Part	29130947	CS5695				CPLK	80.63 10-JUN-24 07.08.57.000000000	AM 10-JUN-24 07.45.55.0000000000 AM	+00 00:36:58.000000	36.97	-00 00:36:58.000000	36.97
2917771 C95994	29132705	CS5691				CPLK	15.17 10-JUN-24 08.27.44.000000000	AM 10-JUN-24 08.39.50,000000000 AM	+00 00;12:06.000000	12.1	-00 00:12:06.000000	12.1
Part	29133822	CS5695				CPLK	23.8 10-JUN-24 09.10.32.000000000	AM 10-JUN-24 09.22.50.000000000 AM	+00 00:12:18.000000	12.3	-00 00:12:18.000000	12.3
Park	29137004	CS5695				CPLK	47.86 10-JUN-24 10.55.34.000000000	AM 10-JUN-24 11.53.02.000000000 AM	+00 00:57:28.000000	57.47	-00 00:57:28.000000	57.47
Park	29137371	CS5694				CPLK	15.84 10-JUN-24 11.05.55.000000000	AM 10-JUN-24 11.12.39.000000000 AM	+00 00:06;44.000000	6.73	-00 00:06:44.000000	6.73
Pays 1488 Caspon Pays First Pays	29140540	CS5694				CPLK	81.15 10-JUN-2412,39.30.000000000	PM 10-JUN-24 01.25.19.000000000 PM	+00 00:45:49.000000	45.82	-00 00:45:49.000000	45.82
Company Comp	29140619	CS5692				CPLK	51.51 10-JUN-2412.41.11.000000000	PM 10-JUN-24 01.52.40.000000000 PM	+00 01:11:29.000000	71.48	-00 01:11:29.000000	71.48
2817146 C55694	29141684	CS5691				CPLK	35.4 10-JUN-24 01.09.35.000000000	PM 10-JUN-24 01.59.10.000000000 PM	+00 00;49;35,000000	49.58	-00 00:49:35.000000	49.58
2317-245 C55902 CFLK 20.14 3-0-July-24 10.31-0.00000000 PM c0.02.21-0.000000 PM c0.02.21-0.000000 PM c0.02.21-0.000000 PM c0.02.21-0.000000 PM c0.02.21-0.0000000 PM c0.02.21-0.000000 PM c0.02.21-0.0000000 PM c0.02.21-0.000000 PM c0.02.21-0.00000 PM c0.02.21-0.000000 PM c0.02.21-0.00000 PM c0.02.21-0.000000 PM c0.02.21-0.000000 PM c0.02.21-0.00000 PM c0.02.21-0.	29144392	CS5695				CPLK	37.1 10-JUN-2402.15.49.000000000	PM 10-JUN-24 02.58.33.000000000 PM	+00 00:42:44.000000	42.73	-00 00:42:44.000000	42.73
S011-1481 CS5994	33017169	CS5694				CPLK	52.43 30-AUG-24 01.28,55.00000000	PM 30-AUG-24 01.47.57.000000000 PM	+00 00:19:02.000000	19.03	-00 00:19:02.000000	19.03
2011-14-18 CS5966	33017245	CS5692				CPLK	20.14 30-AUG-24 01.30.16.00000000	PM 30-AUG-24 01.52.15.000000000 PM	+00 00:21:59.000000	21.98	-00 00:21:59.000000	21.98
SSS1897 CSS996 CPUK CSS996 CPUK CSS996 CPUK CSS996 CPUK CSS996	33017881	CS5691				CPLK	14.48 30-AUG-24 01.43.02.00000000	PM 30-AUG-24 02.02.02.0000000000 PM	+00 00:19:00.000000	19	-00 00:19:00.000000	19
CFS-666 CFS-676 CFS-	33018418	CS5694				CPLK	60.52 30-AUG-24 01.51.52,00000000	PM 30-AUG-24 02.30.01.000000000 PM	+00 00:38:09.000000	38.15	-00 00:38:09.000000	38.15
CESSIGN CESS	33018697	CS5695				CPLK	42.82 30-AUG-24 01.57.11.00000000	PM 30-AUG-24 02,22,07,000000000 PM	+00 00:24:56.000000	24.93	-00 00:24:56.000000	24.93
SSSS-971 CSSS92 CFEK 40.95 31.40.0-24.10.8.4 1.00000000 AM 31.40.0-24.10.3.4 0.000000	33061068	CS5695				CPLK	22.18 31-AUG-24 10.14.07.00000000	31-AUG-24 10.39.14.000000000 AM	+00 00:25:07.000000	25.12	-00 00:25:07.000000	25.12
Company Comp	33061690	CS5694				CPLK	35.93 31-AUG-24 10.29.12.00000000	AM 31-AUG-24 11.06.41.000000000 AM	+00 00:37:29.000000	37.48	-00 00:37:29.000000	37.48
\$36,000 \$36,	33063071	CS5692				CPLK	40.95 31-AUG-24 10,58,41,00000000	AM 31-AUG-24 11.34.21.000000000 AM	+00 00:35:40.000000	35.67	-00 00:35:40.000000	35.67
CFK CFK ST 3-14-0-24 12.03 - 7.0000000 PM -0.000-55-7.000000	33064983	CS5695				CPLK	42.82 31-AUG-24 11.36.06.00000000	AM 31-AUG-24 01.13.48.000000000 PM	+00 01:37:42.000000	97.7	-00 01:37:42.000000	97.7
CSS991 CSS991 CPLK S1.83 3.1.4.Uc. 24 12.3.12.2 0000000000 PM 31.4.Uc. 24 01.2.8 2.2 000000000 PM 31.4.Uc. 24 01.2.8 03.00000000 PM 31.4.Uc. 24 01.2.8 03.000000000 PM 31.4.Uc. 24 01.2.8 03.0000000000 PM 31.4.Uc. 24 01.2.8 03.0000000 PM 31.4.Uc. 24 01.2.8 03.00000000 PM 31.4.Uc. 24 01.2.8 03.000000000 PM 31.4.Uc. 24 01.2.8 03.00000000 PM 31.4.Uc. 24 01.2.8 03.0000000 PM 31.4.Uc. 24 01.2.8 03.00000000 PM 31.4.Uc. 24 01.2.8 03.0000000 PM 31.4.Uc. 24 01.2.8 03.0000000 PM 31.4.Uc. 24 01.2.8 03.00000000 PM 31.4.Uc. 24 01.2.8 03.0000000 PM 31.4.Uc. 24 01.2.8 03.00000000 PM 31.4.Uc. 24 01.2.8 03.000000000 PM 31.4.Uc. 24 01.2.8 03.00000000 PM 31.4.Uc. 24 01.2.8 03.00000000 PM 31.4.Uc. 24 01.2.8 03.00000000 PM 31.4.Uc. 24 01.3.8 03.0000000 PM 31.4.Uc. 24 01.3.8 03.000000 PM 31.4.Uc. 24 01.3.8 03.000000 PM 31.4.Uc. 24 01.3.8 03.0000000 PM 31.4.Uc. 24 01.3.8 03.000000 PM 31.4.Uc. 24 01.3.8 03.0000000 PM 31.4.Uc. 24 01.3.8 03.0000000 PM 31.4.Uc. 24 01.3.8 03.000000 PM 31.4.U	33066613	CS5694				CPLK	21.05 31-AUG-24 12.07.28.00000000	PM 31-AUG-24 12.22.59.000000000 PM	+00 00:15:31.000000	15.52	-00 00:15:31.000000	15.52
CSH891	33067858	CS5694				CPLK	101.15 31-AUG-24 12.30.37.00000000	PM 31-AUG-24 01.26.24.000000000 PM	+00 00:55:47.000000	55.78	-00 00:55:47.000000	55.78
CSS-891 CSS-891 CSS-895 CSS-	33067900	CS5692				CPLK	51.83 31-AUG-24 12.31.29.00000000	PM 31-AUG-24 01.26.27.000000000 PM	+00 00:54:58.000000	54.97	-00 00:54:58.000000	54.97
CS5995 C	33069324	CS5691				CPLK	8.74 31-AUG-24 12.56.24.00000000	PM 31-AUG-24 01.06.20.000000000 PM	+00 00:09:56.000000	9.93	-00 00:09:56.000000	9.93
S8077454	33069995	CS5691				CPLK	30.53 31-AUG-24 01.10.00.000000000	PM 31-AUG-24 01.36.03.000000000 PM	+00 00:26:03.000000	26.05	-00 00:26:03.000000	26.05
S30757638 C\$55694 CPLK 26.58 31.41G-24.02.47.55.0000000 PM 31.41G-24.02.35.000000 PM 31.41G-24.02.35.000000 PM 31.41G-24.02.35.000000 PM 31.41G-24.03.35.000000 PM 31.41G-24.03.35.0000000 PM 31.41G-24.03.35.000000 PM 31.41G-24.03.35.0000000 PM 31.41G-24	33073463	CS5695				CPLK	31.39 31-AUG-24 02.11.36.00000000	PM 31-AUG-24 02.24.45.000000000 PM	+00 00:13:09.000000	13.15	-00 00:13:09.000000	13.15
CS5692 CPLK 36.3 31.AUG-24 02.37.55.00000000 PM 31.AUG-24 02.33.5.00000000 PM 31.AUG-24 02.35.5.00000000 PM 31.AUG-24 02.35.5.000000000 PM 31.AUG-24 02.35.5.00000000 PM 31.AUG-24 02.35.5.00000000 PM 31.AU	33074454	CS5695				CPLK	81.02 31-AUG-24 02,30,15,00000000	PM 31-AUG-24 03.19.14.000000000 PM	+00 00:48:59.000000	48.98	-00 00:48:59.000000	48.98
S307742	33075036	CS5694				CPLK	26.58 31-AUG-24 02.40.21.00000000	PM 31-AUG-24 02.49.56.000000000 PM	+00 00:09:35.000000	9.58	-00 00:09:35.000000	9.58
Sage CFK CFK Standard CFK CFK Standard CFK CFK Standard CFK Standard CFK CFK Stan	33075430	CS5692				CPLK	36.3 31-AUG-24 02,47,55,000000000	PM 31-AUG-24 03.28.01.000000000 PM	+00 00:40:06.000000	40.1	-00 00:40:06.000000	40.1
33084691	33075742	CS5694				CPLK	18.07 31-AUG-24 02.53,15.00000000	PM 31-AUG-24 03.05.50.000000000 PM	+00 00:12:35.000000	12.58	-00 00:12:35.000000	12.58
\$3085212 \$C\$5692 \$CPLK \$21.35 31.AUG-24 05.45.59.00000000 PM \$31.AUG-24 05.95.23.00000000 PM \$41.02 23.000000 PM \$41.02 23.0000000 PM \$41.02 23.000000 PM \$41.02 23.000000 PM \$41.02 23.000000 PM \$41.02 23.000000 PM \$41.00 25.55.30.000000 PM \$41.00 25.55.30.000000 PM \$41.00 25.55.30.000000 PM \$40.00 25.55.30.000000 PM \$40.00 25.55.30.000000 PM \$40.00 25.55.30.000000 PM \$40.00 25.55.30.0000000 PM \$40.00 25.55.30.000000 PM \$40.00 25.55.30.000000 PM \$40.00 25.55.30.0000000 PM \$40.00 25.55.30.000000 PM \$40.00 25.55.30.0000000 PM \$40.	33081480	CS5691				CPLK	47.29 31-AUG-24 04.36.44.00000000	PM 31-AUG-24 05.18.57.000000000 PM	+00 00:42:13.000000	42.22	-00 00:42:13.000000	42.22
\$3088561	33084691	CS5694				CPLK	54.4 31-AUG-24 05.36.19.00000000	PM 31-AUG-24 05.52.00.000000000 PM	+00 00:15:41.000000	15.68	-00 00:15:41.000000	15.68
\$3088592	33085212	CS5692				CPLK	21.35 31-AUG-24 05,45,59,00000000	PM 31-AUG-24 06.01.52.000000000 PM	+00 00:15:53.000000	15.88	-00 00:15:53.000000	15.88
3308954 C\$5695 CPLK 25.73 31-AUG-24 07.31.24.00000000 PM 31-AUG-24 07.31.34.00000000 PM 400 00.32:12.000000 32.2 -00 00:32:12.000000 33.077 -00 00:32:12.000000 30.77 -00 00:32:12.000000 30.77 -00 00:32:12.000000 30.77 -00 00:32:12.000000 30.77 -00 00:32:12.000000 30.77 -00 00:32:12.000000 30.77 -00 00:32:12.000000 30.77 -00 00:32:12.000000 30.77 -00 00:32:12.000000 30.77 -00 00:32:12.0000000 30.77 -00 00:32:12.000000 30.77 -00 00:32:12.000000 30.77 -00 00:32:12.0000000 30.77 -00 00:32:12.000000 30.77 -00 00:32:12.000000 30.77 -00 00:32:12.000000 30.77 -00 00:32:12.0000000 30.77 -00 00:32:12.0000000 30.77 -00 00:32:12.0000000 30.77 -00 00:32:12.00000000 30.77 -00 00:32:12.00000000 30.77 -00 00:32:12.00000000 30.77 -00 00:32:12.00000000 30.77 -00 00:32:12.00000000 30.77 -00 00:32:12.00000000 30.77 -00 00:32:12.000000000 30.77 -00 00:32:12.000000000 30.77 -00 00:32:12.000000000 30.77 -00 00:32:12.000000000 30.	33085681	CS5691				CPLK	41.22 31-AUG-24 05.54.51.00000000	PM 31-AUG-24 06.59.23.000000000 PM	+00 01:04:32,000000	64.53	-00 01:04:32.000000	64.53
33089518	33088592	CS5692				CPLK	42.39 31-AUG-24 06.52.56.00000000	PM 31-AUG-24 07.59.30.000000000 PM	+00 01:06:34.000000	66.57	-00 01:06:34.000000	66.57
3399766 C\$5695 CPLK 7.29 31-AUG-24 07.34.52.00000000 PM 31-AUG-24 07.43.19.00000000 PM 400 00:08:27.000000 8.45 -00 00:08:27.000000 3309319 C\$5694 CPLK 49.62 31-AUG-24 08.44.700000000 PM 400 13:33:49.000000 93.62 -00 01:33:49.000000 33093836 C\$5695 CPLK 41.41 31-AUG-24 09.24.92.61.90.0000000 PM 31-AUG-24 09.23.15.00000000 PM 400 00:24:40.000000 21.18 -00 00:24:11.000000 21.18 -00 00:24:11.000000 21.18 -00 00:24:11.000000 23.095788 C\$5695 CPLK 41.41 31-AUG-24 09.48.50.00000000 PM 31-AUG-24 10.79.47.30.00000000 PM 400 00:24:11.000000 21.18 -00 00:24:11.000000 21.18 -00 00:24:11.000000 21.18 -00 00:24:11.000000 23.095789 C\$5695 CPLK 41.49 31-AUG-24 10.79.16.00000000 PM 400 00:24:10.0000000 PM 400 00:24:40.0000000 PM 400 00:24:40.0000000 PM 400 00:24:59.000000 47.98 -00 00:47:59.000000 47.98	33088954	CS5695				CPLK	25.73 31-AUG-24 06.59.22,00000000	PM 31-AUG-24 07.31.34.000000000 PM	+00 00:32:12,000000	32.2	-00 00:32:12.000000	32.2
CPLK 76.25 31-AUG-24 08.04.47.00000000 PM 31-AUG-24 09.38.36.000000000 PM 49.00 01:33:49.000000 42.67 -00 00:42:40.0000000 42.67 -00 00:42:40.0000000 42.67 -00 00:42:40.0000000 42.67 -00 00:42:40.0000000 42.67 -00 00:42:40.0000000 42.67 -00 00:42:40.00000000 42.67 -00 00:42:40.000000000000 42.67 -00 00:42:40.0000000000000000000000000000000	33089518	CS5694				CPLK	57.87 31-AUG-24 07.10.23.00000000	PM 31-AUG-24 07.41.09.000000000 PM	+00 00:30:46.000000	30.77	-00 00:30:46.000000	30.77
33093836 CS5695 CPLK 49.62 31-AUG-24 08.40.35.00000000 PM 31-AUG-24 09.23.15.00000000 PM 40.00:42:40.00000 42.67 -00 00:42:40.000000 42.67 -00 00:42:40.00000 42.67 -00 00:42:40.00000 42.67 -00 00:42:40.00000 42.67 -00 00:42:40.000000 42.67 -00 00:42:40.000000 42.67 -00 00:42:40.000000 42.67 -00 00:42:40.000000 42.67 -00 00:42:40.000000 42.67 -00 00:42:40.0000000 42.67 -00 00:42:40.0000000 42.67 -00 00:42:40.0000000 42.67 -00 00:42:40.0000000 42.67 -00 00:42:40.0000000 42.67 -00 00:42:40.0000000 42.67 -00 00:42:40.0000000 42.67 -00 00:42:40.00000000 40.000000000 40.000000000 40.0000000000	33090766	CS5695				CPLK	7.29 31-AUG-24 07.34.52.00000000	PM 31-AUG-24 07.43.19.000000000 PM	+00 00:08:27.000000	8.45	-00 00:08:27.000000	8.45
CPLK 41.41 31-AUG-24 09.26.19.00000000 PM 31-AUG-24 09.47.30.00000000 PM 400 00:21:11.000000 3309650 CS5695 CPLK 22.93 31-AUG-24 09.48.50.00000000 PM 31-AUG-24 10.05.20.00000000 PM 400 00:16:30.000000 16.5 -00 00:16:30.00000 16.5 -00 00:16:30.000000 16.5 -00 00:16:30.000000 16.5 -00 00:16:30.000000 16.5 -00 00:16:30.000000 16.5 -00 00:16:30.000000 16.5 -00 00:16:30.000000 16.5 -00 00:16:30.000000 16.5 -00 00:16:30.000000 16.5 -00 00:16:30.00000 16.5 -00 00:16:30.00000 16.5 -00 00:16:30.0000	33092119	CS5694				CPLK	76.25 31-AUG-24 08.04.47.00000000	PM 31-AUG-24 09.38.36.000000000 PM	+00 01:33:49.000000	93.82	-00 01:33:49.000000	93.82
CS5695 CS5695 CPLK CS5695 CPLK CS5695 CPLK CS5691 CPLK CS5691 CPLK CS5695 CS5695 CPLK CS5695 C	33093836	CS5695				CPLK	49.62 31-AUG-24 08.40,35,00000000	PM 31-AUG-24 09.23.15.000000000 PM	+00 00:42:40,000000	42.67	-00 00:42:40.000000	42.67
CPLK 11.98 31-AUG-24 10.07.16.00000000 PM 31-AUG-24 10.17.06.00000000 PM 400 00:09:50.000000 33-00 00:09:50.000000 33-00 00:09:50.000000 33-00 00:09:50.000000 33-00 00:09:50.000000 33-00 00:09:50.000000 33-00 00:09:50.000000 33-00 00:09:50.000000 33-00 00:09:50.000000 33-00 00:09:50.000000 400 00:07:26.000000 33-00 00:09:50.000000 3	33095788	CS5695				CPLK	41.41 31-AUG-24 09.26.19.00000000	PM 31-AUG-24 09.47.30.000000000 PM	+00 00:21:11.000000	21.18	-00 00:21:11.000000	21.18
33997896 CS5695 CPLK 10.36 31-AUG-24 10.22.21.00000000 PM 28.08 31-AUG-24 10.25.34.0000000 PM 28.08 31-AUG-24 10.57.34.0000000 PM 28.08 31-AUG-24 10.57.34.0000000 PM 31-AUG-24 11.32.15.0000000 PM 400 00:07:26.00000 34.68 -00 00:34:41.00000 34.68 -00 00:34:41.00000 3399927 CS5695 CPLK 43.1 31-AUG-24 10.58.42.00000000 PM 31-AUG-24 11.32.15.0000000 PM 400 00:34:41.00000 47.98 -00 00:47:59.000000 47.98 -00 00:47:59.000000 47.98 -00 00:47:59.000000 47.98 -00 00:47:59.000000 47.98 -00 00:47:59.000000 47.98 -00 00:47:59.000000 47.98 -00 00:47:59.000000 47.98 -00 00:47:59.000000 47.98 -00 00:47:59.000000 47.98 -00 00:47:59.000000 47.98 -00 00:47:59.000000 47.98 -00 00:47:59.000000 47.98 -00 00:47:59.000000 47.98 -00 00:47:59.000000 47.98 -00 00:47:59.000000 47.98 -00 00:47:59.000000 47.98 -00 00:47:59.000000 47.98 -00 00:47:59.000000 47	33096650	CS5695				CPLK	22.93 31-AUG-24 09.48.50.00000000	PM 31-AUG-24 10.05.20.000000000 PM	+00 00:16:30.000000	16.5	-00 00:16:30.000000	16.5
33099198 CS5692 28.08 31-AUG-24 10.57.34.00000000 PM 31-AUG-24 11.32.15.00000000 PM +00 00:34:41.00000 34.68 -00 00:34:41.00000 33099227 CS5695 31-AUG-24 10.58.42.00000000 PM 31-AUG-24 11.32.15.0000000 PM +00 00:34:41.000000 47.98 -00 00:47:59.00000 33227282 CS5694 22.14 03-SEP-24 01.24.20.00000000 PM 03-SEP-24 01.34.06.0000000 PM +00 00:94:6.00000 9.77 -00 00:94:6.00000 33228600 CS5694 03-SEP-24 01.55.00.00000000 PM 03-SEP-24 02.40.31.0000000 PM +00 00:45:31.000000 45.52 -00 00:45:31.00000 33228678 CS5692 CPLK 49.39 03-SEP-24 01.56.50.000000000 PM 03-SEP-24 03.43.25.0000000 PM +00 01:46:35.00000 106.58 -00 01:46:35.00000 33231435 CS5695 CPLK 59.93 03-SEP-24 02.55.04.00000000 PM 03-SEP-24 03.14.12.00000000 PM +00 00:19:08.00000 19.13 -00 00:19:08.00000	33097325	CS5691				CPLK	11.98 31-AUG-24 10,07,16,00000000	PM 31-AUG-24 10.17.06.000000000 PM	+00 00:09:50.000000	9.83	-00 00:09:50.000000	9.83
33099227 CS5695 43.1 31-AUG-24 10.58.42.00000000 PM 31-AUG-24 11.46.41.00000000 PM +00 00:47:59.000000 47.98 -00 00:47:59.00000 33227282 CS5694 22.14 03-SEP-24 01.24.20.00000000 PM 03-SEP-24 01.34.06.0000000 PM +00 00:47:59.000000 9.77 -00 00:99:46.00000 33228600 CS5694 03-SEP-24 01.55.00.000000000 PM 03-SEP-24 02.40.31.0000000 PM +00 00:45:31.000000 45.52 -00 00:45:31.00000 33228678 CS5692 CPLK 49.39 03-SEP-24 01.56.50.000000000 PM 03-SEP-24 03.43.25.0000000 PM +00 01:46:35.00000 106.58 -00 01:46:35.00000 33231435 CS5695 CPLK 59.93 03-SEP-24 02.55.04.000000000 PM 03-SEP-24 03.14.12.00000000 PM +00 00:19:08.00000 19.13 -00 00:19:08.00000	33097896	CS5695				CPLK	10.36 31-AUG-24 10.22.21.00000000	PM 31-AUG-24 10.29.47.000000000 PM	+00 00:07:26.000000	7.43	-00 00:07:26.000000	7.43
33227282 CS5694 CPLK 22.14 03-SEP-24 01.24,20.000000000 PM 03-SEP-24 01.34.06.0000000 PM +00 00:09:46,000000 9.77 -00 00:09:46,00000 33228600 CS5694 41.42 03-SEP-24 01.55,00.00000000 PM 03-SEP-24 02.40,31,0000000 PM +00 00:45:31,000000 45.52 -00 00:45:31,00000 33228678 CS5692 CPLK 49.39 03-SEP-24 01.56,50.00000000 PM 03-SEP-24 03.43,25,0000000 PM +00 01:46:35,00000 106.58 -00 01:46:35,00000 33231435 CS5695 CS5695 93 03-SEP-24 02.55,04,00000000 PM 03-SEP-24 03.14,12,00000000 PM +00 00:19:08,000000 19.13 -00 00:19:08,000000	33099198	CS5692				CPLK	28.08 31-AUG-24 10.57.34.00000000	PM 31-AUG-24 11.32.15.000000000 PM	+00 00:34:41.000000	34.68	-00 00:34:41.000000	34.68
33228600 CPLK 41.42 03-SEP-24 01.55.00.000000000 PM 03-SEP-24 02.40.31.000000 PM +00 00:45:31.000000 PM +00 00:45:31.0000000 PM +00 00:45:31.0000000 PM +00 00:45:31.000000 PM +00 00:45:31.000000 PM +00 00:45:31.0000000 PM +00 00:45:31.000000 PM +00 00:45:31.0000000 PM +00 00:45:31.000000	33099227	CS5695				CPLK	43.1 31-AUG-24 10,58,42,00000000	PM 31-AUG-24 11.46.41.000000000 PM	+00 00:47:59.000000	47.98	-00 00:47:59.000000	47.98
33228678 CS5692 CS5692 +00.0146:35.000000000 PM 03-SEP-24 03.43.25.00000000 PM 03-SEP-24 03.43.25.0000000 PM +00 01:46:35.000000 PM +00 01:46:35.0000000 PM +00 01:46:35.000000 PM +00 01:46:35.0000000 PM +00 01:46:35.000000 PM +00	33227282								+00 00:09:46.000000	9.77	-00 00:09:46.000000	9.77
33231435 CS5695 CS5695 CS5695 03-SEP-24 02.55.04.000000000 PM 03-SEP-24 03.14.12.000000000 PM +00 00:19:08.000000 PM +00 00:19:08.000000 PM +00 00:19:08.000000	33228600	CS5694				CPLK	41.42 03-SEP-2401.55.00.000000000	PM 03-SEP-24 02.40.31.000000000 PM	+00 00:45:31.000000	45.52	-00 00:45:31.000000	45.52
	33228678	CS5692					49.39 03-SEP-2401.56.50.000000000	PM 03-SEP-24 03.43.25.0000000000 PM	+00 01:46:35.000000	106.58	-00 01:46:35.000000	106.58
THE STATE OF THE S	33231435	CS5695				CPLK	59.93 03-SEP-2402,55.04.000000000	PM 03-SEP-24 03.14.12.000000000 PM	+00 00:19:08.000000	19.13	-00 00:19:08.000000	19.13
	33238159	CS5691				CPLK			+00 01:17:41.000000			77.68
33239902 CS5694 14.87 03-SEP-24 05.56.34.000000000 PM 03-SEP-24 06.01.55.000000000 PM +00 00:05:21.000000	33239902	CS5694					14.87 03-SEP-2405.56.34.000000000	PM 03-SEP-24 06.01.55.000000000 PM	+00 00:05:21.000000	5.35	-00 00:05:21.000000	5.35
33243418 CS5692 CPLK 26.9 03-SEP-24 07.20.16.000000000 PM 03-SEP-24 08.02.51.0000000 PM +00 00:42:35.000000 PM +00 00:42:35.000000 PM +00 00:42:35.000000	33243418	CS5692				CPLK	26.9 03-SEP-2407.20.16.000000000	PM 03-SEP-24 08.02.51.000000000 PM	+00 00:42:35.000000	42.58	-00 00:42:35.000000	42.58

	SESSION_ID	CHARGER_ID	ADDRESS	СПУ	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
33248998	CS5695				CPLK	42.72 03-SEP-2409.41.10.000000000 PM	03-SEP-24 10.03.30.000000000 PM	+00 00:22:20.000000	22.33	-00 00:22:20.000000	22.33
33249140	CS5692				CPLK	49.93 03-SEP-2409.45.00.000000000 PM	03-SEP-24 11.21.41.000000000 PM	+00 01:36:41.000000	96.68	-00 01:36:41.000000	96.68
33252856	CS5694				CPLK	56.31 03-SEP-2411.48.33.0000000000 PM	04-SEP-24 01.28.32.000000000 AM	+00 01:39:59.000000	99.98	-00 01:39:59.000000	99.98
33253421	CS5692				CPLK	33.34 04-SEP-2412.10.31.000000000 AM	04-SEP-24 01,22,34,000000000 AM	+00 01:12:03.000000	72.05	-00 01:12:03.000000	72.05
33256763	CS5691				CPLK	26.91 04-SEP-24 03.49.45.0000000000 AM	04-SEP-24 04.21.45.000000000 AM	+00 00:32:00.000000	32	-00 00:32:00.000000	32
33260864	CS5695				CPLK	39.6 04-SEP-2408.14.03.000000000 AM	04-SEP-24 09.12.32.000000000 AM	+00 00:58:29.000000	58.48	-00 00:58:29.000000	58.48
33261343	CS5691				CPLK	33.19 04-SEP-24 08.30.34.000000000 AM	04-SEP-24 09.08.29.000000000 AM	+00 00:37:55.000000	37.92	-00 00:37:55.000000	37.92
33263535	CS5695				CPLK	14.56 04-SEP-24 09.40.03.000000000 AM	04-SEP-24 10.02.30.000000000 AM	+00 00:22:27.000000	22.45	-00 00:22:27.000000	22.45
33265326	CS5692				CPLK	48.32 04-SEP-24 10.32.02.0000000000 AM	04-SEP-24 11.46.16.000000000 AM	+00 01:14:14.000000	74.23	-00 01:14:14.000000	74.23
33266979	CS5694				CPLK	68.02 04-SEP-2411.11.10.0000000000 AM	04-SEP-24 11.53.57.000000000 AM	+00 00:42:47.000000	42.78	-00 00:42:47.000000	42.78
33267604	CS5695				CPLK	60.32 04-SEP-24 11.27.03.000000000 AM	04-SEP-24 12.00.45.000000000 PM	+00 00:33:42.000000	33.7	-00 00:33:42.000000	33.7
33269292	CS5695				CPLK	49.75 04-SEP-24 12.07.18.000000000 PM	04-SEP-24 12.33.21.000000000 PM	+00 00:26:03.000000	26.05	-00 00:26:03.000000	26.05
33269509	CS5694				CPLK	46.1 04-SEP-24 12.12.17.0000000000 PM	04-SEP-24 12.56.16.000000000 PM	+00 00:43:59.000000	43.98	-00 00:43:59.000000	43.98
33272114	CS5695				CPLK	38.37 04-SEP-24 01.15.26.0000000000 PM	04-SEP-24 01.32.02.000000000 PM	+00 00:16:36.000000	16.6	-00 00:16:36.000000	16.6
33272379	CS5694				CPLK	47.24 04-SEP-24 01.21.49.000000000 PM	04-SEP-24 02.10.15.000000000 PM	+00 00:48:26.000000	48.43	-00 00:48:26.000000	48.43
37832514	CS5695				CPLK	44.77 05-DEC-24 03.11,54,000000000 AM	05-DEC-24 04.06.57.000000000 AM	+00 00:55:03.000000	55.05	-00 00:55:03.000000	55.05
37832600	CS5694				CPLK	61.24 05-DEC-2403.18.29,0000000000 AM	05-DEC-24 05.02.45.000000000 AM	+00 01:44:16.000000	104.27	-00 01:44:16.000000	104.27
37832993	CS5692				CPLK	64.37 05-DEC-24 03.48.46.000000000 AM	05-DEC-24 05.49.01.000000000 AM	+00 02:00:15.000000	120.25	-00 02:00:15.000000	120.25
37834748	CS5695				CPLK	44.07 05-DEC-24 05.38.07.000000000 AM	05-DEC-24 06.27.25.000000000 AM	+00 00:49:18.000000	49.3	-00 00:49:18.000000	49.3
37835007	CS5691				CPLK	59.69 05-DEC-24 05.52.32,000000000 AM	05-DEC-24 06.54,24.000000000 AM	+00 01:01:52.000000	61.87	-00 01:01:52.000000	61.87
37836617	CS5691				CPLK	41.26 05-DEC-2407.05.51.000000000 AM	05-DEC-24 07.39.30.000000000 AM	+00 00:33:39.000000	33.65	-00 00:33:39.000000	33.65
37840901	CS5691				CPLK	43.94 05-DEC-24 09.15.44.000000000 AM	05-DEC-24 10.24.45.000000000 AM	+00 01:09:01.000000	69.02	-00 01:09:01.000000	69.02
37841185	CS5695				CPLK	70.95 05-DEC-24 09.23.30.000000000 AM	05-DEC-24 10.47.11.000000000 AM	+00 01:23:41.000000	83.68	-00 01:23:41.000000	83.68
37842375	CS5692				CPLK	42.04 05-DEC-24 09.53,29.000000000 AM	05-DEC-24 11.16,47.000000000 AM	+00 01:23:18.000000	83.3	-00 01:23:18.000000	83.3
37843260	CS5694				CPLK	9.3 05-DEC-24 10.15.27.000000000 AM	05-DEC-24 10.34.09.000000000 AM	+00 00:18:42.000000	18.7	-00 00:18:42.000000	18.7
37845922	CS5691				CPLK	9.72 05-DEC-24 11.11.18.000000000 AM	05-DEC-24 11.18.34.000000000 AM	+00 00:07:16.000000	7.27	-00 00:07:16.000000	7.27
37845985	CS5695				CPLK	38.69 05-DEC-24 11.12.35.000000000 AM	05-DEC-24 12.31.15.000000000 PM	+00 01:18:40,000000	78.67	-00 01:18:40.000000	78.67
37846635	CS5694				CPLK	129.5 05-DEC-24 11.26.09.000000000 AM	05-DEC-24 12.21.28.000000000 PM	+00 00:55:19.000000	55.32	-00 00:55:19.000000	55.32
37847763	CS5692				CPLK	2.86 05-DEC-24 11.50.07.000000000 AM	05-DEC-24 11.53.07.000000000 AM	+00 00:03:00.000000	3	-00 00:03:00.000000	3
37848131	CS5691				CPLK	41.08 05-DEC-2411.57.05.000000000 AM	05-DEC-24 12.34.36.000000000 PM	+00 00:37:31.000000	37.52	-00 00:37:31.000000	37.52
37850121	CS5695				CPLK	31.42 05-DEC-24 12.37.16.000000000 PM	05-DEC-24 01.11.31.000000000 PM	+00 00:34:15.000000		-00 00:34:15.000000	34.25
38150431	CS5691				CPLK	26.88 11-DEC-24 08.31.49.000000000 AM	11-DEC-24 09.04.29.000000000 AM	+00 00:32:40.000000	32.67	-00 00:32:40.000000	32.67
38151448	CS5694				CPLK	58.1 11-DEC-24 09.02.01.000000000 AM	11-DEC-24 09.42.19.000000000 AM	+00 00:40:18.000000		-00 00:40:18.000000	40.3
38152248	CS5692				CPLK	56.98 11-DEC-2409,25,55,000000000 AM	11-DEC-24 10.34.59.000000000 AM	+00 01:09:04.000000		-00 01:09:04.000000	69.07
38152653	CS5695				CPLK	58.5 11-DEC-24 09.37.18.000000000 AM	11-DEC-24 10.30.13.000000000 AM	+00 00:52:55.000000		-00 00:52:55.000000	52.92
38154646	CS5694				CPLK	16.14 11-DEC-24 10.26.28.0000000000 AM	11-DEC-24 10.42.54.000000000 AM	+00 00:16:26.000000		-00 00:16:26.000000	16.43
38159265	CS5695				CPLK	29.22 11-DEC-24 12.05.01.000000000 PM	11-DEC-24 12.22.39.000000000 PM	+00 00:17:38.000000		-00 00:17:38.000000	17.63
38159987	CS5694				CPLK	48.42 11-DEC-24 12.19.20.000000000 PM	11-DEC-24 12.54.54.000000000 PM	+00 00:35:34.000000		-00 00:35:34.000000	35.57
38159988	CS5692				CPLK	25.18 11-DEC-24 12.19.23.000000000 PM	11-DEC-24 12.40.12.000000000 PM	+00 00:20:49.000000		-00 00:20:49.000000	20.82
38161908	CS5692				CPLK	2.16 11-DEC-24 01.00.03.0000000000 PM	11-DEC-24 01.05.06.000000000 PM	+00 00:05:03.000000		-00 00:05:03.000000	5.05
38162129	CS5691				CPLK	15.62 11-DEC-2401.04.24.000000000 PM	11-DEC-24 01.28.40.000000000 PM	+00 00:24:16.000000		-00 00:24:16.000000	24.27
38163292	CS5692				CPLK	30.17 11-DEC-24 01.29.19,000000000 PM	11-DEC-24 02.14.22.000000000 PM	+00 00:45:03.000000		-00 00:45:03.000000	45.05
38164393	CS5694				CPLK	11 11-DEC-24 01.52.35.0000000000 PM	11-DEC-24 02.06.49.000000000 PM	+00 00:14:14.000000		-00 00:14:14.000000	14.23
38164458	CS5691				CPLK	23.84 11-DEC-24 01.54.20.0000000000 PM	11-DEC-24 02.15.03.000000000 PM	+00 00:20:43.000000		-00 00:20:43.000000	20.72
38166126	CS5692				CPLK	30.4 11-DEC-24 02.27.42.000000000 PM	11-DEC-24 02.58.52.000000000 PM	+00 00:31:10.000000		-00 00:31:10.000000	31.17
38167233	CS5691				CPLK	49.32 11-DEC-24 02.48.54.0000000000 PM	11-DEC-24 04.49.06.0000000000 PM	+00 02:00:12.000000		-00 02:00:12.000000	120.2
38169503	C\$5692				CPLK	57.27 11-DEC-24 03.33.41.000000000 PM		+00 00:43:55.000000		-00 00:43:55.000000	43.92
38170990	CS5694				CPLK	14.43 11-DEC-24 04.03.47.0000000000 PM	11-DEC-24 04.11.51.000000000 PM	+00 00:08:04.000000		-00 00:08:04.000000	8.07
38171083	CS5695				CPLK	53.39 11-DEC-24 04.05.55.0000000000 PM	11-DEC-24 05.01.05.0000000000 PM	+00 00:55:10.000000		-00 00:55:10.000000	55.17
38171733	CS5694				CPLK	72.73 11-DEC-24 04.19.21.0000000000 PM	11-DEC-24 05.31.35.0000000000 PM	+00 01:12:14.000000		-00 01:12:14.000000	72.23
38171874	CS5692				CPLK	11.85 11-DEC-24 04.22.14.0000000000 PM	11-DEC-24 04.32.02.0000000000 PM	+00 00:09:48.000000		-00 00:09:48.000000	9.8
38172453	CS5692				CPLK	50.79 11-DEC-24 04.34.49.000000000 PM	11-DEC-24 05.12.25.0000000000 PM	+00 00:37:36.000000		-00 00:37:36.000000	37.6
38173509	CS5691				CPLK	104.02 11-DEC-24 04.57.20.000000000 PM	11-DEC-24 06.15.03.000000000 PM	+00 01:17:43.000000	17.72	-00 01:17:43.000000	77.72

38173896	00 PM +00 02:07:26.000000 00 PM +00 00:01:49.000000 00 PM +00 00:01:49.000000 00 PM +00 00:48:09.000000 00 PM +00 00:42:19.000000 00 PM +00 00:58:48.000000 00 PM +00 00:58:48.000000 00 PM +00 00:58:48.000000 00 PM +00 00:40:10:10.000000 00 PM +00 00:32:05.000000 00 PM +00 00:32:05.000000 00 PM +00 00:32:05.000000 00 PM +00 00:058:47.000000 00 PM +00 00:58:37.000000 00 PM +00 00:58:37.000000 00 PM +00 00:58:37.000000 00 PM +00 00:121:06.000000 00 PM +00 00:121:10.000000 00 PM +00 00:121:10.000000 00 PM +00 00:121:10.000000 00 PM +00 00:121:10.000000 00 PM +00 00:121:10.000000000000000000000000000000	64.98 -00 01:04:59.000000 127.43 -00 02:07:26.000000 38.45 -00 00:38:27.000000 121.82 -00 02:01:49.000000 62.58 -00 01:02:35.000000 48.15 -00 00:48:09.000000 42.32 -00 00:42:19.000000 120.83 -00 02:00:50.000000 58.8 -00 00:58:48.000000 12.47 -00 00:12:28.000000 32.08 -00 00:32:05.000000 66.68 -00 01:06:41.000000 42.98 -00 00:42:59.000000 38.78 -00 00:38:47.000000 53.62 -00 00:53:37.000000 51.1 -00 01:21:06.000000	127.43 38.45 121.82 62.58 48.15 42.32 120.83 58.8 12.47 32.08 66.68 62.17 42.98 38.78
38176371	00 PM +00 00:38:27.000000 00 PM +00 02:01:49.000000 00 PM +00 01:02:35.000000 00 PM +00 00:48:09.000000 00 PM +00 00:42:19.000000 00 PM +00 00:55:0000000 00 PM +00 00:58:48.000000 00 PM +00 00:12:28.000000 00 PM +00 00:32:05.000000 00 PM +00 01:06:41.000000 00 PM +00 01:02:10.000000 00 PM +00 00:42:59.000000 00 PM +00 00:38:47.000000 00 PM +00 00:53:37.000000 00 PM +00 01:21:06.000000 00 PM +00 01:13:11.000000 00 PM +00 01:06:01.000000	38.45 -00 00:38:27.000000 121.82 -00 02:01:49.000000 62.58 -00 01:02:35.000000 48.15 -00 00:48:09.000000 42.32 -00 00:42:19.000000 120.83 -00 02:00:50.000000 58.8 -00 00:58:48.0000000 12.47 -00 00:12:28.0000000 32.08 -00 00:32:05.0000000 66.68 -00 01:06:41.0000000 62.17 -00 01:02:10.0000000 42.98 -00 00:42:59.000000 38.78 -00 00:38:47.0000000 53.62 -00 00:53:37.00000000000000000000000000000000000	38.45 121.82 62.58 48.15 42.32 120.83 58.8 12.47 32.08 66.68 62.17 42.98 38.78
38178798	00 PM +00 02:01:49.00000 00 PM +00 01:02:35.000000 00 PM +00 00:48:09.000000 00 PM +00 00:42:19.000000 00 PM +00 00:58:48.000000 00 PM +00 00:12:28.000000 00 PM +00 00:32:05.000000 00 PM +00 00:10:10.000000 00 PM +00 00:00:00:00 00 PM +00 00:32:59.000000 00 PM +00 00:38:47.000000 00 PM +00 00:53:37.000000 00 PM +00 00:53:37.000000 00 PM +00 00:121:06.000000 00 PM +00 00:13:11.000000 00 PM +00 00:13:11.000000 00 PM +00 00:10:00:00000000000000000000000000	121.82 -00 02:01:49.000000 62.58 -00 01:02:35.000000 48.15 -00 00:48:09.000000 42.32 -00 00:42:19.000000 120.83 -00 02:00:50.000000 58.8 -00 00:58:48.000000 32.08 -00 00:32:05.000000 66.68 -00 01:06:41.000000 62.17 -00 01:02:10.000000 42.98 -00 00:42:59.000000 38.78 -00 00:38:47.000000 53.62 -00 00:53:37.000000 81.1 -00 01:21:06.0000000	121.82 62.58 48.15 42.32 120.83 58.8 12.47 32.08 66.68 62.17 42.98 38.78
38179752 C\$5694 CPLK 39.56 11-DEC-24 07.06.29.00000000 PM 3160796 C\$5692 CPLK 46.55 11-DEC-24 07.06.29.00000000 PM 3160796 C\$5692 CPLK 22.99 11-DEC-24 07.06.29.0000000 PM 3191337 C\$5695 CPLK 37.1 12-DEC-24 08.50.47.0000000 PM 3191337 C\$5695 CPLK 37.1 12-DEC-24 08.50.47.0000000 PM 3191337 C\$5695 CPLK 37.1 12-DEC-24 08.50.47.0000000 PM 21-DEC-24 08.50.47.0000000 PM 3872426 C\$5692 CPLK 38.76 12-DEC-24 05.21.50.59.0000000 PM 21-DEC-24 08.50.47.0000000 PM 38725683 C\$5691 CPLK 19.8 12-DEC-24 05.20.07.00000000 PM 21-DEC-24 05.54.54.70.0000000 PM 38728129 C\$5694 CPLK 51.43 12-DEC-24 06.29.18.00000000 PM 21-DEC-24 07.55.56.0000000 BM 38731897 C\$5695 CPLK 63.59 12-DEC-24 06.39.18.00000000 PM 21-DEC-24 07.55.56.0000000 BM 38731271 C\$5691 CPLK 60.88 12-DEC-24 07.40.86.00000000 PM 21-DEC-24 07.55.56.00000000 BM 38731271 C\$5691 CPLK 60.88 12-DEC-24 07.40.86.00000000 PM 21-DEC-24 07.85.26.00000000 BM 38732271 C\$5694 CPLK 60.88 12-DEC-24 07.49.80.00000000 PM 21-DEC-24 07.85.26.00000000 BM 38734298 C\$5699 CPLK 60.88 12-DEC-24 08.84.50.00000000 PM 21-DEC-24 07.85.26.00000000 BM 38734298 C\$5699 CPLK 60.88 12-DEC-24 08.84.50.00000000 PM 21-DEC-24 07.85.26.00000000 BM 21-DEC-24 07.85.26.0000000 BM 21-DEC-24 07.85.26.00000000 BM 21-DEC-24 07.85.26.00000000 BM 21-DEC-24 07.85.26.00000000 BM 21-DEC-24 07.85.26.00000000 BM 21-DEC-24 07.85.26.0000000 BM 21-DEC-24 07.8	00 PM +00 01:02:35.000000 00 PM +00 00:48:09.000000 00 PM +00 00:42:19.000000 00 AM +00 02:00:50.000000 00 PM +00 00:58:48.000000 00 PM +00 00:32:05.000000 00 PM +00 00:32:05.000000 00 PM +00 01:06:41.000000 00 PM +00 01:02:10.000000 00 PM +00 00:42:59.000000 00 PM +00 00:38:47.000000 00 PM +00 00:53:37.000000 00 PM +00 01:12:106.000000 00 PM +00 01:13:11.000000 00 PM +00 01:06:01.000000	62.58 -00 01:02:35.000000 48.15 -00 00:48:09.000000 42.32 -00 00:42:19.000000 120.83 -00 02:00:50.000000 58.8 -00 00:58:48.000000 12.47 -00 00:12:28.000000 32.08 -00 00:32:05.000000 66.68 -00 01:06:41.000000 62.17 -00 01:02:10.000000 42.98 -00 00:32:59.000000 38.78 -00 00:38:47.000000 53.62 -00 00:53:37.000000 81.1 -00 01:21:06.000000	62.58 48.15 42.32 120.83 58.8 12.47 32.08 66.68 62.17 42.98 38.78
38180796	00 PM +00 00:48:09.000000 00 PM +00 00:42:19.000000 00 AM +00 02:00:50.000000 00 PM +00 00:58:48.000000 00 PM +00 00:32:05.000000 00 PM +00 00:32:05.000000 00 PM +00 01:06:41.000000 00 PM +00 01:06:41.000000 00 PM +00 00:38:47.000000 00 PM +00 00:38:47.000000 00 PM +00 00:53:37.000000 00 PM +00 01:13:11.000000 00 PM +00 01:13:11.000000 00 PM +00 01:06:01.000000	48.15 -00 00:48:09.000000 42.32 -00 00:42:19.000000 120.83 -00 02:00:50.000000 58.8 -00 00:58:48.000000 12.47 -00 00:12:28.000000 32.08 -00 00:32:05.000000 66.68 -00 01:06:41.000000 62.17 -00 01:02:10.000000 42.98 -00 00:42:59.000000 38.78 -00 00:38:47.000000 53.62 -00 00:53:37.000000 81.1 -00 01:21:06.000000	48.15 42.32 120.83 58.8 12.47 32.08 66.68 62.17 42.98 38.78
38184438	00 PM +00 00:42:19.000000 00 AM +00 02:00:50.000000 00 PM +00 00:58:48.000000 00 PM +00 00:32:05.000000 00 PM +00 00:32:05.000000 00 PM +00 01:06:41.000000 00 PM +00 01:02:10.000000 00 PM +00 00:42:59.000000 00 PM +00 00:38:47.00000 00 PM +00 00:53:37.000000 00 PM +00 01:21:06.000000 00 PM +00 01:13:11.000000 00 PM +00 01:06:01.000000	42.32 -00 00:42:19.000000 120.83 -00 02:00:50.000000 58.8 -00 00:58:48.000000 12.47 -00 00:12:28.000000 32.08 -00 00:32:05.000000 66.68 -00 01:06:41.000000 62.17 -00 01:02:10.000000 42.98 -00 00:42:59.000000 38.78 -00 00:38:47.000000 53.62 -00 00:53:37.0000000 81.1 -00 01:21:06.000000	42.32 120.83 58.8 12.47 32.08 66.68 62.17 42.98 38.78
38191337	00 AM +00 02:00:50.000000 00 PM +00 00:58:48.000000 00 PM +00 00:32:05.000000 00 PM +00 00:32:05.000000 00 PM +00 01:06:41.000000 00 PM +00 00:42:59.000000 00 PM +00 00:38:47.000000 00 PM +00 00:53:37.000000 00 PM +00 00:121:06.000000 00 PM +00 01:13:11.000000 00 PM +00 01:06:01.000000 00 PM +00 01:06:01.000000 00 PM +00 01:06:01.000000	120.83 -00 02:00:50.000000 58.8 -00 00:58:48.000000 12.47 -00 00:12:28.000000 32.08 -00 00:32:05.000000 66.68 -00 01:06:41.000000 62.17 -00 01:02:10.000000 42.98 -00 00:42:59.000000 38.78 -00 00:38:47.000000 53.62 -00 00:53:37.000000 81.1 -00 01:21:06.000000	120.83 58.8 12.47 32.08 66.68 62.17 42.98 38.78
38724426	00 PM +00 00:58:48.000000 00 PM +00 00:12:28.000000 00 PM +00 00:32:05.000000 00 PM +00 01:06:41.000000 00 PM +00 01:02:10.000000 00 PM +00 00:42:59.000000 00 PM +00 00:38:47.000000 00 PM +00 00:53:37.000000 00 PM +00 01:21:06.000000 00 PM +00 01:13:11.000000 00 PM +00 01:06:01.000000	58.8 -00 00:58:48.000000 12.47 -00 00:12:28.000000 32.08 -00 00:32:05.000000 66.68 -00 01:06:41.000000 62.17 -00 01:02:10.000000 42.98 -00 00:42:59.000000 38.78 -00 00:38:47.000000 53.62 -00 00:53:37.000000 81.1 -00 01:21:06.000000	58.8 12.47 32.08 66.68 62.17 42.98 38.78
CPLK 14.75 21-DEC-24 05.41.49.00000000 PM 21-DEC-24 05.54.17.00000000 21-DEC-24 05.54.17.00000000 21-DEC-24 05.54.17.00000000 21-DEC-24 05.54.17.00000000 21-DEC-24 05.54.17.00000000 21-DEC-24 05.54.17.00000000 21-DEC-24 05.54.17.000000000 21-DEC-24 05.54.17.00000000 21-DEC-24 05.54.17.000000000 21-DEC-24 05.54.17.000000000 21-DEC-24 05.55.1000000000 21-DEC-24 05.55.1000000000 21-DEC-24 05.55.1000000000 21-DEC-24 07.35.59.00000000 21-DEC-24 07.35.59.00000000 21-DEC-24 07.35.59.00000000 21-DEC-24 07.35.26.000000000 21-DEC-24 07.35.26.00000000 21-DEC-24 07.35.26.00000000 21-DEC-24 07.35.26.00000000 21-DEC-24 07.35.26.00000000 21-DEC-24 07.35.26.00000000 21-DEC-24 07.35.26.00000000 21-DEC-24 07.35.26.000000000 21-DEC-24 07.35.26.00000000 21-DEC-24 07.35.26.000000000 21-DEC-24 07.35.26.00000000 21-DEC-24 07.	00 PM +00 00:12:28.000000 00 PM +00 00:32:05.000000 00 PM +00 01:06:41.000000 00 PM +00 01:02:10.000000 00 PM +00 00:42:59.000000 00 PM +00 00:38:47.000000 00 PM +00 00:53:37.000000 00 PM +00 01:21:06.000000 00 PM +00 01:13:11.000000 00 PM +00 01:06:01.000000	12.47 -00 00:12:28.000000 32.08 -00 00:32:05.000000 66.68 -00 01:06:41.000000 62.17 -00 01:02:10.000000 42.98 -00 00:42:59.000000 38.78 -00 00:38:47.000000 53.62 -00 00:53:37.000000 81.1 -00 01:21:06.000000	12.47 32.08 66.68 62.17 42.98 38.78
S8727678	00 PM +00 00:32:05.000000 00 PM +00 01:06:41.000000 00 PM +00 01:02:10.000000 00 PM +00 00:42:59.000000 00 PM +00 00:38:47.000000 00 PM +00 00:53:37.000000 00 PM +00 01:21:06.000000 00 PM +00 01:13:11.000000 00 PM +00 01:06:01.000000	32.08 -00 00:32:05.000000 66.68 -00 01:06:41.000000 62.17 -00 01:02:10.000000 42.98 -00 00:42:59,000000 38.78 -00 00:38:47.000000 53.62 -00 00:53:37,000000 81.1 -00 01:21:06.000000	32.08 66.68 62.17 42.98 38.78
CPLK S1.43 21-DEC-24 06.29.18.00000000 PM 21-DEC-24 07.35.59.00000000	00 PM +00 01:06:41.000000 00 PM +00 01:02:10.000000 00 PM +00 00:42:59.000000 00 PM +00 00:38:47.000000 00 PM +00 00:53:37.000000 00 PM +00 01:21:06.000000 00 PM +00 01:13:11.000000 00 PM +00 01:06:01.000000	66.68 -00 01:06:41.000000 62.17 -00 01:02:10.000000 42.98 -00 00:42:59.000000 38.78 -00 00:38:47.000000 53.62 -00 00:53:37.000000 81.1 -00 01:21:06.000000	66.68 62.17 42.98 38.78
S8728318	00 PM +00 01:02:10.000000 00 PM +00 00:42:59.000000 00 PM +00 00:38:47.000000 00 PM +00 00:53:37.000000 00 PM +00 01:21:06.000000 00 PM +00 01:13:11.000000 00 PM +00 01:06:01.000000	62.17 -00 01:02:10.000000 42.98 -00 00:42:59.000000 38.78 -00 00:38:47.000000 53.62 -00 00:53:37.000000 81.1 -00 01:21:06.000000	62.17 42.98 38.78
CPLK G3.59 21-DEC-24 07.40.36.00000000 PM 21-DEC-24 08.23.35.00000000	00 PM +00 00:42:59.000000 00 PM +00 00:38:47.000000 00 PM +00 00:53:37.000000 00 PM +00 01:21:06.000000 00 PM +00 01:13:11.000000 00 PM +00 01:06:01.000000	42.98 -00 00:42:59.000000 38.78 -00 00:38:47.000000 53.62 -00 00:53:37.000000 81.1 -00 01:21:06.000000	42.98 38.78
38732271	00 PM +00 00:38:47.000000 00 PM +00 00:53:37.000000 00 PM +00 01:21:06.000000 00 PM +00 01:13:11.000000 00 PM +00 01:06:01.000000	38.78 -00 00:38:47.000000 53.62 -00 00:53:37.000000 81.1 -00 01:21:06.000000	38.78
38733173 CS5692 CPLK 60.88 21-DEC-24 08.06.25.000000000 PM 21-DEC-24 09.00.02.00000000 PM 21-DEC-24 09.00.02.00000000 PM 21-DEC-24 09.00.02.00000000 PM 21-DEC-24 09.29.49.00000000 PM 21-DEC-24 10.27.33.00000000 PM 21-DEC-24 10.27.24.00000000 PM 21-DEC-24 10.27.24.00000000 PM 21-DEC-24 10.27.24.000000000 PM 21-DEC-24 10.29.25.00000000 PM 21-DEC-24 10.29.25.00000000 PM 22-DEC-24 11.04.27.000000000 PM 22-DEC-24 11.04.27.000000000 PM 22-DEC-24 11.00.00000000 PM 21-DEC-24 11.00.00000000 PM 22-DEC-24 11.00.00000000 PM	00 PM +00 00:53:37.000000 00 PM +00 01:21:06.000000 00 PM +00 01:13:11.000000 00 PM +00 01:06:01.000000	53.62 -00 00:53:37.000000 81.1 -00 01:21:06.000000	
38733297	00 PM +00 01:21:06,000000 00 PM +00 01:13:11.000000 00 PM +00 01:06:01.000000	81.1 -00 01:21:06.000000	53.62
38734298 CS5691 CPLK 49.56 21-DEC-24 08.30.20.00000000 PM 21-DEC-24 09.43.31.0000000 38736588 CS5692 CPLK 34.74 21-DEC-24 09.21.32.00000000 PM 21-DEC-24 10.27.33.0000000 38738326 CS5695 CPLK 64.04 21-DEC-24 10.01.36.00000000 PM 21-DEC-24 10.55.44.0000000 38738910 CS5694 CPLK 43.37 21-DEC-24 10.15.24.00000000 PM 21-DEC-24 10.39.55.0000000 38740751 CS5694 CPLK 72.03 21-DEC-24 11.04.27.00000000 PM 22-DEC-24 12.09.25.0000000 38740756 CS5692 CPLK 19.5 21-DEC-24 11.04.30.00000000 PM 21-DEC-24 11.20.02.00000000 38744016 CS5694 CPLK 30.56 22-DEC-24 12.47.53.000000000 AM 22-DEC-24 01.39.41.0000000 38744210 CS5692 CPLK 39.16 22-DEC-24 12.55.28.000000000 AM 22-DEC-24 02.39.18.00000000	00 PM +00 01:13:11.000000 +00 01:06:01.000000		
38736588	00 PM +00 01:06:01.000000	73.18 -00 01:13:11.000000	81.1
38738326 CS5695 CPLK 64.04 21-DEC-24 10.01.36.00000000 PM 21-DEC-24 10.55.44.0000000			73.18
38738910 CS5694 CPLK 43.37 21-DEC-24 10.15.24.000000000 PM 21-DEC-24 10.39.55.00000000 38740751 CS5694 CPLK 72.03 21-DEC-24 11.04.27.000000000 PM 22-DEC-24 12.09.25.00000000 38740756 CS5692 CPLK 19.5 21-DEC-24 11.04.30.000000000 PM 21-DEC-24 11.20.02.00000000 38744016 CS5694 CPLK 30.56 22-DEC-24 12.47.53.000000000 AM 22-DEC-24 01.39.41.00000000 38744210 CS5692 CPLK 39.16 22-DEC-24 12.55.28.000000000 AM 22-DEC-24 02.39.18.00000000	The same of the sa	66.02 -00 01:06:01.000000	66.02
38740751 CS5694 38740756 CS5692 3874016 CS5694 3874016 CS5694 3874210 CS5692 CPLK 19.5 21-DEC-24 11.04.30.000000000 PM 22-DEC-24 12.09.25.00000000 21-DEC-24 11.20.02.00000000 22-DEC-24 12.47.53.000000000 AM 22-DEC-24 01.39.41.00000000 39.16 22-DEC-24 12.55.28.000000000 AM 22-DEC-24 02.39.18.00000000	00 PM +00 00:54:08.000000	54.13 -00 00:54:08.000000	54.13
38740756 CS5692 CPLK 19.5 21-DEC-24 11.04.30.000000000 PM 21-DEC-24 11.20.02.00000000 S8744016 CS5694 CPLK 30.56 22-DEC-24 12.47.53.00000000 AM 22-DEC-24 01.39.41.00000000 S8744210 CS5692 CPLK 39.16 22-DEC-24 12.55.28.000000000 AM 22-DEC-24 02.39.18.000000000 CPLK 20.55.28.000000000 AM 22-DEC-24 02.39.18.000000000000 AM 22-DEC-24 02.39.18.00000000000000000000000000000000000	00 PM +00 00:24:31,000000	24.52 -00 00:24:31.000000	24.52
38744016 CS5694 CPLK 30.56 22-DEC-2412.47.53.000000000 AM 22-DEC-2401.39.41.00000000 CPLK 39.16 22-DEC-2412.55.28.000000000 AM 22-DEC-2402.39.18.00000000 CPLK 39.16 22-DEC-2412.55.28.000000000 AM 22-DEC-2402.39.18.000000000 CPLK 39.16 22-DEC-2412.55.28.000000000 AM 22-DEC-2402.39.18.000000000 CPLK 39.16 22-DEC-2412.55.28.000000000 AM 22-DEC-2402.39.18.000000000 CPLK 39.16 22-DEC-2402.39.18.000000000 AM 22-DEC-2402.39.18.000000000 AM 22-DEC-2402.39.18.00000000000000000 AM 22-DEC-2402.39.18.000000000000000 AM 22-DEC-2402.39.18.00000000000000000000000000000000000	00 AM +00 01:04:58.000000	64.97 -00 01:04:58.000000	64.97
38744210 CS5692 CPLK 39.16 22-DEC-2412.55.28.000000000 AM 22-DEC-2402.39.18.00000000	00 PM +00 00:15:32.000000	15.53 -00 00:15:32.000000	15.53
	00 AM +00 00:51:48.000000	51.8 -00 00:51:48.000000	51.8
38745102 CS5695 EQUIPMENT Solution CS5695 EQ	00 AM +00 01:43:50.000000	103.83 -00 01:43:50.000000	103.83
	00 AM +00 00:31:33.000000	31.55 -00 00:31:33.000000	31.55
38749076 CS5695 CPLK 59.58 22-DEC-24 04.40.25.000000000 AM 22-DEC-24 06.28.40.00000000	00 AM +00 01:48:15.000000	108.25 -00 01:48:15.000000	108.25
38749931 CS5692 CPLK 50.74 22-DEC-2405.27.26.000000000 AM 22-DEC-2407.23.26.00000000	00 AM +00 01:56:00.000000	116 -00 01:56:00.000000	116
38755931 CS5695 CPLK 40.12 22-DEC-2409.14.27.000000000 AM 22-DEC-2409.44.35.00000000	00000.88:00:00 +00 00:30:08.000000	30.13 -00 00:30:08.000000	30.13
38757552 CS5692 CPLK 55.12 22-DEC-2409.53.01.000000000 AM 22-DEC-24 10.42.06.00000000	00 AM +00 00:49:05.000000	49.08 -00 00:49:05.000000	49.08
38757699 CS5691 CPLK 30.65 22-DEC-24 09.55.57.000000000 AM 22-DEC-24 10.41.04.00000000	00 AM +00 00:45:07.000000	45.12 -00 00:45:07.000000	45.12
38758263 CS5695 CPLK 57.1 22-DEC-24 10.08.07.000000000 AM 22-DEC-24 10.43.37.00000000	00 AM +00 00:35:30.000000	35.5 -00 00:35:30.000000	35.5
38758816 CS5694 CPLK 45.36 22-DEC-24 10.20.43.000000000 AM 22-DEC-24 10.49.32.00000000	00 AM +00 00:28:49.000000	28.82 -00 00:28:49.000000	28.82
38763290 CS5695 CPLK 41.58 22-DEC-24 11.46.45.000000000 AM 22-DEC-24 12.06.38.00000000	00 PM +00 00:19:53.000000	19.88 -00 00:19:53,000000	19.88
38763859 CS5694 CPLK 56.36 22-DEC-24 11.58.10.000000000 AM 22-DEC-24 12.38.32.00000000	00 PM +00 00:40:22.000000	40.37 -00 00:40:22.000000	40.37
38764127 CS5691 CPLK 62.83 22-DEC-24 12.03.26.000000000 PM 22-DEC-24 01.18.47.00000000	00 PM +00 01:15:21.000000	75.35 -00 01:15:21.000000	75.35
38766335 CS5692 CPLK 38.73 22-DEC-2412.40.05.000000000 PM 22-DEC-24 01.07.02.00000000	00 PM +00 00:26:57.000000	26.95 -00 00:26:57.000000	26.95
38768168 CS5694 CPLK 184.66 22-DEC-2401.12.18.000000000 PM 22-DEC-2402.19.02.00000000	00 PM +00 01:06:44.000000	66.73 -00 01:06:44.000000	66.73
39173248 CS5692 CPLK 56.68 30-DEC-24 12.43.56.000000000 PM 30-DEC-24 01.52.19.00000000	00 PM +00 01:08:23.000000	68.38 -00 01:08:23.000000	68.38
39176142 CS5691 CPLK 38.97 30-DEC-24 01.42.25.000000000 PM 30-DEC-24 02.57.49.00000000	00 PM +00 01:15:24.000000	75.4 -00 01:15:24.000000	75.4
39176750 CS5694 CPLK 69.14 30-DEC-2401.54.37.000000000 PM 30-DEC-2403.15.14.00000000	00 PM +00 01:20:37,000000	80.62 -00 01:20:37.000000	80.62
39177090 CS5692 CPLK 30 30-DEC-24 02.01.30.000000000 PM 30-DEC-24 02.27.49.00000000	00 PM +00 00:26:19.000000	26.32 -00 00:26:19.000000	26.32
39179442 CS5695 CPLK 30.37 30-DEC-24 02.43.46.000000000 PM 30-DEC-24 03.01.25.00000000	00 PM +00 00:17:39.000000	17.65 -00 00:17:39.000000	17.65
39180067 CS5692 CPLK 48.13 30-DEC-24 02.55.10.000000000 PM 30-DEC-24 04.07.27.00000000	00 PM +00 01:12:17.000000	72.28 -00 01:12:17.000000	72.28
39182108 CS5695 CPLK 38.9 30-DEC-2403.33.01.000000000 PM 30-DEC-2404.07.58.00000000	00 PM +00 00:34:57,000000	34.95 -00 00:34:57.000000	34.95
39183238 CS5694 CPLK 37.56 30-DEC-2403.55.24,000000000 PM 30-DEC-2404.12.42.00000000	00 PM +00 00:17:18.000000	17.3 -00 00:17:18.000000	17.3
39183944 CS5692 CPLK 31 30-DEC-24 04.10.20.000000000 PM 30-DEC-24 04.37.01.00000000	00 PM +00 00:26:41.000000	26.68 -00 00:26:41.000000	
39184221 CS5694 CPLK 37.45 30-DEC-24 04.16.04,000000000 PM 30-DEC-24 04.33.30,00000000	00 PM +00 00:17:26.000000	17.43 -00 00:17:26.000000	17.43
39184294 CS5695 CPLK 36.17 30-DEC-24 04.17.17.000000000 PM 30-DEC-24 04.51.47.00000000		34.5 -00 00:34:30.000000	34.5
39185588 CS5692 CPLK 18.85 30-DEC-24 0.4.43.29.000000000 PM 30-DEC-24 0.4.58.41.00000000	00 PM +00 00:15:12.000000	15.2 -00 00:15:12.000000	15.2
39188465 CS5695 CPLK 43.87 30-DEC-24 05.41.08.000000000 PM 30-DEC-24 06.18.46.00000000	00 PM +00 00:37:38.000000	37.63 -00 00:37:38.000000	
39193946 CS5695 CPLK 37.98 30-DEC-24 07.40.17.000000000 PM 30-DEC-24 08.32.42.00000000	00 PM +00 00:52:25.000000	52.42 -00 00:52:25.000000	
33272979 CS5695 CPLK 54.26 04-SEP-24 01.34.50.00000000 PM 04-SEP-24 01.56.42.00000000	00 PM +00 00:21:52,000000	21.87 -00 00:21:52.000000	21.87

	SESSION_ID	CHARGER_ID	ADDRESS	СПУ	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
33273385	CS5691				CPLK	23.04 04-SEP-2401.44.14.000000000 PM	04-SEP-24 02.10.20.000000000 PM	+00 00:26:06.000000	26.1	-00 00:26:06.000000	26.1
33274138	CS5695				CPLK	61.75 04-SEP-24 02.01.40.000000000 PM	04-SEP-24 02.34.56.000000000 PM	+00 00:33:16.000000	33.27	-00 00:33:16.000000	33.27
33275001	CS5692	- 1			CPLK	62.69 04-SEP-24 02.20.35.0000000000 PM	04-SEP-24 03.57.49.000000000 PM	+00 01:37:14.000000	97.23	-00 01:37:14.000000	97.23
33276994	CS5691				CPLK	6.62 04-SEP-24 03.07.16.000000000 PM	04-SEP-24 03.19.28.000000000 PM	+00 00:12:12.000000	12,2	-00 00:12:12.000000	12.2
33278889	CS5695				CPLK	29.72 04-SEP-24 03.48.08.000000000 PM	04-SEP-24 04.05.43.000000000 PM	+00 00:17:35.000000	17.58	-00 00:17:35.000000	17.58
33279058	CS5691				CPLK	47.11 04-SEP-2403.52.19.000000000 PM	04-SEP-24 05.03.18.000000000 PM	+00 01:10:59.000000	70.98	-00 01:10:59.000000	70.98
33281785	CS5695				CPLK	43.38 04-SEP-2404.55.15.0000000000 PM	04-SEP-24 06.01.44.000000000 PM	+00 01:06:29.000000	66.48	-00 01:06:29.000000	66.48
33283807	CS5692				CPLK	15.86 04-SEP-24 05.42.12.000000000 PM	04-SEP-24 05.55.18.000000000 PM	+00 00:13:06.000000	13.1	-00 00:13:06.000000	13.1
33283847	CS5691				CPLK	15.26 04-SEP-24 05.43.03.000000000 PM	04-SEP-24 06.01.40.000000000 PM	+00 00:18:37.000000	18.62	-00 00:18:37.000000	18.62
33285571	CS5692				CPLK	57.28 04-SEP-2406.21.03.000000000 PM	04-SEP-24 06.57.04.000000000 PM	+00 00:36:01.000000	36.02	-00 00:36:01.000000	36.02
33286076	CS5695				CPLK	44.46 04-SEP-24 06.32.26.000000000 PM	04-SEP-24 07.15.51.000000000 PM	+00 00:43:25.000000	43.42	-00 00:43:25.000000	43.42
33286706	CS5694				CPLK	49.89 04-SEP-2406.46.33.0000000000 PM	04-SEP-24 07.45.24.000000000 PM	+00 00:58:51.000000	58.85	-00 00:58:51.000000	58.85
33286776	CS5691				CPLK	58.43 04-SEP-2406.48.14.000000000 PM	04-SEP-24 07.58.17.000000000 PM	+00 01:10:03.000000	70.05	-00 01:10:03.000000	70.05
33287975	CS5692				CPLK	21.17 04-SEP-24 07.14.42.0000000000 PM	04-SEP-24 07.53.33.000000000 PM	+00 00:38:51.000000	38.85	-00 00:38:51.000000	38.85
33291693	CS5694				CPLK	114.23 04-SEP-24 08.42.06.000000000 PM	04-SEP-24 09.15.15.000000000 PM	+00 00:33:09.000000	33.15	-00 00:33:09.000000	33.15
33293642	CS5694				CPLK	10.59 04-SEP-24 09.31.01.000000000 PM	04-SEP-24 09,43,36,000000000 PM	+00 00:12:35.000000	12.58	-00 00:12:35.000000	12.58
33294446	CS5695				CPLK	46.37 04-SEP-24 09.52.24.000000000 PM	04-SEP-24 10.22.06.000000000 PM	+00 00:29:42.000000	29.7	-00 00:29:42.000000	29.7
33296086	CS5694				CPLK	33.5 04-SEP-24 10.42.05.0000000000 PM	04-SEP-24 11.21.12.000000000 PM	+00 00:39:07.000000	39.12	-00 00:39:07.000000	39.12
33297141	CS5695				CPLK	10.75 04-SEP-24 11.16.10.000000000 PM	04-SEP-24 11.21.06.000000000 PM	+00 00:04:56.000000	4.93	-00 00:04:56.000000	4.93
33297449	CS5694				CPLK	36.01 04-SEP-24 11.25.45.000000000 PM	05-SEP-24 12.09.34.000000000 AM	+00 00:43:49.000000		-00 00:43:49.000000	43.82
33298702	CS5691				CPLK	48.5 05-SEP-24 12.16.23.000000000 AM	05-SEP-24 01.32.26,000000000 AM	+00 01:16:03.000000	76.05	-00 01:16:03.000000	76.05
33299872	CS5692				CPLK	38.3 05-SEP-2401.13.14.000000000 AM	05-SEP-24 02.50.20.000000000 AM	+00 01:37:06.000000	97.1	-00 01:37:06.000000	97.1
33302175	CS5691				CPLK	32.36 05-SEP-24 03.57.40.000000000 AM	05-SEP-24 04.34.22.000000000 AM	+00 00:36:42.000000		-00 00:36:42.000000	36.7
33303569	CS5694				CPLK	49.64 05-SEP-2405.49.48.000000000 AM	05-SEP-24 06.34.13.000000000 AM	+00 00:44:25.000000		-00 00:44:25.000000	44.42
33306138	CS5695				CPLK	73.87 05-SEP-24 07.54.05.000000000 AM	05-SEP-24 08.18.13.000000000 AM	+00 00:24:08.000000		-00 00:24:08.000000	24.13
33307076	CS5694	4			CPLK	49.46 05-SEP-2408.27.18.000000000 AM	05-SEP-24 09.13.19.000000000 AM	+00 00:46:01.000000		-00 00:46:01.000000	46.02
33310225	CS5695				CPLK	51.31 05-SEP-24 10.05.45.000000000 AM	05-SEP-24 10.23.43.000000000 AM	+00 00:17:58.000000		-00 00:17:58.000000	17.97
33310964	CS5692				CPLK	5.87 05-SEP-24 10.24.48.000000000 AM	05-SEP-24 10.29.19.000000000 AM	+00 00:04:31.000000		-00 00:04:31.000000	4.52
33311220	CS5695				CPLK	70.45 05-SEP-24 10.31.09.000000000 AM	05-SEP-24 11.03.23.000000000 AM	+00 00:32:14.000000		-00 00:32:14.000000	32.23
33313559	CS5694				CPLK	45.74 05-SEP-2411.28.24.000000000 AM	05-SEP-24 11.46.22.000000000 AM	+00 00:17:58.000000		-00 00:17:58.000000	17.97
33313785	CS5691				CPLK	13.39 05-SEP-2411.33.05.000000000 AM	05-SEP-24 11.41.30.000000000 AM	+00 00:08:25.000000		-00 00:08:25.000000	8.42
33314089	CS5695				CPLK	61.91 05-SEP-24 11.40.18.000000000 AM	05-SEP-24 12.11.47.000000000 PM	+00 00:31:29.000000		-00 00:31:29.000000	31.48
33314204	CS5691				CPLK	49.92 05-SEP-2411.43.31.000000000 AM	05-SEP-24 12.14.56.000000000 PM	+00 00:31:25.000000		-00 00:31:25.000000	31.42
33316143	CS5695				CPLK	80.02 05-SEP-24 12.29.05.000000000 PM	05-SEP-24 01.28.48.000000000 PM	+00 00:59:43.000000		-00 00:59:43.000000	59.72
33316464	CS5692				CPLK	11.37 05-SEP-24 12.37.18.000000000 PM	05-SEP-24 12.47.03.000000000 PM	+00 00:09:45.000000		-00 00:09:45.000000	9.75
33316486	CS5694				CPLK	82.58 05-SEP-24 12.37.54.000000000 PM	05-SEP-24 01.43.03.0000000000 PM	+00 01:05:09.000000		-00 01:05:09.000000	65.15
33317814	CS5692				CPLK	27.99 05-SEP-24 01.08.43.000000000 PM	05-SEP-24 01.45.12.000000000 PM	+00 00:36:29.000000		-00 00:36:29.000000	36.48
33481422	CS5695				CPLK	10.19 08-SEP-24 02.48.55.000000000 PM	08-SEP-24 03.22.05.0000000000 PM	+00 00:33:10.000000		-00 00:33:10.000000	33.17
33482387	CS5694				CPLK	37.79 08-SEP-2403.07.28.000000000 PM	08-SEP-24 03.21.13.000000000 PM	+00 00:13:45.000000		-00 00:13:45.000000	13.75
33483491	CS5691				CPLK	66.01 08-SEP-2403.27.34.000000000 PM	08-SEP-24 04.23.06.000000000 PM	+00 00:55:32.000000		-00 00:55:32.000000	55.53
33488633	CS5691				CPLK	41.48 08-SEP-2405.09.35.000000000 PM	08-SEP-24 05.58.55.000000000 PM	+00 00:49:20.000000		-00 00:49:20.000000	49.33
33490801	CS5692				CPLK	52.48 08-SEP-24 05.50.15.0000000000 PM	08-SEP-24 07.08.25.000000000 PM	+00 01:18:10.000000		-00 01:18:10.000000	78.17
33496614	CS5692				CPLK	49.15 08-SEP-24 07.45.25.0000000000 PM	08-SEP-24 08.19.34.000000000 PM	+00 00:34:09.000000		-00 00:34:09.000000	34.15
33500800	CS5695				CPLK	44.08 08-SEP-2409.23.30.0000000000 PM	08-SEP-24 10.02.32.0000000000 PM	+00 00:39:02.000000		-00 00:39:02.000000	39.03
33501187	CS5694				CPLK	64.64 08-SEP-2409.32.55.0000000000 PM	08-SEP-24 10.19.27.000000000 PM	+00 00:46:32.000000		-00 00:46:32.000000	46.53
33503864	CS5695				CPLK	22.96 08-SEP-24 10.46.36.000000000 PM	08-SEP-24 11.12.48.000000000 PM	+00 00:26:12.000000		-00 00:26:12.000000	26.2
33507934	CS5695				CPLK	62.6 09-SEP-24.01.12.43.0000000000 AM		+00 00:26:32.000000		-00 00:26:32.000000	26.53
33507971	CS5692				CPLK	67.55 09-SEP-2401.14.29.0000000000 AM		+00 01;49:29,000000		-00 01:49:29.000000	109.48
33508104	CS5691				CPLK	12.72 09-SEP-24 01.22.32.000000000 AM 43.47 09-SEP-24 01.34.04.000000000 AM		+00 00:26:29.000000		-00 00:26:29.000000	26.48
33508302	CS5694				CPLK			+00 01:22:09.000000		-00 01:22:09.000000	82.15
33512744 33513214	CS5692 CS5692				CPLK CPLK	18.11 09-SEP-2406.36.41.000000000 AM 7.56 09-SEP-2406.59.18.000000000 AM	09-SEP-24 06.57.27.000000000 AM 09-SEP-24 07.09.07.000000000 AM	+00 00:20:46.000000 +00 00:09:49.000000		-00 00:20:46.000000 -00 00:09:49.000000	20.77 9.82
	C\$5695				CPLK	32.69 09-SEP-24 07.36.25.000000000 AM	09-SEP-24 07.53.49.000000000 AM	+00 00:09:49,000000		-00 00:09:49.000000	17.4
33514022	C20030				CPLK	32.03 U9-3EF-24U7.30,23,0000000000 AM	U9-3EF-24 U7.33.49.UUUUUUUUU AM	+00 00:17:24.000000	17.4	-00 00:17:24.000000	17.4

	SESSION_ID	CHARGER_ID	ADDRESS	СПУ	STATE ZIP JURISDIC	ENERGY USAGE	CONNECTION_START_DITM	CONNECTION END DITM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION HMS	TOTAL DURATION MINUTES
33515397	CS5692				CPLK	1	-SEP-24 08.27.15.000000000 AM	09-SEP-24 09.28.33.000000000 AM	+00 01:01:18.000000		-00 01:01:18.000000	61.3
33516868	CS5695				CPLK	52.59 09-	-SEP-24 09.14.06.000000000 AM	09-SEP-24 09.52.42.000000000 AM	+00 00:38:36.000000	38.6	-00 00:38:36.000000	38.6
33519485	CS5695				CPLK	6.63 09-	-SEP-24 10.28.50.000000000 AM	09-SEP-24 10.31.40.000000000 AM	+00 00:02:50.000000	2.83	-00 00:02:50.000000	2.83
33519727	CS5691				CPLK	66.01 09-	-SEP-24 10.34.30.000000000 AM	09-SEP-24 11.31.55.000000000 AM	+00 00:57:25.000000	57.42	-00 00:57:25.000000	57.42
33519767	CS5692				CPLK	43.29 09-	-SEP-24 10.35.11.000000000 AM	09-SEP-24 11.12.04.000000000 AM	+00 00:36:53.000000	36.88	-00 00:36:53.000000	36.88
33520210	CS5695				CPLK		-SEP-24 10.45.30.000000000 AM	09-SEP-24 11.25.32.000000000 AM	+00 00:40:02.000000	40.03	-00 00:40:02.000000	40.03
33523870	CS5692				CPLK		-SEP-24 12.07.59.000000000 PM	09-SEP-24 12.26.52.000000000 PM	+00 00:18:53.000000		-00 00:18:53.000000	18.88
33524376	CS5695				CPLK		-SEP-24 12.18.46.000000000 PM	09-SEP-24 12.32.07.000000000 PM	+00 00:13:21.000000		-00 00:13:21.000000	13.35
33525097	CS5692				CPLK		-SEP-24 12.34.32.000000000 PM	09-SEP-24 12.53.49.000000000 PM	+00 00:19:17.000000		-00 00:19:17.000000	19.28
33525212	CS5691				CPLK	55 68 09-	-SEP-24 12.37.16.000000000 PM	09-SEP-24 01.12.22.000000000 PM	+00 00:35:06.000000		-00 00:35:06.000000	35.1
33525650	CS5694				CPLK		-SEP-24 12.47.51.000000000 PM	09-SEP-24 01,21,00,000000000 PM	+00 00:33:09.000000		-00 00:33:09.000000	33.15
33526010	CS5692				CPLK		-SEP-24 12.57.05.000000000 PM	09-SEP-24 01.25.58.000000000 PM	+00 00:28:53.000000	28.88	-00 00:28:53.000000	28.88
33527088	CS5691				CPLK		-SEP-24 01.22.44.000000000 PM	09-SEP-24 01.46.07.000000000 PM	+00 00:23:23.000000		-00 00:23:23.000000	23.38
33527262	CS5695				CPLK		-SEP-24 01.26.42.000000000 PM	09-SEP-24 01.58.55.000000000 PM	+00 00:32:13.000000		-00 00:32:13.000000	32.22
33751278	CS5694				CPLK		-SEP-24 08.13.11.000000000 AM	14-SEP-24 08.46.42.000000000 AM	+00 00:33:31.000000		-00 00:33:31.000000	33.52
33751472	CS5695				CPLK		-SEP-24 08.19.40.000000000 AM	14-SEP-24 08.57.48.000000000 AM	+00 00:38:08.000000		-00 00:38:08.000000	38.13
33754388	CS5695				CPLK		-SEP-24 09.48.02.0000000000 AM	14-SEP-24 10.08.40.000000000 AM	+00 00:20:38.000000		-00 00:20:38.000000	20.63
33755735	CS5695				CPLK		-SEP-24 10.19.04.0000000000 AM	14-SEP-24 10.36.48.0000000000 AM	+00 00:17:44.000000		-00 00:17:44.000000	17.73
33756738	CS5692				CPLK		-SEP-24 10.41.13.0000000000 AM	14-SEP-24 11.14.56.0000000000 AM	+00 00:33:43.000000		-00 00:33:43.000000	33.72
33758747	CS5694				CPLK		-SEP-24 11.25.19.0000000000 AM	14-SEP-24 11.42.44.000000000 AM	+00 00:17:25.000000		-00 00:17:25.000000	17.42
33759112	CS5695				CPLK		-SEP-24 11.33.58.0000000000 AM	14-SEP-24 12.00.45.000000000 PM	+00 00:26:47.000000		-00 00:26:47.000000	26.78
33762077	CS5692				CPLK		-SEP-24 12.34.49.0000000000 PM	14-SEP-24 01.05.43.000000000 PM	+00 00:30:54.000000		-00 00:30:54.000000	30.9
33764031	CS5692				CPLK		-SEP-24 01.11.06.0000000000 PM	14-SEP-24 01.38.50.000000000 PM	+00 00:27:44.000000		-00 00:27:44.000000	27.73
33764819	CS5694				CPLK		-SEP-24 01.26.45.0000000000 PM	14-SEP-24 02.06.41.000000000 PM	+00 00:39:56.000000		-00 00:39:56.000000	39.93
33769202	CS5695				CPLK		-SEP-24 02.47.03.000000000 PM	14-SEP-24 03.26.11.000000000 PM	+00 00:39:08.000000		-00 00:39:08.000000	39.13
33770177	CS5694				CPLK		-SEP-24 03.05.35.0000000000 PM	14-SEP-24 04.02.14.000000000 PM	+00 00:56:39.000000		-00 00:56:39.000000	56.65
33770401	CS5692				CPLK		-SEP-24 03.09.52.0000000000 PM	14-SEP-24 04.15.23.000000000 PM	+00 01:05:31.000000		-00 01:05:31.000000	65.52
33773277	CS5695				CPLK		-SEP-24 04.03.44.000000000 PM	14-SEP-24 04.33.58.000000000 PM	+00 00:30:14.000000		-00 00:30:14.000000	30.23
33776023	CS5695				CPLK		-SEP-24 04.56.24.0000000000 PM	14-SEP-24 05.51.08.000000000 PM	+00 00:54:44.000000		-00 00:54:44.000000	54.73
33776643	CS5692				CPLK		-SEP-24 05.08.17.0000000000 PM	14-SEP-24 05.11.50.000000000 PM	+00 00:03:33.000000		-00 00:03:33.000000	3.55
33776980	CS5694				CPLK		-SEP-24 05.14.29.0000000000 PM	14-SEP-24 05.36.25.0000000000 PM	+00 00:21:56.000000		-00 00:21:56.000000	21.93
33777277	CS5692				CPLK		-SEP-24 05.20.02.0000000000 PM	14-SEP-24 05.43.10.000000000 PM	+00 00:23:08.000000		-00 00:23:08.000000	23.13
33779571	CS5695				CPLK		-SEP-24 06.05.27.0000000000 PM	14-SEP-24 06.46.44.000000000 PM	+00 00:41:17.000000		-00 00:41:17.000000	41.28
33782082	CS5691				CPLK		-SEP-24 06.57.52.0000000000 PM	14-SEP-24 07.37.00.000000000 PM	+00 00:39:08.000000		-00 00:39:08.000000	39.13
33785460	CS5694				CPLK		-SEP-24 08.11.44.0000000000 PM	14-SEP-24 09.09.47.000000000 PM	+00 00:58:03.000000		-00 00:58:03.000000	58.05
27554553	CS5695				CPLK		MAY-24 09.14.00.000000000 AM	04-MAY-24 09.22.13.000000000 AM	+00 00:08:13.000000		-00 00:08:13.000000	8.22
39195588	CS5694				CPLK		-DEC-24 08.21.54.000000000 PM	30-DEC-24 09.49.48.000000000 PM	+00 01:27:54.000000		-00 01:27:54.000000	87.9
39195956	CS5692				CPLK		-DEC-24 08.31.05.000000000 PM	30-DEC-24 09.33.06.000000000 PM	+00 01:02:01.000000		-00 01:02:01.000000	62.02
39202976	CS5695				CPLK		-DEC-24 12.08.18.0000000000 AM	31-DEC-24 12.32.14.000000000 AM	+00 00:23:56.000000		-00 00:23:56.000000	23.93
39203151	CS5692				CPLK		-DEC-24 12.15.31.0000000000 AM	31-DEC-24 01.58.32.0000000000 AM	+00 01:43:01.000000		-00 01:43:01.000000	103.02
39203908	CS5695				CPLK		-DEC-24 12.50.21.0000000000 AM	31-DEC-24 01.50.46.0000000000 AM	+00 01:00:25.000000		-00 01:00:25.000000	60.42
39204162	CS5694				CPLK		-DEC-24 01.02.42.0000000000 AM	31-DEC-24 01.59.53.0000000000 AM	+00 00:57:11.000000		-00 00:57:11.000000	57.18
39210956	CS5692				CPLK		-DEC-24 08.04.47.0000000000 AM	31-DEC-24 08.46.23.000000000 AM	+00 00:41:36.000000		-00 00:41:36.000000	41.6
39212052	CS5695				CPLK		-DEC-24 08.45.09.000000000 AM	31-DEC-24 09.02.48.000000000 AM	+00 00:17:39.000000		-00 00:41:39.000000	17.65
39212502	CS5694				CPLK		-DEC-24 08.59.34.0000000000 AM	31-DEC-24 09.21.14.000000000 AM	+00 00:21:40.000000		-00 00:21:40.000000	21.67
39213354	CS5695				CPLK		-DEC-24 09.26.10.0000000000 AM	31-DEC-24 09.44.44.000000000 AM	+00 00:18:34.000000		-00 00:18:34.000000	18.57
39215226	CS5695				CPLK			31-DEC-24 10.49.04.0000000000 AM	+00 00:32:52.000000		-00 00:32:52.000000	32.87
39215260	CS5694				CPLK			31-DEC-24 11.20.29.0000000000 AM	+00 01:03:38.000000		-00 01:03:38.000000	63.63
39215394	CS5692				CPLK			31-DEC-24 10.39.36.000000000 AM	+00 00:19:21.000000		-00 00:19:21.000000	19.35
39218228	CS5695				CPLK			31-DEC-24 11.33.52.0000000000 AM			-00 00:19:21:000000	9.77
39218228	CS5695				CPLK			31-DEC-24 12.22.30.000000000 PM	+00 00:43:46.000000		-00 00:43:46.000000	43.77
39221282	CS5692				CPLK			31-DEC-24 01.51.14.000000000 PM	+00 01:25:47.000000		-00 01:25:47.000000	85.78
29869872	CS5691				CPLK			26-JUN-24 05.13.30.000000000 PM	+00 00:45:54.000000		-00 01:25:47:00000	45.9
20000072	03091		4		CI EK	33.2 20	2013 27 07.27.40.000000000 FF	20 7011 27 00.10.00.000000000 FM		45.5	00 00 NO. OH. OU 000	40.3

	SESSION_ID	CHARGER_ID	ADDRESS	СПУ	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DITM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION	TOTAL DURATION MINUTES
29872228	CS5691				CPLK	39.07 26-JUN-24 05.18.43.000000000 PM	26-JUN-24 05.56.41.000000000 PM	+00 00:37:58.000000	37.97	-00 00:37:58.000000	37.97
29872271	CS5694				CPLK	47.58 26-JUN-2405.19.49.000000000 PM	26-JUN-24 06.36.33.000000000 PM	+00 01:16:44.000000	76.73	-00 01:16:44.000000	76.73
29872282	CS5692				CPLK	19.16 26-JUN-24 05.20.00.000000000 PM	26-JUN-24 05.34.10.000000000 PM	+00 00:14:10.000000	14.17	-00 00:14:10.000000	14.17
29874004	CS5695				CPLK	71.92 26-JUN-2405.58.24.000000000 PM	26-JUN-24 06.47.38.000000000 PM	+00 00:49:14.000000	49.23	-00 00:49:14.000000	49.23
29878409	CS5691				CPLK	39.2 26-JUN-2407.32,51.000000000 PM	26-JUN-24 08.25.15.000000000 PM	+00 00:52:24.000000	52.4	-00 00:52:24.000000	52.4
29880291	CS5695				CPLK	49.89 26-JUN-2408.16.07.000000000 PM	26-JUN-24 08.35.20.000000000 PM	+00 00:19:13.000000	19.22	-00 00:19:13.000000	19.22
29883172	CS5695				CPLK	17.72 26-JUN-2409,29,26,0000000000 PM	26-JUN-24 09.36.07.000000000 PM	+00 00:06:41.000000	6.68	-00 00:06:41.000000	6.68
29884626	CS5695				CPLK	50.11 26-JUN-24 10.12.10.000000000 PM	26-JUN-24 10.27.30.000000000 PM	+00 00:15:20.000000	15.33	-00 00:15:20.000000	15.33
29893098	CS5695				CPLK	81.22 27-JUN-2406.01.03.0000000000 AM	27-JUN-24 06.48.16.000000000 AM	+00 00:47:13.000000	47.22	-00 00:47:13.000000	47.22
29893556	CS5692				CPLK	35.51 27-JUN-2406.27.51.0000000000 AM	27-JUN-24 07.11.45.000000000 AM	+00 00;43;54,000000	43.9	-00 00:43:54.000000	43.9
29893821	CS5691				CPLK	40.58 27-JUN-24 06.40.08.0000000000 AM	27-JUN-24 07.39.19.000000000 AM	+00 00:59:11.000000	59.18	-00 00:59:11.000000	59.18
29893960	CS5694				CPLK	59.66 27-JUN-24 06.48.06.000000000 AM	27-JUN-24 07.14.05.000000000 AM	+00 00:25:59.000000	25.98	-00 00:25:59.000000	25.98
29894142	CS5695				CPLK	31.43 27-JUN-24 06.58.17.000000000 AM	27-JUN-24 07.32.51.000000000 AM	+00 00:34:34.000000	34.57	-00 00:34:34.000000	34.57
29894958	CS5692				CPLK	12.6 27-JUN-24 07.34.09.000000000 AM	27-JUN-24 08.05.56.000000000 AM	+00 00:31:47.000000	31.78	-00 00:31:47.000000	31.78
29895051	CS5695				CPLK	20.62 27-JUN-24 07.38.57.000000000 AM	27-JUN-24 07.50.18.000000000 AM	+00 00:11:21.000000	11.35	-00 00:11:21.000000	11.35
29895885	CS5695				CPLK	70.05 27-JUN-24 08.12.11.000000000 AM	27-JUN-24 08.45.12.000000000 AM	+00 00:33:01.000000	33.02	-00 00:33:01.000000	33.02
29995110	CS5695				CPLK	23.7 29-JUN-24 10.02.36.000000000 AM	29-JUN-24 10.27.24.000000000 AM	+00 00:24:48.000000	24.8	-00 00:24:48.000000	24.8
29996045	CS5691				CPLK	31.77 29-JUN-24 10.24.10.0000000000 AM	29-JUN-24 11.09.35.000000000 AM	+00 00:45:25.000000	45.42	-00 00:45:25.000000	45.42
29996358	CS5695				CPLK	44.32 29-JUN-24 10.31.48.000000000 AM	29-JUN-24 11.16.44.000000000 AM	+00 00:44:56.000000	44.93	-00 00:44:56.000000	44.93
29997323	CS5692				CPLK	40.86 29-JUN-24 10.55.42.000000000 AM	29-JUN-24 11.21.24.000000000 AM	+00 00:25:42.000000	25.7	-00 00:25:42.000000	25.7
29998048	CS5691				CPLK	8.97 29-JUN-24 11.12.20.000000000 AM	29-JUN-24 11.20.59.000000000 AM	+00 00:08:39.000000	8.65	-00 00:08:39.000000	8.65
29998630	CS5695				CPLK	38.26 29-JUN-24 11.24.11.000000000 AM	29-JUN-24 11.35.54.000000000 AM	+00 00:11:43.000000	11.72	-00 00:11:43.000000	11.72
29999344	CS5691				CPLK	36.29 29-JUN-24 11.38.41.000000000 AM	29-JUN-24 12.07.16.000000000 PM	+00 00;28:35,000000	28.58	-00 00:28:35.000000	28.58
29999507	CS5695				CPLK	33.28 29-JUN-24 11.41.36.000000000 AM	29-JUN-24 12.21.03.000000000 PM	+00 00:39:27.000000	39.45	-00 00:39:27.000000	39.45
30000129	CS5694				CPLK	48.44 29-JUN-24 11.55.53.000000000 AM	29-JUN-24 12.13.46.000000000 PM	+00 00:17:53.000000	17.88	-00 00:17:53.000000	17.88
30004178	CS5695				CPLK	40.89 29-JUN-24 01.17.06.000000000 PM	29-JUN-24 01.49.28.000000000 PM	+00 00:32:22,000000	32.37	-00 00:32:22.000000	32.37
30004393	CS5694				CPLK	50.38 29-JUN-24 01.20.42.000000000 PM	29-JUN-24 01.39.41.000000000 PM	+00 00:18:59,000000	18.98	-00 00:18:59.000000	18.98
30006128	CS5695				CPLK	77.47 29-JUN-24 01.54.26.000000000 PM	29-JUN-24 02.33.48.000000000 PM	+00 00:39:22.000000	39.37	-00 00:39:22.000000	39.37
30006571	CS5692				CPLK	59.85 29-JUN-24 02.02.04.000000000 PM	29-JUN-24 02.45.04.000000000 PM	+00 00:43:00.000000	43	-00 00:43:00.000000	43
30007284	CS5694				CPLK	43.96 29-JUN-2402.16.04.000000000 PM	29-JUN-24 03.02.54.000000000 PM	+00 00:46:50.000000	46.83	-00 00:46:50.000000	46.83
30007345	CS5691				CPLK	54.59 29-JUN-24 02.17.11.000000000 PM	29-JUN-24 03.09.27.000000000 PM	+00 00:52:16.000000	52.27	-00 00:52:16.000000	52.27
30009291	CS5695				CPLK	41.9 29-JUN-24 02.53.34.000000000 PM	29-JUN-24 04.01.16.000000000 PM	+00 01:07:42,000000	67.7	-00 01:07:42.000000	67.7
30011500	CS5694				CPLK	70.07 29-JUN-24 03.36.07.000000000 PM	29-JUN-24 04.12.31.000000000 PM	+00 00:36;24.000000	36.4	-00 00:36:24.000000	36.4
30011669	CS5691				CPLK	48.95 29-JUN-2403.39.49.000000000 PM	29-JUN-24 04.16.40.000000000 PM	+00 00:36:51,000000	36.85	-00 00:36:51.000000	36.85
30011883	CS5692				CPLK	46.73 29-JUN-2403.44.29.000000000 PM	29-JUN-24 04.30.02.000000000 PM	+00 00:45:33.000000	45.55	-00 00:45:33.000000	45.55
30013814	CS5695				CPLK	49.05 29-JUN-24 04,22,43,000000000 PM	29-JUN-24 04.52.33.000000000 PM	+00 00;29:50,000000	29.83	-00 00:29:50.000000	29.83
30014072	CS5691				CPLK	3.12 29-JUN-24 04.27.54.000000000 PM	29-JUN-24 04.29.58.000000000 PM	+00 00:02:04.000000	2.07	-00 00:02:04.000000	2.07
30014514	CS5691				CPLK	34.24 29-JUN-2404.34.41.000000000 PM	29-JUN-24 05.02.45.000000000 PM	+00 00:28:04.000000	28.07	-00 00:28:04.000000	28.07
30015592	CS5695				CPLK	19.38 29-JUN-2404.57.41.000000000 PM	29-JUN-24 05.04.38.000000000 PM	+00 00:06:57.000000		-00 00:06:57.000000	6.95
30015774	CS5692				CPLK	17.65 29-JUN-24 05.01.05.000000000 PM	29-JUN-24 05.14.30.000000000 PM	+00 00:13:25,000000		-00 00:13:25.000000	13.42
30016526	CS5695				CPLK	14.73 29-JUN-24 05.13.59.000000000 PM	29-JUN-24 05.36.09.000000000 PM	+00 00:22:10.000000	22.17	-00 00:22:10.000000	22.17
30016667	CS5691				CPLK	32.78 29-JUN-2405.16.25.000000000 PM	29-JUN-24 05.43.33.000000000 PM	+00 00:27:08.000000	27.13	-00 00:27:08.000000	27.13
30017160	CS5692				CPLK	11.36 29-JUN-24 05.25.29.000000000 PM	29-JUN-24 05.42.06.000000000 PM	+00 00:16:37,000000	16.62	-00 00:16:37.000000	16.62
30018851	CS5695				CPLK	32.39 29-JUN-24 05.59.33.000000000 PM	29-JUN-24 06.12.58.000000000 PM	+00 00:13:25.000000	13.42	-00 00:13:25.000000	13.42
30020053	CS5695				CPLK	44.98 29-JUN-24 06.23.30.000000000 PM	29-JUN-24 07.43.03.000000000 PM	+00 01;19:33.000000	79.55	-00 01:19:33.000000	79.55
31939897	CS5691				CPLK	3.71 08-AUG-24 06.02,52.000000000 PM	08-AUG-24 06.20.46.000000000 PM	+00 00:17:54.000000	17.9	-00 00:17:54.000000	17.9
31940529	CS5692				CPLK	56.58 08-AUG-2406.16.29.000000000 PM		+00 00:46:31.000000		-00 00:46:31.000000	46.52
31940686	CS5691				CPLK	1.32 08-AUG-24 06.19.04.000000000 PM		+00 00:01:38.000000		-00 00:01:38.000000	1.63
31941242	CS5695				CPLK	3.15 08-AUG-24 06.32.43.000000000 PM		+00 00:03:52.000000		-00 00:03:52.000000	3.87
31941459	CS5691				CPLK	2.4 08-AUG-24 06.38.00.000000000 PM		+00 00:36:38.000000		-00 00:36:38.000000	36.63
31941592	CS5695				CPLK	17.65 08-AUG-24 06.41.27.000000000 PM		+00 00:20:23.000000		-00 00:20:23.000000	20.38
31943351	CS5691				CPLK	0.14 08-AUG-24 07.20.11.000000000 PM		+00 00:03:20.000000		-00 00:03:20.000000	3.33
31943670	CS5694				CPLK	44.02 08-AUG-24 07.26.47.000000000 PM	08-AUG-24 07.51.19.000000000 PM	+00 00:24:32.000000	24.53	-00 00:24:32.000000	24.53

	SESSION_ID	CHARGER_ID	ADDRESS	СПУ	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION	TOTAL DURATION MINUTES
31944541	CS5695				CPLK	50.92 08-AUG-24 07.45.53.000000000 PM	08-AUG-24 09.13.48.000000000 PM	+00 01:27:55.000000		-00 01:27:55.000000	87.92
31944963	CS5694				CPLK	46.3 08-AUG-24 07.55,40,000000000 PM	08-AUG-24 08.12.46.000000000 PM	+00 00:17:06.000000	17.1	-00 00:17:06.000000	17.1
31945929	CS5694				CPLK	26.04 08-AUG-24 08.18.16.000000000 PM	08-AUG-24 08.27.38.000000000 PM	+00 00:09:22.000000	9.37	-00 00:09:22.000000	9.37
31946590	CS5694				CPLK	32.4 08-AUG-24 08.33.05.000000000 PM	08-AUG-24 08.58.10.000000000 PM	+00 00:25:05.000000	25.08	-00 00:25:05.000000	25.08
32030623	CS5692				CPLK	35.64 10-AUG-24 02.54.22.000000000 PM	10-AUG-24 03.59.20.000000000 PM	+00 01:04:58.000000	64.97	-00 01:04:58.000000	64.97
32031191	CS5691				CPLK	37.74 10-AUG-24 03.05.12.0000000000 PM	10-AUG-24 03.52.56.000000000 PM	+00 00:47:44.000000	47.73	-00 00:47:44.000000	47.73
32031458	CS5694				CPLK	28.88 10-AUG-24 03.10.22.0000000000 PM	10-AUG-24 03.56.41.000000000 PM	+00 00:46:19.000000		-00 00:46:19.000000	46.32
32475381	CS5691				CPLK	68.67 19-AUG-24 01.32.19.000000000 PM	19-AUG-24 02.22.45.000000000 PM	+00 00:50:26.000000		-00 00:50:26.000000	50.43
32475629	CS5695				CPLK	13.07 19-AUG-24 01.37.48.000000000 PM	19-AUG-24 01.53.16.000000000 PM	+00 00:15:28.000000		-00 00:15:28.000000	15.47
32477159	CS5695				CPLK	61.09 19-AUG-24 02.09.49.000000000 PM	19-AUG-24 02.57.40.000000000 PM	+00 00:47:51.000000		-00 00:47:51.000000	47.85
32481394	CS5694				CPLK	30.5 19-AUG-24 03.26.45.0000000000 PM	19-AUG-24 04.29.55.000000000 PM	+00 01:03:10.000000		-00 01:03:10.000000	63.17
32483750	CS5691				CPLK	11.94 19-AUG-24 04.16.47.000000000 PM	19-AUG-24 04.26.56.000000000 PM	+00 00:10:09.000000		-00 00:10:09.000000	10.15
32483964	CS5695				CPLK	71.06 19-AUG-24 04.21.04.0000000000 PM	19-AUG-24 04.43.25.000000000 PM	+00 00:22:21.000000		-00 00:22:21.000000	22.35
32486142	CS5694				CPLK	57.83 19-AUG-24 05.09.19.000000000 PM	19-AUG-24 05.27.24.000000000 PM	+00 00:18:05.000000		-00 00:18:05.000000	18.08
32486779	CS5692				CPLK	36.92 19-AUG-24 05.21.53.000000000 PM	19-AUG-24 05.56.50.000000000 PM	+00 00:34:57.000000		-00 00:34:57.000000	34.95
32487310	CS5691				CPLK	41.83 19-AUG-24 05.32.37.000000000 PM	19-AUG-24 06.08.27.0000000000 PM	+00 00:35:50.000000		-00 00:35:50.000000	35.83
32487638	CS5695				CPLK	61.91 19-AUG-24 05.40.01.0000000000 PM	19-AUG-24 07.23.21.000000000 PM	+00 01:43:20.000000		-00 01:43:20.000000	103.33
32489345	C\$5692				CPLK	7.72 19-AUG-24 06.17.02.000000000 PM	19-AUG-24 06.28.23.0000000000 PM	+00 00:11:21.000000		-00 00:11:21.000000	11.35
32499033	C\$5692				CPLK	42.99 19-AUG-24 06.31.08.000000000 PM	19-AUG-24 07.34.54.000000000 PM	+00 01:03:46.000000		-00 01:03:46.000000	63.77
32032233	CS5695				CPLK	50.37 10-AUG-24 03.24.44.000000000 PM	10-AUG-24 03.49.48.000000000 PM	+00 01:03:40.000000		-00 01:05:40.00000	25.07
32032233	CS5695				CPLK	94.07 10-AUG-24 03.54.08.000000000 PM	10-AUG-24 04.28.30.000000000 PM	+00 00:23:04.000000		-00 00:34:22.000000	34.37
27555372					CPLK	37.65 04-MAY-24 09.41.48.0000000000 AM		+00 00:44:26.000000		-00 00:34:22.000000	44.43
	C\$5692				CPLK	40.95 04-MAY-24 10.37.40.000000000 AM	04-MAY-24 10.26.14.0000000000 AM	+00 00:44.26.000000			81.15
27557173	CS5691						04-MAY-24 11.58.49.000000000 AM			-00 01:21:09.000000	
27557968	CS5692				CPLK	31.94 04-MAY-24 10.59.12.0000000000 AM	04-MAY-24 11.25.46.000000000 AM	+00 00:26:34.000000		-00 00:26:34.000000 -00 00:10:04.000000	26.57
27559882	CS5692				CPLK	12.98 04-MAY-24 11.45.55.0000000000 AM	04-MAY-24 11.55.59.000000000 AM	+00 00:10:04.000000			10.07
27560686	C\$5692				CPLK	32.11 04-MAY-24 12.06.20.0000000000 PM	04-MAY-24 12.30.18.000000000 PM	+00 00:23:58.000000		-00 00:23:58.000000	23.97
27561778	CS5695				CPLK	66.84 04-MAY-24 12.31.42.0000000000 PM	04-MAY-24 01.13.52.0000000000 PM	+00 00:42:10.000000		-00 00:42:10.000000	42.17
27561977	CS5691				CPLK	55.87 04-MAY-24 12.36.57.0000000000 PM	04-MAY-24 01.35.34.000000000 PM	+00 00:58:37.000000		-00 00:58:37.000000	58.62
27564772	C\$5695				CPLK	54.24 04-MAY-24 01.37.36.000000000 PM	04-MAY-24 01.55.57.0000000000 PM	+00 00:18:21.000000		-00 00:18:21.000000	18.35
27565893	CS5692				CPLK	67.76 04-MAY-24 02.02.40.000000000 PM	04-MAY-24 03.10.20.000000000 PM	+00 01:07:40.000000		-00 01:07:40.000000	67.67
27566715	C\$5695				CPLK	52.84 04-MAY-24 02.20.21.0000000000 PM	04-MAY-24 02.52.59.0000000000 PM	+00 00:32:38.000000		-00 00:32:38.000000	32.63
27568558	C\$5695				CPLK	40.63 04-MAY-24 02.58.27.0000000000 PM	04-MAY-24 03.16.45.0000000000 PM	+00 00:18:18.000000		-00 00:18:18.000000	18.3
27569564	CS5695				CPLK	31.47 04-MAY-24 03.19.53.000000000 PM	04-MAY-24 04.24.00.000000000 PM	+00 01:04:07.000000		-00 01:04:07.000000	64.12
27570118	CS5692				CPLK	32.97 04-MAY-24 03.29.57.000000000 PM	04-MAY-24 03.50.41.000000000 PM	+00 00:20:44.000000		-00 00:20:44.000000	20.73
27571095	CS5691				CPLK	28.2 04-MAY-24 03.50.37.0000000000 PM	04-MAY-24 04.37.34.000000000 PM	+00 00:46:57.000000		-00 00:46:57.000000	46.95
27627413	CS5694				CPLK	43.73 05-MAY-24 08.57.55.000000000 PM	05-MAY-24 09.19.38.000000000 PM	+00 00:21:43.000000		-00 00:21:43.000000	21.72
27635320	CS5695				CPLK	41.64 06-MAY-24 01.49.04.0000000000 AM	06-MAY-24 02.31.58.000000000 AM	+00 00:42:54.000000		-00 00:42:54.000000	42.9
27638082	CS5695				CPLK	38.18 06-MAY-24 05.51.08.000000000 AM	06-MAY-24 06.58.25.000000000 AM	+00 01:07:17.000000		-00 01:07:17.000000	67.28
27641338	CS5694				CPLK	38.79 06-MAY-24 08.45.53.000000000 AM	06-MAY-24 09.06.46.000000000 AM	+00 00:20:53.000000		-00 00:20:53.000000	20.88
27649110	CS5692				CPLK	42.66 06-MAY-24 12.35.23.000000000 PM	06-MAY-24 01.33.50.000000000 PM	+00 00:58:27.000000		-00 00:58:27.000000	58.45
27651893	CS5695	A			CPLK	20.95 06-MAY-24 01.43.43.000000000 PM	06-MAY-24 02.09.20.000000000 PM	+00 00:25:37.000000		-00 00:25:37.000000	25.62
27652004	CS5694				CPLK	74.15 06-MAY-24 01.46.58.000000000 PM	06-MAY-24 02.24.17.000000000 PM	+00 00:37:19.000000		-00 00:37:19.000000	37.32
27652251	CS5692				CPLK	38.4 06-MAY-24 01.53.36.000000000 PM	06-MAY-24 02.21.12.000000000 PM	+00 00:27:36.000000		-00 00:27:36.000000	27.6
27652686	CS5691				CPLK	29.92 06-MAY-24 02.04.24.000000000 PM	06-MAY-24 02.26.18.000000000 PM	+00 00:21:54.000000		-00 00:21:54.000000	21.9
27653474	CS5695				CPLK	30.28 06-MAY-24 02.23.12.000000000 PM	06-MAY-24 02.39.01.000000000 PM	+00 00:15:49.000000		-00 00:15:49.000000	15.82
27653741	CS5694				CPLK	22.12 06-MAY-24 02.30.21.000000000 PM	06-MAY-24 02.59.14,000000000 PM	+00 00:28:53.000000		-00 00:28:53.000000	28.88
27654785	CS5691				CPLK	18.98 06-MAY-24 02.56.13.000000000 PM		+00 00:33:09.000000		-00 00:33:09.000000	33.15
27655429	CS5695				CPLK	32.52 06-MAY-24 03.12.23.000000000 PM		+00 00:45:40,000000		-00 00:45:40.000000	45.67
27657207	CS5692				CPLK	10.81 06-MAY-24 03.56.13.000000000 PM		+00 00:17:19.000000		-00 00:17:19.000000	17.32
27658326	CS5692				CPLK	16.01 06-MAY-24 04.25.01.000000000 PM	06-MAY-24 04.46.16.000000000 PM	+00 00:21:15.000000		-00 00:21:15.000000	21.25
27662942	CS5692				CPLK	32.6 06-MAY-24 06.22.48.000000000 PM	06-MAY-24 06.58.47.000000000 PM	+00 00:35:59.000000		-00 00:35:59.000000	35.98
27662981	CS5694				CPLK	31.6 06-MAY-24 06.23.48.000000000 PM	06-MAY-24 06.50.18.000000000 PM	+00 00:26:30.000000	26.5	-00 00:26:30.000000	26.5
27667420	CS5694				CPLK	56.51 06-MAY-24 08.24.17.000000000 PM	06-MAY-24 09.05.27.000000000 PM	+00 00:41:10.000000	41.17	-00 00:41:10.000000	41.17

	SESSION_ID	CHARGER_ID	ADDRESS CITY	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION	TOTAL DURATION MINUTES
27670191	CS5695			CPLK	47.45 06-MAY-24 09.55.08.000000000 PM	06-MAY-24 10.21.16.000000000 PM	+00 00:26:08.000000	26.13	-00 00:26:08.000000	26.13
27671530	CS5692			CPLK	39.97 06-MAY-24 10.50.43.000000000 PM	06-MAY-24 11.59.49.000000000 PM	+00 01:09:06.000000	69.1	-00 01:09:06.000000	69.1
27676055	CS5694			CPLK	47.32 07-MAY-24 04.10.12.000000000 AM	07-MAY-24 05.58.17.000000000 AM	+00 01:48:05.000000	108.08	-00 01:48:05.000000	108.08
27677036	CS5695			CPLK	34.3 07-MAY-24 05.52.20.000000000 AM	07-MAY-24 06.28.50.000000000 AM	+00 00:36:30.000000	36.5	-00 00:36:30.000000	36.5
27678232	CS5695			CPLK	40.54 07-MAY-24 07.23.01.000000000 AM	07-MAY-24 07.55.26.000000000 AM	+00 00:32:25.000000	32.42	-00 00:32:25.000000	32.42
27684056	CS5695			CPLK	32.72 07-MAY-24 10.59.57.000000000 AM	07-MAY-24 11.42.38.000000000 AM	+00 00:42:41.000000	42.68	-00 00:42:41.000000	42.68
27684211	CS5691			CPLK	52.54 07-MAY-24 11.05.29.000000000 AM	07-MAY-24 12.20.31.000000000 PM	+00 01:15:02.000000	75.03	-00 01:15:02.000000	75.03
27684231	CS5694			CPLK	31.95 07-MAY-24 11.06.10.000000000 AM	07-MAY-24 11.44.56.000000000 AM	+00 00:38:46.000000	38.77	-00 00:38:46.000000	38.77
27684493	CS5692			CPLK	34.13 07-MAY-24 11.13.29.000000000 AM	07-MAY-24 12.16.27.000000000 PM	+00 01:02:58.000000	62.97	-00 01:02:58.000000	62.97
27687370	CS5695			CPLK	50.46 07-MAY-24 12.33.42.000000000 PM	07-MAY-24 01.09.58.000000000 PM	+00 00:36:16.000000	36.27	-00 00:36:16.000000	36.27
27688039	CS5692			CPLK	40 07-MAY-24 12.50.51.000000000 PM	07-MAY-24 01.59.18.000000000 PM	+00 01:08:27.000000	68.45	-00 01:08:27.000000	68.45
27688541	CS5691			CPLK	27.76 07-MAY-24 01.03.55.0000000000 PM	07-MAY-24 01.24.40.000000000 PM	+00 00:20:45.000000	20.75	-00 00:20:45.000000	20.75
27755447	CS5695			CPLK	21.07 09-MAY-24 06.36.24.0000000000 AM	09-MAY-24 07.17.35.000000000 AM	+00 00:41:11.000000	41.18	-00 00:41:11.000000	41.18
27760583	CS5694			CPLK	40 09-MAY-24 10.08.59.000000000 AM	09-MAY-24 11.04.45.000000000 AM	+00 00:55:46.000000	55.77	-00 00:55:46.000000	55.77
27762292	CS5692			CPLK	34.96 09-MAY-24 10.59.33.0000000000 AM	09-MAY-24 11.38.51.000000000 AM	+00 00:39:18.000000	39.3	-00 00:39:18.000000	39.3
27762654	CS5694			CPLK	12.55 09-MAY-24 11.09.06.000000000 AM	09-MAY-24 11.14.46.000000000 AM	+00 00:05:40.000000	5.67	-00 00:05:40.000000	5.67
27763214	CS5694			CPLK	57.5 09-MAY-24 11.24.56.000000000 AM	09-MAY-24 11.54.54.000000000 AM	+00 00:29:58.000000	29.97	-00 00:29:58.000000	29.97
27764282	CS5695			CPLK	30.43 09-MAY-24 11.53.43.000000000 AM	09-MAY-24 12.52.01.000000000 PM	+00 00:58:18.000000	58.3	-00 00:58:18.000000	58.3
27767659	CS5695			CPLK	46.57 09-MAY-24 01.24.27.000000000 PM	09-MAY-24 01.41.26.000000000 PM	+00 00:16:59.000000	16.98	-00 00:16:59.000000	16.98
27767807	CS5694			CPLK	32.67 09-MAY-24 01.28.11.000000000 PM	09-MAY-24 02.06.39.000000000 PM	+00 00:38:28.000000	38.47	-00 00:38:28.000000	38.47
27768299	CS5692			CPLK	28.48 09-MAY-24 01.40.28.000000000 PM	09-MAY-24 01.58.20.000000000 PM	+00 00:17:52,000000	17.87	-00 00:17:52.000000	17.87
27770827	CS5694			CPLK	66.24 09-MAY-24 02.40.43.000000000 PM	09-MAY-24 03.31.10.000000000 PM	+00 00:50:27.000000	50.45	-00 00:50:27.000000	50.45
27772859	CS5695			CPLK	62.62 09-MAY-24 03.31.36.000000000 PM	09-MAY-24 04.02.14.000000000 PM	+00 00:30:38.000000	30.63	-00 00:30:38.000000	30.63
27774848	CS5694			CPLK	45.53 09-MAY-24 04.17.40.000000000 PM	09-MAY-24 05.01.11.000000000 PM	+00 00:43:31.000000	43.52	-00 00:43:31.000000	43.52
27775109	CS5692			CPLK	11.69 09-MAY-24 04.24.13.000000000 PM	09-MAY-24 04.32.34.000000000 PM	+00 00:08:21.000000	8.35	-00 00:08:21.000000	8.35
27775580	CS5695			CPLK	47.15 09-MAY-24 04.36.49.000000000 PM	09-MAY-24 04.56.57.000000000 PM	+00 00:20:08.000000	20.13	-00 00:20:08.000000	20.13
27776284	CS5692			CPLK	37.08 09-MAY-24 04.54.06.000000000 PM	09-MAY-24 05.45.35.000000000 PM	+00 00:51:29,000000	51.48	-00 00:51:29.000000	51.48
27777358	CS5695			CPLK	12.71 09-MAY-24 05.19.53.000000000 PM	09-MAY-24 05.34.39.000000000 PM	+00 00:14:46.000000	14.77	-00 00:14:46.000000	14.77
27782431	CS5695			CPLK	59.95 09-MAY-24 07.27.20.000000000 PM	09-MAY-24 07.47.29.000000000 PM	+00 00:20:09.000000	20.15	-00 00:20:09.000000	20.15
27783173	CS5694			CPLK	30.56 09-MAY-24 07.46.18.000000000 PM	09-MAY-24 08.16.24,000000000 PM	+00 00:30:06.000000	30.1	-00 00:30:06.000000	30.1
27785344	CS5691			CPLK	22.71 09-MAY-24 08.45.58.000000000 PM	09-MAY-24 09.11.46.000000000 PM	+00 00:25:48.000000		-00 00:25:48.000000	25.8
27786467	CS5695			CPLK	70.31 09-MAY-24 09.18.02.000000000 PM	09-MAY-24 09.59.17.000000000 PM	+00 00:41:15.000000		-00 00:41:15.000000	41.25
27793012	CS5691			CPLK	54.43 10-MAY-24 01.34.46.000000000 AM	10-MAY-24 03.15.39.000000000 AM	+00 01:40:53.000000		-00 01:40:53.000000	100.88
27795856	CS5694			CPLK	39.75 10-MAY-24 05.39.58.000000000 AM	10-MAY-24 06.30,05.000000000 AM	+00 00:50:07.000000		-00 00:50:07.000000	50.12
27796165	CS5695			CPLK	45.7 10-MAY-24 06.04.25.0000000000 AM	10-MAY-24 07.17.22.000000000 AM	+00 01:12:57.000000		-00 01:12:57.000000	72.95
27797151	CS5694			CPLK	41.61 10-MAY-24 07.09.48.0000000000 AM	10-MAY-24 08.09.20.000000000 AM	+00 00:59:32.000000		-00 00:59:32.000000	59.53
27800348	CS5695			CPLK	42.74 10-MAY-24 09.13.48.000000000 AM	10-MAY-24 09.34,28.000000000 AM	+00 00:20:40.000000		-00 00:20:40.000000	20.67
27802091	CS5695			CPLK	63.16 10-MAY-24 10.13.52.000000000 AM	10-MAY-24 11.01.08.000000000 AM	+00 00:47:16.000000		-00 00:47:16.000000	47.27
27802880	CS5694			CPLK	33.63 10-MAY-24 10.36.18.0000000000 AM	10-MAY-24 10.56.51.000000000 AM	+00 00:20:33.000000		-00 00:20:33.000000	20.55
27806940	CS5695			CPLK	65.82 10-MAY-24 12.19.40.000000000 PM	10-MAY-24 12.53.16,000000000 PM	+00 00:33:36.000000	7.77	-00 00:33:36.000000	33.6
27807218	CS5692			CPLK	13.55 10-MAY-24 12.26.40,0000000000 PM	10-MAY-24 12.59.17.000000000 PM	+00 00:32:37.000000		-00 00:32:37.000000	32.62
27808600	CS5694			CPLK	35.49 10-MAY-24 01.01.04.000000000 PM	10-MAY-24 01.16.00.000000000 PM	+00 00:14:56.000000		-00 00:14:56.000000	14.93
27905411	CS5694			CPLK	54.99 12-MAY-24 02.51.52.000000000 PM	12-MAY-24 03.26.35.000000000 PM	+00 00:34:43.000000		-00 00:34:43.000000	34.72
27907968	CS5692			CPLK	10.82 12-MAY-24 03.46.25.0000000000 PM	12-MAY-24 04.07.55.000000000 PM	+00 00:21:30.000000		-00 00:21:30.000000	21.5
27912227	CS5692			CPLK	36.48 12-MAY-24 05.15.55.0000000000 PM	12-MAY-24 06.00.29.000000000 PM	+00 00:44:34.000000		-00 00:44:34.000000	44.57
27912517	CS5691			CPLK	11.66 12-MAY-24 05,22,35,0000000000 PM	12-MAY-24 05.35.58.000000000 PM	+00 00;13:23.000000		-00 00:13:23.000000	13.38
27913431	CS5694			CPLK	49.98 12-MAY-24 05.41.21.0000000000 PM		+00 01:19:29.000000		-00 01:19:29.000000	79.48
27914247	CS5695			CPLK	69.65 12-MAY-24 06.00.07.0000000000 PM	12-MAY-24 06.36.25.0000000000 PM	+00 00:36:18.000000		-00 00:36:18.000000	36.3
27915023	CS5691			CPLK	36.63 12-MAY-24 06.18.13.0000000000 PM	12-MAY-24 07.38.49.000000000 PM	+00 01;20:36.000000		-00 01:20:36.000000	80.6
27915119	CS5692			CPLK	57.72 12-MAY-24 06.19.59.0000000000 PM	12-MAY-24 07.55.19.0000000000 PM	+00 01:35:20.000000		-00 01:35:20.000000	95.33
27916839	CS5695			CPLK	9.87 12-MAY-24 07.00.38.0000000000 PM	12-MAY-24 07.07.10.0000000000 PM	+00 00:06:32.000000		-00 00:06:32.000000	6.53
27917307	CS5695			CPLK	54.1 12-MAY-24 07.11.14.0000000000 PM	12-MAY-24 07.46.12.0000000000 PM	+00 00:34:58.000000		-00 00:34:58.000000	34.97
27921048	CS5691			CPLK	47.89 12-MAY-24 08.44.37.0000000000 PM	12-MAY-24 09.37.30.000000000 PM	+00 00:52:53.000000	52.88	-00 00:52:53.000000	52.88

	SESSION_ID	CHARGER_ID	ADDRESS	CITY STATE ZIP TION	USAGE CONNECTION_START_DTTM	CONNECTION_END_DITM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION	TOTAL DURATION MINUTES
27922007	CS5694			CPLK	59.81 12-MAY-24 09.12.10.000000000 PM	12-MAY-24 09.35.44.000000000 PM	+00 00:23:34.000000		-00 00:23:34.000000	23.57
27923167	CS5695			CPLK	41.59 12-MAY-24 09.48.36.000000000 PM	12-MAY-24 10.13.43.000000000 PM	+00 00:25:07.000000	25.12	-00 00:25:07.000000	25.12
27925892	CS5695			CPLK	14.35 12-MAY-24 11.18.10.000000000 PM	12-MAY-24 11.44.16.000000000 PM	+00 00:26:06.000000	26.1	-00 00:26:06.000000	26.1
27929524	CS5695			CPLK	47.73 13-MAY-24 02.37.36.000000000 AM	13-MAY-24 04.27.08.000000000 AM	+00 01:49:32.000000	109.53	-00 01:49:32.000000	109.53
31689255	CS5694			CPLK	33.86 03-AUG-24 03.12.08.000000000 PM	03-AUG-24 03.45.02,000000000 PM	+00 00:32:54.000000	32.9	-00 00:32:54.000000	32.9
31690086	CS5695			CPLK	43.11 03-AUG-24 03.27.22.000000000 PM	03-AUG-24 03.43.29.000000000 PM	+00 00:16:07.000000	16.12	-00 00:16:07.000000	16.12
31691720	CS5695			CPLK	42.01 03-AUG-24 03.55.36.000000000 PM	03-AUG-24 04.07.56.000000000 PM	+00 00:12:20.000000	12.33	-00 00:12:20.000000	12.33
31692284	CS5694			CPLK	61.19 03-AUG-24 04.05.18.000000000 PM	03-AUG-24 04.36.01.000000000 PM	+00 00:30:43.000000	30.72	-00 00:30:43.000000	30.72
31694115	CS5694			CPLK	67.51 03-AUG-24 04.40.00.000000000 PM	03-AUG-24 05.36.20.000000000 PM	+00 00:56:20.000000	56.33	-00 00:56:20.000000	56.33
31694193	CS5695			CPLK	40.48 03-AUG-24 04.41.39.000000000 PM	03-AUG-24 05.40.09.000000000 PM	+00 00:58:30.000000	58.5	-00 00:58:30.000000	58.5
31694527	CS5692			CPLK	38.29 03-AUG-24 04.48.07.000000000 PM	03-AUG-24 05.21.13.000000000 PM	+00 00:33:06.000000	33.1	-00 00:33:06.000000	33.1
31698230	CS5692			CPLK	21 03-AUG-24 05.59.49.000000000 PM	03-AUG-24 06.23.55.000000000 PM	+00 00:24:06.000000	24.1	-00 00:24:06.000000	24.1
31699009	CS5695			CPLK	40.77 03-AUG-24 06.15.57.0000000000 PM	03-AUG-24 07.21.04.000000000 PM	+00 01:05:07.000000	65.12	-00 01:05:07.000000	65.12
31699363	CS5691			CPLK	41.51 03-AUG-2406.23.42.000000000 PM	03-AUG-24 07.25.22.000000000 PM	+00 01:01:40,000000	61.67	-00 01:01:40.000000	61.67
31700709	CS5694			CPLK	32.86 03-AUG-24 06.49.55.0000000000 PM	03-AUG-24 07.08.59.000000000 PM	+00 00:19:04.000000	19.07	-00 00:19:04.000000	19.07
31701854	CS5694			CPLK	48.14 03-AUG-24 07.14.26.000000000 PM	03-AUG-24 07.41.34.000000000 PM	+00 00:27:08.000000	27.13	-00 00:27:08.000000	27.13
31786170	CS5691			CPLK	65.64 05-AUG-24 01.13.50.000000000 PM	05-AUG-24 02.15.33.000000000 PM	+00 01:01:43.000000	61.72	-00 01:01:43.000000	61.72
27931454	CS5695			CPLK	49.51 13-MAY-24 05.52.56.000000000 AM	13-MAY-24 07.26.06.000000000 AM	+00 01:33:10.000000	93.17	-00 01:33:10.000000	93.17
27932142	CS5692			CPLK	28.05 13-MAY-24 06.49.15.000000000 AM	13-MAY-24 07.21.12.000000000 AM	+00 00:31:57.000000	31.95	-00 00:31:57.000000	31.95
27932286	CS5694			CPLK	55.83 13-MAY-24 06.58.12.000000000 AM	13-MAY-24 07.27.38.000000000 AM	+00 00:29:26.000000	29.43	-00 00:29:26.000000	29.43
27935719	CS5691			CPLK	42.96 13-MAY-24 09.25.55.0000000000 AM	13-MAY-24 10.47.27.000000000 AM	+00 01:21:32.000000	81.53	-00 01:21:32.000000	81.53
27938483	CS5695			CPLK	55.9 13-MAY-24 10.49.26.000000000 AM	13-MAY-24 11.11.48.000000000 AM	+00 00:22:22.000000	22.37	-00 00:22:22.000000	22.37
27944205	CS5695			CPLK	28.47 13-MAY-24 01.24.59.000000000 PM	13-MAY-24 01.48.15.000000000 PM	+00 00:23:16.000000	23.27	-00 00:23:16.000000	23.27
27946023	CS5695			CPLK	65.63 13-MAY-24 02.08.41,000000000 PM	13-MAY-24 02.50.47.000000000 PM	+00 00:42:06.000000	42.1	-00 00:42:06.000000	42.1
27947873	CS5692			CPLK	61.52 13-MAY-24 02.54.00.000000000 PM	13-MAY-24 03.50.47.000000000 PM	+00 00:56:47.000000	56.78	-00 00:56:47.000000	56.78
27948106	CS5695			CPLK	30.67 13-MAY-24 02.59.40.000000000 PM	13-MAY-24 03.37.36.000000000 PM	+00 00:37:56.000000	37.93	-00 00:37:56.000000	37.93
27951299	CS5695			CPLK	55.05 13-MAY-24 04.20.35.000000000 PM	13-MAY-24 04.52.38.000000000 PM	+00 00:32:03.000000	32.05	-00 00:32:03.000000	32.05
27953278	CS5695			CPLK	47.08 13-MAY-24 05.11.52,000000000 PM	13-MAY-24 05.38.58.000000000 PM	+00 00:27:06.000000	27.1	-00 00:27:06.000000	27.1
27953750	CS5691			CPLK	4.75 13-MAY-24 05.23.44,000000000 PM	13-MAY-24 05.29.15.000000000 PM	+00 00:05:31.000000	5.52	-00 00:05:31.000000	5.52
27955880	CS5695			CPLK	38.01 13-MAY-24 06.20.19.000000000 PM	13-MAY-24 06.50.31.000000000 PM	+00 00:30:12.000000	30.2	-00 00:30:12.000000	30.2
27957817	CS5692			CPLK	54.22 13-MAY-24 07.10.18.000000000 PM	13-MAY-24 08.29.49.000000000 PM	+00 01:19:31.000000	79.52	-00 01:19:31.000000	79.52
27962056	CS5692			CPLK	30.04 13-MAY-24 09.03.04.000000000 PM	13-MAY-24 09.30.04.000000000 PM	+00 00:27:00.000000	27	-00 00:27:00.000000	27
27962103	CS5695			CPLK	57.92 13-MAY-24 09.04.31.000000000 PM	13-MAY-24 11.06.02.000000000 PM	+00 02:01:31.000000	121.52	-00 02:01:31.000000	121.52
27962904	CS5691			CPLK	82.27 13-MAY-24 09.32.04.000000000 PM	13-MAY-24 10.32.03.000000000 PM	+00 00:59:59.000000	59.98	-00 00:59:59.000000	59.98
27963631	CS5692			CPLK	52.44 13-MAY-24 09.58.06.000000000 PM	13-MAY-24 11.53.45.000000000 PM	+00 01:55:39,000000	115.65	-00 01:55:39.000000	115.65
27967747	CS5694			CPLK	13.02 14-MAY-24 01.15.16.000000000 AM	14-MAY-24 01.21.34.000000000 AM	+00 00:06:18.000000	6.3	-00 00:06:18.000000	6.3
27969600	CS5695			CPLK	21.6 14-MAY-24 04.03.52.000000000 AM	14-MAY-24 04.53.53.000000000 AM	+00 00:50:01.000000		-00 00:50:01.000000	50.02
27971374	CS5695			CPLK	68.11 14-MAY-24 06.49.23.000000000 AM	14-MAY-24 07.26.44,000000000 AM	+00 00:37:21,000000	37.35	-00 00:37:21.000000	37.35
27973167	CS5694			CPLK	32.98 14-MAY-24 08.21.50.000000000 AM	14-MAY-24 09.33.48.000000000 AM	+00 01:11:58.000000	71.97	-00 01:11:58.000000	71.97
27974132	CS5695			CPLK	21.39 14-MAY-24 09.02.36.000000000 AM	14-MAY-24 09.11.34.000000000 AM	+00 00:08:58.000000	8.97	-00 00:08:58.000000	8.97
27975093	CS5695			CPLK	53.01 14-MAY-24 09.36.17.000000000 AM	14-MAY-24 10.36.29.000000000 AM	+00 01:00:12.000000	60.2	-00 01:00:12.000000	60.2
27977707	CS5695			CPLK	12.51 14-MAY-24 10.58.29.000000000 AM	14-MAY-24 11.13.47.000000000 AM	+00 00:15:18.000000	15.3	-00 00:15:18.000000	15.3
27980923	CS5695			CPLK	46.1 14-MAY-24 12.30.19.000000000 PM	14-MAY-24 12.53.25.000000000 PM	+00 00:23:06.000000	23.1	-00 00:23:06.000000	23.1
27982410	CS5695			CPLK	42.26 14-MAY-24 01.10.58.000000000 PM	14-MAY-24 01.28.52.000000000 PM	+00 00:17:54.000000	17.9	-00 00:17:54.000000	17.9
27984646	CS5695			CPLK	46.05 14-MAY-24 02.11.24.000000000 PM	14-MAY-24 02.52.39.000000000 PM	+00 00:41:15.000000	41.25	-00 00:41:15.000000	41.25
27985276	CS5694			CPLK	51.64 14-MAY-24 02,27,43,000000000 PM	14-MAY-24 02.50.22.000000000 PM	+00 00:22:39.000000	22.65	-00 00:22:39.000000	22.65
27989300	CS5691			CPLK	37.22 14-MAY-24 04.13.13.0000000000 PM		+00 00:27:55.000000	27.92	-00 00:27:55.000000	27.92
27991245	CS5694			CPLK	24.01 14-MAY-24 05.04.53.0000000000 PM	14-MAY-24 05.22.01.000000000 PM	+00 00:17:08.000000	17.13	-00 00:17:08.000000	17.13
27991416	CS5695			CPLK	38.61 14-MAY-24 05.09.45.0000000000 PM	14-MAY-24 05.43.35.000000000 PM	+00 00:33:50.000000	33.83	-00 00:33:50.000000	33.83
27992972	CS5695			CPLK	51.78 14-MAY-24 05.52.58.000000000 PM	14-MAY-24 06.19.57.000000000 PM	+00 00:26:59.000000		-00 00:26:59.000000	26.98
27994173	CS5695			CPLK	27.02 14-MAY-24 06.23.15.0000000000 PM	14-MAY-24 06.42.16.000000000 PM	+00 00:19:01.000000	19.02	-00 00:19:01.000000	19.02
28010514	CS5695			CPLK	55.67 15-MAY-24 07.36.11.0000000000 AM	15-MAY-24 07.55.57.000000000 AM	+00 00:19:46.000000	19.77	-00 00:19:46.000000	19.77
28011340	CS5695			CPLK	40.23 15-MAY-24 08.13.45.0000000000 AM	15-MAY-24 08.31.13.000000000 AM	+00 00:17:28.000000	17.47	-00 00:17:28.000000	17.47
20011040	Ç33093			OFER	TO.20 20 1811 24 00.10.40.00000000000 API	20 71111 27 00.01.10.000000000 API	-50 00.27.20.00000	11.41	00.17.20.000000	

	SESSION_ID	CHARGER_ID	ADDRESS CITY	STATE ZIP JURISDIC	ENERGY USAGE CONNECTION_START_DTTM	CONNECTION_END_DTTM	CONNECTION DURATION HMS	CHARGE DURATION MINUTES	TOTAL DURATION	TOTAL DURATION MINUTES
28011739	CS5694			CPLK	62.6 15-MAY-24 08.31.40.0000000000 AM	15-MAY-24 09.14.58.000000000 AM	+00 00:43:18.000000		-00 00:43:18.000000	43.3
28011846	CS5695			CPLK	20.61 15-MAY-24 08.35.26.000000000 AM	15-MAY-24 08.51.17.000000000 AM	+00 00:15:51.000000	15.85	-00 00:15:51.000000	15.85
28015058	CS5694			CPLK	58.34 15-MAY-24 10.30.56.000000000 AM	15-MAY-24 10.49.32.000000000 AM	+00 00:18:36.000000	18.6	-00 00:18:36.000000	18.6
28016643	CS5695			CPLK	37.9 15-MAY-24 11.16.07.000000000 AM	15-MAY-24 11.28.12.000000000 AM	+00 00:12:05.000000	12.08	-00 00:12:05.000000	12.08
28017419	CS5694			CPLK	22.78 15-MAY-24 11.39.06.000000000 AM	15-MAY-24 11.49.23.000000000 AM	+00 00:10:17.000000	10.28	-00 00:10:17.000000	10.28
28019041	CS5695			CPLK	45.45 15-MAY-24 12.23.27.000000000 PM	15-MAY-24 01.07.10.000000000 PM	+00 00:43:43.000000	43.72	-00 00:43:43.000000	43.72
28020509	CS5694			CPLK	64.2 15-MAY-24 01.03.01.000000000 PM	15-MAY-24 01.38.04.000000000 PM	+00 00:35:03.000000	35.05	-00 00:35:03.000000	35.05
28023002	CS5691			CPLK	16.3 15-MAY-24 02.09.44.000000000 PM	15-MAY-24 02.28.46.000000000 PM	+00 00:19:02.000000	19.03	-00 00:19:02.000000	19.03
28025399	CS5695			CPLK	54.74 15-MAY-24 03.08.26.000000000 PM	15-MAY-24 03.26.07.000000000 PM	+00 00:17:41.000000	17.68	-00 00:17:41.000000	17.68
28093619	CS5695			CPLK	33.99 17-MAY-24 09.01.50.000000000 AM	17-MAY-24 09.58.01.000000000 AM	+00 00:56:11.000000	56.18	-00 00:56:11.000000	56.18
28098082	CS5691			CPLK	2.7 17-MAY-24 11.14.09.000000000 AM	17-MAY-24 11.16.31.000000000 AM	+00 00:02:22.000000	2.37	-00 00:02:22.000000	2.37
28098673	CS5692			CPLK	33.71 17-MAY-24 11.29.11.0000000000 AM	17-MAY-24 12.01.11.000000000 PM	+00 00:32:00.000000	32	-00 00:32:00.000000	32
28098803	CS5695			CPLK	40.76 17-MAY-24 11.32.08.000000000 AM	17-MAY-24 11.50.23.000000000 AM	+00 00:18:15.000000	18.25	-00 00:18:15.000000	18.25
28100575	CS5691			CPLK	7.43 17-MAY-24 12.15.08.000000000 PM	17-MAY-24 12.21.35.000000000 PM	+00 00:06:27,000000	6.45	-00 00:06:27.000000	6.45
28101105	CS5691			CPLK	60.19 17-MAY-24 12.27.16.000000000 PM	17-MAY-24 01.39.51.000000000 PM	+00 01:12:35.000000	72.58	-00 01:12:35.000000	72.58
28103826	CS5694			CPLK	62.54 17-MAY-24 01.30.28.000000000 PM	17-MAY-24 02.11.07.000000000 PM	+00 00:40:39.000000	40.65	-00 00:40:39.000000	40.65
28104189	CS5692			CPLK	26.81 17-MAY-24 01.38.10.000000000 PM	17-MAY-24 02.59.22.000000000 PM	+00 01:21:12.000000	81.2	-00 01:21:12.000000	81.2
28105403	CS5691			CPLK	66.02 17-MAY-24 02.06.44.000000000 PM	17-MAY-24 02.54.55.000000000 PM	+00 00:48:11.000000	48.18	-00 00:48:11.000000	48.18
28106342	CS5695			CPLK	32.27 17-MAY-24 02.27.31.000000000 PM	17-MAY-24 03.08.24.000000000 PM	+00 00:40:53.000000	40.88	-00 00:40:53.000000	40.88
28110695	CS5695			CPLK	19.72 17-MAY-24 04.01.49.000000000 PM	17-MAY-24 04.11.58.000000000 PM	+00 00:10:09.000000	10.15	-00 00:10:09.000000	10.15
28111290	CS5695			CPLK	40.81 17-MAY-24 04.14.27.000000000 PM	17-MAY-24 04.45.04.000000000 PM	+00 00:30:37.000000	30.62	-00 00:30:37.000000	30.62
28112418	CS5692			CPLK	45.68 17-MAY-24 04.41.12.000000000 PM	17-MAY-24 06.22.15.000000000 PM	+00 01:41:03.000000	101.05	-00 01:41:03.000000	101.05
28112854	CS5694			CPLK	48.57 17-MAY-24 04.51.16.000000000 PM	17-MAY-24 06.11.23.000000000 PM	+00 01:20:07.000000	80.12	-00 01:20:07.000000	80.12
28116520	CS5695			CPLK	57.94 17-MAY-24 06.17.18.000000000 PM	17-MAY-24 06.54.15.000000000 PM	+00 00:36:57.000000		-00 00:36:57.000000	36.95
28118920	CS5695			CPLK	41.2 17-MAY-24 07.14.14.000000000 PM	17-MAY-24 07.27.02.000000000 PM	+00 00;12;48.000000	12.8	-00 00:12:48.000000	12.8
28121267	CS5691			CPLK	24.64 17-MAY-24 08.24.54.000000000 PM	17-MAY-24 08.46.54.000000000 PM	+00 00:22:00.000000	22	-00 00:22:00.000000	22
28122549	CS5692			CPLK	10.36 17-MAY-24 08.53.48.000000000 PM	17-MAY-24 09.13.15.000000000 PM	+00 00:19:27,000000		-00 00:19:27.000000	19.45
28123883	CS5691			CPLK	21.8 17-MAY-24 09.31.54.000000000 PM	17-MAY-24 09.50.44,000000000 PM	+00 00:18:50.000000	1	-00 00:18:50.000000	18.83
28124902	CS5691			CPLK	20.23 17-MAY-24 10.02.10.000000000 PM	17-MAY-24 10.21.45.000000000 PM	+00 00:19:35.000000		-00 00:19:35.000000	19.58
28125958	CS5695			CPLK	53.46 17-MAY-24 10.32.59.000000000 PM	17-MAY-24 11.57.43.000000000 PM	+00 01:24:44.000000		-00 01:24:44.000000	84.73
28135677	CS5695			CPLK	55.78 18-MAY-24 07.50.17.000000000 AM	18-MAY-24 08.26.46.000000000 AM	+00 00:36:29.000000		-00 00:36:29.000000	36.48
28135997	CS5692			CPLK	27.07 18-MAY-24 08.05.06.000000000 AM	18-MAY-24 09.17.49.000000000 AM	+00 01:12:43.000000		-00 01:12:43.000000	72.72
28137233	CS5695			CPLK	28.71 18-MAY-24 08.53.34.000000000 AM	18-MAY-24 10.12.37.000000000 AM	+00 01;19:03.000000		-00 01:19:03.000000	79.05
28138455	CS5692			CPLK	40.94 18-MAY-24 09.36.52.000000000 AM	18-MAY-24 10.19.38.000000000 AM	+00 00:42:46.000000		-00 00:42:46.000000	42.77
28139846	CS5695			CPLK	15.04 18-MAY-24 10.17.40.000000000 AM	18-MAY-24 10.36.20.000000000 AM	+00 00:18:40.000000		-00 00:18:40.000000	18.67
28139976	CS5694			CPLK	68.33 18-MAY-24 10.20.34.000000000 AM	18-MAY-24 10.59.19.000000000 AM	+00 00:38:45.000000		-00 00:38:45.000000	38.75
28140474	CS5692			CPLK	48.25 18-MAY-24 10.34.46.000000000 AM	18-MAY-24 11.14.18.000000000 AM	+00 00:39:32.000000		-00 00:39:32.000000	39.53
28140713	CS5695			CPLK	56.1 18-MAY-24 10.41.27.000000000 AM	18-MAY-24 11.14.45.000000000 AM	+00 00:33:18.000000		-00 00:33:18.000000	33.3
28141522	CS5691			CPLK	38.73 18-MAY-24 11.01.10.0000000000 AM	18-MAY-24 11.34.36.0000000000 AM	+00 00:33:26.000000		-00 00:33:26.000000	33.43
28170808	CS5695			CPLK	68.49 18-MAY-24 10.24.00.000000000 PM	18-MAY-24 11.03.49.000000000 PM	+00 00:39:49.000000		-00 00:39:49.000000	39.82
31790548	CS5691			CPLK	17.51 05-AUG-24 02.46.51.0000000000 PM	05-AUG-24 03.16.21.000000000 PM	+00 00:29:30.000000		-00 00:29:30.000000	29.5
31790600	CS5695			CPLK	44.67 05-AUG-24 02.48.00.0000000000 PM	05-AUG-24 03.21.58.0000000000 PM	+00 00:33:58.000000		-00 00:33:58.000000	33.97
31791448	CS5694			CPLK	59.52 05-AUG-24 03.05.39.0000000000 PM	05-AUG-24 03.34.36.0000000000 PM	+00 00:28:57.000000		-00 00:28:57.000000	28.95
32034954	CS5692			CPLK	37.69 10-AUG-24 04.17.41.000000000 PM	10-AUG-24 05.08.43.0000000000 PM	+00 00:51:02.000000		-00 00:51:02.000000	51.03
32036902	CS5695			CPLK	55.66 10-AUG-24 04.55.01.0000000000 PM	10-AUG-24 05.39.13.0000000000 PM	+00 00:44:12.000000		-00 00:44:12.000000	44.2
32037548	CS5694			CPLK	65.44 10-AUG-24 05.06.34.000000000 PM	10-AUG-24 06.00.59.000000000 PM	+00 00:54:25.000000		-00 00:54:25.000000	54.42
32038950	CS5691			CPLK	43.29 10-AUG-24 05.31.42.0000000000 PM	10-AUG-24 06.20.53.0000000000 PM	+00 00:49:11.000000		-00 00:49:11.000000	49.18
32042102	C\$5695			CPLK	24.6 10-AUG-24 06.36.03.0000000000 PM	10-AUG-24 06.49.31.000000000 PM	+00 00:13:28.000000		-00 00:13:28.000000	13.47
32042968 32043243	CS5695 CS5692			CPLK CPLK	22.84 10-AUG-24 06.52.33.000000000 PM 45.42 10-AUG-24 06.57.33.000000000 PM	10-AUG-24 07.09.44.000000000 PM	+00 00:17:11.000000		-00 00:17:11.000000 -00 00:39:51.000000	17.18 39.85
				CPLK		10-AUG-24 07.37.24.000000000 PM	+00 00:39:51.000000			9.5
32044170 32045861	CS5695 CS5695			CPLK	18.23 10-AUG-24 07.16.20.000000000 PM 47.72 10-AUG-24 07.52.33.000000000 PM	10-AUG-24 07.25.50.000000000 PM 10-AUG-24 08.15.06.000000000 PM	+00 00:09:30.000000 +00 00:22:33.000000		-00 00:09:30.000000 -00 00:22:33.000000	22.55
										34.9
32046357	CS5694		0	CPLK	40.36 10-AUG-24 08.04.28.000000000 PM	10-AUG-24 08.39.22,000000000 PM	+00 00:34:54.000000	34.9	-00 00:34:54.000000	54.9

32048276 32049432 32049727 32050059 32052758 32053327	CS5695 CS5692 CS5692 CS5695		CPLK						
32049727 32050059 32052758 32053327	CS5692			51.77 10-AUG-24 08.46.58.000000000 PM	10-AUG-24 09.15.17.000000000 PM	+00 00:28:19.000000	28.32	-00 00:28:19.000000	28.32
32050059 32052758 32053327			CPLK	3.42 10-AUG-24 09.15.29.000000000 PM	10-AUG-24 09.18.26.000000000 PM	+00 00:02:57.000000	2.95	-00 00:02:57.000000	2.95
32052758 32053327	CS5695		CPLK	56.57 10-AUG-24 09.21.58.0000000000 PM	10-AUG-24 10.13.39.000000000 PM	+00 00:51:41.000000	51.68	-00 00:51:41.000000	51.68
32053327			CPLK	57.28 10-AUG-24 09.30.04.000000000 PM	10-AUG-24 09.54.38.000000000 PM	+00 00:24:34.000000	24.57	-00 00:24:34.000000	24.57
	CS5695		CPLK	37.9 10-AUG-24 10.40.04.0000000000 PM	10-AUG-24 11.18.09.000000000 PM	+00 00:38:05.000000	38.08	-00 00:38:05.000000	38.08
	CS5694		CPLK	36.65 10-AUG-24 10.55.46.000000000 PM	10-AUG-24 11.30.53.000000000 PM	+00 00:35:07.000000	35.12	-00 00:35:07.000000	35.12
32056415	CS5691		CPLK	36.46 11-AUG-24 12.30.42.000000000 AM	11-AUG-24 01.22.03.000000000 AM	+00 00:51:21.000000	51.35	-00 00:51:21.000000	51.35
32063429	CS5695		CPLK	25.26 11-AUG-24 07.01.20.0000000000 AM	11-AUG-24 07.34.52,000000000 AM	+00 00:33:32.000000	33.53	-00 00:33:32.000000	33.53
32063554	CS5692		CPLK	15.94 11-AUG-24 07.07.58.0000000000 AM	11-AUG-24 07.52.29.000000000 AM	+00 00:44:31.000000	44.52	-00 00:44:31.000000	44.52
32063661	CS5694		CPLK	60.61 11-AUG-24 07.12.32.000000000 AM	11-AUG-24 08.22.57.000000000 AM	+00 01:10:25.000000	70.42	-00 01:10:25.000000	70.42
32064779	CS5695		CPLK	91.45 11-AUG-24 07.58.55.000000000 AM	11-AUG-24 08.53.34.000000000 AM	+00 00:54:39.000000	54.65	-00 00:54:39.000000	54.65
32064996	CS5692		CPLK	35.47 11-AUG-24 08.08.43.0000000000 AM	11-AUG-24 08.56.06.000000000 AM	+00 00:47:23.000000	47.38	-00 00:47:23.000000	47.38
32065181	CS5691		CPLK	65.5 11-AUG-24 08.15.20.0000000000 AM	11-AUG-24 09.10.25.000000000 AM	+00 00:55:05.000000	55.08	-00 00:55:05.000000	55.08
32065455	CS5694		CPLK	48.71 11-AUG-24 08.25.56.000000000 AM	11-AUG-24 08.58.57.000000000 AM	+00 00:33:01.000000	33.02	-00 00:33:01.000000	33.02
32066338	CS5695		CPLK	3.46 11-AUG-24 08.57.37.0000000000 AM	11-AUG-24 09.02.15.000000000 AM	+00 00:04:38.000000	4.63	-00 00:04:38.000000	4.63
32108919	CS5692		CPLK	58.74 12-AUG-24 12.45.42.0000000000 AM	12-AUG-24 02.46.03.000000000 AM	+00 02:00:21,000000	120.35	-00 02:00:21.000000	120.35
32114067	CS5695		CPLK	33.37 12-AUG-24 06.13.54.000000000 AM	12-AUG-24 06.48.28.000000000 AM	+00 00:34:34.000000	34.57	-00 00:34:34.000000	34.57
32116779	CS5692		CPLK	69.15 12-AUG-24 08.17.38.000000000 AM	12-AUG-24 09.14.06.000000000 AM	+00 00:56:28.000000	56.47	-00 00:56:28.000000	56.47
32117691	CS5695		CPLK	73.43 12-AUG-24 08.48.39.0000000000 AM	12-AUG-24 09.27.57.000000000 AM	+00 00:39:18.000000	39.3	-00 00:39:18.000000	39.3
32120463	CS5695		CPLK	26.48 12-AUG-24 10.16.07.0000000000 AM	12-AUG-24 10.58.40.000000000 AM	+00 00:42:33.000000	42.55	-00 00:42:33.000000	42.55
32127028	CS5695		CPLK	30.9 12-AUG-24 12.57.19.000000000 PM	12-AUG-24 01.37.26.000000000 PM	+00 00:40:07.000000	40.12	-00 00:40:07.000000	40.12
32127681	CS5692		CPLK	44.66 12-AUG-24 01.11.34.000000000 PM	12-AUG-24 02.01.38.000000000 PM	+00 00:50:04.000000	50.07	-00 00:50:04.000000	50.07
32128112	CS5694		CPLK	33.19 12-AUG-24 01.20.54.000000000 PM	12-AUG-24 01.36.47.000000000 PM	+00 00:15:53.000000	15.88	-00 00:15:53.000000	15.88
32128161	CS5691		CPLK	38.39 12-AUG-24 01.22.00.000000000 PM	12-AUG-24 01.53.57.000000000 PM	+00 00:31:57.000000	31.95	-00 00:31:57.000000	31.95
32131429	CS5695		CPLK	43.29 12-AUG-24 02.35.30.0000000000 PM	12-AUG-24 03.06.31.000000000 PM	+00 00:31:01.000000	31.02	-00 00:31:01.000000	31.02
32131607	CS5692	A SECOND	CPLK	20.79 12-AUG-24 02.38.53.000000000 PM	12-AUG-24 03.09.25.000000000 PM	+00 00:30:32.000000	30.53	-00 00:30:32.000000	30.53
32132141	CS5691		CPLK	85.31 12-AUG-24 02,51,10,0000000000 PM	12-AUG-24 04.05.43.000000000 PM	+00 01:14:33.000000	74.55	-00 01:14:33.000000	74.55
32132412	CS5694	>"	CPLK	30.73 12-AUG-24 02.57.03.0000000000 PM	12-AUG-24 03.37.02.000000000 PM	+00 00:39:59.000000	39.98	-00 00:39:59.000000	39.98
32133063	CS5692		CPLK	38.86 12-AUG-24 03.12.04.0000000000 PM	12-AUG-24 04.22.28.000000000 PM	+00 01:10:24.000000	70.4	-00 01:10:24.000000	70.4
32133434	CS5695		CPLK	65.43 12-AUG-24 03.19.23.000000000 PM	12-AUG-24 03.52.47.000000000 PM	+00 00:33:24.000000	33.4	-00 00:33:24.000000	33.4
32134792	CS5694		CPLK	76.78 12-AUG-24 03.50.22.000000000 PM	12-AUG-24 04.45.09.000000000 PM	+00 00:54:47.000000	54.78	-00 00:54:47.000000	54.78
32136359	CS5691		CPLK	23.13 12-AUG-24 04.25.14.000000000 PM	12-AUG-24 04.49.32.000000000 PM	+00 00:24:18.000000	24.3	-00 00:24:18.000000	24.3
32137331	CS5692		CPLK	23.19 12-AUG-24 04.45.14.000000000 PM	12-AUG-24 05.12.02.000000000 PM	+00 00:26:48.000000	26.8	-00 00:26:48.000000	26.8
32137610	CS5694		CPLK	3.41 12-AUG-24 04.51.22.000000000 PM	12-AUG-24 04.58.32,000000000 PM	+00 00:07:10.000000	7.17	-00 00:07:10.000000	7.17
32138507	CS5694		CPLK	76.23 12-AUG-24 05.10.45.0000000000 PM	12-AUG-24 05.30.23.000000000 PM	+00 00:19:38.000000	19.63	-00 00:19:38.000000	19.63
32139724	CS5691		CPLK	36.06 12-AUG-24 05.37.00.000000000 PM	12-AUG-24 06.26.51.000000000 PM	+00 00:49:51.000000	49.85	-00 00:49:51.000000	49.85
32140092	CS5695		CPLK	61.72 12-AUG-24 05.45.35.000000000 PM	12-AUG-24 06.13.33.000000000 PM	+00 00:27:58.000000	27.97	-00 00:27:58.000000	27.97
32140221	CS5694		CPLK	22.91 12-AUG-24 05.48.38.0000000000 PM	12-AUG-24 06.16.13.000000000 PM	+00 00:27:35.000000	27.58	-00 00:27:35.000000	27.58
32141656	CS5694		CPLK	65.79 12-AUG-24 06.20.14.000000000 PM	12-AUG-24 07.05.55.000000000 PM	+00 00:45:41.000000	45.68	-00 00:45:41.000000	45.68
32143511	CS5695		CPLK	50.71 12-AUG-24 07.01.38.000000000 PM	12-AUG-24 07.22.44.000000000 PM	+00 00:21:06.000000	21.1	-00 00:21:06.000000	21.1
32143548	CS5692		CPLK	43.05 12-AUG-24 07.02.09.0000000000 PM	12-AUG-24 08.03.39.000000000 PM	+00 01:01:30.000000	61.5	-00 01:01:30.000000	61.5
32144448	CS5691		CPLK	40.98 12-AUG-24 07.22,28.000000000 PM	12-AUG-24 08.33.46.000000000 PM	+00 01:11:18.000000	71.3	-00 01:11:18.000000	71.3
32144625	CS5695		CPLK	44.41 12-AUG-24 07.26.05.0000000000 PM	12-AUG-24 08.25.06.000000000 PM	+00 00:59:01.000000	59.02	-00 00:59:01.000000	59.02
32150463	CS5692		CPLK	50.49 12-AUG-24 09.54.24.000000000 PM	12-AUG-24 11.25.32.000000000 PM	+00 01:31:08.000000	91.13	-00 01:31:08.000000	91.13
32153928	CS5695		CPLK	17.09 12-AUG-24 11.50.09.0000000000 PM	13-AUG-24 12.09.45.000000000 AM	+00 00:19:36.000000	19.6	-00 00:19:36.000000	19.6
32296677	CS5694		CPLK	40.84 16-AUG-24 01.03.30.0000000000 AM	16-AUG-24 02.10.31.000000000 AM	+00 01:07:01.000000	67.02	-00 01:07:01.000000	67.02
32296785	CS5692		CPLK	47.58 16-AUG-24 01.07.46.000000000 AM		+00 01:47:03.000000	107.05	-00 01:47:03.000000	107.05
32301517	CS5694		CPLK	31.95 16-AUG-24 06.15.01.0000000000 AM	16-AUG-24 06.43.17.000000000 AM	+00 00:28:16.000000	28.27	-00 00:28:16.000000	28.27
32301551	CS5692		CPLK	44.2 16-AUG-24 06.16.45.0000000000 AM		+00 01:08:13.000000	68.22	-00 01:08:13.000000	68.22
32301630	CS5695		CPLK	93.91 16-AUG-24 06.20.38.000000000 AM	16-AUG-24 07.10.18.000000000 AM	+00 00:49:40.000000	49.67	-00 00:49:40.000000	49.67
32302115	CS5691		CPLK	53.2 16-AUG-24 06.46.08.0000000000 AM		+00 01:25:32.000000	85.53	-00 01:25:32.000000	85.53
32302587	CS5694		CPLK	40.62 16-AUG-24 07.07.56.000000000 AM	16-AUG-24 08.05.33.000000000 AM	+00 00:57:37.000000	57.62	-00 00:57:37.000000	57.62
32303660	CS5695	. 0 . 1	CPLK	48.81 16-AUG-24 07.49.15.0000000000 AM	16-AUG-24 08.17.58.000000000 AM	+00 00:28:43.000000	28.72	-00 00:28:43.000000	28.72