

BEFORE THE STATE CORPORATION COMMISSION  
OF THE STATE OF KANSAS

In the Matter of the Petition of Daylight Petroleum, )  
LLC to Open a Docket Pursuant to K.S.A. 55-605(a). ) Docket No. 25-CONS-3040-CMSC

**MOTION TO FILE LATE-FILED EXHIBIT**

Daylight Petroleum, LLC ("Daylight") by and through its attorney, Keith A. Brock, moves for an order pursuant to K.A.R. 82-1-230(g), allowing for a late-filed exhibit attached hereto to be made a part of the Agency Record in this Docket. In support of this Motion, Daylight states:

1. The most recent ground water sampling report as of the filing of the pre-filed testimony in this docket was filed as Exhibit JS-3.
2. At the hearing held in this matter, the Commission admitted Exhibit KCC-2 which was the December 2024 quarter ground water sampling report.
3. The document attached hereto is the April 2025 quarter ground water sampling report.
4. Since a significant question before the Commission in this Docket is whether or not the breakout at issue in this Docket is causing pollution or loss of usable water, the most recent quarterly ground water sampling report is an important piece of evidence and should be made a part of the Agency Record in this Docket.
5. The quarterly water samples referenced in the attached report were not taken until after the hearing was held in this matter, which is why the attached ground water sampling report was not introduced at the hearing held herein.
6. Daylight has discussed this matter with Staff and Staff has indicated to Daylight it does object to this Motion.

WHEREFORE, for the reasons set forth herein, Daylight requests that the Presiding Officer issue an order pursuant to K.A.R. 82-1-230(g), allowing for the April 2025 quarter ground water sampling report attached hereto to be accepted as a late-filed exhibit and made a part of the Agency Record in this Docket.

*/s/ Keith A. Brock*

---

Keith A. Brock, #24130  
ANDERSON & BYRD, LLP  
216 S. Hickory ~ P. O. Box 17  
Ottawa, Kansas 66067  
(785) 242-1234, telephone  
(785) 242-1279, facsimile  
[kbrock@andersonbyrd.com](mailto:kbrock@andersonbyrd.com)  
Attorneys for Daylight Petroleum, LLC

### **CERTIFICATE OF SERVICE**

I hereby certify that a copy of the above and foregoing was sent via electronic mail this 17<sup>th</sup> day of April, 2025, addressed to:

Kelcey Marsh  
[kelcey.marsh@ks.gov](mailto:kelcey.marsh@ks.gov)

Troy Russell  
[troy.russell@ks.gov](mailto:troy.russell@ks.gov)

Jonathan R. Myers  
[jon.myers@ks.gov](mailto:jon.myers@ks.gov)

*/s/ Keith A. Brock*

---

Keith A. Brock



April 4, 2025

Daylight Petroleum  
Attn: Rolando Moreno  
HSER Manager  
[rmoreno@daylightpetroleum.com](mailto:rmoreno@daylightpetroleum.com)

RE: **Summary of Field Activities  
Monitoring Well Sampling  
Site: Daylight Petroleum – Olnhausen Injection Well 6  
One mile East of Neodesha, Kansas  
Neodesha, KS  
GSI Project No. 23T2177.01**

Dear Mr. Moreno:

GSI Engineering, LLC, a UES Company (UES) has prepared this letter report to summarize field activities that took place in response to a request sent to Daylight Petroleum by the Kansas Corporation Commission (KCC) on April 24, 2024, in response to the Monitoring Well and Installation Report, dated December 29, 2023.

On March 27, 2025, a UES environmental professional mobilized to the Site to sample the four (4) monitoring wells that were installed in December 2023. Groundwater levels were collected in all the monitoring wells using a decontaminated, battery-operated water level indicator. All fluid levels were measured to the north side of casing prior to collecting samples. Each well was purged of three (3) well volumes prior to collection of the sample.

The samples were collected with a HydraSleeve sampler and transferred into the laboratory provided unpreserved 250-mL plastic sample containers and submitted to Pace Analytical Services, LLC, (Pace) of Lenexa, Kansas, for analysis of chloride via EPA Method 300.0. Each container was labeled with the sample identity and time and date of collection, in addition to the pre-printed project name, project number, and requested analysis included on the label. Samples were immediately placed within an iced cooler. The samples were accompanied by a chain of custody/sample transmittal form. Chain-of-custody procedures were followed in accordance with industry practice. Signed chain-of-custody documentation accompanied the project sample cooler.

Clean nitrile gloves were worn during sample collection activities, then replaced between sampling locations to minimize potential for cross contamination between sampling points. Any reusable sampling equipment was decontaminated between each sample collected using non-phosphate detergent solution (Alconox), potable water rinse, and air drying.

The groundwater samples were analyzed by Pace for chloride via EPA Method 300.0. Results are summarized in the table below and contained in the laboratory analytical report.



Well ID	Date Sampled	Time Sampled	Total Depth (ft. btoc)	Static Water Level (ft. btoc)	Calculated Purge Volume (gal)	Actual Purge Volume (gal)	Chloride Concentration (mg/L)
PMW-1	03/27/2025	10:20	140.00	45.03	46.50	47.00	981
PMW-2	03/27/2025	12:20	140.00	61.85	38.25	38.25	2,010
PMW-3	03/27/2025	15:05	140.00	45.33	46.35	47.00	60.0
PMW-4	03/27/2025	13:40	140.00	26.06	55.77	56.00	512

Attached are an updated base map, field notes, and the laboratory analytical report.

UES appreciates the opportunity to provide environmental services to Daylight Petroleum. If you have any questions regarding this report or need any additional information, please call.

Respectfully Submitted,  
GSI Engineering, LLC, a UES Company

Kelsee Wheeler, P.G.  
Director of Environmental Operations

Alex Richards, P.G.  
Senior Geologist

Attachments: Map, Historical Analytical Summary, Field Notes, Laboratory Analytical Report



Attachment 1: Map



© 2025 Microsoft Corporation

	FIGURE: <b>1.0</b>	FIGURE NAME: <b>Chloride Concentrations in Wells</b>	<b>Daylight Petroleum</b> <b>17400 410 Road</b> <b>Neodesha, Kansas</b>	Feet 0 50 1 in = 50 feet		<b>Legend</b>  Monitoring Well NS = Not Sampled 1.0 = Concentration (mg/L) Sampled 03/27/2025 ALL BOUNDARIES AND LOCATIONS ARE APPROXIMATE
	DATE: <b>04/04/2025</b>	PROJECT NUMBER: <b>23T2177.01</b>				
	DRAWN BY: <b>HS</b>	PROJECT MANAGER: <b>K. Wheeler</b>				



## Attachment 2: Historical Analytical Summary



Table 1. Historical Groundwater Levels and  
Analytical Data  
Daylight Petroleum - Olnhausen Injection 6  
Neodesha, Kansas

Well	Date	Total Depth (ft. btoc)	Depth to Groundwater (ft. btoc)	Sampling Method	Chloride Concentration (mg/L)
PMW-1GP	12/18/23	12.25	8.55	Tubing and Ck. Valve	71.9
PMW-2GP	12/18/23	12.25	5.10	Tubing and Ck. Valve	260
PMW-3GP	12/18/23	10.00	DRY	DRY	DRY
PMW-4GP	12/18/23	10.00	DRY	DRY	DRY
PMW-1	12/07/23	140.00	53.43	Hydrasleeve (85')	34.9
	12/07/23	140.00		Hydrasleeve (139')	848
	04/29/24	140.00	41.65	Bailer	916
	06/17/24	140.00	35.85	Hydrasleeve (139')	492
	09/12/24	140.00	42.24	Hydrasleeve (139')	1630
	12/10/24	140.00	45.60	Hydrasleeve (139')	821
	03/27/25	140.00	45.03	Hydrasleeve (139')	981
PMW-2	12/07/23	140.00	129.34	Hydrasleeve (139')	416
	04/29/24	139.00	46.60	Bailer	1720
	06/17/24	140.00	63.73	Hydrasleeve (139')	2060
	09/12/24	140.00	72.35	Hydrasleeve (139')	2370
	12/10/24	140.00	74.50	Hydrasleeve (139')	2440
	03/27/25	140.00	61.85	Hydrasleeve (139')	2010
PMW-3	12/07/23	140.00	35.45	Hydrasleeve (85')	60
	12/07/23	140.00		Hydrasleeve (139')	262
	04/29/24	139.00	27.05	Bailer	130
	06/17/24	139.50	31.18	Hydrasleeve (139')	59.9
	09/12/24	139.50	32.97	Hydrasleeve (139')	61.9
	12/10/24	139.50	42.20	Hydrasleeve (139')	69.5
	03/27/25	140.00	45.33	Hydrasleeve (139')	60.0
PMW-4	12/18/23	140.00	19.35	Hydrasleeve (25')	523
	12/18/23			Hydrasleeve (85')	680
	12/18/23			Hydrasleeve (139')	546
	04/29/24	139.00	18.90	Bailer	615
	06/17/24	139.00	21.48	Hydrasleeve (139')	745
	09/12/24	139.00	22.28	Hydrasleeve (139')	617
	12/10/24	139.00	32.95	Hydrasleeve (139')	598
	03/27/25	140.00	26.06	Hydrasleeve (139')	512



## Attachment 3: Field Notes



## Field Notes - GSI Engineering

Project No: A23124.00141.001

Site: Daylight Petroleum  
1 mile east of Neodesha, Neodesha  
Client: Daylight Petroleum

### General

Date	03/27/2025	Time	06:29
Arrival Time:	08:50	Departure Time:	15:00
Weather:	Clear 70s	Non-GSI Personnel Onsite:	KCC

### Notes

Time	Remarks:
06:29	<p>06:30 Loaded truck, water, tubing, generator, ice in cooler. 06:45 to site, got gas. 08:50 on site. Set up at PMW-1, 09:20 Began purging, purged 47gal. 10:15 PMW-1 Sampled. Moved to PMW-2, 10:45 began purging. At 21 gal well went dry. Will wait 20 min to recharge amount. After 20 min purged 10 more gal and well went dry again. Waited 20 min again and able to get the total 38.25, well was dry again, will wait to collect sample. Moved to PMW-4, 12:15 began purge. Purged full 56 gal, PMW-4 sampled at 13:20. Set up at PMW-3, 13:40 Began purging. Purged 47 gal and sampled at 14:40. Went back to PMW-2, WL still only at 137.20 very little recharge after 2 hours, was able to collect sample. PMW-2 Sampled at 14:50. 15:00 off site. 17:00 back at office. Packed cooler in ice and took to Fedex, 18:00 end of day.</p>

### Sign Off

Date	03/27/2025	Time	20:37
Field Lead:	M.Brzon	Signature:	 M.Brzon



**Bailer Sampling**  
Site: Daylight Petroleum  
1 mile east of Neodesha, Neodesha

Project No: A23124.00141.001

Project Code:	Current Business:	Leave Office:	On Site:	Leave Site:	Arrive Office:	Gear Up/Down:	Starting Mileage:	Ending Mileage:
		06:50	08:50	15:00	17:00			

Well ID	PMW-1	PMW-2	PMW-3	PMW-4
Question				
Date	03/27/25	03/27/25	03/27/25	03/27/25
Time	09:25	11:07	12:02	13:38
Well Diameter	2 inch	2	2	2
KDHE Old Tag Number	NA	NA	NA	NA
KDHE New Tag Number	NA	NA	NA	NA
Depth to Ground Water (prior to purge)	45.03	61.85	45.33	26.06
Total Well Depth	140.00	140.00	140.00	140.00
Calculated Purge	46.50	38.25	46.35	55.77
Actual Purge	47.00	38.25	47.00	56.00
Depth to Ground Water (prior to sample)	104.72	137.40	91.38	72.63
Recharge rate (2 hours for slow recharge)	Fast	Slow	Fast	Fast
Sample Time	10:15	14:50	14:40	13:20
Appearance	Cloudy	Cloudy	Cloudy	Cloudy
Pungency	Slight	None	Slight	Slight
Sedimentation	Slightly	Slightly	Slightly	Slightly
Well in Good Condition?	YES	YES	YES	YES

Decontamination Procedures:	DI&A	Bailers / Line Replaced:		QA/QC Procedures:
Equipment Used:	Waterra	Number of Bailers Replaced:		
Non-GSI Personnel:	KCC	Weather:	Clear Partly Sunny  High Winds	
Technician Signature:		Date:	03/27/2025	



## Attachment 4: Laboratory Analytical Report



April 04, 2025

Kelsee Wheeler  
UES GSI Engineering  
2900 NW Button Rd  
Suite A-7  
Topeka, KS 66618

RE: Project: DAYLIGHT PETROLEUM  
Pace Project No.: 60471911

Dear Kelsee Wheeler:

Enclosed are the analytical results for sample(s) received by the laboratory on March 28, 2025. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Kansas City

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Heather Wilson  
heather.wilson@pacelabs.com  
1(913)563-1407  
Project Manager

Enclosures

cc: Rick Bean, UES GSI Engineering  
Chris James, GSI Engineering



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## CERTIFICATIONS

Project: DAYLIGHT PETROLEUM

Pace Project No.: 60471911

### **Pace Analytical Services Kansas**

9608 Loiret Boulevard, Lenexa, KS 66219

Arkansas Certification #: 88-00679

Illinois Certification #: 2000302023-6

Colorado Division of Oil and Public Safety

Iowa Certification #: 118

Kansas Field Laboratory Certification #: E-92587

Kansas/NELAP Certification #: E-10116

Louisiana Certification #: 03055

Missouri Inorganic Drinking Water Certification

Nevada Certification #: KS000212024-1

Oklahoma Certification #: 2023-073

Texas Certification #: T104704407-23-17

Utah Certification #: KS000212022-13

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## SAMPLE SUMMARY

Project: DAYLIGHT PETROLEUM

Pace Project No.: 60471911

Lab ID	Sample ID	Matrix	Date Collected	Date Received
60471911001	PMW-1	Water	03/27/25 10:15	03/28/25 08:45
60471911002	PMW-2	Water	03/27/25 14:50	03/28/25 08:45
60471911003	PMW-3	Water	03/27/25 14:40	03/28/25 08:45
60471911004	PMW-4	Water	03/27/25 13:20	03/28/25 08:45

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## SAMPLE ANALYTE COUNT

Project: DAYLIGHT PETROLEUM

Pace Project No.: 60471911

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
60471911001	PMW-1	EPA 300.0	AAA	1	PASI-K
60471911002	PMW-2	EPA 300.0	AAA	1	PASI-K
60471911003	PMW-3	EPA 300.0	AAA	1	PASI-K
60471911004	PMW-4	EPA 300.0	AAA	1	PASI-K

PASI-K = Pace Analytical Services - Kansas City

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: DAYLIGHT PETROLEUM

Pace Project No.: 60471911

Sample: PMW-1		Lab ID: 60471911001		Collected: 03/27/25 10:15		Received: 03/28/25 08:45		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
300.0 IC Anions 28 Days		Analytical Method: EPA 300.0 Pace Analytical Services - Kansas City							
Chloride	981	mg/L	200	200		04/04/25 02:24	16887-00-6		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: DAYLIGHT PETROLEUM

Pace Project No.: 60471911

Sample: PMW-2		Lab ID: 60471911002		Collected: 03/27/25 14:50		Received: 03/28/25 08:45		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days		Analytical Method: EPA 300.0 Pace Analytical Services - Kansas City							
Chloride	2010	mg/L	200	200		04/04/25 03:06	16887-00-6		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: DAYLIGHT PETROLEUM  
Pace Project No.: 60471911

Sample: PMW-3		Lab ID: 60471911003		Collected: 03/27/25 14:40		Received: 03/28/25 08:45		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days		Analytical Method: EPA 300.0 Pace Analytical Services - Kansas City							
Chloride	60.0	mg/L	20.0	20		04/04/25 03:20	16887-00-6		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: DAYLIGHT PETROLEUM  
Pace Project No.: 60471911

Sample: PMW-4		Lab ID: 60471911004		Collected: 03/27/25 13:20		Received: 03/28/25 08:45		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days		Analytical Method: EPA 300.0 Pace Analytical Services - Kansas City							
Chloride	512	mg/L	200	200		04/04/25 04:01	16887-00-6		

REPORT OF LABORATORY ANALYSIS



## QUALITY CONTROL DATA

Project: DAYLIGHT PETROLEUM

Pace Project No.: 60471911

QC Batch: 930258

Analysis Method: EPA 300.0

QC Batch Method: EPA 300.0

Analysis Description: 300.0 IC Anions

Laboratory: Pace Analytical Services - Kansas City

Associated Lab Samples: 60471911001, 60471911002, 60471911003, 60471911004

METHOD BLANK: 3684938

Matrix: Water

Associated Lab Samples: 60471911001, 60471911002, 60471911003, 60471911004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chloride	mg/L	ND	1.0	04/04/25 01:57	

LABORATORY CONTROL SAMPLE: 3684939

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chloride	mg/L	5	4.7	95	90-110	

MATRIX SPIKE &amp; MATRIX SPIKE DUPLICATE: 3684940 3684941

Parameter	Units	60471911001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Chloride	mg/L	981	1000	1000	2020	1870	104	89	80-120	7	15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## QUALIFIERS

Project: DAYLIGHT PETROLEUM

Pace Project No.: 60471911

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: DAYLIGHT PETROLEUM  
Pace Project No.: 60471911

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
60471911001	PMW-1	EPA 300.0	930258		
60471911002	PMW-2	EPA 300.0	930258		
60471911003	PMW-3	EPA 300.0	930258		
60471911004	PMW-4	EPA 300.0	930258		

REPORT OF LABORATORY ANALYSIS

WO#: 60471911



60471911



DC#\_Title: ENV-FRM-LENE-0009\_Sample Co

Revision: 2

Effective Date: 01/12/2022

Issued By: Lenexa

Client Name:

Courier: FedEx ☒ UPS ☐ VIA ☐ Clay ☐ PEX ☐ ECI ☐ Pace ☐ Xroads ☐ Client ☐ Other ☐

Tracking #: 4033 6454 4480 Pace Shipping Label Used? Yes ☐ No ☒

Custody Seal on Cooler/Box Present: Yes ☐ No ☐ Seals intact: Yes ☐ No ☐

Packing Material: Bubble Wrap ☐ Bubble Bags ☐ Foam ☐ None ☐ Other ☐

Thermometer Used: 7301 Type of Ice: Wet ☒ Blue ☐ None ☐

Cooler Temperature (°C): As-read 1.0 Corr. Factor 10.1 Corrected 1.1

Date and initials of person examining contents:

Temperature should be above freezing to 6°C

Chain of Custody present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Chain of Custody relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Samples arrived within holding time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Short Hold Time analyses (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Rush Turn Around Time requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Sufficient volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Correct containers used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace containers used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Unpreserved 5035A / TX1005/1006 soils frozen in 48hrs?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Filtered volume received for dissolved tests?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Sample labels match COC: Date / time / ID / analyses	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Samples contain multiple phases? Matrix: <u>WTA</u>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Containers requiring pH preservation in compliance? (HNO <sub>3</sub> , H <sub>2</sub> SO <sub>4</sub> , HCl<2; NaOH>9 Sulfide, NaOH>10 Cyanide) (Exceptions: VOA, Micro, O&G, KS TPH, OK-DRO) LOT#:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	List sample IDs, volumes, lot #'s of preservative and the date/time added.
Cyanide water sample checks:		
Lead acetate strip turns dark? (Record only)	<input type="checkbox"/> Yes <input type="checkbox"/> No	
Potassium iodide test strip turns blue/purple? (Preserve)	<input type="checkbox"/> Yes <input type="checkbox"/> No	
Trip Blank present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Headspace in VOA vials ( >6mm):	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Samples from USDA Regulated Area: State:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Additional labels attached to 5035A / TX1005 vials in the field?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	

Client Notification/ Resolution:

Copy COC to Client? Y / N

Field Data Required? Y / N

Person Contacted: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Comments/ Resolution: \_\_\_\_\_

Project Manager Review: \_\_\_\_\_

Date: \_\_\_\_\_

60471a11

Pace® Location Requested (City/State): **CHAIN-OF-CUSTODY Analytical Request Document**  
Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Company Name: **UES**  
Street Address:

Contact/Report To: **Kelise Wheeler**  
Phone #:   
E-Mail: **Kwheeler@teamues.com**  
Cc E-Mail:   
Invoice to:   
Invoice E-mail:   
Purchase Order # (if applicable):   
Quote #:

Customer Project #:   
Project Name: **Daylight Petroleum**  
Site Collection Info/Facility ID (as applicable):

Time Zone Collected: ☐ AK ☐ PT ☐ MT ☒ CT ☐ ET  
Data Deliverables: ☐ Level II ☐ Level III ☐ Level IV ☐ EQUIS ☐ Other   
Regulatory Program (DW, RCRA, etc.) as applicable:   
Rush (Pre-approval required): ☐ Same Day ☐ 1 Day ☐ 2 Day ☐ 3 Day Other   
Date Results Requested:   
DW PWSID # or WW Permit # as applicable:   
Field Filtered (if applicable): ☐ Yes ☐ No   
Analysis:

County / State origin of sample(s): **KS**  
Reportable ☐ Yes ☐ No

Specify Container Size \*\*  
☐ 1L ☐ 250mL ☐ 500mL ☐ 125mL ☐ 100mL ☐ 40mL vial ☐ EnCore ☐ TerraCore ☐ 90mL Other

Identify Container Preservative Type\*\*\*  
☐ None ☐ HNO3 ☐ H2SO4 ☐ HCl ☐ NaOH ☐ Zn Acetate ☐ NaHSO4 ☐ Sod Thiosulfate ☐ Ascorbic Acid ☐ MeOH ☐ Other

Analysis Requested  
☐ Chloride ☐ EPA-3000

Project Mgr:   
AcctNum / Client ID:   
Table #:   
Profile / Template:   
Prelog / Bottle Ord. ID:

Sample Comment:

Customer Sample ID  
**Pmm-1**  
**Pmm-2**  
**Pmm-3**  
**Pmm-4**

Matrix \*  
**GW**  
**GW**  
**GW**  
**GW**

Comp / Grab  
**G**  
**G**  
**G**  
**G**

Composite Start  
Date Time  
**3-27-25 10:15**  
**3-27-25 14:50**  
**3-27-25 14:40**  
**3-27-25 13:20**

Collected or Composite End  
Date Time  
**3-27-25 10:15**  
**3-27-25 14:50**  
**3-27-25 14:40**  
**3-27-25 13:20**

# Cont.  
**1**  
**1**  
**1**  
**1**

Residual Chlorine  
Result Units  
**X**  
**X**  
**X**  
**X**

Additional Instructions from Pace®:   
Collected By: **Mante Brown**  
Printed Name: **Mante Brown**  
Signature:   
Customer Remarks / Special Conditions / Possible Hazards:   
# Coolers: Thermometer ID: Correction Factor [°C]: Obs. Temp [°C]:   
[ ] On Ice:

Relinquished by/Company: (Signature) **Mante Brown / UES**  
Relinquished by/Company: (Signature)   
Relinquished by/Company: (Signature)   
Relinquished by/Company: (Signature)

Date/Time:   
Date/Time:   
Date/Time:   
Date/Time:

Received by/Company: (Signature)   
Received by/Company: (Signature)   
Received by/Company: (Signature)   
Received by/Company: (Signature)

Date/Time: **3/28/25 GHS**  
Date/Time:   
Date/Time:   
Date/Time:


Delivered by: ☐ In-Person ☐ Courier   
☐ FedEx ☐ UPS ☐ Other   
Page: **1** of **2**

Client: UES

Profile/EZ # 15928

Site: Daylight Petroleum

Notes

COC Line Item	Matrix	VG9H	DG9H	DG9Q	VG9U	DG9U	DG9M	DG9B	BG1U	AG1H	AG1U	AG2U	AG3S	AG4U	AG5U	JGFU	WGKU	WGDU	BP1U	BP2U	BP3U	BP1N	BP3N	BP3F	BP3S	BP3B	BP3Z	WPDU	ZPLC	Other		
1																																
2																																
3																																
4																																
5																																
6																																
7																																
8																																
9																																
10																																
11																																
12																																

Container Codes

Glass				Plastic				Misc.	
DG9B	40mL bisulfate clear vial	WGKU	8oz clear soil jar	BP1B	1L NaOH plastic	I	Wipe/Swab		
DG9H	40mL HCl amber vial	WGUFU	4oz clear soil jar	BP1N	1L HNO3 plastic	SP5T	120mL Coliform Na Thiosulfate		
DG9M	40mL MeOH clear vial	WG2U	2oz clear soil jar	BP1S	1L H2SO4 plastic	ZPLC	Ziploc Bag		
DG9Q	40mL TSP amber vial	JGFU	4oz unpreserved amber wide	BP1U	1L unpreserved plastic	AF	Air Filter		
DG9S	40mL H2SO4 amber vial	AG0U	100mL unres amber glass	BP1Z	1L NaOH, Zn Acetate	C	Air Cassettes		
DG9T	40mL Na Thio amber vial	AG1H	1L HCl amber glass	BP2B	500mL NaOH plastic	R	Terracore Kit		
DG9U	40mL amber unpreserved	AG1S	1L H2SO4 amber glass	BP2N	500mL HNO3 plastic	U	Summa Can		
VG9H	40mL HCl clear vial	AG1T	1L Na Thiosulfate clear/amber glass	BP2S	500mL H2SO4 plastic				
VG9T	40mL Na Thio. clear vial	AG1U	1liter unpres amber glass	BP2U	500mL unpreserved plastic				
VG9U	40mL unpreserved clear vial	AG2N	500mL HNO3 amber glass	BP2Z	500mL NaOH, Zn Acetate				
BG1S	1liter H2SO4 clear glass	AG2S	500mL H2SO4 amber glass	BP3B	250mL NaOH plastic				
BG1U	1liter unpres glass	AG3S	250mL H2SO4 amber glass	BP3F	250mL HNO3 plastic - field filtered	WT	Water		
BG3H	250mL HCL Clear glass	AG2U	500mL unpres amber glass	BP3N	250mL HNO3 plastic	SL	Solid		
BG3U	250mL Unpres Clear glass	AG3U	250mL unpres amber glass	BP3U	250mL unpreserved plastic	NAL	Non-aqueous Liquid		
WGDU	16oz clear soil jar	AG4U	125mL unpres amber glass	BP3S	250mL H2SO4 plastic	OL	OIL		
		AG5U	100mL unpres amber glass	BP3Z	250mL NaOH, Zn Acetate	WP	Wipe		
				BP4U	125mL unpreserved plastic	DW	Drinking Water		
				BP4N	125mL HNO3 plastic				
				BP4S	125mL H2SO4 plastic				
				WPDU	16oz unpreserved pistic				

Work Order Number:

60471911