

for each circuit, CLEC will provide the corresponding Local Telephone Number(s) as part of the required certification); and

- 6.4.2.1.2 Each DS1-equivalent circuit on a DS3 EEL or on any other Included Arrangement, must have its own Local Telephone Number assignment, so that each DS3 must have at least twenty-eight (28) Local voice Telephone Numbers assigned to it; and
- 6.4.2.1.3 Each circuit to be provided to each End User will have 911 or E911 capability prior to the provision of service over that circuit; and
- 6.4.2.1.4 Each circuit to be provided to each End User will terminate in a Collocation arrangement that meets the requirements of Section 6.4.3 below of this Attachment; and
- 6.4.2.1.5 Each circuit to be provided to each End User will be served by an Interconnection Trunk that meets the requirements of Section 6.4.4 below of this Attachment; and
- 6.4.2.1.6 For each twenty-four (24) DS1 EELs, or other facilities having equivalent capacity, CLEC will have at least one active DS1 local service interconnection Trunk that meets the requirements of Section 6.4.4 below of this Attachment; and
- 6.4.2.1.7 Each circuit to be provided to each End User will be served by a switch capable of providing local voice traffic.
- 6.4.2.1.8 <u>AT&T-22STATE</u> shall not be required to provide, and shall not provide, any 251(c)(3) UNE Combination of a 251(c)(3) UNE Local Loop and UDT at DS1 or higher (whether as a UNE Combination by themselves, with a network element possessed by CLEC, or pursuant to Commingling, or whether as a new arrangement or from a Conversion of an existing service/circuit) that does not terminate to a Collocation arrangement that meets the requirements of Section 6.4.3 below of this Attachment.
- 6.4.3 A Collocation arrangement meets the requirements of Section 6.4 above of this Attachment if it is:
 - 6.4.3.1 Established pursuant to Section 251(c)(6) of the Act and located at <u>AT&T-22STATE</u> Premises within the same LATA as the End User's premises, when <u>AT&T-22STATE</u> is not the Collocator; or
 - 6.4.3.2 Located at a Third Party's premises within the same LATA as the End User's premises, when <u>AT&T-22STATE</u> is the Collocator.
- 6.4.4 An Interconnection Trunk meets the requirements of Section 6.4.2.1.5 above and Section 6.4.2.1.6 above of this Attachment if CLEC will transmit the calling party's local telephone number in connection with calls exchanged over the Trunk, and the Trunk is located in the same LATA as the End User premises served by the Included Arrangement.
- 6.4.5 For a new circuit to which Section 6.4.2 above applies, CLEC may initiate the ordering process if CLEC certifies that it will not begin to provide any service over that circuit until a local telephone number is assigned and 911/E911 capability is provided, as required by Section 6.4.2.1.1 above and Section 6.4.2.1.3 above respectively. In such case, CLEC shall satisfy Section 6.4.2.1.1 above and/or Section 6.4.2.1.3 above if it assigns the required Local Telephone Number(s), and implements 911/E911 capability, within thirty (30) calendar days after <u>AT&T-22STATE</u> provisions such new circuit. CLEC must provide <u>AT&T-22STATE</u> with sufficient proof that such assignment and/or implementation has occurred by the end of such 30th day.
 - 6.4.5.1 Section 6.4.5 above does not apply to existing circuits to which Section 6.4.2 above applies, including Conversions or migrations (e.g., CLEC shall not be excused from meeting the Section 6.4.2.1.1 above and Section 6.4.2.1.3 above requirements for existing circuits at the time it initiates the ordering process).



- 6.4.6 CLEC hereby agrees that by submitting an order to <u>AT&T-22STATE</u> for an Included Arrangement (whether new, as a result of a requested Conversion, or otherwise), CLEC is certifying that it meets and will continue to meet the requirements of Section 6.4 above as to such Included Arrangement(s) on a circuit-by-circuit/service-by-service/Included Arrangement-by-Included Arrangement basis. Such certification-by-order shall have the same weight and effect as a separate certification, and certification-by-order shall not diminish or otherwise affect CLEC's obligation to meet and to continue to comply with the criteria or certification requirements set forth in this Section.
 - 6.4.6.1 If the information previously provided in a certification is inaccurate (or ceases to be accurate), CLEC shall update such certification promptly with **AT&T-22STATE**.
- 6.4.7 In addition to any other audit rights provided for this Agreement and those allowed by law, <u>AT&T-22STATE</u> may obtain and pay for an independent auditor to audit CLEC, on an annual basis, applied on a State-by-State basis, for compliance with this Section. For purposes of calculating and applying an "annual basis," it means a consecutive twelve (12) month period for each individual State, beginning upon <u>AT&T-22STATE</u>'s written Notice that an audit will be performed for that State, subject to Section 6.4.7.4 below.
 - 6.4.7.1 Unless otherwise agreed by the Parties (including at the time of the audit), the independent auditor shall perform its evaluation in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA), which will require the auditor to perform an "examination engagement" and issue an opinion regarding CLEC's compliance with the qualifying service eligibility criteria.
 - 6.4.7.2 The independent auditor's report will conclude whether CLEC complied in all material respects with this Section 6.4 above.
 - 6.4.7.3 Consistent with standard auditing practices, such audits require compliance testing designed by the independent auditor, which typically includes an examination of a sample selected in accordance with the independent auditor's judgment.
 - 6.4.7.4 To the extent the independent auditor's report concludes that CLEC failed to comply with this Section 6.4 above, CLEC must true-up any difference in payments beginning from the date that the non-compliant circuit was established as a 251(c)(3) UNE/UNE Combination, in whole or in part (notwithstanding any other provision hereof), CLEC must convert the 251(c)(3) UNE or 251(c)(3) UNE Combination, or Commingled Arrangement, to an equivalent or substantially similar wholesale service, or group of wholesale services, (and AT&T-22STATE may initiate and affect such a conversion on its own without any further consent by CLEC), and CLEC shall timely make the correct payments on a going-forward basis, and all applicable remedies for failure to make such payments shall be available to AT&T-22STATE. In no event shall rates set under Section 252(d)(1) of the Act apply for the use of any 251(c)(3) UNE for any period in which CLEC does not meet the conditions set forth in this Section 6.4 above for that 251(c)(3) UNE, arrangement, or circuit, as the case may be. Also, the "annual basis" calculation and application shall be immediately reset, e.g., AT&T-22STATE shall not have to wait the remaining part of the consecutive twelve (12) month period before it is permitted to audit again in that state.
 - 6.4.7.4.1 To the extent that the independent auditor's report concludes that CLEC failed to comply in all material respects with this Section 6.4 above, CLEC must reimburse <u>AT&T-22STATE</u> for the cost of the independent auditor and for <u>AT&T-22STATE</u>'s costs in the same manner and using the same methodology and rates that <u>AT&T-22STATE</u> is required to pay CLEC's costs under Section 6.4.7.4.2 below.
 - 6.4.7.4.2 To the extent the independent auditor's report concludes that the CLEC complied in all material respects with this Section 6.4 above, <u>AT&T-22STATE</u> must reimburse CLEC for its reasonable staff time and other reasonable costs associated in responding to the audit (e.g., collecting data in response to the auditor's inquiries, meeting for interviews, etc.).



- 6.4.7.5 CLEC will maintain the appropriate documentation to support its eligibility certifications including, without limitation, call detail records, local telephone number assignment documentation, and switch assignment documentation.
- 6.4.8 Without affecting the application or interpretation of any other provisions regarding waiver, estoppel, laches, or similar concepts in other situations, CLEC shall fully comply with this Section in all cases and, further, the failure of <u>AT&T-22STATE</u> to require such compliance, including if <u>AT&T-22STATE</u> provides a circuit(s), an EEL(s), or a Commingled circuit, that does not meet any eligibility criteria, including those in this Section, shall not act as a waiver of any part of this Section, and estoppel, laches, or other similar concepts shall not act to affect any rights or requirements hereunder.

7.0 <u>Network Interface Device (NID)</u>

- 7.1.1 Subject to Section 3.0 above of this Attachment, <u>AT&T-22STATE</u> shall provide unbundled access to the Unbundled Network Interface Device (NID) under the following terms and conditions in this subsection.
- 7.1.2 The Maintenance and control of the End User's inside wiring (on the End User's side of the UNE NID) is under the control of the End User. Conflicts between telephone service providers for access to the End User's inside wire must be resolved by the End User. Pursuant to applicable FCC rules, <u>AT&T-22STATE</u> offers nondiscriminatory access to the NID on an unbundled basis to CLEC for the provision of a Telecommunications Service. In <u>AT&T CONNECTICUT</u> only, the CLEC access to the NID is offered as specified in the <u>AT&T CONNECTICUT</u> tariff.
- 7.1.3 <u>AT&T-21STATE</u> will permit CLEC to connect its UNE Loop facilities to an End User's premises wiring through <u>AT&T-21STATE</u>'s NID, or at any other technically feasible point.
- 7.1.4 Any repairs, upgrade and rearrangements to the NID required by CLEC will be performed by <u>AT&T-21STATE</u> based on Time and Material charges. <u>AT&T-21STATE</u>, at the request of CLEC, will disconnect the <u>AT&T-21STATE</u> UNE Loop from the NID at charges reflected in the Pricing Schedule.
- 7.1.5 With respect to multiple dwelling units or multiple-unit business premises, CLEC will connect directly with the End User's premises wire, or may connect with the End User's premises wire via <u>AT&T-21STATE</u>'s NID where necessary.
- 7.1.6 The <u>AT&T-21STATE</u> NIDs that CLEC uses under this Attachment will be existing NIDs installed by <u>AT&T-21STATE</u> to serve its End Users.
- 7.1.7 CLEC shall not attach to or disconnect <u>AT&T-21STATE</u>'s ground. CLEC shall not cut or disconnect <u>AT&T-21STATE</u>'s UNE Loop from the NID and/or its protector. CLEC shall not cut any other leads in the UNE NID.
- 7.1.8 CLEC, when it has constructed its own NID at a premises and needs only to make contact with <u>AT&T-21STATE</u>'s NID, can disconnect the End User's wiring from <u>AT&T-21STATE</u>'s NID and reconnect it to CLEC's NID.

8.0 <u>UNE Loop</u>

- 8.1.1 Subject to Section 3.0 above of this Attachment, <u>AT&T-22STATE</u> shall provide unbundled access to UNE Loops under the terms and conditions in this subsection.
- 8.1.2 Consistent with the applicable FCC rules, <u>AT&T-22STATE</u> will make available the UNE Loops set forth herein below between a distribution frame (or its equivalent) in an <u>AT&T-22STATE</u> central office and the UNE Loop demarcation point at an End User premises. The Parties acknowledge and agree that <u>AT&T-22STATE</u> shall not be obligated to provision any of the UNE Loops provided for herein to cellular sites or to any other location that does not constitute an End User premises. Where applicable, the UNE Loop includes all wire within multiple dwelling and tenant Buildings and campuses that provides access to End User premises wiring, provided such wire is owned and controlled by <u>AT&T-22STATE</u>. The UNE Loop includes, but is not limited to copper UNE Loops (two-wire and four-wire analog voice-grade copper UNE Loops, digital copper UNE Loops [e.g. DS0s and integrated services digital network (ISDN) lines]), as well



as two-wire and four-wire copper UNE Loops conditioned, at CLEC's request and subject to charges, to transmit the digital signals needed to provide digital subscriber line services, DS1 Digital UNE Loops (where they have not been Declassified and subject to Caps set forth in Section 8.1.3.4.4 below) and DS3 Digital UNE Loops (where they have not been Declassified and subject to Caps set forth in Section 8.1.3.5.4 below) where such UNE Loops are deployed and available in <u>AT&T-22STATE</u> Wire Centers. CLEC agrees to operate each UNE Loop type within applicable technical standards and parameters.

- 8.1.2.1 When a UNE Local Loop is ordered to a high voltage area, the Parties understand and agree that such UNE Loop will require High Voltage Protective Equipment (HVPE) (e.g., a positron), to ensure the safety and integrity of the network, the Parties' employees and/or representatives, and CLEC's End User. Therefore, any request by CLEC for a UNE Loop to a high voltage area will be submitted by CLEC to <u>AT&T-22STATE</u> via the BFR process set forth in Attachment 08 Bona Fide Request, and CLEC shall be required to pay <u>AT&T-22STATE</u> for any HVPE that is provisioned by <u>AT&T-22STATE</u> to CLEC in connection with CLEC's UNE Local Loop order to the high voltage area.
- 8.1.3 The following types of UNE Loops will be provided at the rates, terms, and conditions set forth in this Attachment, Pricing Schedule or for **<u>AT&T CONNECTICUT</u>** only, the tariff.
 - 8.1.3.1 AT&T-21STATE 2-Wire Analog UNE Loop (Unbundled Voice Loop –SL1 (UVL-SL1))
 - 8.1.3.1.1 2-Wire Analog UNE Loop is a transmission facility that supports analog voice frequency, voice band services with UNE Loop start signaling within the frequency spectrum of approximately 300 Hz and 3000 Hz.
 - 8.1.3.1.2 If CLEC requests one or more 2-Wire Analog UNE Loops serviced by Integrated Digital Loop Carrier (IDLC), <u>AT&T-21STATE</u> will, where available, move the requested UNE Loop(s) to a spare, existing all-copper UNE Local Loop at no additional charge to CLEC. If, however, no spare UNE Local Loop is available, as defined above, <u>AT&T-21STATE</u> will notify CLEC of the lack of available facilities.
 - 8.1.3.2 AT&T-21STATE 4-Wire Analog UNE Loop
 - 8.1.3.2.1 A 4-Wire Analog UNE Loop is a transmission facility that provides a non-signaling voice band frequency spectrum of approximately 300 Hz to 3000 Hz. The 4-Wire Analog UNE Loop provides separate transmits and receive paths.
 - 8.1.3.3 AT&T-21STATE 2-Wire Digital UNE Loop/ 2-Wire ISDN
 - 8.1.3.3.1 A 2-Wire Digital UNE Loop is a transmission facility that supports Basic Rate ISDN (BRI) digital exchange services and will be provisioned according to industry standards.
 - 8.1.3.4 AT&T-22STATE DS1 Digital UNE Loop
 - 8.1.3.4.1 A DS1 Digital UNE Loop is a transmission facility that will support DS1 service including Primary Rate ISDN (PRI). The DS1 Digital UNE Loop supports usable bandwidth up to 1.544 Mbps.
 - 8.1.3.4.2 DS1 Digital UNE Loops will be offered and/or provided only where such UNE Loops have not been Declassified.
 - 8.1.3.4.3 The procedures set forth in Section 8.1.4.1 below will apply in the event DS1 Digital UNE Loops are or have been Declassified.
 - 8.1.3.4.4 DS1 UNE Loop "Caps" <u>AT&T-22STATE</u> is not obligated to provide to CLEC more than ten (10) DS1 Digital UNE Loops to any single Building in which DS1 Digital UNE Loops have not been otherwise Declassified; accordingly, CLEC may not order or otherwise obtain, and CLEC will cease ordering unbundled DS1 Digital UNE Loops once CLEC has already obtained ten DS1 Digital UNE Loops at the



same Building. If, notwithstanding this Section, CLEC submits such an order, at <u>AT&T-22STATE</u>'s option it may accept or reject the order, but convert any requested DS1 Digital UNE Loop(s) in excess of the Cap to Special Access; applicable Special Access charges will apply to CLEC for such DS1 Digital UNE Loop(s) as of the date of provisioning.

8.1.3.5 AT&T-22STATE DS3 Digital UNE Loop

- 8.1.3.5.1 A DS3 Digital UNE Loop provides a digital, 45 Mbps transmission facility from an AT&T-22STATE central office to an End User's premises.
- 8.1.3.5.2 DS3 Digital UNE Loops will be offered and/or provided only where such UNE Loops have not been Declassified.
- 8.1.3.5.3 The procedures set forth in Section 8.1.4.2 below will apply in the event DS3 Digital UNE Loops are or have been Declassified.
- 8.1.3.5.4 DS3 UNE Loop "Caps" <u>AT&T-22STATE</u> is not obligated to provide to CLEC more than one (1) DS3 Digital UNE Loop per requesting carrier to any single Building in which DS3 Digital UNE Loops have not been otherwise Declassified; accordingly, CLEC may not order or otherwise obtain, and CLEC will cease ordering unbundled DS3 Digital UNE Loops once CLEC has already obtained one DS3 Digital UNE Loop at the same Building. If, notwithstanding this Section, CLEC submits such an order, at <u>AT&T-22STATE</u>'s option it may accept or reject the order, but convert any requested DS3 Digital UNE Loop(s) in excess of the Cap to Special Access; applicable Special Access charges will apply to CLEC for such DS3 Digital UNE Loop(s) as of the date of provisioning.
- 8.1.3.6 FTTH/FTTC Loops
 - 8.1.3.6.1 In new build (i.e. greenfield) areas, <u>AT&T-22STATE</u> is not required to provide access to any FTTH/FTTC Loops on an unbundled basis when <u>AT&T-22STATE</u> deploys any such Loop to a residential unit that previously has not been served by any Loop facility.
 - 8.1.3.6.2 In Overbuild situations where <u>AT&T-22STATE</u> has deployed a FTTH or FTTC Loop parallel to, or in replacement of, an existing copper Loop facility and has not retired the copper Loop pursuant to 47 C.F.R §51.319(a)(3)(iv), <u>AT&T-22STATE</u> is not required to provide access to any FTTH/FTTC Loops on an unbundled basis when <u>AT&T-22STATE</u> has deployed any such Loop parallel to, or in replacement of an existing copper Loop facility, except that:
 - 8.1.3.6.2.1 <u>AT&T-22STATE</u> will maintain the existing copper Loop connected to the particular End User's premises after deploying the FTTH/FTTC Loop and provide nondiscriminatory access to that copper Loop on an unbundled basis, unless <u>AT&T-22STATE</u> retires the copper Loop pursuant to 47 C.F.R. §51.319(a)(3)(iv).
 - 8.1.3.6.2.2 When <u>AT&T-22STATE</u> maintains the existing copper Loops pursuant to 47 C.F.R. §51.319(a)(3)(iii)(A), <u>AT&T-22STATE</u> need not incur any expenses to ensure that the existing copper Loop remains capable of transmitting signals prior to receiving a request for access pursuant to that section, in which case <u>AT&T-22STATE</u> shall restore the copper Loop to serviceable condition upon request.
 - 8.1.3.6.2.3 <u>AT&T-22STATE</u> may retire copper Loops that have been replaced with FTTH/FTTC facilities using the FCC's network disclosure



requirements as set forth in Section 251(c)(5) of the Act and in §§ 51.325 through 51.335 and any applicable state requirements.

- 8.1.3.6.2.4 If <u>AT&T-22STATE</u> retires the copper loop pursuant to this section, <u>AT&T-22STATE</u> shall provide nondiscriminatory access to one 64 kilobits per second transmission path capable of voice grade service over the fiber-to-the-home loop or fiber-to-the curb loop on an unbundled basis on the same rates and terms applicable under the Agreement to a 2Wire Voice Grade Loop to the same premises where such a loop is available.
- 8.1.4 Declassification Procedure
 - 8.1.4.1 DS1 UNE Digital Loop Subject to the Cap described in Section 8.1.3.4.4 above, <u>AT&T-22STATE</u> shall provide CLEC with access to a DS1 UNE Digital Loop, where available, to any Building not served by a Wire Center with 60,000 or more business lines and four (4) or more fiber-based Collocators. Once a Wire Center exceeds these thresholds, no future DS1 Digital Loop unbundling will be required in that Wire Center, or any Buildings served by that Wire Center, and DS1 Digital UNE Loops in that Wire Center, or any Buildings served by that Wire Center, shall be Declassified and no longer available as UNEs under this Agreement. Accordingly, CLEC may not order or otherwise obtain, and CLEC will cease ordering DS1 UNE Digital UNE Loops in such Wire Center(s), or any Buildings served by such Wire Center(s).
 - 8.1.4.2 DS3 Digital UNE Loop Subject to the Cap described in Section 8.1.3.5.4 above, <u>AT&T-22STATE</u> shall provide CLEC with access to a DS3 UNE Digital UNE Loop, where available, to any Building not served by a Wire Center with at least 38,000 business lines and at least four (4) fiber-based Collocators. Once a Wire Center exceeds these thresholds, no future DS3 Digital UNE Loop unbundling will be required in that Wire Center, or any Buildings served by that Wire Center, and DS3 Digital UNE Loops in that Wire Center, or any Buildings served by that Wire Center, shall be Declassified, and no longer available as UNEs under this Agreement. Accordingly, CLEC may not order or otherwise obtain, and CLEC will cease ordering DS3 UNE Digital UNE Loops in such Wire Center(s), or any Buildings served by such Wire Center(s).
 - 8.1.4.3 Effect on Embedded Base Upon Declassification of DS1 Digital UNE Loops and/or DS3 Digital UNE Loops already purchased by CLEC as UNEs under this Agreement, <u>AT&T-22STATE</u> will provide written Notice to CLEC of such Declassification and proceed in accordance with Sections 14.0 below 15.0 below, and 16.0 below.
 - 8.1.4.3.1 Products provided by <u>AT&T-22STATE</u> in conjunction with such UNE Loops (e.g. cross-connects) shall also be subject to re-pricing under this Section and Section 14.0 below where such UNE Loops are Declassified.
 - 8.1.4.4 The Parties agree that activity by <u>AT&T-22STATE</u> under this Section shall not be subject to the Network Disclosure Rules.

9.0 UNE DS1 and DS3 Dedicated Transport

- 9.1.1 Subject to Section 3.0 above of this Attachment, <u>AT&T-21STATE</u> shall provide DS1 (1.544 Mbps) and DS3 (44.736 Mbps) UDT under the following terms and conditions in this subsection.
- 9.1.2 For purposes of this Agreement, <u>AT&T-22STATE</u> is not obligated to provide CLEC with unbundled access to DS1/DS3 UDT that does not connect a pair of <u>AT&T-22STATE</u> Wire Centers.
- 9.1.3 <u>AT&T-22STATE</u> will be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide DS1/DS3 UDT.
- 9.1.4 Subject to the Caps set forth in Section 9.1.6.2 below and Section 9.1.6.3 below, DS1/DS3 UDT will be provided only where such facilities exist at the time of CLEC request, and only over Routes that are not or have not been Declassified.



- 9.1.5 <u>AT&T CONNECTICUT</u> offers DS1/DS3 UDT as described in Section 18 of the Connecticut Access Service Tariff.
- 9.1.6 DS1 and DS3 UDT includes, as follows:
 - 9.1.6.1 Multiplexing an option ordered in conjunction with DS1 or DS3 UDT that converts a circuit from higher to lower bandwidth, or from digital to voice grade. Multiplexing is only available when ordered at the same time as DS1 or DS3 UDT and at the rates set forth in the Pricing Schedule.
 - 9.1.6.2 DS3 UDT Caps <u>AT&T-22STATE</u> is not obligated to provide to CLEC more than twelve (12) DS3 UDT circuits on each Route on which DS3 Dedicated Transport has not been otherwise Declassified; accordingly, CLEC may not order or otherwise obtain, and CLEC will cease ordering unbundled DS3 Dedicated Transport once CLEC has already obtained twelve DS3 UDT circuits on the same Route. If, notwithstanding this Section, CLEC submits such an order, at <u>AT&T-22STATE</u>'s option, it may accept or reject the order, but convert any requested DS3 UDT in excess of the Cap to Special Access; applicable Special Access charges will apply to CLEC for such DS3 Dedicated Transport circuits as of the date of provisioning.
 - 9.1.6.3 DS1 UDT Caps <u>AT&T-22STATE</u> is not obligated to provide to CLEC more than ten (10) DS1 251(c)(3) UDT circuits on each route on which DS1 Dedicated Transport has not been otherwise Declassified; accordingly, CLEC may not order or otherwise obtain, and CLEC will cease ordering unbundled DS1 Dedicated Transport once CLEC has already obtained ten DS1 251(c)(3) UDT circuits on the same route. If, notwithstanding this Section, CLEC submits such an order, at <u>AT&T-22STATE</u>'s option it may accept the order, but convert any requested DS1 251(c)(3) UDT in excess of the Cap to Special Access, and applicable Special Access charges will apply to CLEC for such DS1 Dedicated Transport circuits as of the date of provisioning.
- 9.1.7 Declassification Procedure
 - 9.1.7.1 Wire Center "Tiers" For purposes of Sections 9.0 above and 10.0 below Wire Centers are classified into three "tiers," as follows:
 - 9.1.7.1.1 Tier 1 Wire Centers are those <u>AT&T-22STATE</u> Wire Centers that contain at least four (4) fiber-based Collocators, at least 38,000 business lines, or both. Tier 1 Wire Centers also are those <u>AT&T-22STATE</u> tandem switching locations that have no Line-Side switching facilities, but nevertheless serve as a point of traffic aggregation accessible by CLEC. Once a Wire Center is determined to be a Tier 1 Wire Center, that Wire Center is not subject to later reclassification as a Tier 2 or Tier 3 Wire Center.
 - 9.1.7.1.2 Tier 2 Wire Centers are those **AT&T-22STATE** Wire Centers that are not Tier 1 Wire Centers, but contain at least three (3) fiber-based Collocators, at least 24,000 business lines, or both. Once a Wire Center is determined to be a Tier 2 Wire Center, that Wire Center is not subject to later reclassification as a Tier 3 Wire Center.
 - 9.1.7.1.3 Tier 3 Wire Centers are those <u>AT&T-22STATE</u> Wire Centers that do not meet the criteria for Tier 1 or Tier 2 Wire Centers.
 - 9.1.7.2 DS1 Dedicated Transport Declassification
 - 9.1.7.2.1 Subject to the Cap described in Section 9.1.6.3 above <u>AT&T-22STATE</u> shall provide CLEC with access to DS1 UDT on Routes, except Routes where both Wire Centers defining the Route are Tier 1 Wire Centers. As such, <u>AT&T-22STATE</u> must provide UNE DS1 Dedicated Transport under this Agreement only if a Wire Center at either end of a requested Route is not a Tier 1 Wire Center, or if neither is a Tier 1 Wire Center. DS1 Dedicated Transport circuits on Routes between Tier 1 Wire Centers are Declassified and no longer available as UNEs under this



Agreement. Accordingly, CLEC may not order or otherwise obtain, and CLEC will cease ordering DS1 UNE Dedicated Transport on such Route(s).

- 9.1.7.3 DS3 Dedicated Transport Declassification
 - 9.1.7.3.1 Subject to the Cap described in 9.1.6.1 above, <u>AT&T-22STATE</u> shall provide CLEC with access to DS3 UDT, except on Routes where both Wire Centers defining the Route are either Tier 1 or Tier 2 Wire Centers. As such, <u>AT&T-22STATE</u> must provide DS3 UDT under this Agreement only if a Wire Center on either end of the requested Route is a Tier 3 Wire Center. If both Wire Centers defining a requested Route are either Tier 1 or Tier 2 Wire Centers, then DS3 Dedicated Transport circuits on such Routes are Declassified and no longer available as UNEs under this Agreement. Accordingly, CLEC may not order or otherwise obtain, and CLEC will cease ordering DS3 UNE Dedicated Transport on such Route(s).
- 9.1.7.4 Effect on Embedded Base Upon Declassification of DS1 Dedicated Transport or DS3 Dedicated Transport already purchased by CLEC as UNEs under this Agreement, <u>AT&T-22STATE</u> will provide written Notice to CLEC of such Declassification, and proceed in accordance with Sections 14.0 below, 15.0 below and 16.0 below.
 - 9.1.7.4.1 Products provided by <u>AT&T-22STATE</u> in conjunction with UNE DS1 and DS3 Dedicated Transport (e.g. cross-connects) shall also be subject to re-pricing under the section where Dedicated Transport is Declassified.
- 9.1.7.5 The Parties agree that activity by <u>AT&T-22STATE</u> under this Section 9.1.7 above shall not be subject to the Network Disclosure Rules.

10.0 UNE Dedicated Transport Dark Fiber

- 10.1 Subject to Section 4.0 above of this Attachment, <u>AT&T-22STATE</u> shall provide unbundled access to Dedicated Transport Dark Fiber under the following terms and conditions in this subsection. <u>AT&T-22STATE</u> is not required to provide UNE Loop and/or Dark Fiber Loop on an unbundled basis.
- 10.2 Dedicated Transport Dark Fiber is deployed, unlit optical fiber within <u>AT&T-22STATE</u>'s network. Dedicated Transport Dark Fiber charges are set forth in the Pricing Schedule. <u>AT&T CONNECTICUT</u> offers UNE Dedicated Transport Dark Fiber as described in Section 18.2.1N of the Connecticut Access Service Tariff.
- 10.3 At Dedicated Transport Dark Fiber segments in Routes that have not been Declassified, <u>AT&T-21STATE</u> will provide a UNE Dedicated Transport Dark Fiber segment that is considered "spare" as defined in Sections 10.4 below. <u>AT&T-21STATE</u> is not obligated to provide CLEC with unbundled access to Dedicated Transport Dark Fiber that does not connect a pair of <u>AT&T-21STATE</u> Wire Centers. <u>AT&T-21STATE</u> will offer UNE Dedicated Transport Dark Fiber to CLEC when CLEC has Collocation space in each <u>AT&T-21STATE</u> central office where the requested UNE Dedicated Transport Dark Fiber(s) terminate.
- 10.4 Spare Dark Fiber Transport Inventory Availability and Condition:
 - 10.4.1 All available spare UNE Dedicated Transport Dark Fiber will be provided as is. No conditioning will be offered.
 - 10.4.2 Spare Dedicated Transport Dark Fiber is fiber that can be spliced in all segments, point to point but not assigned. Spare Dedicated Transport Dark Fiber does not include maintenance spares, fibers set aside and documented for <u>AT&T-21STATE</u>'s forecasted growth, defective fibers, or fibers subscribed to by other Telecommunications Carriers.
 - 10.4.3 CLEC will not obtain any more than twenty-five (25%) percent of the spare UNE Dedicated Transport Dark Fiber contained in the requested segment during any two-year period.



- 10.5 CLEC requesting UNE Dedicated Transport Dark Fiber must submit a Dark Fiber Facility Inquiry, providing CLEC's specific point-to-point (A to Z) dark fiber requirements. Rates for the Dark Fiber Facility Inquiry are as set forth in the Pricing Schedule.
- 10.6 For Quantities and Time Frames for ordering UNE Dedicated Transport Dark Fiber, refer to the AT&T CLEC Online website.
- 10.7 Right of Revocation of Access to UNE Dedicated Transport Dark Fiber:
 - 10.7.1 Right of revocation of access to UNE Dedicated Transport Dark Fiber is distinguishable from Declassification. For clarification purposes, <u>AT&T-21STATE</u>'s right of revocation of access under this Section applies even when the affected Dedicated Transport Dark Fiber remains a UNE, subject to unbundling obligations under Section 251(c)(3) of the Act, in which case CLEC's rights to the affected network element may be revoked as provided in this Section.
 - 10.7.2 Should CLEC not utilize the fiber strand(s) subscribed to within the twelve (12) month period following the date <u>AT&T-21STATE</u> provided the fiber(s), <u>AT&T-21STATE</u> may revoke CLEC's access to the UNE Dedicated Transport Dark Fiber and recover those fiber facilities and return them to <u>AT&T-21STATE</u>'s inventory.
 - 10.7.3 <u>AT&T-21STATE</u> may reclaim from CLEC the right to use UNE Dedicated Transport Dark Fiber, whether or not such fiber is being utilized by CLEC, upon twelve (12) months written Notice to CLEC. If the reclaimed UNE Dedicated Transport Dark Fiber is not otherwise Declassified during the Notice period, <u>AT&T-21STATE</u> will provide an alternative facility for CLEC with the same bandwidth CLEC was using prior to reclaiming the facility. <u>AT&T-21STATE</u> must also demonstrate upon CLEC's request that the reclaimed Dedicated Transport Dark Fiber will be needed to meet <u>AT&T-21STATE</u>'s bandwidth requirements within the twelve (12) months following the revocation.
- 10.8 Access Methods Specific to UNE Dedicated Transport Dark Fiber:
 - 10.8.1 The termination point for UNE Dedicated Transport Dark Fiber at central offices will be in an **AT&T-21STATE**-approved splitter shelf. This arrangement allows for non-intrusive testing.
 - 10.8.2 At central offices, UNE Dedicated Transport Dark Fiber terminates on a fiber distribution frame, or equivalent, in the central office. CLEC access is provided via Collocation.
- 10.9 For Installation and Maintenance for UNE Dedicated Transport Dark Fiber, refer to AT&T's CLEC Online website.
 - 10.9.1 **<u>AT&T-21STATE</u>** will install termination points and place the fiber jumpers from the fiber optic terminals to the termination point. CLEC will run its fiber jumpers from the termination point (1x2, 90-10 optical splitter) to CLEC.
- 10.10 Dark Fiber Transport Declassification:
 - 10.10.1 **AT&T-22STATE** shall provide CLEC with access to UNE Dedicated Transport Dark Fiber, except on Routes where both Wire Centers defining the Route are either Tier 1 or Tier 2 Wire Centers, as described in Section 14.0 below As such, **AT&T-22STATE** must provide UNE Dedicated Transport Dark Fiber under this Agreement only if a Wire Center on either end of the requested Route is a Tier 3 Wire Center. If both Wire Centers defining a requested Route are either Tier 1 or Tier 2 Wire Centers, then Dedicated Transport Dark Fiber circuits on such Routes are Declassified and no longer available as UNEs under this Agreement. Accordingly, CLEC may not order or otherwise obtain, and CLEC will cease ordering UNE Dedicated Transport Dark Fiber on such Route(s).
 - 10.10.2 Effect on Embedded Base Upon Declassification of Dedicated Transport Dark Fiber already purchased by CLEC as UNEs under this Agreement, <u>AT&T-22STATE</u> will provide written Notice to CLEC of such Declassification, and proceed in accordance with Section 14.0 below. At the end of the Notice period under that Section, provision of the affected Dedicated Transport Dark Fiber to CLEC will be terminated without further obligation of <u>AT&T-22STATE</u>.



- 10.10.3 Products provided by <u>AT&T-22STATE</u> in conjunction with UNE Dedicated Transport Dark Fiber, if any, shall also be subject to termination under this section where such fiber is Declassified.
- 10.10.4 The Parties agree that activity by <u>AT&T-22STATE</u> under this Section shall not be subject to the Network Disclosure Rules.

11.0 Routine Network Modifications for UNE Loops, UNE DS1, DS3 and Dark Fiber Dedicated Transport

- 11.1.1 <u>AT&T-22STATE</u> shall make Routine Network Modifications (RNM) to UNE Loop and UNE DS1, DS3, and Dark Fiber Dedicated Transport facilities used by CLEC where the requested UNE facility has already been constructed. <u>AT&T-22STATE</u> shall perform RNM to UNE Loop and UNE DS1, DS3, and Dark Fiber Dedicated Transport facilities in a nondiscriminatory fashion, without regard to whether the UNE facility being accessed was constructed on behalf, or in accordance with the specifications, of any carrier.
- 11.1.2 A "Routine Network Modification" is an activity that AT&T regularly undertakes for its own customers. RNM include rearranging or splicing of existing cable; adding an equipment case; adding a doubler or repeater; adding a smart jack; installing a repeater shelf; adding a line card; deploying a new multiplexer or reconfiguring an existing multiplexer; and attaching electronic and other equipment that <u>AT&T-22STATE</u> ordinarily attaches to activate such UNE Loops or Transport facilities for its own retail End Users, under the same conditions and in the same manner that <u>AT&T-22STATE</u> does for its own End Users. RNM may entail activities such as accessing manholes, deploying bucket trucks to reach aerial cable and installing equipment casings. <u>AT&T-22STATE</u> will place drops in the same manner as it does for its own End Users
- 11.1.3 RNM do not include constructing new UNE Loops; or UNE DS1, DS3, or Dark Fiber Dedicated Transport; installing new cable or fiber; securing permits or rights-of-way; constructing and/or placing new manholes or conduits; installing new terminals; or removing or reconfiguring packetized transmission facility. Nor do RNM include the provision of electronics for the purpose of lighting dark fiber (i.e., optronics). **AT&T-22STATE** is not obligated to perform those activities for CLEC.
- 11.1.4 <u>AT&T-22STATE</u> shall determine whether and how to perform RNM using the same network or outside plant engineering principles that would be applied in providing service to <u>AT&T-22STATE</u>'s retail End Users.
- 11.1.5 **<u>AT&T-22STATE</u>** has no obligation to build Time Division Multiplexing (TDM) capability into new packetbased networks or into existing packet-based networks that never had TDM capability.
- 11.1.6 Notwithstanding anything to the contrary herein, <u>AT&T-22STATE</u>'s obligations with respect to RNM apply only where the UNE Loop and Transport transmission facilities are subject to unbundling and do not apply to FTTH UNE Loops or FTTC UNE Loops.
- 11.1.7 **AT&T-22STATE** shall provide RNM at the rates, terms and conditions set forth in this Attachment and in the Pricing Schedule or at rates to be determined on an individual case basis (ICB) or through the Special Construction (SC) process. **AT&T-22STATE** will impose charges for RNM in instances where such charges are not included in any costs already recovered through existing, applicable recurring and non-recurring charges. The Parties agree that the RNM for which **AT&T-22STATE** is not recovering costs in existing recurring and non-recurring charges, and for which costs will be imposed on CLEC as an ICB/SC include, but are not limited to: (i) adding an equipment case, (ii) adding a doubler or repeater including associated line card(s), (iii) installing a repeater shelf, and any other necessary work and parts associated with a repeater shelf, and (iv) where applicable, deploying multiplexing equipment, to the extent such equipment is not present on the UNE Loop or Transport facility when ordered.

12.0 <u>911/E911 Database</u>

12.1.1 Access to the <u>AT&T-22STATE</u> 911/ E911 call-related databases will be provided as described in Attachment 05 - 911/E911.

13.0 Operations Support Systems (OSS) FUNCTIONS

13.1.1 Operations Support Systems Functions consist of pre-ordering, ordering, provisioning, maintenance and repair, and billing functions supported by <u>AT&T-22STATE</u>'s databases and information. <u>AT&T-22STATE</u>



will provide CLEC access to its OSS Functions as outlined in Attachment 07 - Operations Support Systems (OSS).

14.0 Non-Impaired Wire Center Criteria And Related Processes

- 14.1 **<u>AT&T-22STATE</u>** has designated and posted, to AT&T CLEC Online website, the Wire Centers where it contends the thresholds for DS1 and DS3 Unbundled High-Capacity UNE Loops (as defined pursuant to Rule 51.319(a)(4) and Rule 51.319(a)(5) and for Tier 1 and Tier 2 Non-Impaired Wire Centers as defined pursuant to Rule 51.319(e)(3)(i) and Rule 51.319(e)(3)(ii)) have been met.
- 14.2 Commission-approved Wire Center Lists:
 - 14.2.1 In states where the Commission has already determined that a Wire Center is properly designated as a Wire Center meeting the thresholds set forth pursuant to Rule 51.319(a)(4), Rule 51.319(a)(5), Rule 51.319(e)(3)(i) and Rule 51.319(e)(3)(ii), CLEC may no longer self-certify or request DS1/DS3 High-Capacity UNE Loops, DS1/DS3 Dedicated Transport or Dark Fiber Dedicated Transport arrangements declassified by the non-impairment status of the Wire Center in such Wire Center.
- 14.3 Wire Center Lists Pending Commission Approval:
 - 14.3.1 In states where the Commission has not previously determined, in any proceeding, that a Wire Center is properly designated as a Wire Center meeting the thresholds set forth pursuant to Rule 51.319(a)(4), Rule 51.319(a)(5), Rule 51.319(e)(3)(i) and Rule 51.319(e)(3)(ii), <u>AT&T-22STATE</u>'s designations shall be treated as controlling (even if CLEC believes the list is inaccurate) for purposes of transition and ordering unless CLEC provides a self-certification as outlined below. If a CLEC withdraws its self-certification after a dispute has been filed with the Commission, but before the Commission has made a determination regarding the wire center designation, the wire center designation(s) that were the subject of the dispute will be treated as though the Commission approved <u>AT&T-22STATE</u>'s designations.
- 14.4 Self-Certifications:
 - 14.4.1 CLEC shall perform a reasonably diligent inquiry to determine whether, to the best of CLEC 's knowledge, the Wire Center meets the non-impairment thresholds as set forth pursuant to Rule 51.319(a)(4), Rule 51.319(a)(5), Rule 51.319(e)(3)(i) and Rule 51.319(e)(3)(ii).
 - 14.4.2 If, based on its reasonably diligent inquiry, the CLEC disputes the <u>AT&T-22STATE</u> Wire Center nonimpairment designation, the CLEC will provide a self-certification to <u>AT&T-22STATE</u> identifying the Wire Center(s) for which it is self-certifying. To self-certify, CLEC can send a letter to <u>AT&T-22STATE</u> claiming Self Certification or CLEC may elect to self-certify using a written or electronic notification sent to <u>AT&T-22STATE</u>.
 - 14.4.3 If CLEC makes such a self-certification, and CLEC is otherwise entitled to the ordered element under the Agreement, then <u>AT&T-22STATE</u> shall provision the requested facilities in accordance with CLEC's order and within <u>AT&T-22STATE</u>'s standard ordering interval applicable to such facilities.
 - 14.4.4 If <u>AT&T-22STATE</u> in error rejects CLEC orders, where CLEC has provided self certification in accordance with this Section of this Agreement, <u>AT&T-22STATE</u> will modify its systems to accept such orders within 5 business hours of CLEC notification to its Local Service Specialist.
 - 14.4.5 CLEC may not submit a self-certification for a Wire Center after the transition period for the DS1/DS3 UNE Loops and/or DS1/DS3 Dedicated Transport and/or Dark Fiber Dedicated Transport impacted by the designation of the Wire Center has passed.
- 14.5 CLEC may not self-certify that it is entitled to obtain Unbundled DS1/DS3 UNE Loops or Unbundled DS1/DS3 Dedicated Transport at a location where CLEC has met the volume Cap set forth in Sections 8.1.3.4.4 above and 8.1.3.5.4 above (for DS1/DS3 UNE Loops) and 9.1.6.3 above and 9.1.6.2 above (for DS1/DS3 Dedicated Transport).
- 14.6 Until CLEC provides a self-certification for High-Capacity UNE Loops and/or Transport for such Wire Center designations, CLEC will not submit High Capacity UNE Loop and/or Transport orders based on the Wire Center designation, and if no self-certification is provided will transition any remaining Embedded Base of DS1 and DS3



UNE Loop and Transport and Dark Fiber Transport arrangements affected by the designation by disconnecting or transitioning to an alternate facility or arrangement, if available, within thirty (30) calendar days of executing this Agreement. If CLEC fails to disconnect or transition to an alternate facility or arrangement within such thirty (30) calendar day period, <u>AT&T-22STATE</u> may disconnect such circuits or beginning billing CLEC the equivalent special access rate. If no equivalent special access rate exists, a true-up will be determined using the Transitional Rates.

- 14.7 **AT&T-22STATE** will update the AT&T CLEC Online website posted list and will advise CLECs of such posting via Accessible Letter, which term for the purposes of this Section above of this Agreement shall be deemed to mean an Accessible Letter issued after the Effective Date of this Agreement, as set forth in this Section 14.0 above of this Agreement
- 14.8 If it desires to do so, <u>AT&T-22STATE</u> can dispute the self-certification and associated CLEC orders for facilities pursuant to the following procedures:
 - 14.8.1 **<u>AT&T-22STATE</u>** will notify the CLEC of its intent to dispute the CLEC's self-certification within thirty (30) calendar days of the CLEC 's self-certification or within thirty (30) calendar days of the Effective Date of this Agreement, whichever is later.
 - 14.8.2 <u>AT&T-22STATE</u> will file the dispute for resolution with the state Commission within sixty (60) calendar days of the CLEC's self-certification or within sixty (60) calendar days of the Effective Date of this Agreement, whichever is later.
 - 14.8.3 **<u>AT&T-22STATE</u>** will notify CLEC of the filing of such a dispute via Accessible Letter.
 - 14.8.4 If the self-certification dispute is filed with the state Commission for resolution, the Parties will not oppose requests for intervention by other CLECs if such request is related to the disputed Wire Center designation(s). The Parties agree to urge the state Commission to adopt a case schedule resulting in the prompt resolution of the dispute.
- 14.9 During the timeframe of any dispute resolution proceeding, <u>AT&T-22STATE</u> shall continue to provide the High-Capacity UNE Loop or Transport facility in question to CLEC at the rates in the Pricing Schedule.
- 14.10 If CLEC withdraws its self-certification, or if the state Commission determines through arbitration or otherwise that CLEC was not entitled to the provisioned DS1/DS3 UNE Loops or DS1/DS3 Dedicated Transport or Dark Fiber Dedicated Transport under Section 251, the rates paid by CLEC for the affected UNE Loop or Transport shall be subject to true-up as follows:
 - 14.10.1 For Wire Centers designated by AT&T-22STATE prior to March 11, 2005 and
 - 14.10.2 For the affected UNE Loop/Transport element(s) installed prior to March 11, 2005,
 - 14.10.2.1 CLEC will provide a true-up calculated using a beginning date of March 11, 2005 based on the FCC transitional rates which are the rates in effect at the time of the non-impairment designations plus 15% ("Transitional Rates"). If affected UNE Loops/Transport element(s) remain in place after the end of the initial TRRO transition period, CLEC will also provide a true-up for the period after the end of initial TRRO transition period calculated using the equivalent special access rates during the period between the end of the initial transition period and the date the circuit is actually transitioned. If no equivalent special access rate exists, a true-up will be determined using the Transitional Rates. The applicable equivalent special access rate/Transitional Rates as described above will continue to apply until the facility has been transitioned.
 - 14.10.2.2 For the affected UNE Loop/Transport element(s) installed after March 11, 2005, CLEC will provide a true-up to an equivalent special access rate as of the later of the date billing began for the provisioned element or thirty (30) calendar days after <u>AT&T-22STATE</u>'s Notice of non-impairment. If no equivalent special access rate exists, a true-up will be determined using the Transitional Rates. The applicable equivalent special access rate/Transitional Rates will continue to apply until the facility has been transitioned.
 - 14.10.2.3 For Wire Centers designated by **<u>AT&T-22STATE</u>** after March 11, 2005,



- 14.10.2.3.1 For affected UNE Loop/Transport elements ordered before <u>AT&T-22STATE</u>'s Wire Center designation,
 - 14.10.2.3.1.1 if the applicable transition period is within the initial TRRO transition period described in Section 15.0 below of this Agreement, CLEC will provide a true-up during the period between the date that is thirty (30) calendar days after <u>AT&T-22STATE</u>'s Notice of non-impairment and the date the circuit is transitioned to the Transitional Rates.
 - 14.10.2.3.1.2 if the applicable transition period is after the initial TRRO transition period described in Section 14.1 above of this Agreement has expired, CLEC will provide a true-up based on the Transitional Rates between the date that is thirty (30) calendar days after <u>AT&T-22STATE</u>'s Notice of non-impairment and the end of the applicable transition period described in Section 15.1 below and the equivalent special access rates during the period between the end of the initial transition period and the date the circuit is actually transitioned. If no equivalent special access rate exists, a true-up will be determined using the Transitional Rates. The applicable equivalent special access/Transitional Rates as described above will continue to apply until the facility has been transitioned.
- 14.10.2.3.2 For affected UNE Loop/Transport elements ordered after <u>AT&T-22STATE</u>'s Wire Center designation, CLEC will provide a true-up for the affected UNE Loop/Transport element(s) to an equivalent special access rate for the affected UNE Loop/Transport element(s) as of the later of the date billing began for the provisioned element or thirty (30) calendar days after <u>AT&T-22STATE</u>'s Notice of non-impairment. If no equivalent special access rate exists, a true-up will be determined using the Transitional Rates. The applicable equivalent special access/Transitional Rates will continue to apply until the facility has been transitioned.
- 14.10.3 In the event of a dispute following CLEC's Self-Certification, upon request by the Commission or CLEC, <u>AT&T-22STATE</u> will make available, subject to the appropriate state or federal protective order, and other reasonable safeguards, all documentation and all data upon which <u>AT&T-22STATE</u> intends to rely, which will include the detailed business line information for the <u>AT&T-22STATE</u> Wire Center or centers that are the subject of the dispute.

15.0 Future Wire Center Designations

- 15.1 The parties recognize that Wire Centers that <u>AT&T-22STATE</u> had not designated as meeting the FCC's nonimpairment thresholds as of March 11, 2005, may meet those thresholds in the future. In the event that a Wire Center that is not currently designated as meeting one or more of the FCC's non-impairment thresholds, meets one or more of these thresholds at a later date, <u>AT&T-22STATE</u> may add the Wire Center to the list of designated Wire Centers and the Parties will use the following process:
 - 15.1.1 **<u>AT&T-22STATE</u>** may update the Wire Center list as changes occur.
 - 15.1.2 To designate a Wire Center that had previously not met one or more of the FCC's impairment thresholds but subsequently does so, <u>AT&T-22STATE</u> will provide notification to CLEC via Accessible Letter and by a posting on AT&T CLEC Online website.
 - 15.1.3 <u>AT&T-22STATE</u> will continue to accept CLEC orders for impacted DS1/DS3 UNE Loops, DS1/DS3 Dedicated Transport and/or Dark Fiber Dedicated Transport without requiring CLEC self-certification for thirty (30) calendar days after the date the Accessible Letter is issued.



- 15.1.4 In the event the CLEC disagrees with <u>AT&T-22STATE</u>'s determination, CLEC will have sixty (60) calendar days from the issuance of the Accessible Letter to dispute <u>AT&T-22STATE</u>'s Wire Center determination by providing a self-certification to <u>AT&T-22STATE</u>.
- 15.1.5 If the CLEC does not use the self-certification process described in Section 15.1.4 above to self-certify against <u>AT&T-22STATE</u>'s Wire Center designation within sixty (60) calendar days of the issuance of the Accessible Letter, CLEC must transition all circuits that have been declassified by the Wire Center designation(s) by disconnecting or transitioning to an alternate facility or arrangement, if available, within thirty (30) calendar days ending on the 90th day after the issuance of the Accessible Letter providing the Wire Center designation of non-impairment; no additional notification from <u>AT&T-22STATE</u> will be required. CLEC may not obtain new DS1/DS3 UNE Loops, DS1/DS3 Dedicated Transport and/or Dark Fiber Dedicated Transport in Wire Centers and/or Routes where such circuits have been declassified during the applicable transition period. If CLEC fails to disconnect or transition to an alternate facility or arrangement within such thirty (30) day period, <u>AT&T-22STATE</u> may disconnect such circuits or beginning billing CLEC the equivalent special access rate. If no equivalent special access rate exists, a true-up will be determined using the transitional rates set forth in Section 15.2 below.
- 15.1.6 If CLEC does provide self-certification to dispute <u>AT&T-22STATE</u>'s designation determination within sixty (60) calendar days of the issuance of the Accessible Letter, <u>AT&T-22STATE</u> may dispute CLEC's self-certification as described in Section 14.8 above of this Agreement and <u>AT&T-22STATE</u> will accept and provision the applicable UNE Loop and Transport orders for the CLEC providing the self certification during a dispute resolution process.
- 15.2 During the applicable transition period, the transition rates paid will be rates in effect at the time of the nonimpairment designations plus 15%.

16.0 <u>Transition Procedures of DS1/DS3 UNE Loops, DS1/DS3 Dedicated Transport or Dark Fiber</u> Dedicated Transport arrangements impacted by Wire Center designation(s)

- 16.1 The provisions of Section 14.1 above of this Attachment shall apply to the transition of DS1/DS3 UNE Loops, DS1/DS3 Dedicated Transport or Dark Fiber Dedicated Transport arrangements impacted by Wire Center designation(s). As outlined in Section 14.1 above of this Attachment, requested transitions of DS1/DS3 High Capacity UNE Loops, DS1/DS3 Dedicated Transport or Dark Fiber Dedicated Transport arrangements shall be performed in a manner that reasonably minimizes the disruption or degradation to CLEC 's End User's service, and all applicable charges shall apply. Cross-connects provided by <u>AT&T-22STATE</u> in conjunction with such UNE Loops and/or Transport shall be billed at applicable wholesale rates (e.g., prior to transition, cross connects will be billed at transitional rates, after transition, if conversion is to an access product, cross connects will be billed at applicable access rates. Cross-connects that are not associated with such transitioned DS1/DS3 High-Capacity UNE Loops, DS1/DS3 Dedicated Transport or Dark Fiber Dedicated Transport arrangements shall not be re-priced.
- 16.2 **AT&T-22STATE** will process CLEC orders for DS1/DS3 UNE Loops, DS1/DS3 Dedicated Transport, or Dark Fiber Transport conversion or disconnection. **AT&T-22STATE** will not convert or disconnect these services prior to the end of the applicable transitional period unless specifically requested by the CLEC; however, CLEC is responsible for ensuring that it submits timely orders in order to complete the transition by the end of applicable transitional period in an orderly manner.
- 16.3 A Building that is served by both an impaired Wire Center and a non impaired Wire Center and that is not located in the serving area for the non-impaired Wire Center will continue to have affected elements available from the impaired Wire Center and support incremental moves, adds, and changes otherwise permitted by the Agreement, as amended.
- 16.4 Notwithstanding anything to the contrary in the Agreement, including any amendments to this Agreement, at the end of the applicable transitional period, unless CLEC has submitted a disconnect/discontinuance LSR or ASR, as applicable, under Section 14.4.1 above of this Agreement, and if CLEC and <u>AT&T-22STATE</u> have failed to reach agreement under Section 14.4.1 above of this Agreement as to a substitute service arrangement or element, then <u>AT&T-22STATE</u> may, at its sole option, disconnect DS1/DS3 UNE Loops, DS1/DS3 Dedicated Transport or Dark



Fiber Dedicated Transport, whether previously provided alone or in combination with or as part of any other arrangement, or convert the subject element(s), whether alone or in combination with or as part of any other arrangement to an analogous resale or access service, if available, at rates applicable to such analogous service or arrangement.



Attachment 14 - xDSL Loops



Table of Contents

| 1.0 | INTRODUCTION |
|-----|--|
| 2.0 | GENERAL PROVISIONS |
| 3.0 | PRODUCT SPECIFIC SERVICE DELIVERY PROVISIONS |



1.0 <u>Introduction</u>

1.1 **<u>AT&T-21STATE</u>** will make available xDSL Loops and xDSL/Unbundled Copper Subloop (UCSL) Subloops for the provision of xDSL-based services or line splitting arrangements provided by CLEC in accordance with the FCC's *Triennial Review Order* and associated lawful and effective implementing rules, 47 C.F.R. §51.319(a)(1)(i)-(iv) and (b)(1), as such rules may be modified from time to time.

2.0 <u>General Provisions</u>

- 2.1 <u>AT&T-21STATE</u> will provide xDSL Loops and xDSL/UCSL Subloops for CLEC to deploy xDSL technologies presumed acceptable for deployment or non-standard xDSL technologies as defined in this Agreement and as provided for under the applicable lawful and effective FCC rules, 47 C.F.R. §51.230, as such rule may be modified from time to time.
- 2.2 <u>AT&T-21STATE</u> will not guarantee that an xDSL Loop or xDSL/UCSL Subloops ordered by CLEC will perform as desired by CLEC for xDSL based services, but will guarantee that Loops will be provisioned to meet basic metallic Loop parameters, including continuity and pair balance. CLEC shall designate on its Local Service Request (LSR), at CLEC's sole option, what Loop conditioning <u>AT&T-21STATE</u> is to perform in provisioning the order.
- 2.3 The Parties shall comply with the FCC's lawful and effective spectrum management rules, 47 C.F.R. §51.231-233, as such rules may be modified from time to time. Refer to AT&T CLEC Online website for specific processes addressing Spectrum Management.
- 2.4 Maintenance, Repair and Testing:
 - 2.4.1 **<u>AT&T-21STATE</u>** shall provide Maintenance Repair and Testing in accordance with the lawful and effective requirements of 47 C.F.R. §51.319(a)(1)(iv) and as outlined on the AT&T CLEC Online website and within Attachment 07 Operations Support Systems (OSS).
 - 2.4.2 Line and Station Transfer (LST): For a loop currently in service where trouble ticket resolution has identified that excessive bridged tap(s), load coil(s) and/or repeater(s) are on the loop and transferring to a new loop is a solution identified by <u>AT&T-12STATE</u> to resolve a trouble, <u>AT&T-12STATE</u>, at its sole option, may perform an LST to resolve the identified trouble. In the event that a request for conditioning is received from the CLEC on a loop currently in service and <u>AT&T-12STATE</u> determines that an LST can be performed, the <u>AT&T-12STATE</u> LOC will contact the CLEC to inform it of the decision to perform an LST in lieu of CLEC's requested conditioning. In such case, the charge for the LST set forth in the Pricing Schedule shall apply in lieu of any loop conditioning charges which would have applied had the requested conditioning been performed. If, however, the LST does not resolve the reported trouble and the trouble is determined to be an <u>AT&T-12STATE</u> network-related problem, then CLEC will not be charged the LST rate or for <u>AT&T-12STATE</u>'s resolution of the trouble. If, however, the trouble is found not to be an <u>AT&T-12STATE</u> network-related problem, then CLEC shall pay the Maintenance of Service charges referenced in the Pricing Schedule, in addition to the applicable LST charge.

3.0 **Product Specific Service Delivery Provisions**

- 3.1 Loop Makeup Information and Ordering:
 - 3.1.1 At the CLEC's request, <u>AT&T-21STATE</u> will provide CLEC with nondiscriminatory access to its Loop makeup information as it exists in <u>AT&T-21STATE</u>'s database and records via:
 - 3.1.1.1 a mechanized Loop makeup for near real-time access to data available electronically; or
 - 3.1.1.2 manual Loop makeup for information that may not be available electronically.
 - 3.1.2 CLEC will be given nondiscriminatory access to the same Loop makeup information that <u>AT&T-21STATE</u> is providing to any other CLEC, <u>AT&T-21STATE</u>'s retail or wholesale operations and/or its advanced services Affiliate.
 - 3.1.2.1 In the <u>AT&T SOUTHEAST REGION 9-STATE</u> region, CLEC will have access to Loop makeup information only on facilities owned or controlled by <u>AT&T SOUTHEAST REGION 9-STATE</u> or controlled by the requesting CLEC.



- 3.1.3 <u>AT&T-21STATE</u> does not guarantee accuracy or reliability of the Loop make up information provided. CLEC may obtain Loop makeup information according to the terms and conditions described on the AT&T CLEC Online website incorporated herein by reference, as may be amended from time to time.
- 3.2 Provisioning Intervals:
 - 3.2.1 <u>AT&T-21STATE</u>'s provisioning intervals per order per End User location shall be the intervals set forth on the AT&T CLEC Online website.
- 3.3 Loop Conditioning (a.k.a Line Conditioning in <u>AT&T SOUTHEAST REGION 9-STATE</u>):
 - 3.3.1 **<u>AT&T 21STATE</u>** will condition xDSL Loops and xDSL/UCSL Subloops in accordance with the lawful and effective requirements of 47 C.F.R. §51.319(a)(1)(iii).
 - 3.3.2 All modifications for Loop Conditioning/Line Conditioning in this section will be performed at the rates set forth in the Pricing Schedule.
 - 3.3.3 <u>AT&T-21STATE</u> shall provide Line Conditioning on 251(c)(3) Unbundled Loops, as requested by CLEC, even in instances where <u>AT&T-21STATE</u> does not provide advanced services to the End User on that 251(c)(3) Unbundled Loop.
 - 3.3.4 **AT&T-21STATE** will not modify a 251(c)(3) Unbundled Loop in such a way that it no longer meets the technical parameters of the original 251(c)(3) Unbundled Loop type e.g., voice grade, etc., being ordered.
 - 3.3.5 In <u>AT&T-12STATE</u> (i) If load coils, repeaters or excessive bridged tap are present on a loop less than 12,000 feet in actual loop length, conditioning to remove these elements will be performed without request; (ii) if the loop qualification indicates conditioning is available on a loop that is 12,000 feet in actual loop length or greater, CLEC may request that no conditioning be performed or that <u>AT&T-12STATE</u> perform some or all of the available loop conditioning to remove excessive bridged tap, load coils and/or repeaters at the rates set forth in the Pricing Schedule. CLEC may obtain loop conditioning information according to the terms and conditions described in the <u>AT&T</u> CLEC Online website; incorporated herein by reference, as may be modified from time to time.
 - 3.3.6 AT&T SOUTHEAST REGION 9-STATE will remove load coils only on copper 251(c)(3) Unbundled Loops that are equal to or less than eighteen thousand (18,000) feet in length. AT&T SOUTHEAST REGION 9-STATE will remove load coils on copper 251(c)(3) Unbundled Subloops where the total loop distance (feeder plus distribution) from the AT&T SOUTHEAST REGION 9-STATE Central Office to the End User is equal to or less than 18,000 feet or, if there is no copper feeder, the distance from the remote terminal (RT) to the End User is equal to or less than 18,000 feet.
 - 3.3.7 For any copper 251(c)(3) Unbundled Loop being ordered by CLEC which has over six thousand (6,000) feet of combined bridged tap will be modified, upon request from CLEC, so that the 251(c)(3) Unbundled Loop will have a maximum of six thousand (6,000) feet of bridged tap. This modification will be performed at no additional charge to CLEC. In <u>AT&T SOUTHEAST REGION 9-STATE</u> loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper 251(c)(3) Unbundled Loop that will result in a combined total of bridged tap between two thousand five hundred (2,500) and six thousand (6,000) feet will be performed at the rates set forth in the Pricing Schedule. CLEC may request removal of any unnecessary and non-Excessive bridged tap (bridged tap between zero (0) and two thousand five hundred (2,500) feet which serves no network design purpose), at rates pursuant to <u>AT&T SOUTHEAST REGION 9-STATE</u>'s Special Construction (SC) Process, (which is a part of the service inquiry process), as mutually agreed to by the Parties.
 - 3.3.8 If CLEC requests Unbundled Loop Modification (ULM) on a reserved facility for a new 251(c)(3) Unbundled Loop order, <u>AT&T SOUTHEAST REGION 9-STATE</u> may perform a pair change and provision a different 251(c)(3) Unbundled Loop facility in lieu of the reserved facility with ULM if feasible. The 251(c)(3) Unbundled Loop facility as modified. CLEC will not be charged for ULM if a different 251(c)(3) Unbundled Loop is provisioned. For 251(c)(3) Unbundled Loops that require a Design Layout Report (DLR) or its equivalent,



<u>AT&T SOUTHEAST REGION 9 STATE</u> will provide LMU detail of the 251(c)(3) Unbundled Loop provisioned.

- 3.3.9 CLEC shall request 251(c)(3) Unbundled Loop make up information pursuant to this Attachment prior to submitting a Service Inquiry, in accordance to the terms and conditions described in the AT&T CLEC Online website, and/or a Local Service Request (LSR) for the 251(c)(3) Unbundled Loop type that CLEC desires <u>AT&T SOUTHEAST REGION 9-STATE</u> to condition.
- 3.3.10 When requesting ULM for a 251(c)(3) Unbundled Loop that <u>AT&T SOUTHEAST REGION 9-STATE</u> has previously provisioned for CLEC, CLEC will submit a Service Inquiry to <u>AT&T SOUTHEAST REGION 9-STATE</u>. If a spare 251(c)(3) Unbundled Loop facility that meets the 251(c)(3) Unbundled Loop modification specifications requested by CLEC is available at the location for which the ULM was requested, CLEC will have the option to change the 251(c)(3) Unbundled Loop facility to the qualifying spare facility rather than to provide ULM. In the event that <u>AT&T SOUTHEAST REGION 9-STATE</u> changes the 251(c)(3) Unbundled Loop facility in lieu of providing ULM, CLEC will not be charged for ULM but will only be charged the service order charges for submitting an order.
- 3.4 Loops and Subloops available under this Attachment are further identified in the Pricing Schedule and AT&T CLEC Online website.
- 3.5 Pricing/Rates:
 - 3.5.1 The rates applicable to xDSL Loops, xDSL/UCSL Subloops, and the associated charges including without limitation, the applicable service order charges and charges for mechanized and manual Loop qualification, Loop conditioning and cross-connects are set forth in the Pricing Schedule.
 - 3.5.2 In those instances specified herein, or in the event that <u>AT&T-21STATE</u> agrees to perform any additional work on CLEC's behalf that is not explicitly addressed in this Attachment or for work performed outside of standard business hours, CLEC shall pay Maintenance of Service charges as outlined on the AT&T CLEC Online website and within Attachment 07 Operations Support Systems (OSS).



Attachment 15 – Coordinated Hot Cut/<u>AT&T-22STATE</u> Page 1 of 4 One Point Version: 3Q08 – CLEC ICA – All Traffic 08/08/08

ATTACHMENT 15 - COORDINATED HOT CUT



Attachment 15 – Coordinated Hot Cut/<u>AT&T-22STATE</u> Page 2 of 4 One Point Version: 3Q08 – CLEC ICA – All Traffic 08/08/08

Table of Contents

| 1.0 | INTRODUCTION | 3 |
|-----|---|---|
| 2.0 | DEFINITIONS | 3 |
| 3.0 | CHC AND OC (CHC/OC) SERVICE DESCRIPTION | 3 |
| 4.0 | CHC/OC PRICING | 3 |
| 5.0 | ORDER COORDINATION-TIME SPECIFIC (OC-TS) AT&T SOUTHEAST REGION 9-STATE ONLY | 3 |



1.0 Introduction

 This Attachment sets forth terms and conditions for Coordinated Hot Cut (CHC) provided by <u>AT&T-13STATE</u> and for Order Coordination (OC) and Order Coordination-Time Specific (OC-TS) provided by <u>AT&T SOUTHEAST REGION</u> 9-STATE.

2.0 <u>Definitions</u>

- 2.1 "Conversion of Service" means the matching of the disconnect of one Telecommunications product or service with the installation of another Telecommunications product or service.
- 2.2 "Designated Installation" means an installation of service occurring at a specific time of day as specified.

3.0 CHC and OC (CHC/OC) Service Description

- 3.1 CHC/OC is an optional manual service offering that permits CLEC to request a Designated Installation and/or Conversion of Service during or after normal business hours.
- 3.2 CHC/OC allows the Parties to coordinate the installation of the SL2 Loops (AT&T SOUTHEAST REGION 9-STATE), Unbundled Digital Loops and other Loops where CHC/OC may be purchased as an option, to CLEC's facilities in order to limit the time an End User may be without service. CHC/OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. CHC/OC for physical conversions will be scheduled at <u>AT&T-22STATE</u>'s discretion during normal working hours on the committed due date.
- 3.3 CLEC will initiate the beginning of a CHC/OC by contacting the appropriate coordination center. This special request enables CLEC to schedule and coordinate particular provisioning requirements with <u>AT&T-22STATE</u>.
- 3.4 **AT&T-22STATE** may limit the number of service orders that can be coordinated based on workload and resources available. **AT&T-22STATE** shall approve the CHC/OC request on a non-discriminatory basis, by requesting carrier, and on a first come first served basis.
- 3.5 <u>AT&T-22STATE</u> reserves the right to suspend the availability of CHC/OC service during unanticipated heavy workload/activity periods. Heavy workload includes any unanticipated volume of work that impacts <u>AT&T-22STATE</u>'s ability to provide its baseline service. Where time permits, <u>AT&T-22STATE</u> will make every effort to notify CLEC when such unanticipated activities occur.

4.0 <u>CHC/OC Pricing</u>

- 4.1 CHC/OC is a time sensitive labor operation. Total charges are determined by a number of factors including the volume of lines, day of the week, and the time of day requested for the coordinated cut.
- 4.2 When CLEC orders CHC/OC service, <u>AT&T-22STATE</u> shall charge and CLEC agrees to pay for CHC/OC service at the "additional labor" or "Time and Material" rates set forth in the Pricing Schedule.
- 4.3 In the event <u>AT&T-22STATE</u> fails to meet a CHC/OC service commitment for reasons within the control of <u>AT&T-22STATE</u>, <u>AT&T-22STATE</u> will not charge CLEC a CHC/OC service charge. However, in the event <u>AT&T-22STATE</u> misses a CHC/OC service commitment due to reasons outside of <u>AT&T-22STATE</u>'s control, including but not limited to actions of CLEC, its agent or End User, the CHC/OC service charge will still apply. For example, if CLEC requests any change to an order with CHC/OC service including, but not limited to, no access to the CLEC's End User's premises, or CLEC/End User not ready to proceed with the order, the CHC/OC service charge will apply and <u>AT&T-22STATE</u> will not be obligated to ensure a CHC/OC for that order.

5.0 Order Coordination-Time Specific (OC-TS) AT&T SOUTHEAST REGION 9-STATE Only

5.1 OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. CLEC may specify a time between 9:00 a.m. and 4:00 p.m. (local time) Monday through Friday, excluding <u>AT&T SOUTHEAST REGION 9-STATE</u>'s holidays. If CLEC specifies a time outside this window, or selects a time or quantity of loops that requires <u>AT&T SOUTHEAST REGION 9-STATE</u> technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied



Attachment 15 – Coordinated Hot Cut/<u>AT&T-22STATE</u> Page 4 of 4 One Point Version: 3Q08 – CLEC ICA – All Traffic 08/08/08

based on the amount of overtime worked and in accordance with the rates set forth in the Pricing Schedule. The OC-TS charges for an order due on the same day at the same location will be applied on a per LSR basis.



ATTACHMENT 16 - RESALE



Table of Contents

| 1.0 | INTRODUCTION | 3 |
|-----|--|-----|
| 2.0 | DEFINITIONS | 3 |
| 3.0 | GENERAL PROVISIONS | 3 |
| 4.0 | RESPONSIBILITIES OF PARTIES | . 5 |
| 5.0 | BILLING AND PAYMENT OF RATES AND CHARGES | 5 |
| 6.0 | ANCILLARY SERVICES | 6 |
| 7.0 | SUSPENSION OF SERVICE | 6 |



1.0 <u>Introduction</u>

- 1.1 This Attachment sets forth terms and conditions for Resale Services provided by **AT&T-22STATE** to CLEC.
- 1.2 To the extent required by Section 251(c)(4) of the Act, <u>AT&T-22STATE</u> shall make available to CLEC for resale at wholesale rates Telecommunications Services that <u>AT&T-22STATE</u> provides at retail to End Users who are not Telecommunications Carriers.
- 1.3 Each state-specific avoided cost discount applicable to rates paid by CLEC for the resale of Telecommunications Services is referred to herein as a Resale Discount. Where available, Resale Discounts are listed in the Pricing Schedule; if not listed in the Pricing Schedule, the Resale Discount(s) and/or rate(s) as stated or reflected in the applicable Tariff shall apply.
- 1.4 Except as otherwise expressly provided herein, the state-specific Tariff(s) shall govern the terms, conditions and charges associated with the Telecommunications Services available to CLEC for resale, with the exception of any resale restrictions; provided, however, that any restrictions on further resale by the End User shall continue to apply. Use limitations shall be in parity with services offered by <u>AT&T-22STATE</u> to its End Users.
- 1.5 Any change to the rates, terms and conditions of any applicable Tariff is automatically incorporated herein and is effective hereunder on the date any such change is effective.

2.0 <u>Definitions</u>

- 2.1 "Special Needs Services" means services for the physically disabled as defined in state-specific Tariffs.
- 2.2 "Tariff" means the most current state-specific retail and, where available, resale tariff(s) and/or Guidebook(s) (the latter as posted on the AT&T CLEC online website).

3.0 <u>General Provisions</u>

- 3.1 <u>AT&T-22STATE</u>'s obligation to provide Resale Services under this Attachment is subject to availability of existing facilities. CLEC may resell Telecommunications Services provided hereunder only in those service areas in which such Resale Services or any feature or capability thereof are concurrently offered to <u>AT&T-22STATE</u>'s End Users at retail.
- 3.2 <u>AT&T-22STATE</u> has no obligation to make services available at the Resale Discount to CLEC for its own use or for the use of one or more of its parent, Affiliates, subsidiaries or similarly-related entities. CLEC shall not use any Resale Service to avoid the rates, terms and conditions of <u>AT&T-22STATE</u>'s corresponding retail Tariff(s). Moreover, CLEC shall not use any Resale Service to provide access or interconnection services to itself, interexchange carriers (IXCs), wireless carriers, competitive access providers (CAPs), or other Telecommunications providers; provided, however, that CLEC may permit its End Users to use resold local Exchange telephone service to access IXCs, wireless carriers, CAPs, or other retail Telecommunications providers.
- 3.3 Notwithstanding any other provision in this Agreement or in any applicable Tariff, once a service has been grandfathered it is available to CLEC for resale at the Resale Discount pursuant to the rates, terms and conditions of the state-specific retail Tariff and only:
 - (i) to the same End User and
 - (ii) at that End User's existing location, both at the time of grandfathering.
- 3.4 CLEC shall only sell Plexar®, Centrex and Centrex-like services to a single End User or multiple End User(s) in accordance with the terms and conditions set forth in the Tariff(s) applicable to the state(s) in which service is being offered.



- 3.5 Except where otherwise explicitly permitted in <u>AT&T-22STATE</u>'s Tariff(s), CLEC shall not permit the sharing of a service by multiple End User(s) or the aggregation of traffic from multiple End User(s) onto a single service.
- 3.6 CLEC shall only resell services provided under this Attachment to the same category of End User(s) to whom **AT&T-22STATE** offers such services (for example, residence service shall not be resold to business End Users).
 - 3.6.1 Where available for Resale in accordance with state-specific Tariffs, CLEC may resell Special Needs Services and/or low income assistance services (e.g., LifeLine and Link-Up) to End Users who are eligible for each such service. To the extent CLEC resells services that require certification on the part of the End User, CLEC shall ensure that the End User meets all the Tariff eligibility requirements, has obtained proper certification, continues to be eligible for the program(s), and complies with all rules and regulations as established by the appropriate Commission and state Tariffs.
- 3.7 When ordering services that have an eligibility requirement (e.g., available only in a "retention", "winback", or "competitive acquisition" setting), CLEC shall maintain (and provide to <u>AT&T-22STATE</u> upon reasonable request) appropriate documentation, including, but not limited to, original end user service order data, evidencing the eligibility of its End Users for such offering or promotion. <u>AT&T-22STATE</u> may request up to one (1) audit for each promotion per 12-month period that may cover up to the preceding twenty-four (24) month period.
- 3.8 Promotions of ninety (90) calendar days or less ("Short-Term Promotions") shall not be available for Resale, whether at the Resale Discount or otherwise; provided, however, that <u>AT&T-22STATE</u> shall offer Short-Term Promotions for Resale at no Resale Discount in a particular state if and only to the extent required by Commission order in that state.
- 3.9 CLEC shall pay the Federal End User Common Line (EUCL) charge and any other appropriate Commissionapproved charges, as set forth in the appropriate Tariff(s), for each local exchange line furnished to CLEC under this Attachment.
- 3.10 To the extent allowable by law, CLEC shall be responsible for both Primary Interexchange Carrier (PIC) and Local Primary IntraLATA Presubscription (LPIC) change charges associated with each local Exchange line furnished to CLEC under this Attachment. CLEC shall pay all charges for PIC and LPIC changes at the rates set forth in the Pricing Schedule or, if any such rate is not listed in the Pricing Schedule, then as set forth in the applicable Tariff.
- 3.11 If CLEC is in violation of any provision of this Attachment, <u>AT&T-22STATE</u> will notify CLEC of the violation in writing ("Resale Notice"). Such Resale Notice shall refer to the specific provision being violated. CLEC will have thirty (30) calendar days to correct the violation and notify <u>AT&T-22STATE</u> in writing that the violation has been corrected. <u>AT&T-22STATE</u> will bill CLEC a sum equal to:
 - (i) the charges that would have been billed by <u>AT&T-22STATE</u> to CLEC or any Third Party but for the stated violation and
 - (ii) the actual revenues CLEC billed its End User(s) in connection with the stated violation, whichever is greater.

Should CLEC dispute the stated violation, CLEC must notify <u>AT&T-22STATE</u> in writing of the specific details and reasons for its dispute within fourteen (14) calendar days of receipt of the Resale Notice from <u>AT&T-22STATE</u> and comply with the Dispute Resolution provisions of the General Terms and Conditions (GT&C) of the Agreement ("Dispute Resolution provisions"). Resolution of any dispute under this Attachment shall also be conducted in compliance with the Dispute Resolution provisions in the GT&C.

3.12 Notwithstanding any other provision of this Agreement, CLEC acknowledges and agrees that the assumption (or resale to similarly-situated end users) of customer specific arrangement contracts, individual case basis contracts, or any other customer specific pricing contract is not addressed in this Agreement and that if CLEC would like to resell such arrangements, it may only do so consistent with applicable law and after negotiating an amendment hereto that establishes the rates, terms and conditions thereof (including, without limitation, the wholesale discount, if any,



associated with such resale). Such amendment will only be effective upon written execution by both Parties and approval by the Commission(s).

3.13 Except where otherwise required by law, CLEC shall not, without <u>AT&T-22STATE</u>'s prior written authorization, offer the services covered by this Attachment using the trademarks, service marks, trade names, brand names, logos, insignia, symbols or decorative designs of <u>AT&T-22STATE</u> or its Affiliates, nor shall CLEC state or imply that there is any joint business association or similar arrangement with <u>AT&T-22STATE</u> in the provision of Telecommunications Services to CLEC 's End Users.

4.0 <u>Responsibilities of Parties</u>

- 4.1 CLEC shall be responsible for modifying and connecting any of its systems with <u>AT&T-22STATE</u>-provided interfaces, as outlined in Attachment 07 Operations Support Systems (OSS), and CLEC agrees to abide by <u>AT&T-22STATE</u> procedures for ordering Resale Services. CLEC shall obtain End User authorization as required by applicable federal and state laws and regulations, and assumes responsibility for applicable charges as specified in Section 258(b) of the Act.
- 4.2 CLEC shall release End User accounts in accordance with the directions of its End Users or an End User's authorized agent. When a CLEC End User switches to another carrier, <u>AT&T-22STATE</u> is free to reclaim the End User or process orders for another carrier, as applicable.
- 4.3 CLEC will have the ability to report trouble for its End Users to the appropriate <u>AT&T-22STATE</u> maintenance center(s) twenty-four (24) hours a day, seven (7) days a week, or otherwise shall be in parity with the ability offered by <u>AT&T-22STATE</u> to its End Users. CLEC will be assigned Maintenance Center(s) when CLEC 's initial service agreements are made. CLEC End Users calling <u>AT&T-22STATE</u> will be referred to CLEC at the telephone number(s) provided by CLEC to <u>AT&T-22STATE</u>. Nothing herein shall be interpreted to authorize CLEC to repair, maintain, or in any way touch <u>AT&T-22STATE</u>'s network facilities, including without limitation those on End User premises.
- 4.4 CLEC's End Users' activation of Call Trace and annoying call complaints shall be handled by the <u>AT&T-22STATE</u> operations centers responsible for handling such requests. <u>AT&T-22STATE</u> shall notify CLEC of requests by its End Users to provide call records to the proper authorities. Subsequent communication and resolution of each case involving one of CLEC's End Users (whether that End User is the victim or the suspect) will be coordinated through CLEC. <u>AT&T-22STATE</u> shall be indemnified, defended and held harmless by CLEC and/or the End User against any claim, loss or damage arising from providing this information to CLEC. It is the responsibility of CLEC to take the corrective action necessary with its End User who makes annoying calls. Failure to do so will result in <u>AT&T-22STATE</u> taking corrective action, up to and including disconnecting the End User's service.
- 4.5 CLEC acknowledges that information <u>AT&T-22STATE</u> provides to law enforcement agencies at the agency's direction (e.g., Call Trace data) shall be limited to available billing number and address information. It shall be CLEC's responsibility to provide additional information necessary for any law enforcement agency's investigation.
 - 4.5.1 In addition to any other indemnity obligations in this Agreement, CLEC shall indemnify <u>AT&T-22STATE</u> against any Claim that insufficient information led to inadequate prosecution.
 - 4.5.2 <u>AT&T-22STATE</u> shall handle law enforcement requests in accordance with the Law Enforcement provisions of the GT&C's of the Agreement.

5.0 <u>Billing and Payment of Rates and Charges</u>

5.1 CLEC is solely responsible for the payment of all charges for all services furnished under this Attachment, including but not limited to calls originated or accepted at CLEC's location and its End Users' service locations.



- 5.1.1 Interexchange carried traffic (e.g. sent-paid, information services and alternate operator services messages) received by <u>AT&T-22STATE</u> for billing to Resale End User accounts will be returned as unbillable and will not be passed to CLEC for billing. An unbillable code will be returned with those messages to the carrier indicating that the messages were generated by a Resale account and will not be billed by <u>AT&T-22STATE</u>.
- 5.2 <u>AT&T-22STATE</u> shall not be responsible for the manner in which utilization of Resale Services or the associated charges are allocated to End Users or others by CLEC. Applicable rates and charges for services provided to CLEC under this Attachment will be billed directly to CLEC and shall be the responsibility of CLEC.
 - 5.2.1 Charges billed to CLEC for all services provided under this Attachment shall be paid by CLEC regardless of CLEC's ability or inability to collect from its End Users for such services.
 - 5.2.2 If CLEC does not wish to be responsible for Alternately Billed Traffic ("ABT"), including but not limited to payment of charges for collect, third number billed, and toll and information services (for example, 900) calls, CLEC must order the appropriate available blocking for lines provided under this Attachment and pay any applicable charges. It is the responsibility of CLEC to order the appropriate toll restriction or blocking on lines resold to End Users. CLEC acknowledges that blocking is not available for certain types of calls, including without limitation 800, 888, 411 and Directory Assistance Express Call Completion. Depending on the origination point, for example, calls originating from correctional facilities, some calls may bypass blocking systems. CLEC acknowledges all such limitations and accepts all responsibility for any charges associated with calls for which blocking is not available and any charges associated with calls that bypass blocking systems. The rates, terms and conditions for ABT can be referenced in Attachment 10 ABT.

6.0 <u>Ancillary Services</u>

- 6.1 E911 Emergency Service: The terms and conditions for the provision of <u>AT&T-22STATE</u> 911 services are contained in Attachment 05 911/E911.
- 6.2 White Pages: The rates, terms and conditions for the provision of White Pages services are contained in White Pages section of Attachment 06 Customer Information Services.
- 6.3 Resale Operator Services and Directory Assistance (OS/DA): The rates, terms and conditions for reselling <u>AT&T-22STATE</u> OS/DA services are contained in OS/DA section of Attachment 06 - Customer Information Services.
- 6.4 Payphone Services: CLEC may provide certain local Telecommunications Services to Payphone Service Providers (PSPs) for PSPs' use in providing payphone service. Pay Telephone Service is the only local service available for resale to PSPs. Rates for Pay Telephone Service are established under the provisions of Section 276 of the Federal Telecommunications Act of 1996 and are not subject to a wholesale discount under Section 251(c) (4) of the Act.

7.0 Suspension of Service

- 7.1 See applicable Tariff(s) for rates, terms and conditions regarding Suspension of Service.
- 7.2 CLEC may offer to resell Customer Initiated Suspension and Restoral Service, as defined in the applicable Tariff(s), to its End Users. This service is not considered a Telecommunications Service and will receive no Resale Discount unless required by Commission order(s).
- 7.3 **AT&T-22STATE** will offer Suspension of Service to CLEC for the purpose of CLEC initiated suspension of service of the CLEC's End Users. This service is not considered a Telecommunications Service and will receive no Resale Discount, unless required by Commission order(s).



PRICING SCHEDULE



1.0 <u>Pricing Schedule</u>

- 1.1 This Attachment sets forth the pricing terms and conditions. The rate tables included in this Attachment may be divided into categories. These categories are for convenience only and shall not be construed to define or limit any of the terms herein or affect the meaning or interpretation of this Agreement.
- 1.2 Replacement of Non-Interim Rates
 - Certain of the current rates, prices and charges set forth in this Agreement may have been established by 1.2.1 the Commission ("Commission-established "Current Rate(s)"). All rates included in this Agreement that are not specifically excluded from treatment under this Section 1.2, or that are not marked as interim or as "TBD" (To Be Determined) shall be considered Commission-established Current Rates. If, during the Term of this Agreement the Commission or the FCC modifies a Commission-established Current Rate(s) in an order or docket that is established by the Commission or FCC to be generally applicable (i.e. not an order or docket relating only to a specific complaint or interconnection agreement arbitration) to the Interconnection Services, either Party may provide written notice ("Rate Change Notice") to the other Party, after the effective date of such order, that it wishes for the modified Commission-established Non-Interim Rate(s), ("Modified Rate(s)") to replace and supersede the Commission-established Current Rate(s) already set forth in this Agreement. Following such Rate Change Notice by either Party, and without the need for any written amendment or further Commission action, CLEC's billing tables will be updated to reflect (and CLEC shall pay) the Modified Rate(s), pursuant to timeframes as specifically set forth in Section 1.2.1.1 below and Section 1.2.1.3 below, and the Modified Rate(s) will be deemed effective between the Parties as provided in Section 1.2.1.1 below and Section 1.2.1.3 below. Nonetheless, the Parties shall negotiate a conforming amendment which shall reflect that the Commission-established Current Rate(s) were replaced by the Modified Rate(s), and shall submit such amendment to the Commission for approval. In addition, as soon as is reasonably practicable after such Rate Change Notice, each Party shall issue to the other Party any adjustments that are necessary to reflect that the Modified Rate(s) became effective between the Parties as provided:
 - 1.2.1.1 If the Rate Change Notice is issued by a Party within ninety (90) calendar days after the effective date of any such order, the Modified Rate(s) will be deemed effective between the Parties as of the effective date of the order, and <u>AT&T-22STATE</u> will issue any adjustments that are appropriate (e.g., billing of additional charges, billing credit adjustments) to retroactively true-up the Modified Rate(s) with the Commission-established current Rate(s) for the period after the effective date of the order, in accordance herewith.
 - 1.2.1.2 In the event that neither Party issues a Rate Change Notice to the other Party with respect to an order, the Commission-established Non-Interim Rate(s) set forth in the Agreement shall continue to apply, notwithstanding the issuance of that order.
 - 1.2.1.3 In the event that a Party issues a Rate Change Notice under this Section 1.2 above, but not within ninety (90) calendar days after the effective date of the order, then the Modified Rate(s) will be deemed effective between the Parties as of the date the amendment incorporating such Modified Rate(s) into the Agreement is effective between the Parties (following the date the amendment is approved or is deemed to have been approved by the state commission), and shall apply, on a prospective basis only, upon the amendment effective date, on a prospective basis only. Further, the Party shall be foreclosed from replacing or otherwise superseding the Commission-established Current Rate(s) with the Modified Rate(s) if the terms and conditions of this Section 1.2 above were not part of an approved and effective agreement between the Parties at the time the order became effective, either Party may still give a Rate Change Notice, and the Modified Rate(s) shall be effective as of the date the Parties' Agreement (containing this Section 1.2,) becomes effective (following the date the Agreement is approved or deemed to have been approved by the



Commission) and shall apply, beginning on the Agreement's effective date, on a prospective basis only. Further, the Party shall be foreclosed from replacing or otherwise superseding the Commission-established current Rate(s) with the Modified Rate(s) for any period prior to the effective date of the Agreement containing this Section 1.2 above.

1.3 Replacement of Interim Rates

- 1.3.1 Certain of the rates, prices and charges set forth in this Agreement may be denoted as interim rates ("Current Interim Rates"). Upon the effective date of a Commission Order establishing non-interim rates for any rates, prices, charges, Interconnection Services specifically identified herein as interim, either Party may, within ninety (90) calendar days after the effective date of such Commission order, provide written notice ("Replacement Rate Notice") to the other Party that it wishes to obtain the new Commission-established rate(s) ("Replacement Rates") to replace and supersede the Interim Rate counterpart(s) in this Agreement. Following such Replacement Rate Notice, and without the need for any formal amendment or further Commission action, <u>AT&T-22STATE</u> will update CLEC's billing tables to replace the Current Interim Rates with their Replacement Rate(s) counterpart(s), as specified in the Replacement Rates and shall submit such amendment to the Commission for approval.
- 1.3.2 If the Replacement Rate Notice is given within ninety (90) calendar days after the effective date of such order, then the Replacement Rate(s) shall apply as of the effective date of the order and <u>AT&T-22STATE</u> will issue any adjustments that are appropriate (e.g., billing of additional charges, billing credit adjustments) to retroactively true-up the Replacement Rates with the Interim Rates for the period after the effective date of this Agreement, in accordance herewith.
- 1.3.3 In the event that neither Party issues a Rate Notice to the other Party with respect to an order, the Interim Rate(s) set forth in the Agreement shall continue to apply, notwithstanding the issuance of that order.
- 1.3.4 In the event that a Party issues a Rate Notice under this Section 1.3 above, but not within ninety (90) calendar days after the effective date of the order, then the Replacement Rate(s) will be deemed effective between the Parties as of the date the amendment incorporating such Replacement Rate(s) into the Agreement is effective between the Parties (following the date the amendment is approved or is deemed to have been approved by the Commission), and shall apply, upon the amendment effective date, on a prospective basis only. Further, the Party shall be foreclosed from replacing or otherwise superseding the Current Interim Rate(s) with the Replacement Rate(s) for any period prior to the effective date of such amendment.
- 1.3.5 In the event the terms and conditions of this Section 1.3 above were not part of an approved and effective agreement between the Parties at the time the order became effective, either Party may still give a Replacement Rate Notice, and the Replacement Rate(s) shall be effective as of the date the Parties' Agreement (the Agreement containing this Section 1.3 above) becomes effective (following the date the Agreement is approved or deemed to have been approved by the Commission) and shall apply, beginning on the Agreement's effective date, on a prospective basis only. Further, the Party shall be foreclosed from replacing or otherwise superseding the Current Interim Rate(s) with the Replacement Rate(s) for any period prior to the effective date of the Agreement containing this Section 1.3 above.
- 1.4 Notice to Adopting CLECs
 - 1.4.1 Notwithstanding anything to the contrary in this Pricing Schedule and Agreement, in the event that any other CLEC should seek to adopt the Agreement pursuant to Section 252(i) of the Act ("Adopting CLEC"), the Adopting CLEC would only be entitled to the current and/or interim rates set forth in this Agreement as of the date that the MFN'd Agreement provisions become effective between <u>AT&T-22STATE</u> and the Adopting CLEC (i.e. following the date the Commission approves or is deemed to have approved the Adopting CLEC's Section 252(i) adoption ("MFN Effective Date")) and on a prospective basis only. Nothing in this



Agreement shall entitle an Adopting CLEC to any retroactive application of any rates under this Agreement to any date prior to the MFN Effective Date and any adopting CLEC is foreclosed from making any such claim hereunder.

- 1.4.2 <u>AT&T-22STATE</u> obligation, under this Agreement, per the GT&C is to only provide Interconnection Services for which complete rates, terms and conditions are contained in this Agreement. Accordingly, to the extent CLEC orders a product or service for which there are not complete rates, terms and conditions contained in this Agreement, <u>AT&T-22STATE</u> may reject the order. CLEC must amend this Agreement to allow ordering of products and services for which complete rates, terms and conditions did not exist as of the Effective Date of the Agreement to the extent such product or service is still available at the time of the request. In the event that CLEC orders, and <u>AT&T-22STATE</u> provisions, a product or service to CLEC for which there are not complete rates, terms and conditions in this Agreement, then CLEC understands and agrees that one of the following will occur:
- 1.4.3 CLEC shall pay for the product or service provisioned to CLEC at the rates set forth in <u>AT&T-22STATE</u>'s applicable intrastate tariff(s) for the product or service or, to the extent there are no tariff rates, terms or conditions available for the product or service in the applicable state, then CLEC shall pay for the product or service at <u>AT&T-22STATE</u>'s current generic contract rate for the product or service set forth in <u>AT&T-22STATE</u>'s applicable state-specific generic Pricing Schedule as published on the AT&T CLEC Online website; or
- 1.4.4 CLEC will be billed and shall pay for the product or service as provided in Section 1.4.3 above, and <u>AT&T-22STATE</u> may, without further obligation, reject future orders and further provisioning of the product or service until such time as applicable rates, terms and conditions are incorporated into this Agreement as set forth in this Section 1.4.2 above. If CLEC and <u>AT&T-22STATE</u> cannot agree on rates, terms, and conditions either Party may institute the Dispute Resolution provisions as contained in the GT&Cs.
- 1.4.5 <u>AT&T-22STATE</u>'s provisioning of orders for such Interconnection Services is expressly subject to this Section 1.4.2 above, and in no way constitutes a waiver of <u>AT&T-22STATE</u>'s right to charge and collect payment for such products and/or services.
- 1.4.6 Where the rate for an **AT&T-22STATE** Interconnection Service is identified as a tariffed rate, any changes to the tariff rate shall be automatically incorporated into this Agreement. The issuance of a Commission Order approving such rate change shall be the only Notice required under this Agreement. Provided however, should a tariff or tariff rate, incorporated into this Agreement, be withdrawn or invalidated in any way during the term of this Agreement, the last rate in effect at the time of such withdrawal or invalidation shall continue to apply during the remaining term of this Agreement.
- 1.4.7 The Resale Discount applicable to purchases of Resold Services in each State is the current Commissionapproved rate. Any Commission approved or ordered change in the Resale discount for Resold Services shall be automatically incorporated into this Agreement for the state in which such Commission approves or orders the change. The issuance of the Commission Order approving such change shall be the only Notice required under this Agreement.
- 1.5 Establishment of "TBD" Rates
 - 1.5.1 When a rate, price or charge in this Agreement is noted as "To Be Determined" or "TBD" or no rate is shown, the Parties understand and agree that when a rate, price or charge is established by <u>AT&T-22STATE</u> for that Interconnection Service and incorporated into <u>AT&T-22STATE</u>'s current state-specific Generic Pricing Schedule as published on the AT&T CLEC Online website, that rate(s) ("Established Rate") shall automatically apply to the Interconnection Service provided under this Agreement back to the Effective Date of this Agreement as to any orders CLEC submitted and <u>AT&T-22STATE</u> provisioned for that Interconnection Service without the need for any additional modification(s) to this Agreement or further Commission action. <u>AT&T-22STATE</u> shall provide Written Notice to CLEC of the application of the rate,



price or charge that has been established, and the CLEC's billing tables will be updated to reflect (and CLEC will be charged) the Established Rate, and the Established Rate will be deemed effective between the Parties as of the Effective Date of the Agreement. The Parties shall negotiate a conforming amendment which shall reflect the Established Rate that applies to such Product or Service pursuant to this Section 1.5 above, and shall submit such Amendment to the State Commission for approval. In addition, as soon as is reasonably practicable after such Established Rate begins to apply, <u>AT&T-22STATE</u> shall bill CLEC to reflect the application of the Established Rate retroactively to the Effective Date of the Agreement between the Parties.

- 1.5.2 <u>AT&T-22STATE</u>'s provisioning of such orders for such Interconnection Services is expressly subject to this Section 1.5 above and in no way constitutes a waiver of <u>AT&T-22STATE</u>'s right to charge and collect payment for such Interconnection Services.
- 1.6 Recurring Charges
 - 1.6.1 Unless otherwise identified in the Pricing Tables, where rates are shown as monthly, a month will be defined as a thirty (30) day calendar month. The minimum term for each monthly rated Interconnection Services will be one (1) month. After the initial month, billing will be on the basis of whole or fractional months used. The minimum term for Interconnection Services, if applicable, will be specified in the rate tables included in this Attachment.
 - 1.6.2 Where rates are distance sensitive, the mileage will be calculated on the airline distance involved between the locations. To determine the rate to be billed <u>AT&T-22STATE</u> will first compute the mileage using the V&H coordinates method, as set forth in the National Exchange Carrier Association, Inc. Tariff FCC No 4. When the calculation results in a fraction of a mile, <u>AT&T-22STATE</u> will round up to the next whole mile before determining the mileage and applying rates.
- 1.7 Non-Recurring Charges:
 - 1.7.1 Where rates consist of usage sensitive charges or per occurrence charges, such rates are classified as "non-recurring charges."
 - 1.7.2 Consistent with FCC Rule 51.307(d), there may be non-recurring charges for each 251(c)(3) UNE.
 - 1.7.3 When CLEC converts an End-User currently receiving non-complex service from <u>AT&T-22STATE</u>, without any facilities rearrangements to <u>AT&T-22STATE</u>'s network, the normal service order charges and/or nonrecurring charges associated with said additions and/or changes will apply.
 - 1.7.4 CLEC shall pay the applicable service order processing/administration charge for each service order submitted by CLEC to <u>AT&T-22STATE</u> to process a request for installation, disconnection, rearrangement, change, or record order.
 - 1.7.5 In some cases, Commissions have ordered **<u>AT&T-22STATE</u>** to separate disconnect costs and installation costs into two separate nonrecurring charges. Accordingly, unless otherwise noted in this Agreement, the Commission-ordered disconnect charges will be applied at the time the disconnect activity is performed by **<u>AT&T-22STATE</u>**, regardless of whether or not a disconnect order is issued by CLEC.
 - 1.7.6 Time and Material charges (a.k.a. additional labor charges) are defined in the Price Schedule contained herein.
 - 1.7.7 Loop Zone charges are defined in the Price Schedule contained herein.

KANSAS PRICING SCHEDULE/ALL TRAFFIC

| | | c | 4 | 10 | 4 |
|---|--|--------|------------------------|-------------------|---------------------------------------|
| A | n | | 2 | Current Non- | Current Non- |
| | | | Current Monthly | Recurring Rate | Recurring Rate |
| I Product Type | - | usocs | Recurring Rate | (Initial) | (Addition |
| 2 Local Loops | Disconnect Loop from inside wiring, per NID | NRBND | | | ж |
| | 2-Wire Analog Zone 1 (Rural) | U21 | | \$ 28.45 | |
| 4 | 2-Wire Analog Zone 2 (Suburban) | U21 | | | A (|
| | | U21 | \$ 11.86 | \$ 28.45 | ∽~ |
| 6 | Conditioning for dB loss from 8db to 5db | 012 | | | A (|
| | 4-Wire Analog Zone 1(Rural) | U4H | \$ 41.76 | \$ 41.6U | <i>≁</i> ∙€ |
| <u>*</u> | 4-Wire Analog Zone 2 (Suburban) | U4H | | | |
| <u>6</u> | 4-Wire Analog Zone 3 (Urban) | 04H | | | A 6 |
| 10 | 2-Wire Digital Zone 1(Rural) | U20 | | 5 10.03 | A 6 |
| 11 | 2-Wire Digital Zone 2 (Suburban) | nza | | | <i>∩</i> € |
| 12 | 2-Wire Digital Zone 3 (Urban) | UZQ | | | ∕ , € |
| 13 | DS1 Loop Zone 1(Rural) | U4D1X | | | م و |
| 14 | DS1 Loop Zone 2 (Suburban) | U4D1X | | | |
| 15 | DS1 Loop Zone 3 (Urban) | U4D1X | • | | ÷ |
| 14 | DS31 on Zone 1 (Rural) | U4D3X | \$ 953.29 | | s |
| 17 | DS31 com Zone 2 (Subirthan) | U4D3X | \$ 946.01 | | s |
| 18 | DS31 non Zone 3 (Ithan) | U4D3X | | \$ 776.69 | \$ 343.67 |
| 10 Del Canabla I acana | | | | | |
| | DECH #4 - 2 (Mirov VCCI 000 - 2006 4 (D) (rol) | 2SI AX | | | S |
| | - 0 | 2SI AX | 13.64 | \$ 23.06 | \$ 10.88 |
| <u>-1</u> | | 2SLAX | \$ 11.86 | | 6 |
| 73 |) | | | | |
| | DSD #2 - 2-Wire vDSI non - Zone 1 (Bural) | 2SLCX | | | \$ 10.88 |
| <u>57</u> | P of RF 2-14 Net ADOLE LOUP - (1444) DEC #3 - 51 Wire ADOL - 70 a - 37 (51 hinthan) | 2SLCX | \$ 13.64 | \$ 23.06 | ഗ |
| 70 | 1:0 | 2SLCX | | | 6 |
| 07 | o E | | | | |
| | | JCI DY | ¢ 23.34 | \$ 23.06 | \$ 10.88 |
| + | | 23LUX | | \$ 23.06 |) (J |
| | | 251 BY | * 11.86 | \$ 23.06 | e e |
| 30 | PSD #3 - Z-Wire XUSL Loop - Zone 3 (Urban) | VGIEZ | | | • |
| <u>51</u> | | JEI DY | \$ 27 3V | | |
| <u>52</u> | | 2SLDX | * 13.64 | \$ 23.06 | • • |
| | PSD #4 - 2-Wile XUSL LOUP - Zuite X (Subuliari) DED #4 - 2 Wile XUSL LOOP - Zuite X (Subuliari) | 2SLDX | | | Ф |
| <u>34</u> | | | | | |
| <u>35</u> | PSD #52.Wire vDSI oon - Zone 1 (Rural) | U2F | \$ 23.34 | | Ь |
| 27 | PSD #5 - 2-Wire vDS1 1 000 - 7006 | U2F | \$ 13.64 | \$ 23.06 | \$ 10.88 |
| 38 | PSD #5 - 2-Wire xDSL Loop - Zone 3 (Urban) | U2F | \$ 11.86 | \$ 23.06 | |
| 39 | | | | | · · · · · · · · · · · · · · · · · · · |
| 40 | PSD #7 - 2-Wire xDSL Loop - Zone 1 (Rural) | 2SLFX | \$ 23.34 | \$ 23.06 | ю. |
| 41 | PSD #7 - 2-Wire xDSL Loop - Zone 2 (Suburban) | 2SLFX | | - | |
| 42 | PSD #7 - 2-Wire xDSL Loop - Zone 3 (Urban) | 2SLFX | پ | | A |
| 43 44 Mire VDSI 1 000 | PSD #3 - 4-Wire xDSI oon - Zone 1 (Rural) | 4SL1X | | | \$ |
| | | 4SL1X | \$ 23.94 | | \$ 23.00 |
| 46 | PSD #3 - 4-Wire xDSL Loop - Zone 3 (Urban) | 4SL1X | \$ 19.44 | \$ 47.60 | Ф |
| 47 | | | | | ÷ |
| 48 IDSL Capable Loops | DSL Loop Zone 1 (Rural) | UTSFX | | \$ 15.03 | 6.22 6.22 |
| 49 47 | IUSL LOOP ZONE Z (SUDUITDAN) IDST f AAA 7AAA 3 (I Irhan) | UYSFX | \$ 16.37 | \$ 15.03 | s S |
| 51 States and the second | | | | | |
| 52 Loop Qualification Process | Loop Qualification Process - Mechanized | NR98U | A/N | | |
| | Loop Qualification Process - Manual | NRBXU | N/A | 20.05 6 | |
| 54 DSL Conditioning Options | | NRBXV | A/N | | \$0.00 |
| | Incremental Removal of Repeater (> than 17.5 Kft same location/same cable) | | | CH.UO | • |
| 56 | Incremental Additional Removal of Repeater (> than 1/.5 Ktt same location/different cable) | | | \$0.00 \$40.50 | \$0,00 |
| 57 | Removal of Excessive bridged laps and repeaters horizontal Demoval of Excessive Bridged Tars and Parasitars /sthan 17.5k same location/same | | | | |
| 24 | | NRBTV | N/A | \$ 790.35 | \$0.00 |
| loc | (auto) | | | | |
| | | | | | |

CCCS 272 of 295

Version: 3Q08 - CLEC ICA 08/28/08

PAGE 1 OF 9

| l | | | | | | |
|------------|---|--|-----------------|-----------------|--------------------------------|--------------------------------|
| | Α | 8 | C | D | E | F |
| | | | | Current Monthly | Current Non- Recurring Rate | Current Non- Recurring Rate |
| | Product Type | Rate Element Description Incremental Additional Removal of Excessive Briddeed Tans and Repeaters (>than 17 5K same | usocs | Recurring Rate | (Initial) | (Additional) |
| 59 | | location/different cable) | NRBTW | | | \$0.00 |
| 89 | | Removal of Excessive Bridged Taps Incremental Removal of Excessive Bridged Tap (> than 17.5 Kft same Incation/same cable) | NRBXW NRRNK | N/A N/A | \$ 748.54 \$ 552.22 | \$0.00 \$0.00 |
| | | Incremental Additional Removal of Excessive Bridged Tap (> than 17.5 Kft.same location/different | | 1.1.1.1 | | |
| 33 | | cable) Domining Economics Bridgood Tono and Lood Callo | NRBNN | N/A | \$0.00 | \$0.00 |
| | | Incremental Removal of Load Coil & Excessive Bridge Tap (> than 17.5 Kft.same location/same | | | | 00.00 |
| 5 | | Cable) Incremental Additional Removal of Load Coil & Excessive Bridge Tap (> than 17.5 Kft.same | NRBM8 | NA | \$ /50.96 | \$0.00 |
| 65 | |) | NRBM9 | | | \$0.00 |
| 90 | | Removal of Load Coils | NRBXZ | Ϋ́́Α | \$ 883.94 For 53 | \$0.00 |
| 89 | 1 11 | Incremental Additional Removal of Load Coil (> than 17.5 Kft same location/different Cable) Incremental Additional Removal of Load Coil (> than 17.5 Kft same location/different Cable) | NKBNJ | | | \$0.00 |
| <u>8</u> 2 | Removal of All Bridged Tap RABT- MMP | | | | | |
| 17 | | Removal of non-excessive bridged tap DSL loops >0kft. And <17.5kft. | NRMRJ | N/A | \$ 552.22 | NA |
| 77 | | Kemoval of All Bridged 1 ap USL Loops 12ktt. 10 17.5ktt. | NKMKP | | | A/N |
| 51 | | Removal of non-excessive bridged tap DSL loops >17.5Ktt DSL Loops - per element incremental | NRMRS | | \$ 552.22 552.22 | \$ 552.22 |
| 75 | DSI. Cross Connects | Removal of All bridged 1 ap USL loops > 17.3Nrt per element incremental DSL Shielded Loop to Collocation | UXRRX | 3.26 | | 06-6 77-7cc \$ |
| 292 | 1 1 | 2-Wire DSL Non-Shielded Cross Connect Loop to Collocation (w/o testing) | UCX92 | 1.1 | 5 13.69 | |
| 102 | | 4-Wire USL Non-Shielded Cross Connect Loop to Collocation (w/o testing) | | 0.48 NVA | 5 20.45 186.32 | 3 13.8U |
| 20/ | 3 | Simole LST in the Feeder Cable | PENDING | | | \$ 24.60 |
| 80 | | Simple LST in the Distribution Cable | PENDING | 3 3 | | |
| <u></u> | | Complex LST in the Feeder Cable | | A/N A/N | \$ 102.85 • 00.95 | \$ 74.17 ¢ |
| 22 | | Complex LS1 in the Distribution Cable | PENDING | | | |
| 84 | Loop Cross Connects | | ucxc2 | 1.47 | | \$ 17.29 |
| \$ | | 2-Wire Analog Loop to Collocation (without testing) | UCXD2 | 0.24 | 17.29 | \$ 17.29 ¢ 35.72 |
| 8 2 2 | | 4-VVICE Analog Loop to Collocation 4-Mire Analon I oon to Collocation (without testing) | | 0.48 | | |
| 88 | | | (UCXC2) Pending | 2.95 | | |
| 68 | | 2-Wire Digital Loop to Collocation (without testing) | (UCXD2) Pending | 0.48 | | |
| 80 | | DS1 Loop to Collocation | | \$ 11.30 \$ | \$ 46.65 \$ | \$ 32.15 |
| 92 | Dedicated Transport (DT) | First Mile | OLINHS | 51.89 | • | |
| 6 | 1 | Mile | NLNHS | 44.59 | | |
| <u>7</u> | | DT-DS1 Interoffice Transport, First Mile - Zone 3 (Urban) | | 40.78 76 86 | 5 136.65 5 | \$ /8.80 \$ |
| 28 | | Each Add | ULNHS | 1.53 | | N/A |
| 97 | | Each | ULNHS | 0 | A/N | A/N |
| 80 | | DT-DS1 Interoffice Transport, Each Additional Mile - Zone 3 (Urban) | | 6.32 0.32 | | |
| 100 | | DT-DS1 Interontice rearisport, caurinorial wire - niterzone DT-DS3 Interoffice Transport. First Mite - Zone 1 (Rural) | ULNJS | ò | \$ 158.10 | |
| 0 | | First | OLNJS | 596.55 | | |
| 102 | | First Mile | NUJS | ÷ | \$ 158.10 | \$ 97.75 |
| <u> </u> | | First Mile - Interzone | | 02.21c | 01.801 | |
| 50 | | DT-DS3 Interollice Transport, Eacri Auguronal Wile - Zolie T (Kulla) DT-DS3 Interoffice Transport Fach Additional Mile - Zone 2 (Subirrhan) | | 1 | A/N | A/N |
| 106 | 6 | T-DS3 Interoffice Transport, Each Additional Mile - Zone 3 | NLNJS | | N/A | |
| 107 | | DT-DS3 Interoffice Transport, Each Additional Mile - Interzone | NLNJS | 2.85 | | |
| 108 | 08 Dedicated Transport Cross Connect | DS1 to Collocation | | 7.12 25.64 | \$ 98.50 \$ 75 | \$ 80.30 \$0.55 |
| | 10 Multiplexing | DS1 to VG | UM4BX | | \$ 288.90 | \$ 187.70 |
| Ξ | | DS3 to DS1 | UM4AX | 359.83 | \$ 1,736.35 | 5 1,202.10 |

CCCS 273 of 295

Version: 3Q08 - CLEC ICA 08/28/08

PAGE 2 OF 9

| A | | ں | 0 | Ш | ů. |
|---|--|-------|--|-------------------|----------------|
| | | , | | Current Non- | Current Non- |
| | | | Current Monthly | Recurring Rate | Recurring Rate |
| 1 Product Type | Rate Element Description | usocs | Recurring | (Initial) | (Additio |
| [112]Dark Fiber | Dark Fiber -Interoffice per strand | ULYCX | \$ 74.83 | \$ 340.24 | \$ 340.24 |
| [1]3 | Dark Fiber - interoffice per foot Zone 1 (Rural) | ULNCF | | A/N | |
| 114 | Dark Fiber - Interoffice per foot Zone 2 (Suburban) | ULNCF | | A/N | |
| 115 | Dark Fiber - Interoffice per foot Zone 3 (Urban) | ULNCF | \$ 0.003770 | A/N | |
| _ | Dark Fiber Cross Connect - Interoffice | UKCJX | \$ 1.71 | | \$ 59.97 |
| 117 | Dark Fiber - Interoffice Inquiry | NR9D6 | N/A | \$ 656.67 | \$ 656.67 |
| | | | | • | |
| 118 Cross Connects to Point of Access (POA) | 2-wire Analog Loop to POA - Method | UXRA1 | \$ 0.57 | \$ 92.05 | \$ 73.25 |
| 119 | | UXRA2 | the state of the second second second second | \$ 92.05 | |
| 1120 | 2-wire Analog Loop to POA - Method 3 | UXRA3 | | 26 | А |
| 121 Routine Modifications | Routine Modifications of Existing Facilities Charge | N3RUE | N/N | | |
| 122 Service Order Charges | Manual New - Simple | NRBUQ | A/N | \$ 12.35 | N/A |
| 123 | Manual Change - Simple | NRBUO | A/A | \$ 12.35 | N/A |
| | Manual Record - Simple | NRBUU | N/A | \$ 12.35 | NA |
| | Manual Disconnect - Simple | NKBUW | A/Z | \$ 12.30 | |
| 170 | Manual Expedited - Simple | | N/A VIA | 30.01 | |
| 12/ | Manual Customer Not Ready - Simple | CAMAN | | 0.21 6 7 25 | |
| 120 | wanual due date change of cancellation - Simple | | | 0.21 0.25 | |
| 120 | Manual New - Complex | | | 40 12 35 | • |
| 131 | Manual Diange - Compres | VIBAN | | \$ 12.35 | • |
| 132 | Manual Disconnect - Complex Manual Disconnect - Complex | NRBUX | NA | \$ 12.35 | |
| 133 | Manual Evondited - Complex | NRMV2 | N/A | | |
| 13.1 | Marinal Chertonica Soningers Marinal Chertonica Nort Baardus, Commax | NEMVE | N/A | | |
| 135 | Manual Due Date Change of Cancellation - Complex Manual Due Date Change of Cancellation - Complex | NRMV4 | NA | \$ 12.35 | |
| 136 | | NR9W2 | N/A | | |
| 137 | Flactronic Naw - Complex | NRBGX | N/A | | • • • • • • • |
| 138 | Electronic Change - Simple | NR9GG | N/A | | |
| 139 | Electronic Change - Complex | NR9G8 | N/A | \$ 77.53 | |
| | Electronic Record - Simple | NR9GU | N/A | \$ 2.35 | N/A |
| | Electronic Record - Complex | NR9G7 | N/A | | |
| 142 | Electronic Disconnect - Simple | NR9GZ | NA | \$ 2.35 | |
| | Electronic Disconnect - Complex | NR9G9 | N/A | | |
| | Electronic Expedited - Simple | NRMV7 | N/A | | |
| | | NRMVX | A/N | | |
| 146 | Electronic Customer Not Ready - Simple | NRMV9 | N/N | | |
| i | Electronic Customer Not Ready - Complex | | N/N V/N | 4 2.33 | |
| | Electronic Due Date Change or Cancellation Simple - | | | | N/A |
| <u>144</u> | Electronic Due Date Change of Caricellation Complex | | N/A | 500 | A/A |
| | | | | | |
| - | Directory Assistance (DA) - per call | ZZU03 | | NVA | |
| 153 | Directory Assistance (DA) - per call | ZZU04 | | N/A | |
| 154 | Directory Assistance Call Completion (DACC) - per call | ZZNOZ | \$ 0.15 | N/A | N/A |
| 155 | National Directory Assistance (NDA) | 50022 | 4 0.00 | | |
| 1)C1 | National Directory Assistance (NUA) Directory Accietance Non Dirk Emergency Senice | N/A | | N/A | |
| 158 | Directory Assistance - Rranding - Initial/Subsequent I ad | NRBDG | | \$ 1,800.00 | \$ 1,800.00 |
| 159 | Directory Assistance - Branding Per call | ZZUCB | \$ 0.030 | | |
| 1600 | | | | | |
| 161 | Directory Assistance - Rate Reference Initial Load | NRBDL | NA | \$ 5,000.00 | |
| 162 | Directory Assistance - Rate Reference - Subsequent Load | NKBUM | C O OFOE | | ÷ |
| 103 | Directory Assistance Listings (UAL)-Initial Load, per listing | | • | A/N | |
| 165 | 1.1 | NA | | N/A | • |
| 166 | | ZZUOB | | N/A | |
| 167 | Reverse Directory Assistance (RDA) | ZZU08 | \$ 0.65 | N/A | N/A |
| 168 | Reverse Directory Assistance (RDA) | 60NZZ | | N/A | N/A |

CCCS 274 of 295

Version: 3Q08 - CLEC ICA 08/28/08

PAGE 3 OF 9

CCCS 275 of 295

Version: 3008 - CLEC ICA 08/28/08

| A | | ر | | <u>п</u> | (<u>1</u> |
|--|--|---|-----------------------------------|--|----------------|
| | | , | | Current Non- | Current Non- |
| Product Type | Rate Flamant Description | SUCSI | Current Monthly Recurring Rate | Recurring Rate | Recurring Rate |
| 169 Operator Services | Operated Services - Fully Automated Call Processing (Per completed automated call) | zzuo1 | vecuring | VINUAL N/A | |
| 170 | Operator Services - Operator Assisted Call Processing (Per work second) | ZZUO2 | \$ 0.03 | | |
| 171 | Operator Services - Branding - Initial/Subsequent Load | NRBDG | | \$ 1,800.00 | \$ 1,800 |
| <u> 1/1</u> | Operator Services - Branding Per call | ZZUCB | \$ 0.030 | | |
| <u>VLI</u> | Operator Services - Rate Reterence mular Load Descriptions - Data Defension - Schooming Load | NRDUL | | | ¢ 1 500.00 |
| 175 | Operation Services - Mate Reletione - Subsequent Load | | | | - - |
| 176 Emergency Services | For each DS0 E911 Trunk Terminated | · · · · · · · · · · · · · · · · · · · | \$ 22.86 | \$ 312.00 | \$ |
| 177 Miscellaneous | NXX Migration - Migration Charge per NXX | N/A | | 10,000 | |
| 8/1 | Provision of Message Detail a.k.a. Daily Usage File (DUF) | ASBS | 0.0 | N/N | |
| 179 BCR | message | N/A | \$ 0.050 | A/N | N/N |
| 180 | Per local message | N/A | \$ 0.080 | N/A | |
| 182 Clearinghouse | CH processing charge for service - per originated CH record | N/A | \$ 0.020 | A/N | N/A |
| | m | NA | \$ 0.050 | NA | |
| 184 Maintenance of Service Charges & Non- | - | | | | |
| 185 Productive Dispatch | Basic Time - per half hour | MV | N/A | | |
| 86 | | MV | N/A | | |
| : | Premium Time - per half hour | ×w | N/A | \$ 93.25 | |
| 1881 I Ime and Materials Charges | Basic lime - per hait hour | ALK | N/A M/A | | |
| 100 | . basic 1 ime - per naii nour Rasic Time - nar haif hour | AL I | N/A | | \$ 29.97 |
| <u>91</u> | oasici nine yeu nan nou Overlime - ner half hour | ALK | NA | | |
| <u>92</u> | Overtime - per half hour | ALT | N/A | | |
| 93 | Overtime - per half hour | АЦН | N/A | | \$ 37.70 |
| 94 | Premium Time - per half hour | Υ Έ | A/N | | |
| <u>95</u> 04 | Premium Time - per half hour | AL AL | N/N N/D | \$ 93.25 \$ | \$ 45.42 |
| 70 97 | | | | | |
| 98 Pole and Duct | Poles (\$/attachment/yr.)* ## | | \$ 1.14 | | |
| 199 (Structure) | Doe East Association and the fact of the second factor of the second fac | | | | |
| 10 | Fer Foot Contaut Occupancy Fees ## Full Duct (\$/ft/vr.) | | \$ 0.60 | | - |
| 202 | Half Duct (\$/ttt/yr) | | \$ 0.30 | | |
| 203 | Contract Administration Fee | | | \$ 125.00 | |
| <u>204 </u> 205 | Administrative Record-Keeping Fee | | | \$ 125.00 | |
| | | | | 5 Times the Annual | |
| 206 | Unauthorized Attachment Fee | | | Rate per Pole | |
| | | | | 5 Times the Annual Rate per Conduit | |
| 207 | Unauthorized Occupancy Fee | - | - | Foot | |
| 208 | * For(1) each one foot of usable space, or fraction thereof, occupied and (2) each additional one foot of space, or | or | | | - |
| 209 | fraction thereof, rendered unusable by the attachment's presence. | an i se e serveratemente e e serveratemente es e server e | | | |
| 210 | ## Note: All pole and conduit license fees are for a period of one year from January 1 thru December 31, | | | | |
| | effective January 1, 2005 and billable semi-annually in advance in January and July of each year. Now revease will be communicated to CLEC no later than Newember 1st for the surceeding year. | | | | |
| 13 | | | | · · · · · · · · · · · · · · · · · · · | |
| 214 INTERCARRIER COMPENSATION | Section 251(b)(5) Traffic as per FCC 01-131, per MOU | ZZUR2 | \$ 0.0007 | N/A | N/A |
| | Optional EAS Transport and Termination Der MOI | ZZUR2 | 0 | N/A | NA |
| | | · · · · · · · · · · · · · · · · · · · | | | |
| 218 BONA FIDE REQUEST | Deposit | OPEN | | \$2,000.00 | |
| | | | | | |

KANSAS PRICING SCHEDULE/ALL TRAFFIC

PAGE 4 OF 9

| Induct Type Tomont Type Current Memory Current Memor | Product Type RESALE - Uniform Rate Structure Businees LOCAL EXCHANGE SERVICE LOCAL EXCHANGE SERVICE LOCAL SERVICES | Rate Element Description | | Current Non- Recurring Rate | Current Non- Recurring Rate |
|--|---|--|--------|--------------------------------|--------------------------------|
| Fonds Type Restart Type <th>Product Type RESALE - Uniform Rate Structure Business LOCAL EXCHANGE SERVICE LOCAL EXCHANGE SERVICE LOCAL SERVICES</th> <th>Rate Element Description</th> <th></th> <th>Kecurring Kate</th> <th>Kecurring Kate</th> | Product Type RESALE - Uniform Rate Structure Business LOCAL EXCHANGE SERVICE LOCAL EXCHANGE SERVICE LOCAL SERVICES | Rate Element Description | | Kecurring Kate | Kecurring Kate |
| Restant Environment 2000 Coold, Ecolovice Eleryce Environment 2000 Ecolovice Eleryce Ecolovice Eleryce 2000 Ecolovice Eleryce <th>RESALE - Uniform Rate Structure Business LOCAL EXCHANGE SERVICE EXPANDED LOCAL CALLING ERPANDED LOCAL CALLING</th> <th>ssi Party ••••••••••••••••••••••••••••••••••••</th> <th></th> <th>(Initial)</th> <th>(munuel)</th> | RESALE - Uniform Rate Structure Business LOCAL EXCHANGE SERVICE EXPANDED LOCAL CALLING ERPANDED LOCAL CALLING | ssi Party •••••••••••••••••••••••••••••••••••• | | (Initial) | (munuel) |
| Definition Environment 21000 Environment 21000 21000 Environment Environment 21000 Environment E | Business LOCAL EXCHANGE SERVICE EXPANDED LOCAL CALLING VERTICAL SERVICES | ss 1 Party se Aniti I | | | |
| Butter at the state of the state at the stat | EXPANDED LOCAL CALLING | ss 1 Party cc Abilit i.o. | | | |
| Erements 21000 Erements Description Erements 21000 Erement | EXPANDED LOCAL CALLING VERTICAL SERVICES | | 21.60% | | N/A |
| PERMOED LOOAL CALLING Contents for an end of a | EXPANDED LOCAL CALLING | | 21.60% | | N/A |
| Transmission 21000 ERMUEED LOOAL CALLING Transmission 21000 ERMUEED LOOAL CALLING Montery Exercitions Service 21000 ERMUEED LOOAL CALLING Montery Exercitions Service 21000 ERMUEED LOOAL CALLING Montery Exercitions Service 21000 VERT CALL Montery Exercitions Service 21000 ERMUEED LOOAL CALLING Montery Exercitions Service 21000 VERT CALL Montery Exercitions Service 21000 ERMUEED LOOAL CALLING Montery Exercitions Service 21000 ERMUEED EXERCITION Exercitions Service 21000 ERMUEED EXERCITION Service Exercitions Service 21000 ERMUEED EXERCITION Service Exercitions Service 21000 ERMUEED EXERCINES Service Exerci | EXPANDED LOCAL CALLING | ss Message Rate 1-Party oor Onerstad Day Tolonhono Sonino | 21.60% | | |
| Exervacional districtiones, Aleva en al Clamages 21006 Exervacione Connectiones, Aleva en al Clamages 21006 Exervaciones Connectiones, Aleva en al Clamages 21006 Exervaciones Connectiones, Aleva en al Clamages 21006 Restantos 21006 | EXPANDED LOCAL CALLING VERTICAL SERVICES | nel operated ray releptione service molifier | 21.60% | | |
| Erection Connections, Nove and Changes 2106 Erection Connections, Nove and Changes 2100 Erection Connections, Nove and Changes 2100 Methods (and when the connections) and second calling methods 2100 VERTICAL SERVICES Methods (and when the connections) and second calling methods 2100 VERTICAL SERVICES Methods (and when the connections) and second calling methods 2100 VERTICAL SERVICES And second calling methods 2100 Call Board Call Board 2100 Call Ward Call Board 2100 Call Ward Call Ward 2100 Cal | EXPANDED LOCAL CALLING | Response Calling Service | 21.60% | | |
| Exervace Connections. More and Changes 21 60% Exervace Connections. More and Changes 21 60% Mandary Fcand Lical Calling 21 60% Call Fcandaria 21 60% Feandaria 21 60% Feandaria 21 60% Feandaria 21 60% Feandaria | EXPANDED LOCAL CALLING VERTICAL SERVICES | | 21.60% | | |
| ExPANDED LOCAL CALLING Mandationy Extend Calling Area 2160% NERTICIAL SERVICES Ana National Calling Area 2160% VERTICIAL SERVICES Ana National Calling Area 2160% Call Forwarding Dirit Area 2160% Provarding Dirit Area 2160% Provarding Dirit Area 2160% <tr< td=""><td>EXPANDED LOCAL CALLING</td><td></td><td>21.60%</td><td></td><td>A/N</td></tr<> | EXPANDED LOCAL CALLING | | 21.60% | | A/N |
| Mander Caling Area 2100 Baserio Optional Caling Area 2100 Marco Sin 2100 Cali Evenating - Buy Line 2100 Cali Round Caling Areas 2100 <td>VERTICAL SERVICES</td> <td>And the second s 1 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3</td> <td>1</td> <td></td> <td></td> | VERTICAL SERVICES | And the second s 1 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 | 1 | | |
| Mercefilia Basiotri Optional Caling Area 210% VERTICAL SERVICES Auto Receptias 210% VERTICAL SERVICES Auto Receptias 210% VERTICAL SERVICES Auto Receptias 210% Call Forwarding - Basy Line 210% 210% Presonalized Ring (desencent number) | VERTICAL SERVICES | tory Extend Local Calling | 21.60% | | N/A |
| VERTICAL SERVICES Mano Fedal Constraints and c | VERTICAL SERVICES | r Optional Calling Area | 21.60% | | N/A |
| VERTICUL SERVICES And Redai Auto Redai Call Forwarding - Busy Line Call Forwarding - Busy Line Differ the Call Forwarding - Busy Line Differ Line May Calling - Busy Line Differ Line May Calling - Busy Line Differ Line May Calling - Busy Line - Calegory 2] Differ Line May Calling - Busy Line - Calegory 2] Differ Line May Calling - Busy Line - Calegory 2] Differ Line May Calling - Busy Line - Calegory 2] Differ Line May Calling - Busy Line - Calegory 2] Differ Line May Calling - Busy Line - Calegory 2] Differ Line May Calling - Busy Line - Calegory 2] Differ Line May Calling - Busy Line - Calegory 2] Differ Line May Calling - Busy Line - Calegory 2] Differ Line May Calling - Busy Line - Calegory 2] Differ Line May Calling - Busy Line - Calegory 2] Differ Line May Calling - Busy Line - Calegory 2] Differ Line May Calling - Busy Line - May Calling - Calegory 2] Differ Line May Calling - Calegory 2] Differ Line May Calling - Busy Line - Calegory 2] Differ Line May Calling - Calegory 2] Differ Line May Calling - Calegory 2] Differ Line May Call - Calegory 2] Differ Line - Call - Cale | VERTICAL SERVICES | | 21.60% | | A/N |
| Call Booker 2180 Call Booker 2180 Call Forwarding 8000 (Answer Call Total 8000 (Answer < | | | | | |
| Diff Call Forwarding State State 2100% Call Forwarding Extrementing 2100% Call Forwarding Extrementing 2100% Call Forwarding Don'Answer 2100% Call Reputing Call Name 2100% Call Reputing Call Name 2100% Call Name Call Name 2100% Call Name Call Name 2100% Call Name Call Name 2100% Presonalized Ring (1 dependent number) 2100% 2100% Presonalized Ring (2 dependent number) 2100% 2100% Proviny Call Provacing 2100% Steed Call Forwarding Steed Call Forwarding 2100% | | | 21.60% | | N/A |
| Call Frowarding - Bay Line Call Trate 2100 Call Frowarding - Bay Line Call Fromarding - Bay Line Call Trate 2100 Call Frowarding - Bay Line Call Trate 2100 Call Trate | | | 21.60% | | N/A |
| Call Forwarding - Busy LineDon Call Forwarding - Don't Answer Call Return Call Return Call Return Call Return Call Warme Call | | rwarding | | | N/A |
| Differenting Call Forwarding Differenting 2100% Call Forwarding Diff Number 2100% Call Round Call Round 2100% Call Round Diff Off Number 2100% Personalized Ring (2 dependent numbers - 1st number) 2100% Presonalized Ring (2 dependent numbers - 2nd number) 2100% Presonalized Ring (2 dependent numbers - 2nd number) 2100% Presonalized Ring (2 dependent numbers - 1st number) 2100% Presonalized Ring (2 dependent numbers - 1st number) 2100% Presonalized Ring (2 dependent numbers - 2nd number) 2100% Presonalized Ring (2 dependent numbers - 2nd number) 2100% Presonalized Ring (2 dependent numbers - 2nd number) 2100% Presonalized Ring (2 dependent numbers - 2nd number) 2100% Presonalized Ring (2 dependent numbers - 2nd number) 2100% Statter (0 coaregory 1) 2100% Diff (1 number) 2100% Diff (1 number) 2100% Diff (1 number) | | rwarding - Busy Line | 21.60% | | N/A |
| Difference Call Forwarding - Dori Answer 21 60% Call Forwarding - Dori Answer 21 60% Call Trace 21 10% Personalized Traj (2 dependent numbers - 2nd number) 21 60% Priority Call 21 10% Storing Call Forwarding 21 10% Storing Call Forwarding 21 10% Storing Call Forwarding 21 10% Differ Trace 21 10% </td <td></td> <td>rwarding - Busy Line/Don't Answer</td> <td>21 60%</td> <td></td> <td>N/N</td> | | rwarding - Busy Line/Don't Answer | 21 60% | | N/N |
| Diff Call Taken 21 60% Personalized Ring (2 dependent number) 21 60% Selective Cares Occale Powerding 21 60% Selective Care Powerding 21 60% Din (Fits Block of 10 - Calegory 1) 21 60% Din (Fits Block of 10 - Calegory 1) 21 60% Din (Fits Block of 10 - Calegory 2) 21 60% Din (Fits Block of 10 - Calegory 2) 21 60% Din (Fits Block of 10 - Calegory 1) 21 60% Din (Fits Block of 10 - Calegory | | rwarding - Don't Answer | 21.60% | | A/N |
| Diff Diff Diff Diff Diff Diff Diff Diff Diff Diff Diff Diff Diff Diff Diff Diff Diff Diff Diff Diff Diff Diff Diff Diff Diff Diff Diff Diff Diff Diff Diff Diff Diff Diff Diff Diff Callegoy Diff Diff Diff Diff Callegoy Diff Diff Diff Diff Diff Callegoy Diff Diff Diff Diff Callegoy Diff Callegoy Diff Diff Diff Callegoy Diff Callegoy Diff Diff Diff Callegoy Diff Callegoy Diff Diff Diff Callegoy Diff Caleg | | mn | 21.60% | | |
| Diff Caliny Name 2100% Caliny Name 2100% Personalized Ring (1 dependent number) 2100% Personalized Ring (2 dependent number) 2100% Selective 2100% Selective Cali Forwarding 2100% Selective Caling 2100% Did (First Bock of 100 - Category 1) 2100% Did (First Bock of 100 - Category 1) 2100% Did (First Bock of 100 - Category 1) 2100% Did (First Bock of 10 - Category 1) 2100% Did (First Bock of 10 - Category 1) 2100% Did (First Bock of 10 - Category 1) 2100% Did (First Bock of 10 - Category 1) 2100% Did (First Bock of 10 - Category 1) 2100% Did (First Bock of 10 - Category 2) 2100% Did (First Bock of 10 - Category 2) 2100% Did (F | | ace | 21.00% | | |
| Calling Number 2100% Personalized Ring (1 dependent numbers) 2100% Personalized Ring (2 dependent numbers) 2100% Rende Access to Calling 2100% Simultaneous Call Forwarding 2100% Simultaneous Calling 2100% Din Din 2100% Din Din (First Block of 10 Calegory 1) 2100% Din Din (First Block of 10 Calegory 1) 2100% Din Din (First Block of 10 Calegory 2) 2100% Din Din (First Block of 10 Calegory 2) 2100% Din (First Block of 10 Calegory 2) 2100% Din (First Block of 10 Calegory 2) 2100% Din (First Block of 10. Calegory 2) 2100% <td< td=""><td></td><td></td><td>21.60%</td><td></td><td>N/A</td></td<> | | | 21.60% | | N/A |
| Perovalizied Ring (a dependent numbers - 1st number) 2160% Personalizied Ring (2 dependent numbers - 2nd number) 2160% Personalizied Ring (2 dependent numbers - 2nd number) 2160% Personalized Ring (2 dependent numbers - 2nd number) 2160% Personalized Ring (2 dependent numbers - 2nd number) 2160% Remote Access to Call Forwarding 2160% Steature Calling 2160% Speed Calling 2160% Dil Dil (First Block of 10 - Category 1) 2160% Dil Dil (First Block of 10 - Category 1) 2160% Dil (First Block of 10 - Category 1) 2160% Dil (First Block of 10 - Category 1) 2160% Dil (First Block of 10 - Category 2) 2160% Dil (First Block of 10 - Category 2) 2160% Dil (First Block of 10 - Category 1) 2160% Dil (First Block of 10 - Category 2) 2160% Dil (First Block of 10 - Category 2) 2160% Dil (First Block of 10 - Category 2) 2160% Dil (First Block of 10 - Category 2) 2160% Dil (First Block of 10 - Category 2) 2160% Dil (First Block of 10 - Category 2) 2160% Dil (First Block of 10 - Category 2) 2160% Dil (First Block of 10 - Category 2) 2160% Dil (First Block of 10 - Cat | | | | | N/A |
| Dib 21.60% Personalized Ring (2 dependent numbers - 2nd number) 21.60% Priority Call 21.60% Priority Call 21.60% Priority Call 21.60% Priority Call 21.60% Selective Acress of Call Forwarding 21.60% Selective Acress Call Forwarding 21.60% Selective Acress Call Forwarding 21.60% Dib Dib 21.60% Dib Dib (First Block of 100 - Calegory 1) 21.60% Dib Dib (First Block of 100 - Calegory 1) 21.60% Dib Dib (First Block of 100 - Calegory 1) 21.60% Dib Dib (First Block of 100 - Calegory 2) 21.60% Dib Dib (First Block of 100 - Calegory 2) 21.60% Dib Distribution of the first 100 - Calegory 2) 21.60% Dib Dib (First Block of 100 - Calegory 2) 21.60% Dib Dib (First Block of 100 - Calegory 2) 21.60% Dib Dib (First Block of 100 - Calegory 2) 21.60% Dib Dib (First Block of 100 - Calegory 2) 21.60% Dib Dib Distribution 21.60% Dib Distribution of the first 100 - Calegory 2) 21.60% Dib Dib Dib 21.60% | | alized Ring (1 dependent number) | | | N/A |
| Diority Call Personalized Ring (2 dependent numbers - 2nd number) 21 60% Priority Call Priority (2 dependent numbers - 2nd number) 21 60% Remole Access to Call Forwarding 21 60% Remole Access to Call Forwarding 21 60% Simultaneous Call Forwarding 21 60% Simultaneous Call Forwarding 21 60% Did Did 21 60% Three Way Calling 21 60% Did Did 21 60% Did Did< | | alized Ring (2 dependent numbers - 1st number) | 21.60% | | N/A |
| Dip 21.60% Renote Actess to Call Forwarding 21.60% Selective Call Forwarding 21.60% Selective Call Forwarding 21.60% Simultaneous Call Forwarding 21.60% Dip Dip (First Block of 100 - Category 1) 21.60% DiD Dip (First Block of 100 - Category 1) 21.60% DiD (First Block of 100 - Category 1) DiD (First Block of 100 - Category 1) 21.60% DiD (First Block of 100 - Category 1) DiD (First Block of 100 - Category 1) 21.60% DiD (First Block of 100 - Category 1) DiD (First Block of 100 - Category 1) 21.60% DiD (First Block of 100 - Category 1) DiD (First Block of 100 - Category 1) 21.60% DiD (First Block of 100 - Category 1) DiD (With Dual-Tone Multirequence) 21.60% DiD (Kat and kortework access line) DiD (Kat and kortework access line) 21.60% DiD (Stit trunk or network access line) DiD (Stit trunk or network access line) 21.60% PRUMKS Analog Trunks Analog Trunks 21.60% PloiteMinterquence 21.60% 21.60% | | alized Ring (2 dependent numbers - 2nd number) | 21.60% | 21 | N/A |
| DID Sterone scoral rowarding 21.60% Simultaneous Call Forwarding 21.60% Simultaneous Call Forwarding 21.60% Simultaneous Calling 21.60% DiD Three May Calling 21.60% DiD Erist Block of 100 - Category 1) 21.60% DiD Erist Block of 100 - Category 1) 21.60% DiD Erist Block of 100 - Category 1) 21.60% DiD Erist Block of 10 - Category 2) 21.60% DiD Erist Block of 10 - Category 2) 21.60% DiD Erist Block of 10 - Category 2) 21.60% DiD Erist Block of 10 - Category 2) 21.60% DiD Erist Block of 10 - Category 2) 21.60% DiD Erist Block of 10 - Category 2) 21.60% DiD Erist Block of 10 - Category 2) 21.60% DiD Erist Block of 10 - Category 2) 21.60% DiD Erist Block of 10 - Category 2) 21.60% DiD Erist Block of 10 - Category 2) 21.60% DiD Erist Block of 10 - Category 2) 21.60% DiD Erist Block of 10 - Category 2) 21.60% DiD Erist Block of 10 - Category 2) 21.60% DiD Erist Block of 10 - Category 2) 21.60% </td <td></td> <td>Call</td> <td>21.60%</td> <td>12</td> <td></td> | | Call | 21.60% | 12 | |
| DID Simultaneous Call Forwarding 21.60% Speed Calling 21.60% Three Way Calling 21.60% Three Way Calling 21.60% DiD First Block of 100 - Category 1) 21.60% DiD Erist Block of 100 - Category 1) 21.60% DiD Ea adi. block of 10 after first 10 - Category 1) 21.60% DiD Ea adi. block of 10 after first 100 - Category 2) 21.60% DiD Ea adi. block of 10 after first 100 - Category 2) 21.60% DiD Ea adi. block of 10 after first 100 - Category 2) 21.60% DiD Ea adi. block of 10 after first 100 - Category 2) 21.60% DiD Ea adi. block of 10 after first 100 - Category 2) 21.60% DiD Ea adi. block of 10 after first 100 - Category 2) 21.60% DiD Ea adi. block of 10 assigned over 1st 100 - Category 2) 21.60% DiD Kith Multifrequency) 21.60% DiD (filt thru 50th trunk or network access line) 21.60% DiD (filt trunk or network access line) 21.60% DiD (f | | s Access to Call Forwarding | %09.17 | 17 | |
| DID Speed Calling 21.60% Three Way Calling 21.60% Three Way Calling 21.60% DID (First Block of 10 - Category 1) 21.60% DID (First Block of 10 - Category 1) 21.60% DID (First Block of 10 - Category 1) 21.60% DID (Ea adt, block of 10 after first 10 - Category 2) 21.60% DID (Ea adt, block of 10 after first 100 - Category 2) 21.60% DID (Ea adt, block of 10 astigned over 1st 100 - Category 2) 21.60% DID (Ea adt, block of 10 astigned over 1st 100 - Category 2) 21.60% DID (Ea adt, block of 10 astigned over 1st 100 - Category 2) 21.60% DID (Ea adt, block of 10 astigned over 1st 100 - Category 2) 21.60% DID (Ea adt, block of 10 astigned over 1st 100 - Category 2) 21.60% DID (attributed cover 1st 100 - Category 2) 21.60% DID (attributed cover 1st 100 - Category 2) 21.60% DID (with bluat-Tone Multifrequency) 21.60% DID (attributed cover science) 21.60% | the second se | ve Cail Forwarding moories Cail Forwarding | 21.60% | 21 | A/A |
| DID DID (First Block of 100 - Category 1) 2160% DID (First Block of 100 - Category 1) 2160% DID (Far adi. block of 100 - Category 1) 2160% DID (Far adi. block of 100 - Category 1) 2160% DID (Far adi. block of 100 after first 100 - Category 2) 2160% DID (Far adi. block of 100 after first 100 - Category 2) 2160% DID (Far adi. block of 100 after first 100 - Category 2) 2160% DID (Far adi. block of 100 after first 100 - Category 2) 2160% DID (Far adi. block of 100 after first 100 - Category 2) 2160% DID (Far adi. block of 100 after first 100 - Category 2) 2160% DID (Far adi. block of 100 after first 100 - Category 2) 2160% DID (Far adi. block of 100 after first 100 - Category 2) 2160% DID (Far adi. block of 100 after first 100 - Category 2) 2160% DID (far adi. block of 100 after first 100 - Category 2) 2160% DID (far adi. block of 100 after first 100 - Category 2) 2160% DID (far to franks of access line) 2160% DID (far tark or network access line) 2160% DID (far tarks 2160% <td>and the second second</td> <td>caling</td> <td></td> <td>21.60%</td> <td>N/A</td> | and the second | caling | | 21.60% | N/A |
| DID (First Block of 100 - Category 1) 21,60% DID (First Block of 10 - Category 1) 21,60% DID (First Block of 10 - Category 1) 21,60% DID (First Block of 10 after first 100 - Category 2) 21,60% DID (First Block of 10 assigned over 1st 100 - Category 2) 21,60% DID (First Block of 10 assigned over 1st 100 - Category 2) 21,60% DID (With Dual-Tone Multifrequency) 21,60% DID (with Dual-Tone Multifrequency) 21,60% DID (with Dual-Tone Multifrequency) 21,60% DID (fit thru 50th trunk or network access line) 21,60% DID (fit thru 50th trunk or network access line) 21,60% DID (fit thru 60th trunk or network access line) 21,60% DID (fit thru 50th trunk or network access line) 21,60% DID (fit thru 50th trunk or network access line) 21,60% DID (fit trunk or network | | illing | 21.60% | 21.60% | N/A |
| DID (First Block of 100 - Category 1) 21.60% DID (First Block of 10 after first 10 - Category 1) 21.60% DID (Ea. adi. block of 10 after first 10 - Category 2) 21.60% DID (Ea. adi. block of 10 after first 100 - Category 2) 21.60% DID (Ea. adi. block of 10 assigned over 1 st 100 - Category 2) 21.60% DID (Ea. adi. block of 10 assigned over 1 st 100 - Category 2) 21.60% DID (mith Dual-Tone Multificquency) 21.60% DID (with Dual-Tone Multifiequency) 21.60% DID (111 thruck or network access line) 21.60% DID (51 st trunk or network access line) 21.60% DID (51 st trunk or network access line) 21.60% DID (51 st trunk or network access line) 21.60% DID (51 st trunk or network access line) 21.60% DID (51 st trunk or network access line) 21.60% DID (51 st trunk or network access line) 21.60% DID (51 st trunk or network access line) 21.60% DID (51 st trunk or network access line) 21.60% DID (51 st trunk or network access line) 21.60% DID (51 st trunk or network access line) 21.60% DID (51 st trunk or network access line) 21.60% DID (51 st trunk or network access line) 21.60% DID (51 st trunk or network access line) 21.60% D | | | | | |
| DID (First Block of 10 - Category 1) 2160% DID (Ea. adi. block of 10 after first 10 - Category 2) 21.60% DID (Ea. adi. block of 10 aster first 100 - Category 2) 21.60% DID (Ea. adi. block of 10 assigned over 1st 100 - Category 2) 21.60% DID (Fa. adi. block of 10 assigned over 1st 100 - Category 2) 21.60% DID (with Dual-Tone Multifrequency) 21.60% DID (with Dual-Tone Multifrequency) 21.60% DID (1st 10 Trunks or access line) 21.60% DID (1st 10 trunk or network access line) 21.60% DID (1st 10 trunk or network access line) 21.60% DID (1st 10 trunk or network access line) 21.60% DID (1st 10 trunks or network access line) 21.60% DID (1st 10 trunks or network access line) 21.60% DID (1st 10 trunks or network access line) 21.60% DID (1st 10 trunks or network access line) 21.60% DID (1st 10 trunks or network access line) 21.60% DID (1st 10 trunks or network access line) 21.60% DID (1st 10 trunks 21.60% | | rst Block of 100 - Category 1) | 21.60% | | N/A |
| DID (Ea. adl. block of 10 after first 10 - Category 1) 21.60% DID (Ea. adl. block of 100 after first 100 - Category 2) 21.60% DID (with Multifrequency) 21.60% DID (with Dual-Tone Multifrequency) 21.60% DID (with Dual-Tone Multifrequency) 21.60% DID (vith Dual-Tone Multifrequency) 21.60% DID (vith Dual-Tone Multifrequency) 21.60% DID (11th thru 50th trunk or network access line) 21.60% DID (11th thru 50th trunk or network access line) 21.60% DID (11th thru 50th trunk or network access line) 21.60% DID (11th thru 50th trunk or network access line) 21.60% DID (11th thru 50th trunk or network access line) 21.60% DID (11th thru 50th trunk or network access line) 21.60% DID (11th thru 50th trunk or network access line) 21.60% DID (11th thru 50th trunk or network access line) 21.60% DID (11th thru 50th trunk or network access line) 21.60% DID (11th trunk or network access line) 21.60% | | rst Block of 10 - Category 1) | 21.60% | | N/A |
| DID (eta. aor. block of 100 assigned over 1st 100 - Category 2) 21.60% DID (with Multifrequency) 21.60% DID (with Multifrequency) 21.60% DID (with Dual-Tone Multifrequency) 21.60% DID (vith thru 50th trunk or network access line) 21.60% DID (11th thru 50th trunk or network access line) 21.60% DID (51st trunk or network access line) 21.60% DID (91st trunk or network access line) 21.60% | | a. adl. block of 10 after first 10 - Category 1) | 21.60% | | N/A |
| TRUNKS DID (with Multifrequency) 21.60% DID (with Dual-Tone Multifrequency) 21.60% DID (with Dual-Tone Multifrequency) 21.60% DID (11th thru 50th trunk or network access line) 21.60% DID (11th thru 50th trunk or network access line) 21.60% DID (51st trunks or network access line) 21.60% DID (11th thru 50th trunk or network access line) 21.60% DID (11th trunk or network access line) 21.60% DID (51st trunks 21.60% DID (51st trunks 21.60% DID (51st trunks 21.60% DID (51st trunks 21.60% | | a. adi. piock of 100 aner nrst 100 - Calegory Z) A adi biock of 10 acciminationer 1et 100 Catagory 2) | 21.00% | | |
| DID (with Dual-Tone Multirequency) 21.60% DID (1st 10 Trunks or access lines) 21.60% DID (1st 110 Trunks or access lines) 21.60% DID (11th thru 50th trunk or network access line) 21.60% DID (51st trunks 21.60% DID (51st trunks 21.60% | a deserve a serve as the second of the second as a second s | a. au. brock of the assignment we had not - Caregory 2/ | 21.60% | | N/A |
| DID (1st 10 Trunks or access lines) 21.60% DID (11th thru 50th trunk or network access line) 21.60% DID (51st trunk or network access line) 21.60% TRUNKS Analog Trunks 21.60% FRUNKS Analog Trunks 21.60% Did (11th trunk or network access line) 21.60% Did (11th trunk or network access line) 21.60% Did (11th trunks 21.60% | | th Dual-Tone Multifrequency) | 21.60% | | N/A |
| DID (11th thru 50th trunk or network access line) DID (51st trunk or network access line) 21.60% Analog Trunks Hotel/Motel Trunks Digital Trunks Digital Trunks | | t 10 Trunks or access lines) | 21.60% | 21 | N/A |
| DID (51st trunk or network access line) Analog Trunks HotelMotel Trunks Digital Trunks 21.60% | | th thru 50th trunk or network access line) | | 21.60% | N/N |
| Analog Trunks HotelMotel Trunks Digital Trunks 21.60% | 270 271 | st trunk or network access line) | | 21.60% | N/A |
| 21.60% | | | 21 60% | | N/A |
| 21.60% | | totel Trunks | 21.60% | | N/A |
| | 275 Digital T | Trunks | 21.60% | | N/A |
| | | | | | |

PAGE 5 OF 9

| Note Description Description Description Description Description Note February Section Exercision | A B C C Direction Direction <thdirection< th=""> <thdirection< th=""> <thdirect< th=""><th></th><th></th><th></th><th></th><th></th><th></th></thdirect<></thdirection<></thdirection<> | | | | | | |
|--|--|---------------------------|--|--|-----------------------------------|--|--|
| Other I (ps) And (not internal ps) Current Not (not internal p | Other I (pre- transmission) Event National Current | A | | U | D | ц | íт. |
| Other Type Tote Type < | Other Lyse Description Description <thdescription< th=""> <thdescription< th=""></thdescription<></thdescription<> | | | | | Current Non- | Current Non- |
| Analysis | Activity Michaeles 2000 2000 2000 Control Michaeles 2000 < | Product Type | | 11SOCs | Current Monthly Recurring Rate | Recurring Rate | Recurring Rate |
| District Service 210000 21000 21000 | District in the state | | Area Wide Networking | | 21.60% | 21.60% | , |
| Diagnet/Spacing/Spacing/Spacing 21000 Excellent 21000 | Display (planting) Species 21,000 | 279 | Caller Intellidata | | 21.60% | 21.60% | · · · · · · · · · · · · · · · · · · · |
| Integration 2100x 2100x Montendencie 2100x 2100x 2100x 2100x Montendencie 2100x | Internation 2100 2100 Anticipii (activititi 2100 2100 2100 2100 Anticipii (activititi 2100 <td></td> <td>Disaster Routing Service</td> <td></td> <td>21.60%</td> <td>21.60%</td> <td>and the second of the second second second</td> | | Disaster Routing Service | | 21.60% | 21.60% | and the second of the second second second |
| Federa (L) Carton Car | Patie D. Patie D. 2100, 2100, 2100, Bonder Vencemmentente Serotes (ed. 1b. Mores) 2000, 2000, 2000, Bonder Vencemmentente 2000, 2000, 2000, 2000, Bonder Vencemmentente 2000, 2000, 2000, 2000, Bonder Vencemmentente 2000, 2000, 2000, 2000, Conterver Jergend 2000, 2000, 2000, 2000, 2000, Conterver Jergend 2000, 2000, 2000, 2000, 2000, Denterver Servers 2000, 2000, 2000, 2000, 2000, Denterver Servers 2000, 2000 | 281 | Intelligent Redirectsm | | 21.60% | 21.60% | |
| Bunder Tencommutations Services (64, the Morica) 21,000 Carteriors Tenchina 22,000 20,000 Carteriors Tenchina 22,000 20,000 < | Buolof "alconnuclation Services" 2 66 Control Technical Services 2 2 Control Control Services 2 2 Control Services 2 2 Control Services | 282 | Positive ID | | 21.60% | 21.60% | |
| Booker Teamentand Servers (a. the Works) 2,000 Buoker Teamentand Servers 2,000 Buoker Teamentand 2,000 Buoker Teamentand 2,000 Conserver Servers 2,000 Conservers 2,00 | Buy of Angements 2,000 21,000 Buy of Angements 20,000 21,000 | 283 784 OTHER | | | | | - |
| Contron Control And Control Contro Control Contro Control Control Control Control Contr | Disy Out, Network (reginered) 2,000 2,000 Controct (reginered) 2,000 2,000 Controlt (reginered | | Bundled Telecommunications Services (e.g., the Works) | | | 21 60% | |
| Construct Service 2100 2100 Construct Service 2100 2100 </td <td>Contractive of induced Service 2100 2100 Contractive of Service 2100 2100 Contractive of Service 2100 2100 Full of Transform 2100<</td> <td>786</td> <td>Blisk Out Arabitamented of a convect (c.g., inc. to check)</td> <td></td> <td></td> <td>21.00%</td> <td></td> | Contractive of induced Service 2100 2100 Contractive of Service 2100 2100 Contractive of Service 2100 2100 Full of Transform 2100< | 786 | Blisk Out Arabitamented of a convect (c.g., inc. to check) | | | 21.00% | |
| Distant Distant <t< td=""><td>Distantial Distantial <thdistantia< th=""> Distantia Distantia<</thdistantia<></td><td>787</td><td>Conference Telephone Service</td><td></td><td></td><td>21 60%</td><td></td></t<> | Distantial Distantial <thdistantia< th=""> Distantia Distantia<</thdistantia<> | 787 | Conference Telephone Service | | | 21 60% | |
| Example of the second | Construction 27,000 2 | 288 | Contraction tracking of the | | | 21 60% | |
| Internet 2000 | Internet 1,500 2,500 2,500 Internet 1,500 2,500 Internet 1,500 2,500 Internet 1,500 2,500 Internet 1,500 2,500 Internet 2,500 | 007 | | | | 00.17 | |
| Internation 2000 2000 2000 Internation 2000 | Internation 2000 Internation 2000 Internation 2000 Internation 2000 Internation 2000 Internation 2000 Name Internation | 202 | | AND DESCRIPTION OF A DE | | 0000 FC | |
| minute internation 21003 21003 Min | International Journal Service 2100 2100 International Service 2100 2100 Net Number associations Number associations Number 2100 2100 Net Number associations Number associations Number 2100 2100 Permit Number associations Number associations Number 2100 2100 Permit Number Sociations 2100 2100 Permit Number Sociation | 201 | | | | 21.00 kg | |
| Index Section 2100 2100 Index Section 2100 2100 2100 Net Numer section 2100 2100 2100 Net Numer section 2100 2100 2100 Periodicia 2100 2100 2100 Periodicia 2100 2100 2100 Periodicia 2100 2100 2100 Section 2100 2100 2100 Section 2100 2100 2100 Section 2100 2100 2100 Number 2100 <td>Induced in a framinal control of registry as a control with Window as a control of control with Window as a control of control with Window as a control of control with Window as a control with Window as a control of control period with a for control second with a for control with the second with a for control second with a for control second with a for control with the second with a for control with the for contro with the for control with the for control with the for c</td> <td></td> <td>Gummu</td> <td></td> <td>21.60%</td> <td>×100.17</td> <td></td> | Induced in a framinal control of registry as a control with Window as a control of control with Window as a control of control with Window as a control of control with Window as a control with Window as a control of control period with a for control second with a for control with the second with a for control second with a for control second with a for control with the second with a for control with the for contro with the for control with the for control with the for c | | Gummu | | 21.60% | ×100.17 | |
| International control of contro of control of control of control of control of control | International contract service 2100% 2100% International contract service 2100% 2100% Notify the second off in a 1 regional win a 1 regi | 767 | improved Data Transmission | | 21.60% | 21.60% | |
| Nativ Under association with Telephone Number 2100% 2100% 2100% Nativ Under association with Telephone Number 2100% 2100% 2100% Nativ Number association with Telephone Number 2100% 2100% 2100% Provinsity Casaciation with Telephone Number 2100% 2100% 2100% Provinsity Casaciation with Telephone Number 2100% 2100% 2100% Provinsity Casaciation with Telephone Number 2100% 2100% 2100% Selector Call Acceleron 2100% 2100% 2100% 2100% Transarrolin Transarrolin 2100% 2100% 2100% 2100% None Dial None Dial 2100% 2100% 2100% 2100% | Card Constant Assistance Sectores Multiple 2100% 2100% Variat Constant Assistance Sectores Multiple 2100% 2100% Sector Lin Constant 2100% 2100% Variat Lin 2100% 2100% Variat Lin 2100% 2100% Constribut 2100% 2100% Variat Lin 2100% 2100% Constribut | 293 | Intercept Keterral Service | | 21.60% | 21.60% | |
| Nativ Number ascortated with a Techninal 2100% 2100% 2100% Nativ Number ascortated with a Techninal 2100% 2100% 2100% Nativ Number ascortated with a Techninal 2100% 2100% 2100% Sector Lano Control 2100% 2100% 2100% 2100% Sector Lano Control 200% 2100% 2100% 2100% 2100% Sector Lano Control 200% 2100% | Nativitivitie 210% 210% Nativitie 210% 210% | <u>-94</u> | Local Operator Assistance Service | | 21.60% | 21.60% | |
| Promotions: 2160% 2160% Promotions: 2160% 2160% Promotions: 2160% 2160% Reserved: 2160% <tr< td=""><td>Production (Greater films) objects) 2100% 2100% 2100% Production (Greater films) objects) 2100% 2100% 2100% Second Line Carrier 2100% 2100% 2100% 2100% Second Line Carrier 2100% 2100% 2100% 2100% Second Line Carrier 2100% 2100% 2100% 2100% 2100% Second Line Carrier 2000 Line Carrier 2100% 2100% 2100% 2100% Van Line Control 2000 Line Carrier 2100%</td><td>295</td><td>Night Number associated with Telephone Number</td><td></td><td>21.60%</td><td>21.60%</td><td></td></tr<> | Production (Greater films) objects) 2100% 2100% 2100% Production (Greater films) objects) 2100% 2100% 2100% Second Line Carrier 2100% 2100% 2100% 2100% Second Line Carrier 2100% 2100% 2100% 2100% Second Line Carrier 2100% 2100% 2100% 2100% 2100% Second Line Carrier 2000 Line Carrier 2100% 2100% 2100% 2100% Van Line Control 2000 Line Carrier 2100% | 295 | Night Number associated with Telephone Number | | 21.60% | 21.60% | |
| Prenerative 2100% 2100% 2100% Preneratin 2100%< | Protection 2160% 2160% 2160% Protection 2160% 2160% 2160% 2160% Protection 2160% 2160% 2160% 2160% 2160% Protection 2160% | 296 | Night Number associated with a Terminal | | 21.60% | 21.60% | |
| Freendame 2100% 210% 210% Freendame 210% 210% 210% Second Lands 210% 210% 210% Tablitanchia 210% 210% 210% Tablitanchia 210% 210% 210% Tablitanchia 210% 210% 210% Vann Lina 210% 210% 210% Vann Lina 210% 210% 210% Name 210% | Ferration 21.00% 21.0 | 297 | Promotions (Greater than 90 days) | | 21.60% | 21.60% | |
| Second Macaphane 2100% | Second Inde Control 21005 21005 21055 Second Inde Control 21005 21055 21055 Totach Totach 21005 21055 21055 Totach Totach 21005 21055 21055 Totach Totach 21005 21055 21055 Varia Libi Control 21005 21055 21055 Varia Libi Control 21055 21055 21055 Varia Libi Control 21055 21055 21055 Data Nuoxi (NON) 21055 21055 21055 21055 Data Nuoxi (SD H2H) Data Nuoxi (NON) 21055 21055 21055 Data Nuoxi (SD H2H) Data Nuoxi (SD H2H) 21055 21055 21055 Data Nuoxi (SD H2H) 21055 21055 21055 21055 Data Nuoxi (SD H2H) 21055 21055 21055 21055 Second 21055 21055 21055 21055 Second 21055 21055 21055 210 | 298 | Preferred Number Service | | 21.60% | 21.60% | |
| Selective Call Acceptance 21.60% | Sector Coll Acceptones 2100% 2100% Telefrancie Telefrancie 2100% 2100% Telefrancie Telefrancie 2100% 2100% Telefrancie 2100% 2100% 2100% Varm Line 2100% 2100% 2100% Percentie 2100% 2100% Percentie 2100% <td< td=""><td>299</td><td>Second Line Control</td><td></td><td>21.60%</td><td>21.60%</td><td></td></td<> | 299 | Second Line Control | | 21.60% | 21.60% | |
| Teatanonie 2160% | Teteranchie 21.60% 21 | 300 | Selective Call Acceptance | | 21.60% | 21.60% | |
| Count Tone 2160% | Trans 2160% <td< td=""><td></td><td></td><td></td><td></td><td>21.60%</td><td></td></td<> | | | | | 21.60% | |
| Value Dial Warm Line 2160% </td <td>Value Dial Warm Line Z160% <thz160%< th=""> Z160% Z160%<td></td><td></td><td></td><td>21.60%</td><td>21.60%</td><td></td></thz160%<></td> | Value Dial Warm Line Z160% Z160% <thz160%< th=""> Z160% Z160%<td></td><td></td><td></td><td>21.60%</td><td>21.60%</td><td></td></thz160%<> | | | | 21.60% | 21.60% | |
| Warm Line Z1.60% Z1.60% <thz1.60%< th=""> <thz1.60%< th=""> <thz1.60%<< td=""><td>Warm Line Z1.60% Z1.6</td><td>303</td><td>Voice Dial</td><td></td><td>21.60%</td><td>21.60%</td><td></td></thz1.60%<<></thz1.60%<></thz1.60%<> | Warm Line Z1.60% Z1.6 | 303 | Voice Dial | | 21.60% | 21.60% | |
| Gigabit Ehernet Metropolian Area Network (GgaMAN) 21 60% 21 60% 21 60% PIX Trunks 21 60% 21 60% 21 60% 21 60% Digitinesm (ISN BR) 21 60% 21 60% 21 60% 21 60% Digitinesm (ISN BR) 21 60% 21 60% 21 60% 21 60% Digitinesm (ISN BR) 21 60% 21 60% 21 60% 21 60% Digitinesm (ISN BR) 21 60% 21 60% 21 60% 21 60% Select Vieleo Pluse 21 60% 21 60% 21 60% 21 60% Select Vieleo Pluse 21 60% 21 60% 21 60% 21 60% Select Vieleo Pluse 21 60% 21 60% 21 60% 21 60% Digitinesm (ISON PRI) 21 60% 21 60% 21 60% 21 60% Start Trunks 21 60% 21 60% 21 60% 21 60% OutMATS 000 Service 21 60% 21 60% 21 60% OutMATS 000 Service 21 60% 21 60% 21 60% Optioreal Communuly Calling Service 21 60% | Gigabit Eherner Metropolitan Area Nakwork (GigaMMN) 2160% <td< td=""><td>304</td><td>Warm Line</td><td></td><td>21.60%</td><td>21.60%</td><td></td></td<> | 304 | Warm Line | | 21.60% | 21.60% | |
| Gigabit Ethernet Metropolitan Area Network (GigaMAN) 21.60% 21.60% 21.60% Milk Strunds Wilk Strunds 21.60% 21.60% 21.60% Milk Strunds Milk Strunds 21.60% 21.60% 21.60% Oct-PTP Cot-PTP 21.60% 21.60% 21.60% Digitineam (ISDN BRI) Cot-PTP 21.60% 21.60% 21.60% Digitineam (ISDN PRI) Digitineam (ISDN PRI) 21.60% 21.60% 21.60% Digitineam (ISDN PRI) Digitineam (ISDN PRI) 21.60% 21.60% 21.60% Struct Trunism (ISDN PRI) SuperTrunk 21.60% 21.60% 21.60% Mark Trunism (ISDN PRI) Digitineam (ISDN PRI) 21.60% 21.60% 21.60% Super Trunk Super Trunk 21.60% 21.60% 21.60% 21.60% Optional Community Caling Service Distruct 21.60% 21.60% 21.60% 21.60% Mark Trunk Distruct 21.60% 21.60% 21.60% 21.60% 21.60% 21.60% 21.60% 21.60% | Gigabit Ethernet Metropolitan Area Network (Gigat/AN) 21 60% </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> | | | | | | |
| Native Service Optical Network (signarwy) 21,00% 21,00% 21,00% Digitinesm (JSDN JRN) 21,00% 21,00% 21,00% Salet Video Plusio 21,00% 21,00% 21,00% Salet Video Plusio 21,00% 21,00% 21,00% Markinsm (JSDN PRI) 1< SAVERam | Industriant 2100% 2100% 2100% Digitinesin (ISDN BRI) 2100% 2100% 2100% Digitinesin (ISDN PRI) 2100% 2100% 2100% Digitinesin (ISDN PRI) 2100% 2100% 2100% Statet Video Plus6 2100% 2100% 2100% Statet Video Plus6 2100% 2100% 2100% Statet Video Plus6 2100% 2100% 2100% Distribution 1+ SAVERsin 2160% 2160% 2160% IntraLVIA MITS 2160% 2160% 2160% OutMATS 2160% 2160% 2160% Distribution 2160% 2160% 2160% Plaser Direct 2160% 2160% 2160% | | | | 1000 | | |
| Multi-Sance Optical Network (MON) 21.00% 21.00% 21.00% Diginiserii (ISN BR) 21.60% 21.60% 21.60% Diss 21.60% 21.60% 21.60% Diss 21.60% 21.60% 21.60% Diss 21.60% 21.60% 21.60% Diss 21.60% 21.60% 21.60% Start Turikerii (ISN PR) 21.60% 21.60% Diss 21.60% 21.60% Start Turikerii (ISN PR) 21.60% 21.60% Diss 21.60% 21.60% Start Turikerii (ISN PR) 21.60% 21.60% Diss 21.60% 21.60% | Prison Construction Construction <thconstruction< th=""> Construction</thconstruction<> | 30/ | Gigabit Ethernet Metropolitan Area Network (GigaMAN) | | 21.000 J | ×00.12 | |
| Diglineari (ISDN BRI) 21.00% 21.00% 21.00% Diglineari (ISDN BRI) 21.60% 21.60% 21.60% Diglineari (ISDN BRI) 21.60% 21.60% 21.60% Sheet Vateo Plus® 21.60% 21.60% 21.60% Lot Nut Ts 21.60% 21.60% 21.60% Oliverse 0.00 Service 21.60% 21.60% Head II® 1.5ave Direct 21.60% 21.60% Plear II® 21.60% 21.60% 21.60% | Diginieran (ISDN BR) 21.00% 21.00% 21.00% Diginieran (ISDN BR) 21.00% 21.00% 21.00% Diginieran (ISDN BR) 21.00% 21.00% 21.00% Select Video Plucis 21.00% 21.00% 21.00% NathNater 800 21.00% 21.00% 21.00% OutWATS 20.05 21.00% 21.00% OutWATS 21.00% 21.00% 21.00% Outwat 800 21.00% 21.00% 21.00% Outwat 800 21.00% 21.00% 21.00% Optional Community Calling Service 21.00% 21.00% 21.00% Plevar (B) 21.00% 21.00% 21.00% 21.00% Plevar (B) 21.00% 21.00% 21.00% 21.00% Plevar (B) 21.00% 21.00% 21.00% 21.0 | 200 | | | 21.00/% | 00.17 /00.17 | |
| Digilinear (SDN BRi) 21 60% 21 60% 21 60% Digilinear (SDN BRi) 21 60% 21 60% 21 60% Start Trunkin (SDN PRi) 21 60% 21 60% 21 60% Start Trunkin (SDN PRi) 21 60% 21 60% 21 60% Shart Trunkin (SDN PRi) 21 60% 21 60% 21 60% Shart Trunkin (SDN PRi) 21 60% 21 60% 21 60% Shart Trunkin (SDN PRi) 21 60% 21 60% 21 60% OutWATS 00 Service 21 60% 21 60% 21 60% I + SAVERan 1 + SAVERan 21 60% 21 60% 21 60% I + Saver Direct 1 + Saver Direct 21 60% 21 60% 21 60% Plexar Ins 21 60% 21 60% 21 60% 21 60% Plexar Ins 21 60% 21 60% 21 60% 21 60% | Digilinam (SDN BRI) 21 60% 21 60% 21 60% Digilinam (SDN BRI) 21 60% 21 60% 21 60% Signal Trunkam (SDN PRI) 21 60% 21 60% 21 60% Signal Trunkam (SDN PRI) 21 60% 21 60% 21 60% Signal Trunkam (SDN PRI) 21 60% 21 60% 21 60% Signal Trunkam (SDN PRI) 21 60% 21 60% 21 60% Signal Trunkam (SDN PRI) 21 60% 21 60% 21 60% Diamatria 800 Service 21 60% 21 60% Diamatria 800 Service 21 60% 21 60% Diamatria 800 Service 21 60% 21 60% Diamatria 1 5 50% 21 60% 21 60% Diamatria 1 5 50% 21 60% 21 60% Diamatria 1 5 50% 21 60% 21 60% Plear III 21 60% 21 60% 21 60% Plear III 21 60% 21 60% 21 60% Plear Customic 21 60% 21 60% 21 60% | 015 015 | | | 21.00.0 | 21.00 % | |
| Diglineam (ISDN BRI) 2160% 2160% 2160% Select Vickien (ISDN PRI) 2160% 2160% 2160% Sinart Trunkien (ISDN PRI) 2160% 2160% 2160% Super Trunkien (ISDN PRI) 2160% 2160% 2160% Super Trunkien (ISDN PRI) 2160% 2160% 2160% Lot Lunc 1 + 5AVERsin 2160% 2160% 2160% Lot Lunc 1 + 5AVERsin 2160% 2160% 2160% Lot Lunc 1 + 5AVERsin 2160% 2160% 2160% Plexar I(B) 1 + 5AVERsin 2160% 2160% 2160% Plexar I(B) 1 + 5AVERsin 2160% 2160% 2160% Plexar I(B) 2160% 2160% 2160% 2160% Plexar I(B) 2160% 2160% 2160% 2160% Plexar I(B) 2160% 2160% 2160% 2160%< | Diglimem (ISDN BR) 2160% 2160% 2160% Diglimem (ISDN BR) 2160% 2160% 2160% Siglet Video Plus® 2160% 2160% 2160% Signet Trunksm (ISDN BR) 2160% 2160% 2160% NamATS 2160% 2160% 2160% NamATS 2160% 2160% 2160% NamATS 200 Service 2160% 2160% L CALING PLANS 2160% 2160% 2160% L Saver Direct 2160% 2160% 2160% District 2160% 2160% 2160% Plear District 2160% 2160% 2160% Plear District 2160% 2160% 2160% | 2110 | | | 21.00% | 21.00% | |
| Digilinesm (ISDN BR) 21.60% | Digifinasm (ISDN BR) 21.60% 21.60% 21.60% Select Video Plus® 21.60% 21.60% 21.60% Sinart Trunksm (ISDN PR) 21.60% 21.60% 21.60% Sinart Trunksm (ISDN PR) 21.60% 21.60% 21.60% Sinart Trunksm (ISDN PR) 21.60% 21.60% 21.60% NutraLATA MTS 21.60% 21.60% 21.60% NutraLATA MTS 21.60% 21.60% 21.60% NutraLATA MTS 0.00 Service 21.60% 21.60% OutWARS 800 Service 21.60% 21.60% OutWARS 800 Service 21.60% 21.60% OutWARS 20.60% 21.60% 21.60% OutWARS 20.60% 21.60% 21.60% OutWARS 21.60% 21.60% 21.60% Plevar IB 21.60% 21.60% 21.60% Plevar IB 21.60% 21.60% 21.60% Plevar Custom® 21.60% 21.60% 21.60% | 312 | | | 0,00.1.2 | 0/ 00-1 7 | |
| Diglineam (ISDN BRi) 2160% 2160% 2160% Smart Trunksm (ISDN RR) 2160% 2160% 2160% Super Trunk 000 Service 2160% 2160% L CALLING PLANS 11-5AVERsm 2160% 2160% L CALLING PLANS 11-5AVERsm 2160% 2160% OutWATS 11-5AVERsm 2160% 2160% L CALLING PLANS 11-5AVERsm 2160% 2160% T + Saver Elstert 2160% 2160% 2160% Ditrinal Community Calling Service 2160% 2160% 2160% Plexar Lustom® Plexar Lustom 2160% 2160% | Digilinesin (ISDN BR) 2160% 2160% 2160% Silent Truck 2160% 2160% 2160% Navitification 2160% 2160% 2160% LatterArian 2160% 2160% 2160% LatterArian 2160% 2160% 2160% LatterArian 1+ SAVERin 2160% 2160% Location 1+ SAVERin 2160% 2160% Location 1+ Saver Direct 2160% 2160% Plear (6) 2160% 2160% 2160% Plear (6) 2160% 2160% 2160% Plear (6) 2160% 2160% 2160% | [<u>313</u> [SDN | | | | | |
| Select Video Plus® Super Trucken (ISD) PRI) Super Trucken (ISD) PRI) Intra LATA MTS Super Trucken (ISD) PRI) Intra LATA MTS Super Trucken (ISD) PRI) Data Research (ISD) PRI) L CALLING PLANS L CALLING PL | Select Video Plus® 2160% <td></td> <td>Digilinesm (ISDN BRI)</td> <td></td> <td>21.60%</td> <td>21.60%</td> <td></td> | | Digilinesm (ISDN BRI) | | 21.60% | 21.60% | |
| Smart Truiksin (ISDN PRI) 21,60% 21,60% 21,60% Super Truik 21,60% 21,60% 21,60% NaxiMizer 800® 21,60% 21,60% 21,60% NaxiMizer 800® 21,60% 21,60% 21,60% NaxiMizer 800® 21,60% 21,60% 21,60% L CALLING PLANS 1 + SAVERan 21,60% 21,60% L CALLING PLANS 1 + Saver Direct 21,60% 21,60% Dividitional Community Calling Service 21,60% 21,60% 21,60% Plexar (6) 1 + Saver Direct 21,60% 21,60% 21,60% Plexar (6) 21,60% 21,60% 21,60% 21,60% Plexar (6) 21,60% 21,60% 21,60% 21,60% | Sinart Truiksin (ISDN PRI) 21,60% 21,60% 21,60% Super Truik 21,60% 21,60% 21,60% Super Truik 21,60% 21,60% 21,60% MaxiMazer 6006 21,60% 21,60% 21,60% MaxiMazer 8006 21,60% 21,60% 21,60% OutWATS 21,60% 21,60% 21,60% Job Service 21,60% 21,60% 21,60% L CALLING PLANS 1+SAVERan 21,60% 21,60% I + Saver Direct 21,60% 21,60% 21,60% Plexar I(6) 21,60% 21,60% 21,60% Plexar I(6) 21,60% 21,60% 21,60% Plexar I(6) 21,60% 21,60% 21,60% Plexar Custorn® 21,60% 21,60% 21,60% | 315 | Select Video Plus® | | 21.60% | 21.60% | |
| SuperTrunk 21.60% 21.60% IntraLATA MTS 21.60% 21.60% IntraLATA MTS 21.60% 21.60% MaxiMizer 800® 21.60% 21.60% OutWATS 21.60% 21.60% NaviMizer 800® 21.60% 21.60% OutWATS 21.60% 21.60% OutWATS 21.60% 21.60% IntraLATA MTS 21.60% 21.60% IntraLATA MTS 21.60% 21.60% IntraLINC PLANS 1+ SAVERsm 21.60% 21.60% Intra Lonnunity Caling Service 21.60% 21.60% 21.60% Plexar I® 21.60% 21.60% 21.60% Plexar I® 21.60% 21.60% 21.60% | SuperTrunk 21,60% 21,60% 21,60% IntraLATA MTS 21,60% 21,60% 21,60% IntraLATA MTS 21,60% 21,60% 21,60% NutWATS 0utWMTS 21,60% 21,60% 21,60% Su0 Service 1,5 SAVERsin 21,60% 21,60% 21,60% L CALING PLANS 1,5 SAVER 21,60% 21,60% 21,60% I + SAVERsin 1,5 Saver Direct 21,60% 21,60% 21,60% Optional Community Calling Service 21,60% 21,60% 21,60% 21,60% Plexar Infe 21,60% 21,60% 21,60% 21,60% 21,60% Plexar Lustomic 21,60% 21,60% 21,60% 21,60% 21,60% | 316 | Smart Trunksm (ISDN PRI) | | 21.60% | 21.60% | and the second sec |
| IntraLATA MTS 21.60% IntraLATA MTS 21.60% MaxiMizer 8000 21.60% I + SAVERsm 21.60% 1 + SAVERsm 21.60% 1 + Saver Direct 21.60% Optional Community Calling Service 21.60% Pleaar 10 21.60% Pleaar 10 21.60% Pleaar 10 21.60% | IntraLATA MTS 21.60% 21.60% 21.60% MaxiMizer 800@ 21.60% 21.60% 21.60% NaxiMizer 800@ 2008 Mixer 21.60% 21.60% S00 Service 21.60% 21.60% 21.60% L CALING PLANS 1+ SAVERsin 21.60% 21.60% L CALING PLANS 1+ SAVERsin 21.60% 21.60% Display Extrementing 21.60% 21.60% 21.60% Plexar I® 21.60% 21.60% 21.60% Plexar I® 21.60% 21.60% 21.60% Plexar I® 21.60% 21.60% 21.60% | 317 | SuperTrunk | | 21.60% | 21.60% | |
| Intral_ATA MTS Z1.60% Z1.60% <th< td=""><td>IntraLATA MTS 21.60% 21.60% 21.60% MaxiMizer 800® 21.60% 21.60% 21.60% S00 Service 21.60% 21.60% 21.60% L CALLING PLANS 1+ SAVERsin 21.60% 21.60% I + Saver Direct 21.60% 21.60% 21.60% Optional Community Caling Service 21.60% 21.60% 21.60% Plexar II® 21.60% 21.60% 21.60% 21.60% Plexar II® 21.60% 21.60% 21.60% 21.60%</td><td></td><td></td><td></td><td></td><td></td><td></td></th<> | IntraLATA MTS 21.60% 21.60% 21.60% MaxiMizer 800® 21.60% 21.60% 21.60% S00 Service 21.60% 21.60% 21.60% L CALLING PLANS 1+ SAVERsin 21.60% 21.60% I + Saver Direct 21.60% 21.60% 21.60% Optional Community Caling Service 21.60% 21.60% 21.60% Plexar II® 21.60% 21.60% 21.60% 21.60% Plexar II® 21.60% 21.60% 21.60% 21.60% | | | | | | |
| L CALLING PLANS 21.60% 21.6 | L CALLING PLANS 21.60% 21.60% 21.60% 21.60% L CALLING PLANS 21.60% 21.60% 21.60% 21.60% L CALLING PLANS 1+SAVERsm 21.60% 21.60% 21.60% 1+Saver Direct 21.60% 21.60% 21.60% 21.60% Plexar (i) 1+Saver Direct 21.60% 21.60% 21.60% Plexar (ii) Plexar (iii) 21.60% 21.60% 21.60% Plexar (iii) Plexar (iii) 21.60% 21.60% 21.60% Plexar (iii) Plexar (iii) 21.60% 21.60% 21.60% | | http://www.international.com | | 21 60% | 21 60% | |
| L CALLING PLANS 21.60% 21.60% 21.60% L CALLING PLANS 21.60% 21.60% 21.60% L CALLING PLANS 1 + SAVERsm 21.60% 21.60% 1 + Saver Direct 21.60% 21.60% 21.60% 1 + Saver Direct 21.60% 21.60% 21.60% 1 + Saver Direct 21.60% 21.60% 21.60% Plexar I® 21.60% 21.60% 21.60% Plexar I® 21.60% 21.60% 21.60% Plexar I® 21.60% 21.60% 21.60% | L CALLING PLANS 21.60% 21.60% 21.60% L CALLING PLANS 1 + SAVERsm 21.60% 21.60% 1 + Saver Direct 21.60% 21.60% 21.60% Plexar I® 21.60% 21.60% 21.60% Plexar I® 21.60% 21.60% 21.60% Plexar I® 21.60% 21.60% 21.60% | 321 | Nationary Mr. 2 Martin Ford | | 21.00% | 21.60% | |
| 800 Service 21.60% 21.60% 21.60% L CALLING PLANS 1 + SAVERsm 21.60% 21.60% 21.60% 1 + Saver Direct 21.60% 21.60% 21.60% 21.60% 0 ptional Community Calling Service 21.60% 21.60% 21.60% 21.60% Plexar I® 21.60% 21.60% 21.60% 21.60% 21.60% Plexar I® 21.60% 21.60% 21.60% 21.60% 21.60% 21.60% Plexar I® 21.60% </td <td>B00 Service 21.60% 21.60% 21.60% L CALLING PLANS 1 + SAVERsim 21.60% 21.60% 1 + Saver Direct 21.60% 21.60% 21.60% Optional Community Calling Service 21.60% 21.60% 21.60% Plexar I® 21.60% 21.60% 21.60% 21.60% Plexar I® 21.60% 21.60% 21.60% 21.60%</td> <td>322</td> <td></td> <td></td> <td>21.60%</td> <td>21.60%</td> <td></td> | B00 Service 21.60% 21.60% 21.60% L CALLING PLANS 1 + SAVERsim 21.60% 21.60% 1 + Saver Direct 21.60% 21.60% 21.60% Optional Community Calling Service 21.60% 21.60% 21.60% Plexar I® 21.60% 21.60% 21.60% 21.60% Plexar I® 21.60% 21.60% 21.60% 21.60% | 322 | | | 21.60% | 21.60% | |
| L CÁLLING PLÁNS 1 + SAVERsm 1 + Saver Direct 21.60% 21.60% 21.60% 21.60% 21.60% 21.60% Plexar I@ Plexar I@ Plexar Custom® 21.60% 21.6 | L CALLING PLANS 1 + SAVERsm 1 + Saver Direct 0 ptional Community Calling Service Plexar I® Plexar Lustom® 21.60% | 323 | | | 21.60% | 21.60% | |
| L CALING PLANS 1 + SAVERsm 1 + SAVERsm 1 + Saver Direct Optional Community Calling Service Plexar 16 Plexar 16 Plexar 16 Plexar 16 21 60% 21 6 | L CALLING PLANS 1 + SAVERsm 1 + SAVERsm 1 + Save Direct 21 60% 21 | 324 | | | | the second s | |
| 1 SAVERsin 21.60% 21.60% 1 Saver Direct 21.60% 21.60% 0 puonal Community Calling Service 21.60% 21.60% Plexar I® 21.60% 21.60% | 1 + SAVERsin 21.60% 21.60% 21.60% 1 + Saver Direct 21.60% 21.60% 21.60% 0 pitonal Community Calling Service 21.60% 21.60% 21.60% Plexar I® 21.60% 21.60% 21.60% Plexar II® 21.60% 21.60% 21.60% | 325 OPTIONAL TOLL CALLING | | and the second sec | | | |
| 1+Saver Direct 21.60% 21.60% Optional Community Calling Service 21.60% 21.60% Plexar Is 21.60% 21.60% Plexar Is 21.60% 21.60% Plexar Is 21.60% 21.60% Plexar Custom® 21.60% 21.60% | 1-5Saver Direct 21.60% 21.60% Optional Community Calling Service 21.60% 21.60% Plexar (6) 21.60% 21.60% Plexar (6) 21.60% 21.60% Plexar (6) 21.60% 21.60% Plexar 100 21.60% 21.60% Plexar 100 21.60% 21.60% Plexar 100 21.60% 21.60% | 326 | | | 21.60% | 21.60% | |
| Optional Community Calling Service 21.60% 21.60% Plexar I® 21.60% 21.60% Plexar I® 21.60% 21.60% Plexar I® 21.60% 21.60% | Optional Community Calling Service 21.60% 21.60% Plexar I® 21.60% 21.60% Plexar II® 21.60% 21.60% Plexar II® 21.60% 21.60% | 327 | 1+Saver Direct | | 21.60% | 21.60% | |
| Plexar (6) 21.60% 21.60\% 21.60 | Plexar (6) 21.60% 21.60\% 21.60 | 328 | | | 21.60% | 21.60% | |
| Plexar (6) 21.60% 21.60\% 21.60 | Plexar 16 21.60% 21.60% 21.60% Plexar Tig Plexar Custorm® 21.60% 21.60% 21.60% | 329 | | | | | |
| Plexar 160 21.00% 21.00% 21.00% 21.00% 21.00% 21.60\% 21.60 | Plexar 10 21.60% 21.60% 21.60% Plexar Custom® 21.60% 21.60% 21.60% 21.60% | 330 PLEXAR® | A subjective for the Sec. Sec. | | | | |
| | | | Plexar (8) | | 21.60% | 21.00% | |
| | | 200 | Diversion of the second s | | 21.00 % | 21.00/0 | |
| | 333 PRIVATE LINE | <u> </u> | | | °/ nn 17 | 0/ NO.1 7 | |
| | 33JPRIVALE LINE | <u> </u> | | and the second se | | | |

CCCS 277 of 295

Version: 3Q08 - CLEC ICA 08/28/08

PAGE 6 OF 9

| TRAFFIC | |
|--------------|--|
| SCHEDULE/ALL | |
| PRICING | |
| ANSAS | |

| Description USOCs Recurrent Description USOCs Recurrent Description USOCs Recurrent Description USOCs Description USOCs | | α - | - | 1 | (r |
|--|---------------------------|---|-----------------|----------------|----------------|
| Funder Upen Funder Upen Control Type Control Type <th>V</th> <th></th> <th></th> <th>Current Non-</th> <th>Current Non-</th> | V | | | Current Non- | Current Non- |
| Totact (Joa Totact (Joa <thtotact (joa<="" th=""> <thtotact (joa<="" th=""></thtotact></thtotact> | | | Current Monthly | Recurring Rate | Recurring Rate |
| Markati Ministeries 2000 Event Standard 2000 < | | Rate Element Description | Recurring Rate | (Initial) | (Additional) |
| Medican 2000 Environmentaries for the intermentation of | | Analog Private Lines | 21.60% | Z1.60% | |
| Medical 2000 | 37 | | 21.60% | 21.60% | |
| Memory Ches 2000 2000 Description 2000 2000 <td< td=""><td>38 </td><td>Foreign Exchange Service</td><td>21.60%</td><td>21.60%</td><td></td></td<> | 38 | Foreign Exchange Service | 21.60% | 21.60% | |
| Enternation 2.000 Enternation 2.000< | 39 | Foreign Servind Office | 21.60% | 21.60% | |
| Control Activity Servers 2000 Month of the Servers 2000 </td <td>40</td> <td>Frame Relay</td> <td>21.60%</td> <td>21.60%</td> <td></td> | 40 | Frame Relay | 21.60% | 21.60% | |
| Conductor Sile Conductor Sile 2000 Excertion Sile 2000 2000 2000 Excertion Sile 2000 | 41 | Group Alering Services | 21.60% | 21.60% | |
| Martinetic interimetic interime | | Microfink (8) | 21.60% | 21.60% | |
| Multiplication Server Server Restriction 2000 <td>43</td> <td>Microfink 100</td> <td>21.60%</td> <td>21.60%</td> <td></td> | 43 | Microfink 100 | 21.60% | 21.60% | |
| Numeric Reprender Sances 21001 21001 21001 Defense 21001 21001 21001 21001 Sance Lice Frenkly Montanion Service 21001 21001 21001 Dirth Coll Elice Monta 21001 21001 | 1.1 | Windburk 100 | 21.60% | 21.60% | |
| Balances Tions Resonance Scaling Service Tions Tions Balances Exercision Service Tions Tions Tions Balance Exerci | 15 | | 21 60% | 21 60% | |
| Relation Total Trade Service Total Total <thtotal< th=""> <thtotal< th=""> <thtotal< t<="" td=""><td></td><td></td><td>21.60%</td><td>21.60%</td><td></td></thtotal<></thtotal<></thtotal<> | | | 21.60% | 21.60% | |
| Redence In Use set Lisk Up wherks Service Redence < | 10 | r duit réspuid cen vec Service l'ons Facility Modification Service | 21 60% | 21.60% | |
| Reductor Internet Service 27.00% Cold Lickholde Service Links and Link Universita Service 27.00% Restormer Service 27.00% 27.00% Restormer Service 27.00% 27.00% Restormer Service 27.00% 27.00% Restormer Service 27.00% 21.00% Restormer Service 27.00% 21.00% Restormer Service 27.00% 21.00% Restormer Service 27.00% 21.00% Restormer Service 21.00% 21.00% Restormer Service< | | | | | |
| LOOUL EXCHANCE EREVICE Life Life and Lifk Up America Servica: 2160 | 19 Residence | | | | |
| EPANDED LOCAL CALLING Left Left Left Left Left Left Left Left | 50 LOCAL EXCHANGE SERVICE | | 04 000 | 24 CO0/ | |
| EPANDED LOCAL CALLING Exercise learny Restores berander Service Connection, lows and Changes 21,000 21,000 EPANDED LOCAL CALLING Material Caling Restores berander Service Connection, lows and Changes 21,000 21,000 EPANDED LOCAL CALLING Material Caling Restores berander Restores berander Restores berander Restores berander Restores berander Restores 21,000 21,000 VERTICAL SERVICES Anterial 21,000 21,000 Material 21,000 21,000 21,000 Restore Connection, lows and Changes 21,000 21,000 Restore Connection, low and Changes 21,000 21,000 Restore Connection 20,010 21,000 21,000 Restore Calify Restore 21,000 21,000 <td></td> <td>Life Line and Link Up America Services</td> <td>21.60%</td> <td>21.00%</td> <td></td> | | Life Line and Link Up America Services | 21.60% | 21.00% | |
| EventoBDI.COLL CALLING Restorates Inflate (rans) Restorates Inflate (rans) Service Connection, More and Changes 21,00% 21,00 | | Residence 1 Party | 21.60% | 21.00% | |
| Residence far fate 1 unts 7100 | 53 | Residence Measured | %09.1Z | 21.00% | |
| EVENUED LOCAL CALLING Development 21.00% | | Residence Flat Rate Trunks | 21.00% | 21.60% | |
| Exemulation function of calling Area Exemulation function (calling Area Exemulation (calling Area | | | 21.60% | 21.00% | • |
| EPANDED LOCALING Mandany Exercitical Caling Caling Common Security Common | 57 | Service Contrections, inove and Crianges | 4 | | |
| Basadatory Exercise 210% </td <td>58 EXPANDED LOCAL CALLING</td> <td></td> <td></td> <td></td> <td></td> | 58 EXPANDED LOCAL CALLING | | | | |
| Restor Optional Caling Area 2100% 2110% | 59 | Mandatory Extend Local Calling | 21.60% | 21.60% | |
| VERTICAI SERVICES Matches VERTICAI SERVICES Allo Redia Call Enverting Call Enverting Enverting Enverting Call Enverting Enverti | | Basehor Optional Calling Area | 21.60% | 21.60% | |
| VERTICAL SERVICES And Relation in the contract of the contrect of the contrect of the contrect of the contrect | | | %/N0/17 | or 00.17 | |
| Internation 216% | | | | | |
| Call Forwarding 2006 2160% 2160% 2160% Call Forwarding Bissy Line 2160% 2160% 2160% Call Forwarding Distribution 2160% 2160% 2160% Calling Name Calling Name 2160% 2160% 2160% Presonalized Fing (1 dependent numbers 1 st number) 2160% 2160% 2160% Presonalized Fing (1 dependent numbers 2 st number) 2160% 2160% 2160% Presonalized Fing (1 dependent numbers 2 st number) 2160% 2160% Presonalized Fing (1 dependent numbers 2 st number) 2160% 2160% Presonalized Fing (2 dependent numbers 2 st number) 2160% 2160% Stanting Name | | and a subscription of the | | 21.60% | |
| Call Forwarding 21 60% Call Return 21 60% Call Return 21 60% Call Warne 21 60% Call Variance 21 60% Personalized Ring (2 dependent number) 21 60% Standard Retore (2 Rindent number) 21 60% < | | ruu regia Cali Bioxica | | 21.60% | |
| Call Forwarding Bus UneDon Answer 2100% 2100% 2100% Call Forwarding Anno 2100% 2100% 2100% Call Warding Anno 2100% 2100% 2100% Calling Name 2100% 2100% 2100% Priority Call 2100% 2100% 2100% Standarasca to Call Forwarding 2100% 2100% 2100% | <u>7</u> | Call Forwarding | | 21.60% | |
| Call Forwarding - Busy Line/Don't Answer 21 60% 21 60% 21 60% Call Revearding - Don't Narwer 21 60% 21 60% 21 60% Call Revearding - Don't Narwer 21 60% 21 60% 21 60% Call Revearding - Don't Narwer 21 60% 21 60% 21 60% Call Revearding - Don't Narwer 21 60% 21 60% 21 60% Call Revearding - Don't Narwer 21 60% 21 60% 21 60% Call Revearding - Don't Narwer 21 60% 21 60% 21 60% Call Revearding - Don't Narwer 21 60% 21 60% 21 60% Call Revearding - Don't Narwer 21 60% 21 60% 21 60% Call Revearding - Don't Narwer 21 60% 21 60% 21 60% Personalized Ring (2 dependent number) 21 60% 21 60% 21 60% Personalized Ring (2 dependent number) 21 60% 21 60% 21 60% Personalized Ring (2 dependent number) 21 60% 21 60% 21 60% Sinderne Call Forwarding 21 60% 21 60% 21 60% Sinderne Call Forwarding 21 60% 21 60% 21 60% Sinderne Call Forwarding 21 60% 21 60% 21 60% Sinderne Call Forwarding 21 60% 21 60% 21 60% | 31 | Call Forwarding - Busy Line | | 21.60% | |
| Call Forwarding - Don't Arswer 21 00% 21 00% 21 00% Call Return 21 00% 21 00% 21 00% Call Return 21 00% 21 00% 21 00% Call Return 21 00% 21 00% 21 00% Call Ry Name 21 00% 21 00% 21 00% Calling Number 21 00% 21 00% 21 00% Calling Number 21 00% 21 00% 21 00% Personalized Ring (1 dependent numbers - 1st number) 21 00% 21 00% 21 00% Personalized Ring (2 dependent numbers - 7nd number) 21 00% 21 00% 21 00% Personalized Ring (2 dependent numbers - 7nd number) 21 00% 21 00% 21 00% Personalized Ring (2 dependent numbers - 7nd number) 21 00% 21 00% 21 00% Personalized Ring (2 dependent numbers - 7nd number) 21 00% 21 00% 21 00% Remote Acting 21 00% 21 00% 21 00% 21 00% Selective Call Forwarding 21 00% 21 00% 21 00% Selective Call Forwarding 21 00% 21 00% 21 00% Selective Call Forwarding 21 00% 21 00% 21 00% Selective Call Forwarding 21 00% 21 00% 21 00% Sinch Aching Fradot< | <u>8</u> | | | 21.60% | |
| Call Take 2160% 2160% Call Take 2160% 2160% Call Take 2160% 2160% Calling Nume 2160% 2160% Calling Nume 2160% 2160% Calling Nume 2160% 2160% Calling Nume 2160% 2160% Presonalized Ring (1 dependent number) 2160% 2160% Presonalized Ring (2 dependent number) 2160% 2160% Simultaneous (a) Digline 2160% 2160% Calling Digline 2160% 2160% Calling Calling 2160% 2160% Digline Digline 2160% 2160% Calling 2160% | 39 | | | 21.60% | |
| Call Trace 21 60% 21 60% Call Wains 21 60% 21 60% Call Wains 21 60% 21 60% Call Wains 21 60% 21 60% Calling Name 21 60% 21 60% Calling Name 21 60% 21 60% Calling Name 21 60% 21 60% Personalized Ring (1 dependent number) 21 60% 21 60% Personalized Ring (2 dependent number) 21 60% 21 60% Personalized Ring (2 dependent number) 21 60% 21 60% Personalized Ring (2 dependent number) 21 60% 21 60% Personalized Ring (2 dependent number) 21 60% 21 60% Romultareous Call Forwarding 21 60% 21 60% Simultareous Call Forwarding 21 60% 21 60% Contenter Electormunications Services (e.g. the Works) 21 60% 21 60% Contenter Telephone Services 21 60% 21 60% Contenter Telephone Services 21 60% 21 60% Contenter Telephone Services | 70 | Call Return | 21.60% | 21.60% | |
| Call Warting 21,60% 21,60% 21,60% 21,60% Calling Name 21,60% 21,60% 21,60% 21,60% Calling Name Calling Name 21,60% 21,60% 21,60% Calling Name Calling Name 21,60% 21,60% 21,60% Personalized Ring (1 dependent number) 21,60% 21,60% 21,60% Personalized Ring (2 dependent number) 21,60% 21,60% 21,60% Stend Calling Simultaneous Call Forwarding 21,60% 21,60% Stend Calling Timee Way Calling 21,60% 21,60% Stend Calling Timee Way Calling 21,60% 21,60% Conderect Telephone Services (e.g., the Works) 21,60% 21,60% 21,60% Conderect Telephone Services 21,60% | 71 | | 21.60% | 21.60% | |
| Calling Name 21.60% 21.60% 21.60% Personalized Ring (1 dependent numbers) 21.60% 21.60% 21.60% Personalized Ring (2 dependent numbers) 21.60% 21.60% 21.60% Priority Call Resonalized Ring (2 dependent numbers) 21.60% 21.60% Resonalized Ring (2 dependent numbers) 21.60% 21.60% 21.60% Rine Access to Call Forwarding 21.60% 21.60% 21.60% Speed Calling 21.60% 21.60% 21.60% Speed Calling 21.60% 21.60% 21.60% Conference Teleptone Services (e.g. the Works) 21.60% 21.60% Conference Teleptone Services 21.60% 21.60% | 72 | | 21.60% | 21.60% | |
| Calling Number Calling Vumber 21.00% | 73 | | Z1.60% | 21.00% | |
| Personalized King (1 dependent number) 21.60% 21.60% Personalized King (2 dependent numbers - 14t number) 21.60% 21.60% Personalized King (2 dependent numbers - 2nd number) 21.60% 21.60% Personalized King (2 dependent numbers - 2nd number) 21.60% 21.60% Personalized King (2 dependent numbers - 2nd number) 21.60% 21.60% Personalized King (2 dependent numbers - 2nd number) 21.60% 21.60% Personalized King (2 dependent numbers - 2nd number) 21.60% 21.60% Remote Access to Call Forwarding 21.60% 21.60% Selective Call Forwarding 21.60% 21.60% Selective Call Forwarding 21.60% 21.60% Three Way Calling 21.60% 21.60% OTHER Digline 21.60% 21.60% OTHER Bundled Telecommunications Services (e.g., the Works) 21.60% 21.60% Conference Telephone Services 21.60% 21.60% 21.60% Conference Telephone Services 21.60% 21.60% 21.60% Conference Telephone Services 21.60% 21.60% 21.60% Customer Alering Enablement 21.60% 21.60% 21.60% | 74 | and more a surrest minime - | | 21.00 % | |
| Personalized Ring (a dependent numbers - 1st number) 21.60% 21.60% 21.60% Personalized Ring (a dependent numbers - 2nd number) 21.60% 21.60% 21.60% Personalized Rocess Call Forwarding 21.60% 21.60% 21.60% Selective Access Call Forwarding 21.60% 21.60% 21.60% Sheed Calling 21.60% 21.60% 21.60% OrtHER Digline 21.60% 21.60% 21.60% OrtHER Digline 21.60% 21.60% 21.60% OrthER Digline 21.60% 21.60% 21.60% OrthER Bundled Telecommunications Services (e.g., the Works) 21.60% 21.60% Conference Telephone Service 21.60% 21.60% 21.60% Class 21.60% 21.60% 21.60% Hot Line 21.60% 21.60% 21.60% | 75 | (imber) | | 21.00% | |
| Priority Call 21.60% 21 | (0) | | 21.60% | 21.60% | |
| Remote Access to Call Forwarding 21 60% 21 60% 21 60% Selective Call Forwarding 21 60% 21 60% 21 60% Speed Calling 21 60% 21 60% 21 60% Stree Way Calling 21 60% 21 60% 21 60% OTHER Bundled Telecommunications Services (e.g., the Works) 21 60% 21 60% Conference Telephone Services 21 60% 21 60% 21 60% Call Environmentications Services 21 60% 21 60% 21 60% Conference Telephone Services 21 60% 21 60% 21 60% Conference Telephone Services 21 60% 21 60% 21 60% | 77 | Felsoriarized Ning (2 dependent indinbers - zita number) | 21.60% | | |
| Selective Call Forwarding 21.60% | 70 | Remote Access to Call Forwarding | 21.60% | 21.60% | |
| Simultaneous Call Forwarding 21.60% 21.60% 21.60% Speed Caling 21.60% 21.60% 21.60% Speed Caling 21.60% 21.60% 21.60% Speed Caling 21.60% 21.60% 21.60% OTHER Digilitie 21.60% 21.60% 21.60% OTHER Bundled Telecommunications Services (e.g., the Works) 21.60% 21.60% 21.60% Other conference Telephone Service Conference Telephone Service 21.60% 21.60% 21.60% Hot Line Hot Line 21.60% 21.60% 21.60% 21.60% | | | 21.60% | 21.60% | |
| Speed Caling 21.60% 2 | <u>31</u> | Simultaneous Call Forwarding | 21.60% | | |
| Three Way Calling 21.00% 21.00% ISDN Digiline 21.60% 21.60% OTHER Bundled Telecommunications Services (e.g., the Works) 21.60% 21.60% OTHER Bundled Telecommunications Services (e.g., the Works) 21.60% 21.60% OTHER Bundled Telecommunications Services (e.g., the Works) 21.60% 21.60% Other Conference Telephone Services 21.60% 21.60% 21.60% Hot Line Conference 21.60% 21.60% | 32 | Speed Calling | | | |
| ISDN Digiline 21.60% 21.60% 21.60% 21.60% 21.60% CTHER Bundled Telecommunications Services (e.g., the Works) 21.60% 21.60\% 21.60 | 33 | Three Way Calling | | | |
| OTHER Digiline 21.60% 21.60% 21.60% OTHER Bundled Telecommunications Services (e.g., the Works) 21.60% 21.60\% 21.6 | | | | | |
| OTHER Bundled Telecommunications Services (e.g., the Works) Bundled Telecommunications Services (e.g., the Works) Conference Telephone Services Customer Alering Enablement Customer Alering Enablement | | Dictine | 21.60% | 21.60% | |
| OTHER Bundled Telecommunications Services (e.g., the Works) 21.60% 21.60% 21.60% Conference Telephone Services 21.60% 21.60% 21.60% Customer Alering Enablement 21.60% 21.60% Customer Alering Enablement 21.60% 21.60% Hot Line 21.60% 21.60% | | | | | |
| Bundled Letecommunications Services (e.g., the Works) 21.60% 21.60% Conference Telephone Service 21.60% 21.60% Customer Alering Enablement 21.60% 21.60% Flat Line 21.60% 21.60% | | | 21 GOV | 21 60% | |
| Contrementer levelunter service Contrementer Alering Enablement Cranditathered Services Hot Line Hot Line | 69 | Bundled Telecommunications Services (e.g., the Works) | 21.60% | 21.60% | |
| Crandithered Services Ptot Line Acting 21.60% 21.60% 21.60% 21.60% | 10 | | 21.60% | 21.60% | |
| 401 Line 21.60% 21.60% | <u>71</u> 3 <u>7</u> | Craonifathered Services | 21.60% | 21.60% | |
| | <u>93</u> | Hot Line | 21.60% | 21.60% | |

CCCS 278 of 295

Version: 3Q08 • CLEC ICA 08/28/08

PAGE 7 OF 9

.

| A | ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~ | | n | CTIFFORT NOR- | F Clitrant Non- |
|--|---|---------------------------------------|-----------------------------------|----------------------|-------------------|
| Draduat Tune | Rate Flament Description | | Current Monthly Recurring Rate | Recurring Rate | Recurring Rate |
| 304 304 | | | 21.60% | 21.60% | N/A N/A N/A |
| <u>396</u> | Local Operator Assistance Service | | 21.60% | 21.60% | A/A |
| <u>397</u> <u>368</u> | Promotions (Greater than 90 days) Preferred Nimber Sension | | 21.60% 21.60% | 21.60% 21.60% | A/N A/N |
| 399 | Second Line Control | | 21.60% | 21.60% | A/N |
| 100 00T | Selective Call Acceptance | | 21.60% | 21.60% | N/A |
| 401 | l oucn i one Voice Dial | | 21.60% | 21.60% | A/N |
| 403 | Warm Line | - | 21.60% | 21.60% | N/A |
| 404 OTHER (Resale) | | | | <pre></pre> | |
| | Directory Assistance/Operator Services | | 1000 100 | V 11 V | |
| 400 | Directory Assistance Services Local Operator Assistance Service | | 21.60% | N/A N/A | A/N N/A |
| 408 409 | | | | | |
| 110 | ates | | | | |
| 411 | ent Load, per switch | | \$ A/A \$ | 1,800.00 | 1,800.00 |
| 412 | Brand and Reference/Rate Look Up, per OS/DA call | <u>ج</u> | 0.03 | | N/A |
| +14 | Rate Reference - Initial Load, per state, per OCN Rate Reference - Subsequent Load, per state, per OCN | í X | e VN | N/A | 1,500.00 |
| 415 416 TON 1 | | | | | |
| 410 I OLL 417 | 900 Call Restriction | | 21.60% | 21.60% | N/A |
| 418 | Home 800sm | | 21.60% | 21.60% | N/A |
| 419 | IntraLATAMTS | | 21.60% | 21.60% | N/N |
| 420 421 OPTIONAL TOLL CALLING PLANS | | | | | - |
| 422 | - | | 21.60% | 21.60% | N/A |
| 423 | 1+Saver Direct | | 21.60% | 21.60% | A/N |
| <u>424</u> | Optional Community Calling Service | | 21.60% | 21.60% | A/N |
| 426 | 900 Call Restriction | r 11-4 | 21.60% | 21.60% | N/A |
| 427 | Access Services | | 0.00% | 0.00% | N/A |
| 428 | Additional Directory Listings | | 21.60% | 21.60% | N/A |
| 429 | $\mathbf{B}_{\mathbf{H}}$ | | 5.00% | 5.00% | N/A |
| 430 | Company Initiated Suspension Service | · · · · · · · · · · · · · · · · · · · | 0.00% | 0.00% | A/N |
| 431 | Connections with lerminal Equipment and Communications Equipment | | 0.00% | 0.00% 5 00% | |
| 4.22 | | | %0000 %0000 | 0.00% | N/N |
| <u>434</u> | Customer Initiated Suspansion Service | | 0.00% | 0.00% | N/A |
| 435 | Exchange Connection Service | | 0.00% | %00.0 | N/A |
| 436 | Information Delivery Service | | 0.00% | %00.0 | A/A |
| 437 | Intellinumber | | 21.60% | 21.60% | N/A |
| 438 | IntraLATA Internet Access Plan | | 0.00% | 0.00% | A/N |
| 139 | Maintenance of Service Charges | | 0.00% | 0.00% | |
| 440 | Prepario autos Suprod Taxiant Sanitas | | 21 bu% | %00.12 0000 | A/N |
| 442 | Shared Use Service | | 0.00% | 0.00% | N/A |
| 443 | Telecommunications Service Priority Systems | | 0.00% | 0.00% | N/A |
| 444 | TeleKansas | | 0.00% | %00.0 | N/A |
| 445 | Toll Billing Exception (Billed Number Screen) | | 21.60% | 21.60% | A/N |
| 446 | Toll Restriction | | 21.60% | 21.60% | N/A |
| 44/ | Wireless Carrier Interconnection Services | | %_DD.D | %,000,0 | |
| Electronic Billing Information Data (daily | (daily | | | | |
| 449 usage) per message | | æ | 0.003 | N/A | NA |
| 450] | | | | | |

PAGE 8 OF 9

| A | B | C | D | Е | |
|-------------------------------------|--|-------|-----------------------------------|--|--|
| | Date Element Description | SOCSI | Current Monthly Recurring Rate | Current Monthly Recurring Rate Recurring Rate (Initial) | Current Non- Recurring Rate (Additional) |
| Conversion Charges below based upon | Inonquized Dividing Vide Clering Library Providence Clering Library Providence Clering Library | | | | |
| 451 Docket 97-SCCC-149-GIT | | | | the second second second second | |
| 452 | Simple conversion charge per billable number-manual | | S V/A & | \$ 12.35 | A/N |
| <u>453</u> | Simple conversion charge per billable number-electronic | - | | | N/A |
| 154 | Complex conversion charge per billable number-manual | | N/A \$ | | A/A |
| | Complex conversion charge per billable number-electronic | | | \$ 2.35 | N/A |
| 156 | | | | | |

| | | | | Current Monthly Recurring | Current Non Recurring Ra |
|----------|--|--|----------------|---------------------------------|--|
| Line | Product Type | Rate Element Description | USOC | Rate | (Initial) |
| 1 | CLEC-PROVISIONED FACILITIES & EQUIPMENT: CAGED | | | | |
| 2 | REAL ESTATE | | | | |
| | Site Conditioning | Per Sq. Ft. of space used by CLEC | S8FWB | | \$9.3 |
| 4 5 | Safety & Security Floor Space Usage | Per Sq. Ft. of space used by CLEC Per Sq. Ft. of space used by CLEC | S8F4N | ¢5 07 | \$19.! |
| 6 | COMMON SYSTEMS | Tel 34. Ft. of space used by CLEC | S8F4L | \$5.97 | |
| 7 | Common Systems - Cage | Per Sq. Ft. of space used by CLEC | S8F4A | \$0.44 | \$59.8 |
| 8 | PLANNING | personal in the second of the second s | | | · · · · · · · · · · · · · · · · · · · |
| 9 | Planning - Central Office | Per Sq. Ft. of space used by CLEC | S8GCA | \$0.09 | \$7. |
| 10 | Planning | Per Request | NRFCD | | \$5,244.4 |
| 11 12 | Planning - Subsequent Inter. Cabling Planning - Subsequent Power Cabling | Per Request Per Request | NRFCE | | \$2,267 |
| 13 | Planning - Subsequent Power Cabling Planning - Subs. Inter./Power Cabling | Per Request | NRFCF NRFCG | | \$2,306. \$2,884. |
| 14 | Planning - Non-Standard | Per Request | NRFCH | | \$1,436. |
| 15 | POWER PROVISIONING | | | | • 11 1000 |
| 16 | Power Panel: | | | | |
| 17 | 50 Amp | Per Power Panel (CLEC Provided) | NONE | | |
| 18 19 | 200 Amp | Per Power Panel (CLEC Provided) | NONE | | |
| 20 | Power Cable and Infrastructure: Power Cable Rack | Per Four Power Cables or Quad | NONE | | |
| 21 | 2-10 Amp Feeds | Per 2-10 Amp Power Feeds (CLEC Provided) | C1F31 | \$0.25 | \$48. |
| | 2-20 Amp Feeds | Per 2-20 Amp Power Feeds (CLEC Provided) | S8GF1 | \$0.25 | |
| 23 | 2-30 Amp Feeds | Per 2-30 Amp Power Feeds (CLEC Provided) | C1F32 | \$0.25 | to the second the second second second |
| | 2-40 Amp Feeds | Per 2-40 Amp Power Feeds (CLEC Provided) | C1F33 | \$0.25 | · · · · · · · · · · · · · · · · · · · |
| | 2-50 Amp Feeds | Per 2-50 Amp Power Feeds (CLEC Provided) | S8GF2 | \$0.25 | (A+ |
| 26 27 | 2-100 Amp Feeds Equipment Grounding: | Per 2-100 Amp Power Feeds (CLEC Provided) | S8GF3 | \$0.25 | \$48 |
| | Ground Cable Placement | Per Sq. Ft. of space used by CLEC | S8FCR | \$0.03 | \$0 |
| 29 | DC POWER AMPERAGE CHARGE | | JULION | φ0.00 | ψυ. |
| 30 | HVAC | Per 10 Amps | S8GCS | \$14.62 | 1. 1. 1. |
| 31 | Per Amp | Per Amp | S8GCR | \$10.61 | |
| 32 | FIBER CABLE PLACEMENT | | | | |
| 33 | Central Office: | Der Eiher Cable Charth (OLEO Marder D.H. O.H.) | | | |
| 34 35 | Fiber Cable | Per Fiber Cable Sheath (CLEC Vendor Pulls Cable) Per Fiber Cable Sheath | S8FQ9 S8FW5 | \$4.85 | et Marina and and an additional and |
| 36 | MISCELLANEOUS & OPTIONAL COST: | | CAA JOC | \$8.76 | |
| 37 | MISCELLANEOUS COSTS | | | | |
| 38 | Timing Lead (1 pair per circuit) | Per Linear Foot, Per pair | S8F45 | \$0.08 | \$14. |
| 39 | Bits Timing | Based on two (2) leads per circuit | S8FQT | \$3.58 | |
| 40 | Space Availability Report | Per Premise | NRFCQ | | \$168 |
| 41 42 | Security Access / ID Cards Security Access / ID Cards/Expedite | Per Five Cards Per Five Cards | NRFCM | | \$123 |
| 42 | CAGE COMMON COSTS | Tel Tive Calds | NRFCN | | \$203 |
| 44 | AC Circuit Placement | Per Sq. Ft. (CLEC provides cage) | NRL60 | | \$5 |
| 45 | INTERCONNECTION COSTS: | (a) a construction of a construction of the first of State for an endown on the same and the same and the same of the same | | | |
| 46 | ILEC TO CLEC CONNECTION | | | | |
| 47 | Voice Grade Arrangement | 100 Copper Pairs (CLEC provides cable) | S8F48 | \$3.86 | - 91 |
| 48 | Voice Grade Arrangement | 100 Shielded Pairs (CLEC provides cable) | S8FWU | \$3.86 | |
| 49 50 | DS1 Arrangement - DCS DS1 Arrangement - DSX | 28 DS1 (CLEC provides cable) 28 DS1 (CLEC provides cable) | S8FQM | \$295.42 | |
| | DS3 Arrangement - DCS | 1 DS3 (CLEC provides cable) | S8F46 S8F47 | \$6.07 | |
| | DS3 Arrangement - DSX | 1 DS3 (CLEC provides cable) | S8FQN | \$5.69 | advances and the state of the state |
| 53 | Fiber Arrangement | 12 Fiber Pairs (CLEC provides cable) | S8FQR | \$3.58 | |
| 54 | CLEC TO CLEC CONNECTION | | | | |
| 55 | Cable Racking and Hole for Optical | Per Cable | S8GFE | \$0.82 | |
| 56 57 | Cable Racking and Hole for DS1 Cable Racking and Hole for DS3 | Per Cable Per Cable | S8GFF S8GFG | \$0.57 | |
| 57 | Route Design | | | \$0.50 | |
| 59 | Connection for DS1 | Per 28 Circuits (CLEC provides cable) | NRFCX S8GFH | \$0.18 | \$424 |
| 60 | Connection for DS3 | Per Circuit (CLEC provides cable) | S8GFJ | \$0.12 | |
| 61 | Connection for Optical | Per Cable (CLEC provides cable) | S8GFK | \$0.3 | and the second second second |
| 62 | TIME SENSITIVE ACTIVITIES | | | | |
| 63 | PRE-VISITS | | | | |
| 64 | Colloc. Ser. Mgr 2nd Level | Per 1/4 Hour | NRFCR | | \$23 |
| 65 66 | Comm. Tech - Craft CO Manager - 1st Level | Per 1/4 Hour Per 1/4 Hour | NRFCS | | \$19 |
| 67 | Floor Space Planning - 1st Level | Per 1/4 Hour | NRFCT NRFCU | | \$19 \$19 |
| 68 | CONSTRUCTION VISITS | | INICO | | يې الا 1 |
| 69 | Project Manager - 1st Level | Per 1/4 Hour | NRFCV | | \$19 |
| 70 | Colloc. Ser. Mgr 2nd Level | Per 1/4 Hour | NRFCZ | | \$23 |
| 71 | | | | | |
| 70 | | | | | |
| 72 | AT&T-PROVISIONED FACILITIES & EQUIPMENT: CAGED | | | | |
| 73 74 | REAL ESTATE Site Conditioning | Per Sq. Ft. of space used by CLEC | CPCCE | | |
| 74 | Safety & Security | Per Sq. Ft. of space used by CLEC Per Sq. Ft. of space used by CLEC | S8GCE S8GCF | | \$9 |
| | Floor Space Usage | Per Sq. Ft. of space used by CLEC | S8GCD | \$5.9 | \$ 19 |

| Line | Des Just Tuss | | | Current Monthly Recurring | Current Non- Recurring Rate |
|---|---|---|--|---------------------------------------|---|
| Line 77 | Product Type COMMON SYSTEMS | Rate Element Description | USOC | Rate | (Initial) |
| 78 | Common Systems - Cage | Per Sq. Ft. of space used by CLEC | S8GCG | \$0.44 | \$59.86 |
| - 117 AL | PLANNING | | | | · · · · · · · · · · · · |
| 80 | Planning - Central Office | Per Sq. Ft. of space used by CLEC | S8GCA | \$0.09 | Contraction of the second s |
| 81 82 | Planning Planning - Subsequent Inter. Cabling | Per Request | NRFCD | | \$5,244.43 |
| | Planning - Subsequent Inter, Cabling Planning - Subsequent Power Cabling | Per Request Per Request | NRFCE | | \$2,267.04 \$2,306.10 |
| 84 | Planning - Subs. Inter./Power Cabling | Per Request | NRFCG | | \$2,884.60 |
| 85 | Planning - Non-Standard | Per Request | NRFCH | | \$1,436.00 |
| | POWER PROVISIONING | | ······································ | | |
| | Power Panel: | | | | |
| 88 89 | ,50 Amp 200 Amp | Per Power Panel Per Power Panel | S8GC8 | \$15.77 | |
| | Power Cable and Infrastructure: | | S8GC9 | \$18.75 | \$3,659.46 |
| | 2-10 Amp Feeds | Per 2-10 Amp Power Feeds | C1F3A | \$5.83 | \$1,378.83 |
| 92 | 2-20 Amp Feeds | Per 2-20 Amp Power Feeds | S8GCU | \$7.74 | . |
| | 2-30 Amp Feeds | Per 2-30 Amp Power Feeds | C1F38 | \$8.35 | \$1,700.70 |
| | 2.40 Amp Feeds | Per 2-40 Amp Power Feeds | C1F3C | \$8.96 | |
| | 2-50 Amp Feeds 2-100 Amp Feeds | Per 2-50 Amp Power Feeds Per 2-100 Amp Power Feeds | S8GCV | \$9.57 | Antonio de las las sectos a |
| A. 1998 Aug. | Equipment Grounding: | Per 2-100 Amp Power Feeds | S8GCW | \$11.39 | \$2,344.44 |
| | Ground Cable Placement | Per Sq. Ft. of space used by CLEC | S8GDA | \$0.03 | \$0.92 |
| 99 | DC POWER AMPERAGE CHARGE | | | φ0.00 | ψ0.32 |
| | HVAC | Per 10 Amps | S8GCS | \$14.62 | |
| | Per Amp | Per Amp | S8GCR | \$10.61 | |
| | FIBER CABLE PLACEMENT Central Office: | 10000000 00000000000000000000000000000 | | | |
| | Fiber Cable | Per Fiber Cable Sheath | S8GDE | ¢4.05 | ¢4 040 00 |
| | Entrance Conduit to Vault | Per Fiber Cable Sheath | S8GDD | \$4.85 \$8.76 | |
| | MISCELLANEOUS & OPTIONAL COST: | | | φ0.70 | |
| | MISCELLANEOUS COSTS | | | | |
| | Timing Lead (1 pair per circuit) | Per Linear Foot, Per pair | S8GEK | \$0.08 | \$14.81 |
| | Bits Timing | Based on two (2) leads per circuit | S8GEJ | \$3.58 | |
| | Space Availability Report Security Access / ID Cards | Per Premise Per Five Cards | NRFCQ NRFCM | | \$168.04 |
| | Security Access / ID Cards/Expedite | Per Five Cards | NRFCM | | \$123.35 \$203.35 |
| | CAGE COMMON COSTS | | | | φ200.00 |
| | Cage Preparation | Per Sq. Ft. of space used by CLEC | S8GCH | \$0.27 | \$19.70 |
| | INTERCONNECTION COSTS: | | 1 | | |
| | ILEC TO CLEC CONNECTION | 100 O Daim | | | |
| | Voice Grade Arrangement Voice Grade Arrangement | 100 Copper Pairs 100 Shielded Pairs | S8GD4 S8GD5 | \$4.92 \$4.92 | |
| | DS1 Arrangement - DCS | 28 DS1 | S8GDK | \$297.44 | danan cana ana ina ina ana ama an |
| | DS1 Arrangement - DSX | 28 DS1 | S8GDP | \$9.79 | |
| | DS3 Arrangement - DCS | 1 DS3 | S8GDV | \$115.58 | \$2,181.58 |
| | DS3 Arrangement - DSX | 1 DS3 | S8GDZ | \$7.14 | |
| | Fiber Arrangement CLEC CONNECTION | 12 Fiber Pairs (24 Fiber strands) | S8GED | \$6.55 | \$1,779.78 |
| | Cable Racking and Hole for Optical | Per Cable | S8GFE | \$0.82 | |
| | Cable Racking and Hole for DS1 | Per Cable | SIGFE | \$0.82 | |
| 127 | Cable Racking and Hole for DS3 | Per Cable | S8GFG | \$0.50 | |
| | Route Design | | NRFCX | | \$424.88 |
| | Connection for DS1 | Per 28 Circuits | S8GFC | \$1.41 | |
| | Connection for DS3 Connection for Optical (Fiber) | Per Circuit | S8GFD | \$1.30 | |
| | TIME SENSITIVE ACTIVITIES | Per Cable | S8GFB | \$1.38 | \$1,404.07 |
| | PRE-VISITS | | | | |
| • * * * * * * * * * * * * * * * * * * * | Colloc. Ser. Mgr 2nd Level | Per 1/4 Hour | NRFCR | · · · · · · · · · · · · · · · · · · · | \$23.23 |
| 135 | Comm. Tech - Craft | Per 1/4 Hour | NRFCS | | \$19.60 |
| | CO Manager - 1st Level | Per 1/4 Hour | NRFCT | | \$19.72 |
| | Floor Space Planning - 1st Level CONSTRUCTION VISITS | Per 1/4 Hour | NRFCU | | \$19.24 |
| | Project Manager - 1st Level | Per 1/4 Hour | NDEOV | | 6 40.0 |
| | Colloc. Ser. Mgr 2nd Level | Per 1/4 Hour | NRFCV NRFCZ | | \$19.24 \$23.23 |
| 141 | | | | | φ23.23 |
| | CLEC-PROVISIONED FACILITIES & EQUIPMENT: | · · · · · · · · · · · · · · · · · · · | | | |
| | CAGELESS | | | | |
| | REAL ESTATE | | | | |
| | Site Conditioning Safety & Security | Per Frame (Standard Bay=10 sq ft) | S8FWC | | \$92.81 |
| | Floor Space Usage | Per Frame (Standard Bay=10 sq ft) | S8FWG | 1 04.04 | \$195.57 |
| | | Per Frame (Standard Bay=10 sq ft) | S8F9C | \$64.21 | |
| | Common Systems - Cageless | Per Frame (Standard Bay=10 sq ft) | S8FWE | \$9.35 | \$760.45 |
| | PLANNING | | | φσ.30 | - φιου.40 |
| | Planning - Central Office | Per Frame (Standard Bay=10 sq ft) | S8GCB | \$1.13 | \$75.54 |
| | Planning | Per Request | NRFCJ | | \$4,601.93 |
| | Planning - Subsequent Inter. Cabling | Per Request | NRFCE | | \$2,267.04 |
| 153 | Planning - Subsequent Power Cabling | Per Request | NRFCF | | \$2,306.10 |

| : | | | Current | |
|---|--------------------------|-------|-----------|----------------|
| | | | Monthly | Current Non- |
| | | | Recurring | Recurring Rate |
| Line Product Type | Rate Element Description | USOC | Rate | (Initial) |
| 154 Planning - Subs. Inter./Power Cabling | Per Request | NRFCG | | \$2,884.60 |
| 155 Planning - Non-Standard | Per Request | NRFCH | | \$1,436.00 |

| | | | | Current Monthly Recurring | Current Non- Recurring Rate |
|--|--|--|---|--|---|
| Line | Product Type | Rate Element Description | USOC | Rate | (Initial) |
| | POWER PROVISIONING Power Panel: | | | · · | |
| | 50 Amp | Per Power Panel (CLEC Provided) | NONE | 1 | |
| | 200 Amp | Per Power Panel (CLEC Provided) | NONE | | |
| | Power Cable and Infrastructure: | | ter and the ter all and the termine and the termine | | |
| | Power Cable Rack | Per Four Power Cables or Quad | NONE | | |
| | 2-10 Amp Feeds | Per 2-10 Amp Power Feeds (CLEC Provided) | C1F34 | \$0.25 | |
| | 2-20 Amp Feeds | Per 2-20 Amp Power Feeds (CLEC Provided) | S8GF1 | \$0.25 | Quantum and the code to a second s |
| | 2-30 Amp Feeds | Per 2-30 Amp Power Feeds (CLEC Provided) Per 2-40 Amp Power Feeds (CLEC Provided) | C1F35 | \$0.25 | |
| | 2-40 Amp Feeds | Per 2-40 Amp Power Feeds (CLEC Provided) Per 2-50 Amp Power Feeds (CLEC Provided) | C1F36 S8GF2 | \$0.25 \$0.25 | |
| | 2-50 Amp Feeds 2-100 Amp Feeds | Per 2-100 Amp Power Feeds (CLEC Provided) | 58GF2 S8GF3 | \$0.25 | |
| 100 Million 100 Mi | Equipment Grounding: | | | φ0.23 | Ψ +0.2、 |
| 169 | Ground Cable Placement | Per Frame | S8GDB | \$0.33 | \$15.32 |
| | | Day 40 Arms | 00000 | R 44.00 | : |
| | HVAC | Per 10 Amps | S8GCS | \$14.62 | |
| | Per Amp CEV, HUT & Cabinets | Per Amp Per 2 inch mounting space | S8GCR S8GCT | \$10.61 \$1.27 | |
| | | rei z incir mounting space | 30001 | Φ 1.27 | |
| | Central Office: | | | | |
| | Fiber Cable | Per Fiber Cable Sheath (CLEC Vendor Pulls Cable) | S8FQ9 | \$4.85 | \$809.13 |
| | Entrance Conduit | Per Fiber Cable Sheath | S8FW5 | \$8.76 | the second second second second second |
| | CEV, HUT & Cabinets: | | | | |
| | Fiber Cable Placement | Per Fiber Cable Sheath | S8GDH | · · · · · · · · · · · · · · · · · · · | \$53.58 |
| | Entrance Conduit | Per Fiber Cable Sheath | S8GDJ | \$2.61 | |
| | MISCELLANEOUS & OPTIONAL COST: | | | | |
| | | Der Linger Cost, Per pair | 60F 42 | *^ ^^ | ^ 44.4 A |
| 183 184 | Timing Lead (1 pair per circuit) Bits Timing | Per Linear Foot, Per pair Based on two (2) leads per circuit | S8F45 S8FQT | \$0.08 \$3.58 | |
| 185 | Space Availability Report | Per Premise | NRFCQ | \$ 3.30 | \$168.04 \$168.04 |
| | Security Access / ID Cards | Per Five Cards | NRFCM | | \$123.3 |
| 187 | Security Access / ID Cards/Expedite | Per Five Cards | NRFCN | | \$203.3 |
| 188 | CAGELESS / POT BAY OPTIONS | | en normen en bilde af bile en en en | | |
| 189 | Standard Equipment Bay | Each (CLEC Provided) | NONE | | |
| 190 | Non-Standard Cabinet Bay | Each (CLEC Provided) | NONE | | |
| 191 | VF/DS0 Termination Panel | Each (CLEC Provided) | NONE | | |
| | VF/DS0 Termination Module | Each (CLEC Provided) | NONE | | |
| | DDP-1 Panel | Each (CLEC Provided) | NONE | | |
| | DDP-1 Jack Access Card DS3/STS-1 Interconnect Panel | Each (CLEC Provided) Each (CLEC Provided) | NONE | | |
| 196 | DS3 Interconnect Module | Each (CLEC Provided) | NONE | | |
| 197 | Fiber Optic Splitter Panel | Each (CLEC Provided) | NONE | | |
| 198 | Fiber Termination Dual Module | Each (CLEC Provided) | NONE | | |
| 199 | CEV, HUT, CABINET | | | | |
| | 24 Foot CEV | 2 Inch Mounting Space | S8GE3 | \$1.64 | |
| | 16 Foot CEV | 2 Inch Mounting Space | S8GE4 | \$1.77 | agan anternaria, taka anadearinta ataka atterre |
| | Maxi-Hut | 2 Inch Mounting Space | S8GE1 | \$0.77 | ゆうしん ちょうしん しんしょう |
| | Mini-Hut | 2 Inch Mounting Space 2 Inch Mounting Space | S8GE2 S8GEX | \$1.33 | |
| | Large Cabinet Medium Cabinet | 2 Inch Mounting Space | SIGEX | \$1.63 \$2.19 | |
| 205 | Small Cabinet | 2 Inch Mounting Space | SIGET | \$3.29 | |
| | INTERCONNECTION COSTS: | | UUULL | 40.2 0 | |
| | ILEC TO CLEC CONNECTION | | | | · · · · · · · · · · · · · · · · · · · |
| | Voice Grade Arrangement | 100 Copper Pairs (CLEC provides cable) | S8F3E | \$3.86 | \$156.0 |
| 210 | Voice Grade Arrangement | 100 Shielded Pairs (CLEC provides cable) | S8FWV | \$3.86 | \$156.0 |
| 211 | DS1 Arrangement - DCS | 28 DS1 (CLEC provides cable) | S8F2J | \$295.42 | |
| | DS1 Arrangement - DSX | 28 DS1 (CLEC provides cable) | S8F2P | \$6.07 | |
| | DS3 Arrangement - DCS | 1 DS3 (CLEC provides cable) | S8F21 | \$115.30 | |
| | DS3 Arrangement - DSX Fiber Arrangement | 1 DS3 (CLEC provides cable) 12 Fiber Pairs (CLEC provides cable) | S8F25 S8F49 | \$5.69 | |
| | CLEC TO CLEC CONNECTION | | Jor4y | \$3.76 | \$495.4 |
| | Cable Racking and Hole for Optical | Per Cable | S8GFE | \$0.82 | j |
| | Cable Racking and Hole for DS1 | Per Cable | SIGFE | \$0.57 | |
| A | Cable Racking and Hole for DS3 | Per Cable | S8GFG | \$0.50 | |
| | Route Design | a a na a la | NRFCX | | \$424.8 |
| | Connection for DS1 | Per 28 Circuits (CLEC provides cable) | S8GFL | \$0.18 | |
| | Connection for DS3 | Per Circuit (CLEC provides cable) | S8GFM | \$0.12 | \$0.0 |
| 223 | Connection for Optical | Per Cable (CLEC provides cable) | S8GFN | \$0.31 | \$0.0 |
| | PROJECT MANAGEMENT | | | | : |
| | CEV, HUT & CABINET | | | | |
| | | Per CLEC Application | NRFCK | | \$631.1 |
| | TIME SENSITIVE ACTIVITIES | | | | |
| | PRE-VISITS | Por 1/4 Hour | NDCOD | | 1 |
| | Colloc. Ser. Mgr 2nd Level | Per 1/4 Hour Per 1/4 Hour | NRFCR | | \$23.2 . \$19.6 |
| | Comm. Tech - Craft CO Manager - 1st Level | Per 1/4 Hour | NRFCS NRFCT | | \$19.6 |
| | Floor Space Planning - 1st Level | Per 1/4 Hour | NRFCU | n de la composition de | \$19.7 |
| | CONSTRUCTION VISITS | | | ····· | ψ13.2 |
| | Project Manager - 1st Level | Per 1/4 Hour | NRFCV | | \$19.2 |
| 234 | | Per 1/4 Hour | ······································ | | ψ13.2 |

Page 4 of 14

| Line | Draduat Tura- | | | Current Monthly Recurring | Current Non- Recurring Rate |
|-------------|--|--|---|---------------------------------------|--|
| 236 | Product Type | Rate Element Description | USOC | Rate | (Initial) |
| | AT&T-PROVISIONED FACILITIES & EQUIPMENT: | | | | · · · · · · · · · · · · · · · · · · · |
| | CAGELESS REAL ESTATE | | | | |
| 230 | Site Conditioning | Per Frame (Standard Bay=10 sq ft) | S8GCL | | |
| 240 | | Per Frame (Standard Bay=10 sq ft) | SBGCL | | \$92.81 \$195.57 |
| | Floor Space Usage | Per Frame (Standard Bay=10 sq ft) | SBGCK | \$64.21 | 4 130.01 |
| | | | We are the the the set of the set of the set of | | |
| | Common Systems - Cageless PLANNING | Per Frame (Standard Bay=10 sq ft) | S8GCM | \$9.35 | \$760.45 |
| | Planning - Central Office | Per Frame (Standard Bay=10 sq ft) | S8GCB | \$1.13 | \$75.54 |
| 246 | Planning | Per Request | NRFCJ | ψ1.13 | \$4,601.93 |
| | Planning - Subsequent Inter. Cabling | Per Request | NRFCE | | \$2,267.04 |
| | Planning - Subsequent Power Cabling Planning - Subs. Inter./Power Cabling | Per Request | NRFCF | | \$2,306.10 |
| | Planning - Non-Standard | Per Request Per Request | NRFCG NRFCH | | \$2,884.60 |
| | POWER PROVISIONING | | ΝΚΓΥΠ | | \$1,436.00 |
| | Power Panel: | | | | |
| | 50 Amp | Per Power Panel | S8GC8 | \$15.77 | \$3,079.47 |
| | 200 Amp Power Cable and Infrastructure: | Per Power Panel | S8GC9 | \$18.75 | \$3,659.46 |
| | 2-10 Amp Feeds | Per 2-10 Amp Power Feeds | C1F3D | | ¢0.400.00 |
| | 2-20 Amp Feeds | Per 2-10 Amp Power Feeds Per 2-20 Amp Power Feeds | S8GCX | \$5.83 \$7.74 | direction and a second s |
| 258 | 2-30 Amp Feeds | Per 2-30 Amp Power Feeds | C1F3E | \$8.35 | Community and shall and only one of a |
| | 2-40 Amp Feeds | Per 2-40 Amp Power Feeds | C1F3F | \$8.96 | and the second sec |
| | 2-50 Amp Feeds | Per 2-50 Amp Power Feeds | S8GCY | \$9.57 | |
| | 2-100 Amp Feeds Equipment Grounding: | Per 2-100 Amp Power Feeds | S8GCZ | \$11.39 | \$3,236.32 |
| | Ground Cable Placement | Per Frame | S8GDB | ¢0.22 | 64 E OC |
| | DC POWER AMPERAGE CHARGE | | 36508 | \$0.33 | \$15.32 |
| | HVAC | Per 10 Amps | S8GCS | \$14.62 | · · · · · · · · · · · · · · · · · · · |
| | Per Amp | Per Amp | S8GCR | \$10.61 | |
| | CEV, HUT & Cabinets FIBER CABLE PLACEMENT | Per 2 inch mounting space | S8GCT | \$1.27 | |
| | Central Office: | | | | |
| | Fiber Cable | Per Fiber Cable Sheath | S8GDE | \$4.85 | \$1,619.88 |
| 271 | Entrance Conduit | Per Fiber Cable Sheath | S8GDD | \$8.76 | |
| | CEV, HUT & Cabinets: | | | | |
| | Fiber Cable Placement | Per Fiber Cable Sheath | S8GDH | | \$53.58 |
| | Entrance Conduit MISCELLANEOUS & OPTIONAL COST: | Per Fiber Cable Sheath | S8GDJ | \$2.61 | |
| | MISCELLANEOUS COSTS | | | · · · · · · · · · · · · · · · · · · · | |
| 277 | Timing Lead (1 pair per circuit) | Per Linear Foot, Per pair | S8GEK | \$0.08 | \$14.81 |
| | Bits Timing | Based on two (2) leads per circuit | S8GEJ | \$3.58 | · · · · · · · · · · · · · · · · · · · |
| | Space Availability Report Security Access / ID Cards | Per Premise | NRFCQ | | \$168.04 |
| | Security Access / ID Cards/Expedite | Per Five Cards Per Five Cards | NRFCM | | \$123.35 |
| | CAGELESS / POT BAY OPTIONS | | NRFCN | | \$203.35 |
| 283 | Standard Equipment Bay | Each | NRFCO | \$8.89 | \$721.28 |
| | Non-Standard Cabinet Bay | Each | NRFCP | \$17.78 | ······································ |
| | VF/DS0 Termination Panel/Module DDP-1 Panel/Jack Access Card | Each | S8GE5 | \$3.10 | Second contraction and the second second |
| | DDP-1 PallewJack Access Card DS3/STS-1 Interconnect Panel | Each Each | S8GE6 | \$8.08 | the second second and second |
| | DS3 Interconnect Module | Each | S8GE7 S8GE8 | \$2.38 \$0.45 | |
| | Fiber Optic Splitter Panel | Each | S8GE9 | \$1.52 | · · · · · · · · · · · · · · · · · · · |
| | Fiber Termination Dual Module | Each | S8GFA | \$1.37 | |
| | CEV, HUT, CABINET 24 Foot CEV | | | | |
| | 16 Foot CEV | 2 Inch Mounting Space | S8GE3 | \$1.64 | 4 |
| | Maxi-Hut | 2 Inch Mounting Space 2 Inch Mounting Space | S8GE4 S8GE1 | \$1.77 \$0.77 | |
| | Mini-Hut | 2 Inch Mounting Space | S8GE1 | \$1.33 | · · · · · · · · · · · · · · · · · · · |
| | Large Cabinet | 2 Inch Mounting Space | S8GEX | \$1.63 | |
| | Medium Cabinet | 2 Inch Mounting Space | S8GEY | \$2.19 | |
| ********** | Small Cabinet INTERCONNECTION COSTS: | 2 Inch Mounting Space | S8GEZ | \$3.29 | ; |
| | ILEC TO CLEC CONNECTION | | · · · · · · · · · · · · · · · · · · · | | 1 |
| 1. A. A. A. | Voice Grade Arrangement | 100 Copper Pairs | S8GD6 | \$4.92 | \$1,027.16 |
| | Voice Grade Arrangement | 100 Shielded Pairs | S8GD7 | \$4.92 | |
| | DS1 Arrangement - DCS | 28 DS1 | S8GDL | \$297.44 | \$3,613.06 |
| | DS1 Arrangement - DSX | 28 DS1 | S8GDQ | \$9.79 | Anter and the second state of the second states and the |
| | DS3 Arrangement - DCS DS3 Arrangement - DSX | 1 DS3 1 DS3 | S8GDW | \$115.58 | |
| | Fiber Arrangement | 12 Fiber Pairs (24 Fiber Strands) | S8GD1 S8GEE | \$7.14 \$6.55 | protection and the second second second |
| | CLEC TO CLEC CONNECTION | | | φ0.05 | \$1,779.78 |
| | Cable Racking and Hole for Optical | Per Cable | S8GFE | \$0.82 | |
| | Cable Racking and Hole for DS1 | Per Cable | S8GFF | \$0.57 | |
| | Cable Racking and Hole for DS3 | Per Cable | S8GFG | \$0.50 | |
| 312 | Route Design | | NRFCX | 4 | \$424.88 |

| | | | | Current Monthly Recurring | Current Non- Recurring Rate |
|--|---|--|--------|--|------------------------------------|
| Line | Product Type | Rate Element Description | USOC | Rate | (Initial) |
| | Connection for DS1 | Per 28 Circuits | S8GFC | \$1.41 | \$982.35 |
| | Connection for DS3 | Per Circuit | S8GFD | \$1.30 | |
| | Connection for Optical (Fiber) | Per Cable | S8GFB | \$1.38 | \$1,404.07 |
| 316 | PROJECT MANAGEMENT | | | | |
| | CEV, HUT & CABINET | The MIL COLUMN DEPENDENCE OF THE OPENDER OF PERSON AND A PERSON REPORT OF THE OPENDER OF THE OPE | | | \$004 47 |
| | Project Coordination | Per CLEC Application | NRFCK | | \$631.17 |
| | TIME SENSITIVE ACTIVITIES | - | | | |
| Contracts | PRE-VISITS | Part 1/4 Have | NRFCR | ····· | \$23.23 |
| 321 | Colloc. Ser. Mgr 2nd Level | Per 1/4 Hour Per 1/4 Hour | NRFCS | | \$19.60 |
| | Comm. Tech - Craft CO Manager - 1st Level | Per 1/4 Hour | NRFCT | | \$19.72 |
| | Floor Space Planning - 1st Level | Per 1/4 Hour | NRFCU | | \$19.24 |
| | CONSTRUCTION VISITS | | | | |
| | Project Manager - 1st Level | Per 1/4 Hour | NRFCV | | \$19.24 |
| | Colloc. Ser. Mgr 2nd Level | Per 1/4 Hour | NRFCZ | | \$23.23 |
| 328 | | an an an the second | | | |
| | CLEC-PROVISIONED FACILITIES & EQUIPMENT: CAGED | | | | |
| 329 | COMMON | | | | |
| 330 | REAL ESTATE | | | | |
| 331 | Site Conditioning | Per Frame (Standard Bay=10 sq ft) | S8FWC | | \$92.81 |
| | Safety & Security | Per Frame (Standard Bay=10 sq ft) | S8FWG | | \$195.57 |
| | Floor Space Usage | Per Linear Foot | S8GCO | \$24.87 | |
| | COMMON SYSTEMS | | | Ac | A001 07 |
| | Common Systems - Common | Per Linear Foot | S8GCP | \$3.62 | \$294.37 |
| | PLANNING | | 00000 | PC 1 | |
| | Planning - Central Office | Per Linear Foot | SBGCC | \$0.44 | \$29.24 \$4,601.93 |
| 338 | Planning | Per Request | NRFCJ | | \$4,601.93 |
| 339 | Planning - Subsequent Inter. Cabling | Per Request | NRFCE | | \$2,207.04 |
| 340 | Planning - Subsequent Power Cabling | Per Request | NRFCG | | \$2,884.60 |
| | Planning - Subs. Inter./Power Cabling | Per Request | NRFCH | | \$1,436.00 |
| 342 | Planning - Non-Standard | Per Request | NKFCA | | φ1, 4 50.00 |
| 343 | POWER PROVISIONING | | | | |
| 344 | Power Panel: | Per Power Panel (CLEC provides) | NONE | | |
| | 50 Amp 200 Amp | Per Power Panel (CLEC provides) | NONE | | |
| 1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1. | Power Cable and Infrastructure: | | | | |
| | Power Cable Rack | Per Four Power Cables or Quad | NONE | ······································ | |
| | 2-10 Amp Feeds | Per 2-10 Amp Power Feeds (CLEC Provided) | C1F31 | \$0.2 | 5 \$48.23 |
| | 2-20 Amp Feeds | Per 2-20 Amp Power Feeds (CLEC Provided) | S8GF1 | \$0.2 | 5 \$48.23 |
| | 2-30 Amp Feeds | Per 2-30 Amp Power Feeds (CLEC Provided) | C1F32 | \$0.2 | |
| | 2-40 Amp Feeds | Per 2-40 Amp Power Feeds (CLEC Provided) | C1F33 | \$0.2 | 5 \$48.23 |
| | 2-50 Amp Feeds | Per 2-50 Amp Power Feeds (CLEC Provided) | S8GF2 | \$0.2 | 5 \$48.23 |
| | 2-100 Amp Feeds | Per 2-100 Amp Power Feeds (CLEC Provided) | S8GF3 | \$0.2 | 5 \$48.23 |
| 355 | Equipment Grounding: | | | | |
| 356 | Ground Cable Placement | Per Linear Foot | S8GDC | \$0.1 | 3 \$5.93 |
| 357 | DC POWER AMPERAGE CHARGE | | | | |
| 358 | HVAC | Per 10 Amps | S8GCS | \$14.6 | |
| 359 | Per Amp | Per Amp | S8GCR | \$10.6 | 1 |
| 360 | FIBER CABLE PLACEMENT | | | | |
| | Central Office: | | | ¢4.0 | r ¢000.1/ |
| | Fiber Cable | Per Fiber Cable Sheath (CLEC Vendor Pulls Cable) | SBFQ9 | \$4.8 | |
| 363 | Entrance Conduit | Per Fiber Cable Sheath | S8FW5 | \$8.7 | 0 |
| 364 | MISCELLANEOUS & OPTIONAL COST: | | | | |
| 365 | MISCELLANEOUS COSTS | Per Linear Foot, Per pair | S8F45 | \$0.0 | 8 \$14.81 |
| 366 367 | Timing Lead (1 pair per circuit) Bits Timing | Based on two (2) leads per circuit | S8FQT | \$3.5 | |
| 367 | Space Availability Report | Per Premise | NRFCQ | +3.0 | \$168.04 |
| 369 | Security Access / ID Cards | Per Five Cards | NRFCM | | \$123.3 |
| 370 | Security Access / ID Cards/Expedite | Per Five Cards | NRFCN | | \$203.3 |
| 371 | CAGE COMMON COSTS | | | | |
| | Cage Preparation | Per Linear Foot | S8GCJ | \$1.0 | 0 \$157.00 |
| 373 | a president and the second | | | | |
| 374 | ILEC TO CLEC CONNECTION | | | | |
| 375 | (4) A set of the se | 100 Copper Pairs (CLEC provides cable) | S8F3E | \$3.8 | |
| 376 | Voice Grade Arrangement | 100 Shielded Pairs (CLEC provides cable) | S8FWV | \$3.8 | |
| 377 | DS1 Arrangement - DCS | 28 DS1 (CLEC provides cable) | S8F2J | \$295.4 | for some set of the set of the set |
| 378 | | 28 DS1 (CLEC provides cable) | S8F2P | \$6.0 | |
| 379 | DS3 Arrangement - DCS | 1 DS3 (CLEC provides cable) | S8F21 | \$115.3 | |
| 380 | DS3 Arrangement - DSX | 1 DS3 (CLEC provides cable) | S8F25 | \$5.6 | |
| 381 | Fiber Arrangement | 12 Fiber Pairs (CLEC provides cable) | S8F49 | \$3.7 | 6 \$495.4 |
| 382 | | | | | |
| | AT&T-PROVISIONED FACILITIES & EQUIPMENT: CAGED | | | | |
| 383 | COMMON | | | | |
| 384 | | | 00001 | | ¢00.0 |
| 385 | | Per Bay | SBGCL | | \$92.8 |
| 386 | Safety & Security | Per Frame | SBGCN | ¢04.0 | \$195.5 |
| 387 388 | Floor Space Usage | Per Linear Foot | \$8GCO | \$24.8 | " |
| | COMMON SYSTEMS | | | | |

| | B | | 11800 | Current Monthly Recurring | Current Non- Recurring Rate |
|---|--|--|--|--|---|
| Line | Product Type | Rate Element Description Per Linear Foot | USOC S8GCP | Rate \$3.62 | (Initial) |
| 390 | Common Systems - Common PLANNING | | 30007 | \$3.02 | \$294.37 |
| 10 A. 10 | Planning - Central Office | Per Linear Foot | S8GCC | \$0.44 | \$29.24 |
| | Planning | Per Request | NRFCJ | a ser se se se se te | \$4,601.93 |
| 393 | Planning - Subsequent Inter. Cabling | Per Request | NRFCE | | \$2,267.04 |
| 394 | Planning - Subsequent Power Cabling | Per Request | NRFCF | | \$2,306.10 |
| 395 | Planning - Subs. Inter./Power Cabling | Per Request | NRFCG | | \$2,884.60 |
| | Planning - Non-Standard | Per Request | NRFCH | | \$1,436.00 |
| 397 | POWER PROVISIONING | r 1 1 - San and and and and an and a set of an an an ar an an an an an an ar ar an an an ar an an an an an an an an | | | |
| A CONTRACTOR OF M | Power Panel: | 2. The second statement of the statement second se second second sec | | | |
| | 50 Amp | Per Power Panel | S8GC8 | \$15.77 | A |
| 400 401 | 200 Amp Power Cable and Infrastructure: | Per Power Panel | S8GC9 | \$18.75 | \$3,659.46 |
| | 2-10 Amp Feeds | Per 2-10 Amp Power Feeds | C1F3A | \$5.83 | \$1,378.83 |
| | 2-20 Amp Feeds | Per 2-20 Amp Power Feeds | S8GC1 | \$7.74 | |
| | 2-30 Amp Feeds | Per 2-30 Amp Power Feeds | C1F3B | \$8.35 | |
| | 2.40 Amp Feeds | Per 2-40 Amp Power Feeds | C1F3C | \$8.96 | |
| 406 | 2-50 Amp Feeds | Per 2-50 Amp Power Feeds | S8GC2 | \$9.57 | \$1,954.85 |
| 407 | 2-100 Amp Feeds | Per 2-100 Amp Power Feeds | S8GC3 | \$11.39 | \$2,344.44 |
| | Equipment Grounding: | | | | |
| | Ground Cable Placement | Per Linear Foot | S8GDC | \$0.13 | \$5.93 |
| | | Day 10 Amon | 60000 | **** | : |
| | HVAC Per Amp | Per 10 Amps Per Amp | S8GCS S8GCR | \$14.62 | A REAL PROPERTY AND A REPORT OF A DESCRIPTION OF A |
| | | Per Amp | JOUL | \$10.61 | l : |
| | Central Office: | a second a constant was a weather a constant of the second | 1 | | |
| | Fiber Cable | Per Fiber Cable Sheath | S8GDE | \$4.85 | 5 \$1,619.88 |
| | Entrance Conduit | Per Fiber Cable Sheath | S8GDD | \$8.76 | |
| 417 | MISCELLANEOUS & OPTIONAL COST: | | | | |
| | MISCELLANEOUS COSTS | | | | |
| | Timing Lead (1 pair per circuit) | Per Linear Foot, Per pair | S8GEK | \$0.08 | |
| | Bits Timing | Based on two (2) leads per circuit | S8GEJ | \$3.58 | |
| | Space Availability Report | Per Premise | NRFCQ | | \$168.04 |
| | Security Access / ID Cards | Per Five Cards | NRFCM NRFCN | | \$123.35 |
| 423 | Security Access / ID Cards/Expedite CAGE COMMON COSTS | Per Five Cards | NKFUN | | \$203.35 |
| | Cage Preparation | Per Linear Foot | S8GCJ | \$1.00 | \$157.00 |
| | INTERCONNECTION COSTS: | | | φ1.00 | a137.00 |
| | ILEC TO CLEC CONNECTION | | ······································ | | |
| | Voice Grade Arrangement | 100 Copper Pairs | S8GD8 | \$4.92 | 2 \$1,027.16 |
| | Voice Grade Arrangement | 100 Shielded Pairs | S8GD9 | \$4.92 | 2 \$1,027.16 |
| 430 | DS1 Arrangement - DCS | 28 DS1 | S8GDM | \$297.44 | \$3,613.06 |
| 431 | DS1 Arrangement - DSX | 28 DS1 | S8GDR | \$9.79 | |
| 432 | DS3 Arrangement - DCS | 1 DS3 | S8GDX | \$115.58 | |
| 433 | DS3 Arrangement - DSX | 1 DS3 | S8GD2 | \$7.14 | |
| 434 | Fiber Arrangement | 12 Fiber Pairs (24 Fiber Strands) | S8GEF | \$6.5 | 5 \$1,779.78 |
| 435 | | 1, 11, 11, 11, 11, 11, 11, 11, 11, 11, | - | · · · · · • • · · · · · · · · · · · · · | |
| 436 | CLEC-PROVISIONED FACILITIES & EQUIPMENT: VIRTUAL | | | | |
| | REAL ESTATE | | | | |
| | Site Conditioning | Per Frame | S8FX5 | | \$92.81 |
| 439 | | Per Frame | S8FX6 | | \$195.57 |
| 440 | Floor Space Usage | Per Frame | S8F62 | \$28.9 | 1 |
| 441 | where the second s | ······································ | i | | |
| | Common Systems - Standard | Per Frame | S8F64 | \$10.7 | |
| | Common Systems - Non-Standard | Per Cabinet | S8F65 | \$19.3 | 6 |
| | PLANNING | Der Deguset | ND MOD | | |
| | Planning | Per Request | NRM99 | | \$5,555.76 |
| 446 447 | Planning - Subsequent Inter. Cabling Planning - Subsequent Power Cabling | Per Request | NRMA3 NRMAA | | \$2,224.49 \$2,303.84 |
| | Planning - Subsequent Power Cabling Planning - Subs. Inter./Power Cabling | Per Request | NRMAA | | \$2,303.84 \$2,882.61 |
| | POWER PROVISIONING | | | | ψε,00ε.01 |
| | Power Cable and Infrastructure: | | | | |
| | Power Cable Rack | Per Four Power Cables or Quad | NONE | · · · · · · · · · · · · · · · · · · · | ndaran ni in in in in ar |
| | 2-10 Amp Feeds | Per 2-10 Amp Power Feeds (CLEC Provided) | C1F37 | \$0.5 | 2 |
| 453 | 2-20 Amp Feeds | Per 2-20 Amp Power Feeds (CLEC Provided) | S8GFO | \$0.5 | |
| | 2-30 Amp Feeds | Per 2-30 Amp Power Feeds (CLEC Provided) | C1F38 | \$0.5 | |
| | 2-40 Amp Feeds | Per 2-40 Amp Power Feeds (CLEC Provided) | C1F39 | \$0.5 | e de la companya de l |
| | 2-50 Amp Feeds | Per 2-50 Amp Power Feeds (CLEC Provided) | S8GFP | \$0.5 | 2 |
| | Equipment Grounding: | Des Fansen | COLCO | ¢0.0 | ^ |
| | Ground Cable Placement | Per Frame | S8F69 | \$0.3 | 0 |
| 458 | DC DOWED ANDERACE CUADOE | | S8FXO | \$14.6 | 2 |
| 458 459 | | Per 10 Ampe | JOFAU | | |
| 458 459 460 | HVAC | Per 10 Amps | SREYN | ¢10.0 | |
| 458 459 460 461 | HVAC Per Amp | Per Amp | S8FXN S8FXP | \$10.6 \$1.2 | |
| 458 459 460 461 462 | HVAC Per Amp CEV, HUT & Cabinets | and the contract of an of the second sec | S8FXN S8FXP | \$10.6 \$1.2 | |
| 458 459 460 461 462 463 | HVAC Per Amp CEV, HUT & Cabinets FIBER CABLE PLACEMENT | Per Amp | | | |
| 458 459 460 461 462 463 464 | HVAC Per Amp CEV, HUT & Cabinets | Per Amp | | | 7 |

| | | | | Current Monthly Recurring | Current Non- Recurring Rate |
|-------------------------|--|--|---------------------------------------|---------------------------------|---|
| 467 | Product Type CEV, HUT & Cabinets: | Rate Element Description | USOC | Rate | (Initial) |
| | Fiber Cable Placement | Per Fiber Cable Sheath | S8FXQ | | \$53.58 |
| | Entrance Conduit | Per Fiber Cable Sheath | S8FXR | \$2.61 | |
| 471 | MISCELLANEOUS & OPTIONAL COST: MISCELLANEOUS COSTS | · · · · · · · · · · · · · · · · · · · | | | |
| | Timing Lead (1 pair per circuit) | Per Linear Foot, Per pair | S8FXT | \$0.08 | |
| | Bits Timing VIRTUAL FRAME OPTIONS | Based on two (2) leads per circuit | S8FXS | \$3.58 | \$698.82 |
| | Standard Equipment Bay | Each (CLEC Provided) | NONE | | |
| | CEV, HUT, CABINET | | NONE | ····· | |
| 477 | 24 Foot CEV | 2 Inch Mounting Space | S8FXZ | \$1.64 | \$************************************* |
| | | 2 Inch Mounting Space | S8FY6 | \$1.77 | 8 A A A A |
| | Maxi-Hut | 2 Inch Mounting Space | S8FXX | \$0.77 | 18 the second second second second |
| | Mini-Hut Large Cabinet | 2 Inch Mounting Space 2 Inch Mounting Space | S8FXY S8FXU | \$1.33 \$1.63 | |
| | Medium Cabinet | 2 Inch Mounting Space | S8FXV | \$2.19 | |
| | Small Cabinet | 2 Inch Mounting Space | S8FXW | \$3.29 | |
| 484 | INTERCONNECTION COSTS: | | | | An and an |
| | ILEC TO CLEC CONNECTION | | | | |
| | Voice Grade Arrangement Voice Grade Arrangement | 100 Copper Pairs (CLEC provides cable) 100 Shielded Pairs (CLEC provides cable) | S8F82 | \$3.86 | |
| | ······································ | 28 DS1 (CLEC provides cable) | S8F83 S8F8X | \$3.86 \$295.42 | |
| | DS1 Arrangement - DSX | 28 DS1 (CLEC provides cable) | S8F8Y | \$6.07 | |
| | DS3 Arrangement - DCS | 1 DS3 (CLEC provides cable) | S8F8Z | \$115.30 | |
| 491 | DS3 Arrangement - DSX | 1 DS3 (CLEC provides cable) | S8F81 | \$5.69 | \$204.42 |
| | Fiber Arrangement | 12 Fiber Pairs (CLEC provides cable) | S8F84 | \$10.47 | \$152.71 |
| | VIRTUAL TO VIRTUAL CONNECTION Cable Racking and Hole for Optical | Per Cable | S8FY7 | | |
| | Cable Racking and Hole for DS1 | Per Cable | S8FY8 | \$0.90 \$0.49 | |
| 496 | Cable Racking and Hole for DS3 | Per Cable | S8FY9 | \$0.35 | |
| 497 | Route Design | | NRLWF | | \$463.36 |
| | Connection for DS1 | Per 28 Circuits (CLEC provides cable) | S8GFQ | \$0.41 | |
| | Connection for DS3 | Per Circuit (CLEC provides cable) | S8GFR | \$0.27 | |
| 1.1. ALC: 18 | Connection for Optical PROJECT MANAGEMENT | Per Cable (CLEC provides cable) | S8GFS | \$0.81 | \$0.00 |
| ALC: N. R. A. A. M. M. | CEV, HUT & CABINET | | | ····· | |
| 1 4.0 ··· · · · · · · · | Project Coordination | Per CLEC Application Augment | NRFCK | | \$631.17 |
| | EQUIPMENT MAINTENANCE AND SECURITY ESCORT | | | | ****** |
| | CENTRAL OFFICE TYPE Staffed CO During Normal Business Hours | Per 1/4 Hour | NRMHK | | \$15.15 |
| 507 | Staffed CO During Outside Normal Business Hours | 4 Hour Minimum - Initial | NRMHN | | \$242.35 |
| 1 | Staffed CO During Outside Normal Business Hours | Per 1/4 Hour - Additional | NRMJ7 | | \$15.15 |
| 509 | Not Staffed CO/RT During Normal Business Hours | Per 1/4 Hour | NRMJ8 | | \$15.15 |
| | Not Staffed CO/RT During Outside Normal Business Hours | 4 Hour Minimum - Initial | NRMJ9 | | \$242.35 |
| | Not Staffed CO/RT During Outside Normal Business Hours | Per 1/4 Hour - Additional | NRML7 | | \$15.15 |
| | Per Visit | 4 Hour Minimum - Initial | NRMJ9 | | \$242.35 |
| 514 | Per Visit | Per 1/4 Hour - Additional | NRML7 | | \$15.15 |
| | ADDITIONAL LABOR ELEMENTS | | | | |
| | TRAINING | | | | |
| 517 | Communications Tech CO Manager | Per 1/2 Hour | NRMCD | | \$39.21 |
| 10. 10.10 | Power Engineer | Per 1/2 Hour Per 1/2 Hour | NRME9 NRMF9 | | \$39.45 \$38.47 |
| | Equipment Engineer | Per 1/2 Hour | NRMHJ | | \$38.47 |
| 521 | EQUIPMENT EVALUATION COST | | | | |
| 100.000 | Equipment Engineer | Per 1/2 Hour | NRMO9 | | \$38.47 |
| | TEST AND ACCEPTANCE Communications Tech | Dor 1/2 Hour | | | **** |
| 524 525 | Communications (ech | Per 1/2 Hour | NRMP2 | | \$39.21 |
| | AT&T-PROVISIONED FACILITIES & EQUIPMENT: VIRTUAL | | | | ····· |
| 527 | REAL ESTATE | | | | |
| | Site Conditioning | Per Frame | S8FX5 | | \$92.81 |
| | Safety & Security | Per Frame | S8FX6 | | \$195.57 |
| 530 531 | Floor Space Usage COMMON SYSTEMS | Per Frame | S8FX1 | \$28.91 | çe e |
| | Common Systems - Standard | Per Frame | S8FX3 | \$10.75 | 5 |
| | Common Systems - Non-Standard | Per Frame | S8FX4 | \$19.36 | |
| 534 | PLANNING | | | | · · · · · · · · · · · · · · · · · · · |
| | Planning | Per Request | NRM99 | | \$5,555.76 |
| | Planning - Subsequent Inter, Cabling | Per Request | NRMA3 | | \$2,224.49 |
| 537 538 | Planning - Subsequent Power Cabling Planning - Subs. Inter./Power Cabling | Per Request Per Request | NRMAA NRMAX | | \$2,303.84 |
| | POWER PROVISIONING | | | | \$2,882.61 |
| 3.4 (1) (1) (1) | Power Cable and Infrastructure: | | · · · · · · · · · · · · · · · · · · · | · | |
| | 2-10 Amp Feeds | Per 2-10 Amp Power Feeds | C1F3G | \$5.83 | \$1,378.83 |
| | 2-20 Amp Feeds | Per 2-20 Amp Power Feeds | S8FX7 | \$7.74 | |
| | 2-30 Amp Feeds | Per 2-30 Amp Power Feeds | C1F3H | \$8.35 | |
| 544 | 2.40 Amp Feeds | Per 2-40 Amp Power Feeds | C1F3J | \$8.96 | \$1,830.56 |

| Line | Product Type | Rate Element Description | USOC | Current Monthly Recurring Rate | Current Non- Recurring Rate (Initial) |
|------|--------------------------|---------------------------|-------|---|---|
| 545 | 2-50 Amp Feeds | Per 2-50 Amp Power Feeds | S8FX8 | \$9.57 | \$1,954.85 |
| 546 | Equipment Grounding: | | | | |
| 547 | Ground Cable Placement | Per Frame | S8FX9 | \$0.36 | |
| 548 | DC POWER AMPERAGE CHARGE | | | | |
| 549 | HVAC | Per 10 Amps | S8FXO | \$14.62 | 1 1 |
| 550 | Per Amp | Per Amp | S8FXN | \$10.61 | 1 |
| 551 | CEV, HUT & Cabinets | Per 2 inch mounting space | S8FXP | \$1.27 | • |

| | | | Current Monthly Recurring | Current Non- Recurring Rate |
|--|--|-----------------|---------------------------------|--|
| Line Product Type | Rate Element Description | USOC | Rate | (Initial) |
| 552 FIBER CABLE PLACEMENT 553 Central Office: | | | | |
| 554 Fiber Cable | Per Fiber Cable Sheath | S8F8F | \$11.01 | \$1,971.42 |
| 555 Entrance Conduit | Per Fiber Cable Sheath | S8F8G | \$8.17 | |
| 556 CEV, HUT & Cabinets: | | | | |
| 557 Fiber Cable Placement | Per Fiber Cable Sheath | S8FXQ | ¢0.61 | \$53.58 |
| 558 Entrance Conduit | Per Fiber Cable Sheath | S8FXR | \$2.61 | |
| 559 MISCELLANEOUS & OPTIONAL COST: | 1.2 IN 12 IN | | | |
| 560 MISCELLANEOUS COSTS 561 Timing Lead (1 pair per circuit) | Per Linear Foot, Per pair | S8FXT | \$0.08 | \$14.81 |
| 562 Bits Timing | Based on two (2) leads per circuit | S8FXS | \$3.58 | |
| 563 VIRTUAL FRAME OPTIONS | | | | |
| 564 Standard Equipment Bay | Each | S8FX2 | \$22.19 | |
| 565 CEV, HUT, CABINET | | | | |
| 566 24 Foot CEV | 2 Inch Mounting Space | S8FXZ | \$1.64 | ****** |
| 567 16 Foot CEV | 2 Inch Mounting Space | S8FY6 S8FXX | \$1.77 | ······ |
| 568 Maxi-Hut | 2 Inch Mounting Space | S8FXY | \$0.77 | |
| 569 Mini-Hut 570 Lesse Cobinet | 2 Inch Mounting Space 2 Inch Mounting Space | S8FXU | \$1.63 | |
| 570 Large Cabinet 571 Medium Cabinet | 2 Inch Mounting Space | S8FXV | \$2.19 | · |
| 572 Small Cabinet | 2 Inch Mounting Space | S8FXW | \$3.29 | |
| 573 INTERCONNECTION COSTS: | And the second se | | | |
| 574 ILEC TO CLEC CONNECTION | | | | |
| 575 Voice Grade Arrangement | 100 Copper Pairs | S8FXC | \$4.94 | And the set of the second second second second second |
| 576 Voice Grade Arrangement | 100 Shielded Pairs | S8FXD | \$4.94 | - were and the second s |
| 577 DS1 Arrangement - DCS | 28 DS1 | S8FXE | \$297.44 | |
| 578 DS1 Arrangement - DSX | 28 DS1 | S8FXF S8FXG | \$9.79 \$115.59 | |
| 579 DS3 Arrangement - DCS | 1 DS3 | S8FXH | \$7.14 | |
| 580 DS3 Arrangement - DSX 581 Fiber Arrangement | 1 DS3 12 Fiber Pairs (24 Fiber Strands) | S8FXJ | \$6.58 | TRANSPORT TRANSPORTATION AND ADDRESS AND ADDRESS AND ADDRESS AND ADDRESS ADDRES |
| 582 VIRTUAL TO VIRTUAL CONNECTION | | | | |
| 583 Cable Racking and Hole for Optical | Per Cable | S8FY7 | \$0.90 |) |
| 584 Cable Racking and Hole for DS1 | Per Cable | S8FY8 | \$0.49 |) |
| 585 Cable Racking and Hole for DS3 | Per Cable | S8FY9 | \$0.3 | |
| 586 Route Design | | NRML9 | | \$463.36 |
| 587 Connection for DS1 | Per 28 Circuits | S8FXL | \$3.34 | |
| 588 Connection for DS3 | Per Circuit | S8FXM | \$3.20 | |
| 589 Connection for Optical | Per Cable | S8FXK | \$3.3 | \$1,095.09 |
| | and the second | · · · · · · · · | | |
| 591 CEV, HUT & CABINET 592 Project Coordination | Per CLEC Application Augment | NRFCK | | \$631.17 |
| 593 EQUIPMENT MAINTENANCE AND SECURITY ESCORT | i o celo reproduci rognom | | | |
| 594 CENTRAL OFFICE TYPE | | | 1 | |
| 595 Staffed CO During Normal Business Hours | Per 1/4 Hour | NRMHK | | \$15.1 |
| 596 Staffed CO During Outside Normal Business Hours | 4 Hour Minimum - Initial | NRMHN | | \$242.3 |
| 597 Staffed CO During Outside Normal Business Hours | Per 1/4 Hour - Additional | NRMJ7 | | \$15.1 |
| 598 Not Staffed CO/RT During Normal Business Hours | Per 1/4 Hour | NRMJ8 NRMJ9 | | \$15.1 \$242.3 |
| 599 Not Staffed CO/RT During Outside Normal Business Hours | 4 Hour Minimum - Initial | NRML7 | | \$15.1 |
| 600 Not Staffed CO/RT During Outside Normal Business Hours 601 CEV, HUT & CABINET | Per 1/4 Hour - Additional | INTONIC / | | \$ 10.1 |
| 602 Per Visit | 4 Hour Minimum - Initial | NRMJ9 | | \$242.3 |
| 603 Per Visit | Per 1/4 Hour - Additional | NRML7 | | \$15.1 |
| 604 ADDITIONAL LABOR ELEMENTS | | | | |
| 605 TRAINING | | | | |
| 606 Communications Tech | Per 1/2 Hour | NRMCD | | \$39.2 |
| 607 CO Manager | Per 1/2 Hour | NRME9 | | \$39.4 |
| 608 Power Engineer | Per 1/2 Hour | NRMF9 | | \$38.4 |
| 609 Equipment Engineer | Per 1/2 Hour | NRMHJ | | \$38.4 |
| 610 EQUIPMENT EVALUATION COST | | NRMO9 | | \$38.4 |
| 611 Equipment Engineer 612 TEST AND ACCEPTANCE | Per 1/2 Hour | (111100 | | 400.4 |
| 612 TEST AND ACCEPTANCE 613 Communications Tech | Per 1/2 Hour | NRMP2 | | \$39.2 |
| 614 | | | | |
| CLEC-PROVISIONED FACILITIES & EQUIPMENT: 615 ADJACENT ON-SITE | | | | |
| 616 PLANNING | | NDEA1 | | \$9,268.7 |
| 617 Planning - Initial | Per Request | NRFA1 NRFA2 | | \$9,268.7 \$1,606.7 |
| 618 Planning - Subsequent | Per Request | MAL MA | | φ1,000.7 |
| 619 REAL ESTATE 620 Land Rental | Per Square Foot | S8GEN | \$0.4 | 4 |
| 621 POWER PROVISIONING | | | | |
| 622 Power Cable and Infrastructure: | | | | |
| 623 2-100 Amp Feeds | Per 2-100 Amp Power Feeds (CLEC provides cable) | NONE | | |
| 624 2-200 Amp Feeds | Per 2-200 Amp Power Feeds (CLEC provides cable) | NONE | | |
| 625 2-300 Amp Feeds | Per 2-300 Amp Power Feeds (CLEC provides cable) | NONE | | |
| 626 2-400 Amp Feeds | Per 2-400 Amp Power Feeds (CLEC provides cable) | NONE | | |
| 627 AC Service: | | | | |
| 628 Extension of 100 Amp AC Service (Opt.) | Per Request | NRFCW | | \$6,447. |

| | | | | Current |
|--------------|--------------|-----------|----------------------|--------------------------|
| | | | | Monthly Current Non- |
| | | | 1 | Recurring Recurring Rate |
| Line | Product Type | Rate Elem | ent Description USOC | Rate (Initial) |
| 629 AC Usage | | Per KWH | S8GE | D \$0.05 |

| Line | Product Type | Rate Element Description | USOC | Current Monthly Recurring Rate | Current Non- Recurring Rate (Initial) |
|------------|--|---|--|---|---|
| 630 | DC POWER AMPERAGE CHARGE | | | 1/410 | (iiituai) |
| | Per Amp FIBER CABLE PLACEMENT | Per Amp | S8GCR | \$10.61 | |
| | FIDER CADLE FLACEMENT | Per Fiber Cable Sheath (CLEC Vendor Pulls Cable) | S8GF4 | \$2.13 | \$488.4 |
| | Entrance Fiber Racking | Per Rack/Conduit Duct | S8GDG | \$1.55 | |
| | CABLE RACK | | | | |
| | DC Power Cable Rack | Per Rack | S8GEP | \$13.64 | de contra de las las contras |
| | Fiber Cable Rack Interconnection Arrangement (Copper) Racking | Per Rack Per Rack | S8GEQ S8GER | \$20.63 \$30.63 | |
| 639 | CONDUIT PLACEMENT | | | ψου.υο | |
| ***** | DC Power Cable Rack | Per Rack | S8GES | | \$7,386.7 |
| 641 | Fiber Cable Rack | Per Rack | SBGET | | \$4,711.8 |
| | Interconnection Arrangement (Copper) Racking INTERCONNECTION COSTS: | Per Rack | S8GEU | | \$5,545.5 |
| | ILEC TO CLEC CONNECTION | | | | |
| 645 | Voice Grade Arrangement | 100 Copper Pairs (CLEC provides cable) | S8F3G | \$3.86 | \$156.0 |
| | Voice Grade Arrangement | 100 Shielded Pairs (CLEC provides cable) | S8FWW | \$3.86 | |
| | DS1 Arrangement - DCS DS1 Arrangement - DSX | 28 DS1 (CLEC provides cable) | S8F2L | \$295.42 | |
| | DST Arrangement - DSX DS3 Arrangement - DCS | 28 DS1 (CLEC provides cable) 1 DS3 (CLEC provides cable) | S8F2R S8F23 | \$6.07 \$115.30 | and the second consists of the |
| | DS3 Arrangement - DSX | 1 DS3 (CLEC provides cable) | S8F27 | \$5.69 | |
| 651 | Fiber Arrangement | 12 Fiber Pairs (CLEC provides cable) | S8F3N | \$3.76 | |
| 652 653 | AT&T-PROVISIONED FACILITIES & EQUIPMENT: ADJACENT ON-SITE | | | | |
| 654 | PLANNING | | ···· ··· ··· ··· ··· ··· ··· ·· ·· ··· ··· ··· ··· | | |
| | Planning - Initial | Per Request | NRFA1 | | \$9,268.7 |
| | Planning - Subsequent | Per Request | NRFA2 | | \$1,606.7 |
| 657 658 | REAL ESTATE Land Rental | Per Square Foot | S8GEN | \$0.44 | |
| | POWER PROVISIONING | | JUJEN | φ0.44 | |
| 660 | Power Cable and Infrastructure: | | | | |
| | 2-100 Amp Feeds | Per 2-100 Amp Power Feeds | S8GC4 | \$13.84 | \$7,853.8 |
| | 2-200 Amp Feeds | Per 2-200 Amp Power Feeds | S8GC5 | \$13.84 | |
| | 2-300 Amp Feeds 2-400 Amp Feeds | Per 2-300 Amp Power Feeds Per 2-400 Amp Power Feeds | S8GC6 | \$13.84 | |
| | AC Service: | .Per 2-400 Amp Power Feeds | S8GC7 | \$13.84 | \$28,143.0 |
| | Extension of 100 Amp AC Service (Opt.) | Per Request | NRFCW | | \$6,447.0 |
| | AC Usage | Per KWH | S8GEO | \$0.05 | |
| | DC POWER AMPERAGE CHARGE | | | | |
| | Per Amp FIBER CABLE PLACEMENT | Per Amp | S8GCR | \$10.61 | |
| | Fiber Installation | Per Fiber Cable Sheath | S8GDF | \$2.13 | \$976.9 |
| 672 | Entrance Fiber Racking | Per Rack/Conduit Duct | S8GDG | \$1.55 | |
| | CABLE RACK | | | | |
| | DC Power Cable Rack | Per Rack | S8GEP | \$13.64 | An owner were an interviewer of the |
| 675 676 | Fiber Cable Rack Interconnection Arrangement (Copper) Racking | Per Rack Per Rack | S8GEQ S8GER | \$20.63 | |
| 677 | | | JOUER | \$30.63 | |
| 678 | DC Power Cable Rack | Per 2-Duct | S8GES | | \$7,386.7 |
| | Fiber Cable Rack | Per 1-Duct | S8GET | | \$4,711.8 |
| 680 | Interconnection Arrangement (Copper) Racking | Per 2-Duct | S8GEU | | \$5,545.5 |
| 681 682 | INTERCONNECTION COSTS: ILEC TO CLEC CONNECTION | | | | |
| 683 | Voice Grade Arrangement | 100 Copper Pairs | S8GEA | \$6.19 | \$1,371.9 |
| 684 | Voice Grade Arrangement | 100 Shielded Pairs | S8GEB | \$6.19 | |
| | DS1 Arrangement - DCS | 28 DS1 | S8GDN | \$439.98 | genne ne ne he he ne se |
| | DS1 Arrangement - DSX | 28 DS1 | S8GDS | \$35.04 | · · · · · · · · · · · · · · · · · · · |
| 687 688 | DS3 Arrangement - DCS DS3 Arrangement - DSX | 1 DS3 | S8GDY | \$242.36 | |
| 689 | Fiber Arrangement | 1 DS3 12 Fiber Pairs(24 Fiber Strands) | S8GD3 S8GEG | \$12.36 \$8.25 | |
| 690 | CLEC-PROVISIONED FACILITIES & EQUIPMENT: | | 00010 | | , φυ,/ΟΙ.Ζ. |
| 691 | ADJACENT OFF-SITE | | | ······ | |
| | PLANNING Planning | Per Request | NPEA2 | | 64 OEA 0 |
| | CONDUIT | i di Nequeat | NRFA3 | • · · · · · · · · · · · · · · · · · · | \$1,254.3 |
| 11.4 ATAX | Conduit Space | Per Innerduct | S8GEW | \$1.17 | |
| 696 | INTERCONNECTION COSTS: | | | | |
| 697 | ILEC TO CLEC CONNECTION | | | | |
| 200 | Voice Crade/DCO Arressons it | 900 DS0 (Hole, Racking, MDF) (CLEC Vendor Pulls and | | * | |
| <u>898</u> | Voice Grade/DS0 Arrangement | Installs Cable) | S8GF5 | \$311.43 | |
| 399 | DS1 Arrangement - DCS | 28 DS1 (Hole, Racking, DCS) (CLEC Vendor Pulls and Installs Cable) | S8GF6 | \$439.96 | |
| | | 28 DS1 (Hole, Racking, DSX) (CLEC Vendor Pulls and | 30070 | \$439.90 | |
| 00 | DS1 Arrangement - DSX | Installs Cable) | S8GF7 | \$35.03 | 5 |
| | | 450 DS1 (Hole, Racking, MDF) (CLEC Vendor Pulls and | | | |
| 701 | DS1 Arrangement - MDF | Installs Cable) | S8GF8 | \$311.43 | |

| 1 / | Par June Turr | | 11000 | Current Monthly Recurring | Current Non- Recurring Rate |
|------------|---|---|----------------|--|--|
| Line | | Rate Element Description 12 Fiber Pairs (Hole, Racking, FDF) (CLEC Vendor | USOC | Rate | (Initial) |
| 702 703 | Fiber Arrangement AT&T-PROVISIONED FACILITIES & EQUIPMENT: | Pulls and Installs Cable) | \$8GF9 | \$9.02 | |
| | ADJACENT OFF-SITE PLANNING | | | | |
| | Planning | Per Request | NRFA3 | ······ | \$1,254.32 |
| 707 | CONDUIT | | | ······································ | |
| 709 | Conduit Space INTERCONNECTION COSTS: | Per Innerduct | S8GEW | \$1.17 | |
| | ILEC TO CLEC CONNECTION | | | ì | |
| | Voice Grade/DS0 Arrangement | 900 DS0 | S8GEC | \$311.43 | |
| | DS1 Arrangement - DCS DS1 Arrangement - DSX | 28 DS1 28 DS1 | S8GDO S8GDT | \$439.96 \$35.03 | |
| | DS1 Arrangement - MDF | 450 DS1 | S8GDU | \$311.43 | |
| | ;Fiber Arrangement | 12 Fiber Pairs (24 Fiber Strands) | S8GEH | \$9.02 | |
| 716 | | | | | ************************************** |
| 717 | | | | | |
| | COMPLETE SPACE DISCONTINUANCE | | | | |
| | Application Fee Project Management Fee – Complete Space Discontinuance | Per Request | NRFX1 | | \$503.95 \$2,883.10 |
| | Remove Fiber Jumpers | Per Request Per linear foot | NRFX2 NRFX3 | | \$2,883.10 |
| | Remove Fiber Cables | Per linear foot | NRFX4 | | \$10.7 |
| | Remove VF/DS0 Cable | Per linear foot | NRFX5 | | \$2.60 |
| 724 | Remove DS1 Cable | Per linear foot | NRFX6 | | \$4.89 |
| 725 | Remove DS3 Cable (Coax) | Per linear foot | NRFX7 | | \$3.57 |
| | Remove Timing Cable | Per Request | NRFX8 | | \$9.64 |
| | Remove Power Cable-50AMP feed & below | Per linear foot | NRFX9 | | \$24.76 |
| | Remove Power Cable-100AMP feed & above | Per linear foot | NRFXA | | \$22.73 |
| | Remove Cage Grounding Material | Each grounding lead & ground bar | NRFXB | | \$1,462.85 |
| 730 731 | Remove Fiber Entrance Cable | Per cable removal job Per cable removal job | NRFXC NRFXD | | \$1,664.00 \$104.00 |
| 732 | Engineering Work Order | Per cable removal job | NRFXE | | \$104.00 |
| 733 | Work Group Information Distribution | Per cable removal job | NRFXF | | \$104.00 |
| 734 | Restore Floor Tile – per Standard Bay | Per Standard Bay | NRFXG | | \$71.79 |
| 735 | Floor Restoration Contractor Trip Charge | Per trip | NRFXH | | \$144.63 |
| 736 | Restore Floor Tile | Per Non-Standard Bay | NRFXJ | | \$81.53 |
| 737 | | | | | |
| | RATES AND CHARGES FOR SPACE REASSIGNMENT/RESTENCILING | | | | |
| 740 | Application Fee | Per Request | NRFXK | | \$503.95 |
| | Project Management Fee – Space Reassignment | Per Request | NRFXL | | \$2,883.10 |
| | Restencil DS0/DSL Block | Per 100 pair block | NRFXM | | \$15.33 |
| 743 | Restencil DS1 Block | Per 28 DS1s | NRFXN | | \$6.02 |
| | Restencil DS3 Coax Cable | Per cable | NRFXO | | \$4.90 |
| | Restencil Fiber Cable Block | Per 12 pair cable | NRFXP | | \$91.95 |
| | Restencil Fiber Jumper Block | Per 4 jumpers | NRFXQ | | \$61.30 |
| | Restencil Power and tag cables | Per 1-4 feeds | NRFXR | | \$107.28 |
| 748 749 | Restencil Timing Source and tag cable Timing Record Book Update | Per cable Per element | NRFXS NRFXT | | \$122.60 \$45.98 |
| | Interconnection Records Update | Per element | NRFXU | | \$296.6 |
| | Power Records Update | Per element | NRFXV | | \$355.94 |
| 752 | Vendor Engineering | Per Space Reassignment job | NRFXW | | \$711.88 |
| 753 | | | | | |
| 754 | RATES AND CHARGES FOR | | | | |
| 755 | POWER REDUCTION (CABLE REMOVAL) | | | | ti un municipi identi. E |
| 756 | Application Fee | Per Request | NRFXX | | \$503.9 |
| | Project Management Fee – Power Reduction(cable removal) | Per Request | NRFXY | | \$2,220.4 |
| 758 759 | Remove Power Cable-50AMP feed & below Remove Power Cable-100AMP feed & above | Per linear foot Per linear foot | NRFXZ NRFY1 | | \$24.76 \$22.73 |
| 760 | RATES AND CHARGES FOR | | | ······································ | Φ ζζ. [ς |
| | POWER REDUCTION (REFUSING ONLY) | | | | |
| 763 | Application Fee | Per Request | NRFY2 | | \$503.9 |
| 764 | | 50AMP A&B feeds & below | NRFY3 | | \$1,562.80 |
| 765 | Project Management Fee – Power Refusing Only | 100AMP A&B feeds & above | NRFY4 | | \$2,004.5 |
| 766 | Power Fuse Reductions on Company BDFB | 50AMP A&B feeds & below | NRFY5 | | \$367.8 |
| 767 | Restencil Power and tag cables | Per 1-4 feeds | NRFY6 | | \$107.28 |
| 768 | Power Records Update | Per element | NRFY7 | | \$355.94 |
| 769 | Vendor Engineering Power Fuse Reductions on Power Board | Per Space Reassignment job | NRFY8 | | \$711.88 \$490.4 |
| 770 771 | Restencil Power and tag cables | 100AMP A&B feeds & above | NRFY9 NRFYA | | \$490.4 \$107.28 |
| 772 | Power Records Update | Per element | NRFYB | | \$355.94 |
| 773 | Vendor Engineering | Per Space Reassignment job | NRFYC | | \$355.9 |
| 774 | | | | | φ γ τη.οι |
| | RATES AND CHARGES FOR | | | | |
| 776 | INTERCONNECTION TERMINATION REDUCTION | | | | ى. بە بە تەرىپە تەرىپە يەر |
| 177 | Application Fee | Per Request | NRFYD | | \$503.9 |

| Line | Product Type | Rate Element Description | USOC | Current Monthly Recurring Rate | Current Non- Recurring Rate (Initial) |
|------|--|--------------------------|-------|---|---|
| 778 | Project Management Fee – Interconnection Cable Reduction | Per Request | NRFYE | | \$2,441.33 |
| 779 | Remove VF/DS0 Cable | Per linear foot | NRFYF | | \$2.60 |
| 780 | Remove DS1 Cable | Per linear foot | NRFYG | | \$4.89 |
| 781 | Remove DS3 Cable (Coax) | Per linear foot | NRFYH | | \$3.57 |
| 782 | Remove Fiber Cables | Per linear foot | NRFYJ | | \$14.43 |
| 783 | Remove Fiber Jumpers | Per linear foot | NRFYK | | \$18.79 |

| | Directory White Pages Price Sheet | | | | |
|------------------|---|--|--|--|--|
| Directory | Price Per Single Sided Informational Page | | | | |
| Kansas City | \$1,905.11 | | | | |
| Lawrence | \$1,905.11 | | | | |
| Topeka | \$1,905.11 | | | | |
| Wichita | \$1,905.11 | | | | |
| Abilene | \$115.58 | | | | |
| Arkansas City | \$115.58 | | | | |
| Atchison | \$115.58 | | | | |
| Dodge City | \$115.58 | | | | |
| Butler/Greenwood | \$115.58 | | | | |
| Emporia | \$115.58 | | | | |
| Fort Scott | \$115.58 | | | | |
| Garden City | \$115.58 | | | | |
| Great Bend | \$115.58 | | | | |
| Hays | \$115.58 | | | | |
| Hutchinson | \$115.58 | | | | |
| Leavenworth | \$115.58 | | | | |
| Liberal | \$115.58 | | | | |
| Manhattan | \$115.58 | | | | |
| McPherson | \$115.58 | | | | |
| Newton | \$115.58 | | | | |
| Ottawa | \$115.58 | | | | |
| Salina | \$115.58 | | | | |
| Wellington | \$115.58 | | | | |
| Beloit | \$90.80 | | | | |
| Cheney | \$90.80 | | | | |
| Clay Center | \$90.80 | | | | |
| Colby | \$90.80 | | | | |
| Concordia | \$90.80 | | | | |
| Ellsworth | \$90.80 | | | | |
| Herington | \$90.80 | | | | |
| Marysville | \$90.80 | | | | |
| Norton | \$90.80 | | | | |
| South Central KS | \$90.80 | | | | |
| Southeast KS | \$90.80 | | | | |
| | \$90.80 | | | | |

BEFORE THE KANSAS CORPORATION COMMISSION OF THE STATE OF KANSAS

Application of Southwestern Bell Telephone Company for Approval of Interconnection Agreement Under the Telecommunications Act of 1996 With One Point Technologies, Inc.

) Docket No. _____

AFFIDAVIT OF JANET ARNOLD

)

STATE OF KANSAS

SS

COUNTY OF SHAWNEE)

Before me, the Undersigned Authority, on the 14th day of November, 2008, personally appeared Janet Arnold of Southwestern Bell Telephone Company d/b/a AT&T Kansas who, upon being by me duly sworn on oath deposed and said the following:


- My name is Janet Arnold. I am over the age of 21, of sound mind and competent to testify to the matters stated herein. I am the Manager-Regulatory Relations for AT&T Kansas, and I have knowledge concerning the Interconnection Agreement ("the Agreement") between AT&T Kansas and One Point Technologies, Inc. on behalf of AT&T Kansas. I have personal knowledge of the provisions of the Agreement. The parties conducted diligent negotiations under the Telecommunications Act of 1996, culminating in an executed agreement on November 12, 2008.
- 2. The Interconnection Agreement, together with the attachments incorporated therein, is an integrated package and is the result of negotiation.
- 3. There are no outstanding issues between the parties that need the assistance of mediation and arbitration.
- 4. The implementation of this Agreement is consistent with the public interest, convenience and necessity. The Agreement will further the transition of telecommunications competition in the State of Kansas, a policy of this State and the United States. The Agreement allows

diversity in providers, provides interconnectivity, and will increase customer choices for telecommunications services.

- 5. This Agreement does not discriminate against any telecommunications carrier. The Agreement is available to any similarly situated provider in negotiating a similar agreement.
- 6. The negotiated and executed Agreement is consistent with Kansas law.

-lanet Amolo

Subscribed and sworn to before me this 14th day of November, 2008.



Belinda Jule Wilson Notal Public

My Commission Expires: January 26, 2011