

900 W. 48th Place, Suite 900, Kansas City MO 64112-1895 · 816-753-1000

August 10, 2017

Amy Green Secretary to the Commission Kansas Corporation Commission 1500 SW Arrowhead Road Topeka, KS 66604

Re: Docket No. 17-SOCE-334-WND

Dear Ms. Green,

Enclosed for filing with the Kansas Corporation Commission ("KCC") is a copy of SoCore 2016 ProjectCo 8 LLC's ("SoCore") Form 556, which has been filed at the Federal Energy Regulatory Commission ("FERC") in Docket No. QF17-1023. Form 556 is used by entities seeking to self-certify their electric generating facilities as "Qualifying Facilities" pursuant to FERC's rules and regulations. *See* 18 C.F.R. 292.207(a). Pursuant to Section 292.207(c) of FERC's rules and regulations, an applicant filing a self-certification of the qualifying status of its facilities must serve a copy of such filing on the relevant state regulatory authority. 18 C.F.R. 292.207(c).

SoCore requests that the enclosed Form 556, along with this cover letter, be filed under Docket No. 17-SOCE-334-WND to create a record of SoCore's compliance with the requirement to serve the KCC with a copy of Form 556. SoCore continues to meet the requirements for exemption from the definition of public utility pursuant to K.S.A. 66-104(e), and the current filing does not affect SoCore's Notice of Exemption, which was filed in the above referenced docket on January 19, 2017.

Sincerely,

Alan Claus Anderson KS Bar #18163 Andrew O. Schulte KS Bar #24412

Polsinelli PC

900 West 48<sup>th</sup> Place, Suite 900

Kansas City, Missouri 64112

ATTORNEYS FOR SOCORE

# **ATTACHMENT**

# FEDERAL ENERGY REGULATORY COMMISSION WASHINGTON, DC

OMB Control # 1902-0075 Expiration 06/30/2019

Form 556 Certification of Qualifying Facility (QF) Status for a Small Power Production or Cogeneration Facility

### General

Questions about completing this form should be sent to Form556@ferc.gov. Information about the Commission's QF program, answers to frequently asked questions about QF requirements or completing this form, and contact information for QF program staff are available at the Commission's QF website, <a href="www.ferc.gov/QF">www.ferc.gov/QF</a>. The Commission's QF website also provides links to the Commission's QF regulations (18 C.F.R. § 131.80 and Part 292), as well as other statutes and orders pertaining to the Commission's QF program.

### Who Must File

Any applicant seeking QF status or recertification of QF status for a generating facility with a net power production capacity (as determined in lines 7a through 7g below) greater than 1000 kW must file a self-certification or an application for Commission certification of QF status, which includes a properly completed Form 556. Any applicant seeking QF status for a generating facility with a net power production capacity 1000 kW or less is exempt from the certification requirement, and is therefore not required to complete or file a Form 556. See 18 C.F.R. § 292.203.

### How to Complete the Form 556

This form is intended to be completed by responding to the items in the order they are presented, according to the instructions given. If you need to back-track, you may need to clear certain responses before you will be allowed to change other responses made previously in the form. If you experience problems, click on the nearest help button ( ) for assistance, or contact Commission staff at <a href="mailto:Form556@ferc.gov">Form556@ferc.gov</a>.

Certain lines in this form will be automatically calculated based on responses to previous lines, with the relevant formulas shown. You must respond to all of the previous lines within a section before the results of an automatically calculated field will be displayed. If you disagree with the results of any automatic calculation on this form, contact Commission staff at Form556@ferc.gov to discuss the discrepancy before filing.

You must complete all lines in this form unless instructed otherwise. Do not alter this form or save this form in a different format. Incomplete or altered forms, or forms saved in formats other than PDF, will be rejected.

### How to File a Completed Form 556

Applicants are required to file their Form 556 electronically through the Commission's eFiling website (see instructions on page 2). By filing electronically, you will reduce your filing burden, save paper resources, save postage or courier charges, help keep Commission expenses to a minimum, and receive a much faster confirmation (via an email containing the docket number assigned to your facility) that the Commission has received your filing.

If you are simultaneously filing both a waiver request and a Form 556 as part of an application for Commission certification, see the "Waiver Requests" section on page 3 for more information on how to file.

### Paperwork Reduction Act Notice

This form is approved by the Office of Management and Budget. Compliance with the information requirements established by the FERC Form No. 556 is required to obtain or maintain status as a QF. See 18 C.F.R. § 131.80 and Part 292. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The estimated burden for completing the FERC Form No. 556, including gathering and reporting information, is as follows: 3 hours for self-certification of a small power production facility, 8 hours for self-certifications of a cogeneration facility, 6 hours for an application for Commission certification of a small power production facility, and 50 hours for an application for Commission certification of acgeneration facility. Send comments regarding this burden estimate or any aspect of this collection of information, including suggestions for reducing this burden, to the following: Information Clearance Officer, Office of the Executive Director (ED-32), Federal Energy Regulatory Commission, 888 First Street N.E., Washington, DC 20426 (DataClearance@ferc.gov); and Desk Officer for FERC, Office of Information and Regulatory Affairs, Office of Management and Budget, Washington, DC 20503 (oira\_submission@omb.eop.gov). Include the Control No. 1902-0075 in any correspondence.

FERC Form 556 Page 2 - Instructions

### Electronic Filing (eFiling)

To electronically file your Form 556, visit the Commission's QF website at www.ferc.gov/QF and click the eFiling link.

If you are eFiling your first document, you will need to register with your name, email address, mailing address, and phone number. If you are registering on behalf of an employer, then you will also need to provide the employer name, alternate contact name, alternate contact phone number and and alternate contact email.

Once you are registered, log in to eFiling with your registered email address and the password that you created at registration. Follow the instructions. When prompted, select one of the following QF-related filing types, as appropriate, from the Electric or General filing category.

Filing category	Filing Type as listed in eFiling	Description
	(Fee) Application for Commission Cert. as Cogeneration QF	Use to submit an application for Commission certification or Commission recertification of a cogeneration facility as a QF.
	(Fee) Application for Commission Cert. as Small Power QF	Use to submit an application for Commission certification or Commission recertification of a small power production facility as a QF.
	Self-Certification Notice (QF, EG, FC)	Use to submit a notice of self- certification of your facility (cogeneration or small power production) as a QF.
Electric	Self-Recertification of Qualifying Facility (QF)	Use to submit a notice of self- recertification of your facility (cogeneration or small power production) as a QF.
	Supplemental Information or Request	Use to correct or supplement a Form 556 that was submitted with errors or omissions, or for which Commission staff has requested additional information. Do <i>not</i> use this filing type to report new changes to a facility or its ownership; rather, use a self-recertification or Commission recertification to report such changes.
General	(Fee) Petition for Declaratory Order (not under FPA Part 1)	Use to submit a petition for declaratory order granting a waiver of Commission QF regulations pursuant to 18 C.F.R. §§ 292.204(a) (3) and/or 292.205(c). A Form 556 is not required for a petition for declaratory order unless Commission recertification is being requested as part of the petition.

You will be prompted to submit your filing fee, if applicable, during the electronic submission process. Filing fees can be paid via electronic bank account debit or credit card.

During the eFiling process, you will be prompted to select your file(s) for upload from your computer.

FERC Form 556 Page 3 - Instructions

### Filing Fee

No filing fee is required if you are submitting a self-certification or self-recertification of your facility as a QF pursuant to 18 C.F.R. § 292.207(a).

A filing fee is required if you are filing either of the following:

- (1) an application for Commission certification or recertification of your facility as a QF pursuant to 18 C.F.R. § 292.207(b), or
- (2) a petition for declaratory order granting waiver pursuant to 18 C.F.R. §§ 292.204(a)(3) and/or 292.205(c).

The current fees for applications for Commission certifications and petitions for declaratory order can be found by visiting the Commission's QF website at <a href="https://www.ferc.gov/QF">www.ferc.gov/QF</a> and clicking the Fee Schedule link.

You will be prompted to submit your filing fee, if applicable, during the electronic filing process described on page 2.

### Required Notice to Utilities and State Regulatory Authorities

Pursuant to 18 C.F.R. § 292.207(a)(ii), you must provide a copy of your self-certification or request for Commission certification to the utilities with which the facility will interconnect and/or transact, as well as to the State regulatory authorities of the states in which your facility and those utilities reside. Links to information about the regulatory authorities in various states can be found by visiting the Commission's QF website at <a href="https://www.ferc.gov/QF">www.ferc.gov/QF</a> and clicking the Notice Requirements link.

### What to Expect From the Commission After You File

An applicant filing a Form 556 electronically will receive an email message acknowledging receipt of the filing and showing the docket number assigned to the filing. Such email is typically sent within one business day, but may be delayed pending confirmation by the Secretary of the Commission of the contents of the filing.

An applicant submitting a self-certification of QF status should expect to receive no documents from the Commission, other than the electronic acknowledgement of receipt described above. Consistent with its name, a self-certification is a certification by the applicant itself that the facility meets the relevant requirements for QF status, and does not involve a determination by the Commission as to the status of the facility. An acknowledgement of receipt of a self-certification, in particular, does not represent a determination by the Commission with regard to the QF status of the facility. An applicant self-certifying may, however, receive a rejection, revocation or deficiency letter if its application is found, during periodic compliance reviews, not to comply with the relevant requirements.

An applicant submitting a request for Commission certification will receive an order either granting or denying certification of QF status, or a letter requesting additional information or rejecting the application. Pursuant to 18 C.F.R. § 292.207(b)(3), the Commission must act on an application for Commission certification within 90 days of the later of the filing date of the application or the filing date of a supplement, amendment or other change to the application.

### **Waiver Requests**

18 C.F.R. § 292.204(a)(3) allows an applicant to request a waiver to modify the method of calculation pursuant to 18 C.F.R. § 292.204(a)(2) to determine if two facilities are considered to be located at the same site, for good cause. 18 C.F.R. § 292.205(c) allows an applicant to request waiver of the requirements of 18 C.F.R. §§ 292.205(a) and (b) for operating and efficiency upon a showing that the facility will produce significant energy savings. A request for waiver of these requirements must be submitted as a petition for declaratory order, with the appropriate filing fee for a petition for declaratory order. Applicants requesting Commission recertification as part of a request for waiver of one of these requirements should electronically submit their completed Form 556 along with their petition for declaratory order, rather than filing their Form 556 as a separate request for Commission recertification. Only the filing fee for the petition for declaratory order must be paid to cover both the waiver request and the request for recertification if such requests are made simultaneously.

18 C.F.R. § 292.203(d)(2) allows an applicant to request a waiver of the Form 556 filing requirements, for good cause. Applicants filing a petition for declaratory order requesting a waiver under 18 C.F.R. § 292.203(d)(2) do not need to complete or submit a Form 556 with their petition.

FERC Form 556 Page 4 - Instructions

### **Geographic Coordinates**

If a street address does not exist for your facility, then line 3c of the Form 556 requires you to report your facility's geographic coordinates (latitude and longitude). Geographic coordinates may be obtained from several different sources. You can find links to online services that show latitude and longitude coordinates on online maps by visiting the Commission's QF webpage at <a href="http://earth.google.com">www.ferc.gov/QF</a> and clicking the Geographic Coordinates link. You may also be able to obtain your geographic coordinates from a GPS device, Google Earth (available free at <a href="http://earth.google.com">http://earth.google.com</a>), a property survey, various engineering or construction drawings, a property deed, or a municipal or county map showing property lines.

### Filing Privileged Data or Critical Energy Infrastructure Information in a Form 556

The Commission's regulations provide procedures for applicants to either (1) request that any information submitted with a Form 556 be given privileged treatment because the information is exempt from the mandatory public disclosure requirements of the Freedom of Information Act, 5 U.S.C. § 552, and should be withheld from public disclosure; or (2) identify any documents containing critical energy infrastructure information (CEII) as defined in 18 C.F.R. § 388.113 that should not be made public.

If you are seeking privileged treatment or CEII status for any data in your Form 556, then you must follow the procedures in 18 C.F.R. § 388.112. See <a href="https://www.ferc.gov/help/filing-guide/file-ceii.asp">www.ferc.gov/help/filing-guide/file-ceii.asp</a> for more information.

Among other things (see 18 C.F.R. § 388.112 for other requirements), applicants seeking privileged treatment or CEII status for data submitted in a Form 556 must prepare and file both (1) a complete version of the Form 556 (containing the privileged and/or CEII data), and (2) a public version of the Form 556 (with the privileged and/or CEII data redacted). Applicants preparing and filing these different versions of their Form 556 must indicate below the security designation of this version of their document. If you are *not* seeking privileged treatment or CEII status for any of your Form 556 data, then you should not respond to any of the items on this page.

Non-Public: Applicant is seeking privileged treatment and/or CEII status for data contained in the Form 556 lines indicated below. This non-public version of the applicant's Form 556 contains all data, including the data that is redacted in the (separate) public version of the applicant's Form 556.
Public (redacted): Applicant is seeking privileged treatment and/or CEII status for data contained in the Form 556 lines indicated below. This public version of the applicants's Form 556 contains all data except for data from the lines indicated below, which has been redacted.
<b>Privileged</b> : Indicate below which lines of your form contain data for which you are seeking privileged treatment
Critical Energy Infrastructure Information (CEII): Indicate below which lines of your form contain data for which you are seeking CEII status

The eFiling process described on page 2 will allow you to identify which versions of the electronic documents you submit are public, privileged and/or CEII. The filenames for such documents should begin with "Public", "Priv", or "CEII", as applicable, to clearly indicate the security designation of the file. Both versions of the Form 556 should be unaltered PDF copies of the Form 556, as available for download from <a href="https://www.ferc.gov/QF">www.ferc.gov/QF</a>. To redact data from the public copy of the submittal, simply omit the relevant data from the Form. For numerical fields, leave the redacted fields blank. For text fields, complete as much of the field as possible, and replace the redacted portions of the field with the word "REDACTED" in brackets. Be sure to identify above <a href="https://www.december.gov/qe">all</a> fields which contain data for which you are seeking non-public status.

The Commission is not responsible for detecting or correcting filer errors, including those errors related to security designation. If your documents contain sensitive information, make sure they are filed using the proper security designation.

### FEDERAL ENERGY REGULATORY COMMISSION WASHINGTON, DC

OMB Control # 1902-0075 Expiration 06/30/2019

Form 556 Certification of Qualifying Facility (QF) Status for a Small Power Production or Cogeneration Facility

	c/o SoCore Energ	1b Applicant street address  c/o SoCore Energy 225 W. Hubbard St, #200						
	1c City	1c City 1d State/province						
	Chicago		IL					
	<b>1e</b> Postal code 60654	<b>1f</b> Country (if not United States)		<b>1g</b> Telephone number 773–913–4400				
	1h Has the instant facility	vever previously been certified as a Q	F? Yes⊠ N	lo 🗌				
	1i If yes, provide the dock	ket number of the last known QF filing	pertaining to th	nis facility: QF17 - 1023 - 000	1			
	1j Under which certificati	on process is the applicant making th	is filing?		1			
_	Notice of self-certific (see note below)	cation $\square_{fe}^{A}$	pplication for Co e; see "Filing Fee	mmission certification (requires filing " section on page 3)				
Application information	QF status. A notice of notice of self-certification	Note: a notice of self-certification is a notice by the applicant itself that its facility complies with the requirements for QF status. A notice of self-certification does not establish a proceeding, and the Commission does not review a notice of self-certification to verify compliance. See the "What to Expect From the Commission After You File" section on page 3 for more information.						
=	1k. What type(s) of OE status is the applicant seeking for its facility? (check all that apply)							
=	Qualifying small power production facility status   Qualifying cogeneration facility status							
	11 What is the purpose ar	11 What is the purpose and expected effective date(s) of this filing?						
<u> </u>	Original certification; facility expected to be installed by and to begin operation on							
2	Change(s) to a previously certified facility to be effective on6/9/17_ (identify type(s) of change(s) below, and describe change(s) in the Miscellaneous section starting on page 19)							
	☐ Name change and/or other administrative change(s)							
		☐ Change in ownership						
	☐ Change(s) affecti	☐ Change(s) affecting plant equipment, fuel use, power production capacity and/or cogeneration thermal output						
	Supplement or correction to a previous filing submitted on							
	(describe the supplement or correction in the Miscellaneous section starting on page 19)							
	1m If any of the following three statements is true, check the box(es) that describe your situation and complete the form to the extent possible, explaining any special circumstances in the Miscellaneous section starting on page 19.							
	The instant facility complies with the Commission's QF requirements by virtue of a waiver of certain regulations previously granted by the Commission in an order dated orders in the Miscellaneous section starting on page 19)							
		would comply with the Commission! this application is granted	s QF requiremen	ts if a petition for waiver submitted				
	employment of un	complies with the Commission's regulique or innovative technologies not on of compliance via this form difficult of	ontemplated by					

FERC Form 556 Page 6 - All Facilities

	2a Name of contact person Steven P. Miriani			<b>2b</b> Telephone number 773–913–4406		
	105 SECOND II SHANDO III S 100 SECONDO	the contact neverals valeti	anghin to the sur	A 14 NOV 100 STANLOND CONTROL TO THE STANLOND CONTROL	-	
	2c Which of the following describes the contact person's relationship to the applicant? (check one)					
٦	Applicant (self) Employee, owner or partner of applicant authorized to represent the applicant					
ati	Employee of a company affiliated with the applicant authorized to represent the applicant on this matter  Lawyer, consultant, or other representative authorized to represent the applicant on this matter					
Ĕ	2d Company or organization name			·	1	
Joju	SoCore Energy LLC	(ii applicant is an marvidae	i, check here and	Takip to line ze/		
של	<b>2e</b> Street address (if same as Application	ant, check here and skip to	line 3a)		0	
Contact Information						
Ü	2f City		2g State/provi	nce		
	2h Postal code	2i Country (if not United	States)			
_	3a Facility name					
ioi	Westar Cities Service		k.			
cat	<b>3b</b> Street address (if a street address	does not exist for the facil	ity, check here ar	nd skip to line 3c)	0	
d Lo	2714 S Broadacres Rd.	2714 S Broadacres Rd.				
dentification and Location	3c Geographic coordinates: If you indicated that no street address exists for your facility by checking the box in line 3b, then you must specify the latitude and longitude coordinates of the facility in degrees (to three decimal places). Use the following formula to convert to decimal degrees from degrees, minutes and seconds: decimal degrees = degrees + (minutes/60) + (seconds/3600). See the "Geographic Coordinates" section on page 4 for help. If you provided a street address for your facility in line 3b, then specifying the geographic coordinates below is optional.					
lenti	Longitude	degrees	Latitude [	North (+) South (-) degrees		
-	3d City (if unincorporated, check he	re and enter nearest city)	3e State/pro	ovince		
Facility	Hutchinson			11 % 160 A		
Fa	<b>3f</b> County (or check here for independence Reno	ndent city)	Country (if not	United States)	<b>3</b>	
	Identify the electric utilities that are contemplated to transact with the facility.					
Transacting Utilities	4a Identify utility interconnecting with the facility Westar Energy					
Uti	4b Identify utilities providing wheeling service or check here if none					
ing						
act	<b>4c</b> Identify utilities purchasing the us Westar Energy	4c Identify utilities purchasing the useful electric power output or check here if none				
ans		mantani naivar hadiin n				
Tri	Identify utilities providing supplementary power, backup power, maintenance power, and/or interruptible power service or check here if none					
	Westar Energy					

	5a Direct ownership as of effective date or operation date: Identify all direct owners of the percent equity interest. For each identified owner, also (1) indicate whether that own defined in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or a holding communication of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)), and (2 utilities or holding companies, provide the percentage of equity interest in the facility direct owners hold at least 10 percent equity interest in the facility, then provide the two direct owners with the largest equity interest in the facility.	er is an electric ut pany, as defined i ) for owners which held by that own	ility, as n section n are electric er. If no
	Full legal names of direct owners	Electric utility of holding company	If Yes, % equity interest
	1) SoCore 2016 ProjectCo 8 LLC	Yes No	100%
	2)	Yes No	8
	3)	Yes No	
	4)	Yes No	9
	5)	Yes No	9
	6)	Yes No	§
	7)	Yes No	9
	8)	Yes No	§%
io	9)	Yes No	9
rat	10)	Yes No	96
) De	Check here and continue in the Miscellaneous section starting on page 19 if addi	tional space is nee	ded
Ownership and Operation	defined in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or holding comp. 1262(8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)). Also p equity interest in the facility held by such owners. (Note that, because upstream own another, total percent equity interest reported may exceed 100 percent.)	rovide the percen	tage of
$\geq$	Check here if no such upstream owners exist.		
0	Full legal names of electric utility or holding company upstream owne	ers	% equity interest
	1) Edison International		100%
	2) Edison Energy Group, Inc		100%
	3) SoCore Energy LLC		100%
	4) SoCore AssetCo LLC		100%
	5) Edison Solar Partner One, LLC		1 %
	6) Edison Solar Holdings, Inc.		99%
	7) Edison Solar Assets One, LLC		100%
	8) ESA One Managing Member Phase II, LLC		100%
	9) Project Company FinCo Phase II, LLC		100%
	10)Project Company HoldCo Phase II, LLC		100%
	Check here and continue in the Miscellaneous section starting on page 19 if additi	onal space is need	led
	5c Identify the facility operator SoCore Operations Management LLC		
	socore operacions management bic		

	ба	Describe t	the primary energy input: (c	heck one m	ain d	ategory and,	if applicable,	one subcate	gory)	
		☐ Bioma	ss (specify)	⊠ R	ene	wable resour	ces (specify)	☐ Geotl	nermal	
			Landfill gas			Hydro powe	r - river	Fossil	fuel (spec	ify)
			Manure digester gas			Hydro powe	r - tidal		Coal (not	waste)
			Municipal solid waste			Hydro powe	r - wave		Fuel oil/d	iesel
			Sewage digester gas			Solar - photo	ovoltaic		Natural g	as (not waste)
			Wood			Solar - therm	nal	П	Other fos	sil fuel on page 19)
			Other biomass (describe or	page 19)		Wind			(describe	on page 19)
		☐ Waste	(specify type below in line	6b)		Other renew (describe on	able resource page 19)	Other	(describe	on page 19)
	6b	If you spe	cified "waste" as the primar	y energy inp	ut ii	n line 6a, indi	cate the type o	of waste fuel	used: (che	ck one)
		☐ Wast	te fuel listed in 18 C.F.R. § 29	92.202(b) (sp	ecif	y one of the f	ollowing)			
			Anthracite culm produced	d prior to Jul	y 23	, 1985				
			Anthracite refuse that has ash content of 45 percent		hea	t content of 6	,000 Btu or les	s per pound	and has a	n average
			Bituminous coal refuse the average ash content of 25				nt of 9,500 Btu	per pound o	or less and	has an
nput			Top or bottom subbituming determined to be waste be (BLM) or that is located or the applicant shows that t	y the United non-Federa	l Sta al or	tes Departme non-Indian la	ent of the Inter ands outside o	rior's Bureau f BLM's juris	of Land M diction, pro	anagement ovided that
Energy Input	Coal refuse produced on Federal lands or on Indian lands that has been determined to be waste by t  BLM or that is located on non-Federal or non-Indian lands outside of BLM's jurisdiction, provided that applicant shows that the latter is an extension of that determined by BLM to be waste									
ш	Lignite produced in association with the production of montan wax and lignite that becomes exposed as a result of such a mining operation					es exposed				
	☐ Gaseous fuels (except natural gas and synthetic gas from coal) (describe on page 19)									
	Waste natural gas from gas or oil wells (describe  ☐ C.F.R. § 2.400 for waste natural gas; include with compliance with 18 C.F.R. § 2.400)									
			Materials that a governme	ent agency h	as c	ertified for di	sposal by com	bustion (de	scribe on p	age 19)
			Heat from exothermic rea	ctions (desc	ribe	on page 19)		Residual hea	t (describe	on page 19)
			Used rubber tires [	] Plastic m	ateri	ials [	Refinery of	f-gas	☐ Petro	oleum coke
	Other waste energy input that has little or no commercial value and exists in the absence of th  facility industry (describe in the Miscellaneous section starting on page 19; include a discussio lack of commercial value and existence in the absence of the qualifying facility industry)						cussion of			
	6с	energy inp	e average energy input, cal- outs, and provide the relate ). For any oil or natural gas	d percentag	e of	the total ave	rage annual er	nergy input t		
						l average ene		Percentage		
			Fuel Natural gas	inį	out f	or specified f		annual ener		K
))			Oil-based fuels				0 Btu/h		0 %	
			Coal				0 Btu/h		0 %	
			Codi				0 Btu/h	*	0 %	

Indicate the maximum gross and maximum net electric power production capacity of the facility at the point(s) of delivery by completing the worksheet below. Respond to all items. If any of the parasitic loads and/or losses identified in lines 7b through 7e are negligible, enter zero for those lines.

ames / b ame agr. / b are magnigues, enter all b are made	
7a The maximum gross power production capacity at the terminals of the individual generator(s) under the most favorable anticipated design conditions	1,020 <b>kW</b>
<b>7b</b> Parasitic station power used at the facility to run equipment which is necessary and integral to the power production process (boiler feed pumps, fans/blowers, office or maintenance buildings directly related to the operation of the power generating facility, etc.). If this facility includes non-power production processes (for instance, power consumed by a cogeneration facility's thermal host), do not include any power consumed by the non-power production activities in your reported parasitic station power.	5 <b>kW</b>
7c Electrical losses in interconnection transformers	5 <b>kW</b>
7d Electrical losses in AC/DC conversion equipment, if any	25 <b>kW</b>
<b>7e</b> Other interconnection losses in power lines or facilities (other than transformers and AC/DC conversion equipment) between the terminals of the generator(s) and the point of interconnection with the utility	5 <b>kW</b>
<b>7f</b> Total deductions from gross power production capacity = 7b + 7c + 7d + 7e	40.0 <b>kW</b>
<b>7g</b> Maximum net power production capacity = 7a - 7f	980.0 <b>kW</b>

7h Description of facility and primary components: Describe the facility and its operation. Identify all boilers, heat recovery steam generators, prime movers (any mechanical equipment driving an electric generator), electrical generators, photovoltaic solar equipment, fuel cell equipment and/or other primary power generation equipment used in the facility. Descriptions of components should include (as applicable) specifications of the nominal capacities for mechanical output, electrical output, or steam generation of the identified equipment. For each piece of equipment identified, clearly indicate how many pieces of that type of equipment are included in the plant, and which components are normally operating or normally in standby mode. Provide a description of how the components operate as a system. Applicants for cogeneration facilities do not need to describe operations of systems that are clearly depicted on and easily understandable from a cogeneration facility's attached mass and heat balance diagram; however, such applicants should provide any necessary description needed to understand the sequential operation of the facility depicted in their mass and heat balance diagram. If additional space is needed, continue in the Miscellaneous section starting on page 19.

The Westar Cities Service Facility, located at 2714 S Broadacres Rd. Hutchinson, KS in Reno County, is a photovoltaic (PV) system. This system is ground-mounted, meaning the majority of the DC-side structure is anchored to a fixed-axis steel mounting ("racking") system attached to piles driven into the earth at a 9'-6" minimum embedment. Other major DC-side system components include solar modules, brackets to which the solar modules are bolted, DC cabling, and combiner boxes. In total, there are 3,978 JA Solar JAP6 320W Modules on a single-axis tracking system. The total DC-side system power capacity is 1,273 kW (DC), equating to 1,020 kW (AC). Major AC-side system components include voltage inverters mounted to racking hardware, AC disconnect switches, distribution panels, switchboards, step-up transformers, grounding transformers, an energy meter, monitoring equipment, utility-scale AC disconnects, AC cabling, conduit, and above- and below-ground electrical collection systems. In total, there are seventeen (17) 60 kW (AC) inverters operating at 480V AC.

All components are normally operational. There is no standby equipment. The PV solar modules harness sunlight and convert it into DC energy. If sunlight is available, energy flows from the module leads, through DC cabling, and into a combiner box where the circuits are combined for efficiency, both electrical and practical. From the combiner boxes, energy flows through the inverters, where the current is changed from direct— to alternating.



### Information Required for Small Power Production Facility

If you indicated in line 1k that you are seeking qualifying small power production facility status for your facility, then you must respond to the items on this page. Otherwise, skip page 10.

Pursuant to 18 C.F.R. § 292.204(a), the power production capacity of any small power production facility, together with the power production capacity of any other small power production facilities that use the same energy resource, are owned by the same person(s) or its affiliates, and are located at the same site, may not exceed 80 megawatts. To demonstrate compliance with this size limitation, or to demonstrate that your facility is exempt from this size limitation under the Solar, Wind, Waste, and Geothermal Power Production Incentives Act of 1990 (Pub. L. 101-575, 104 Stat. 2834 (1990) as amended by Pub. L. 102-46, 105 Stat. 249 (1991)), respond to lines 8a through 8e below (as applicable). 8a Identify any facilities with electrical generating equipment located within 1 mile of the electrical generating equipment of the instant facility, and for which any of the entities identified in lines 5a or 5b, or their affiliates, holds at least a 5 percent equity interest. Certification of Compliance Check here if no such facilities exist. Facility location Root docket # with Size Limitations Maximum net power (city or county, state) (if any) Common owner(s) production capacity 1) OF 2) QF kW 3) QF kW Check here and continue in the Miscellaneous section starting on page 19 if additional space is needed 8b The Solar, Wind, Waste, and Geothermal Power Production Incentives Act of 1990 (Incentives Act) provides exemption from the size limitations in 18 C.F.R. § 292.204(a) for certain facilities that were certified prior to 1995. Are you seeking exemption from the size limitations in 18 C.F.R. § 292.204(a) by virtue of the Incentives Act? Yes (continue at line 8c below) No (skip lines 8c through 8e) 8c Was the original notice of self-certification or application for Commission certification of the facility filed on or before December 31, 1994? Yes No 8d Did construction of the facility commence on or before December 31, 1999? Yes 8e If you answered No in line 8d, indicate whether reasonable diligence was exercised toward the completion of the facility, taking into account all factors relevant to construction? Yes No If you answered Yes, provide a brief narrative explanation in the Miscellaneous section starting on page 19 of the construction timeline (in particular, describe why construction started so long after the facility was certified) and the diligence exercised toward completion of the facility. Pursuant to 18 C.F.R. § 292.204(b), qualifying small power production facilities may use fossil fuels, in minimal with Fuel Use Requirements Certification of Compliance amounts, for only the following purposes: ignition; start-up; testing; flame stabilization; control use; alleviation or prevention of unanticipated equipment outages; and alleviation or prevention of emergencies, directly affecting the public health, safety, or welfare, which would result from electric power outages. The amount of fossil fuels used for these purposes may not exceed 25 percent of the total energy input of the facility during the 12-month period beginning with the date the facility first produces electric energy or any calendar year thereafter. 9a Certification of compliance with 18 C.F.R. § 292.204(b) with respect to uses of fossil fuel: Applicant certifies that the facility will use fossil fuels exclusively for the purposes listed above. **9b** Certification of compliance with 18 C.F.R. § 292.204(b) with respect to amount of fossil fuel used annually: Applicant certifies that the amount of fossil fuel used at the facility will not, in aggregate, exceed 25 percent of the total energy input of the facility during the 12-month period beginning with the date the facility first produces electric energy or any calendar year thereafter.

### Information Required for Cogeneration Facility

If you indicated in line 1k that you are seeking qualifying cogeneration facility status for your facility, then you must respond to the items on pages 11 through 13. Otherwise, skip pages 11 through 13.

	Pursuant to 18 C.F.R. § 292.202(c), a cogeneration facility produces electric energy and forms of useful thermal energy (such as heat or steam) used for industrial, commercial, heating, or cooling purposes, through the sequential use of energy. Pursuant to 18 C.F.R. § 292.202(s), "sequential use" of energy means the following: (1) for a topping-cycle cogeneration facility, the use of reject heat from a power production process in sufficient amounts in a thermal application or process to conform to the requirements of the operating standard contained in 18 C.F.R. § 292.205(a); or (2) for a bottoming-cycle cogeneration facility, the use of at least some reject heat from a thermal application or process for power production.  10a What type(s) of cogeneration technology does the facility represent? (check all that apply)  Topping-cycle cogeneration  Bottoming-cycle cogeneration  10b To help demonstrate the sequential operation of the cogeneration process, and to support compliance with other requirements such as the operating and efficiency standards, include with your filing a mass and heat					
	meet certain requir	repicting average annual operating conditions. This diagram must include certain items and rements, as described below. You must check next to the description of each requirement at you have complied with these requirements.				
	Check to certify compliance with indicated requirement	Requirement				
ration ر		Diagram must show orientation within system piping and/or ducts of all prime movers, heat recovery steam generators, boilers, electric generators, and condensers (as applicable), as well as any other primary equipment relevant to the cogeneration process.				
gene natior		Any average annual values required to be reported in lines 10b, 12a, 13a, 13b, 13d, 13f, 14a, 15b, 15d and/or 15f must be computed over the anticipated hours of operation.				
General Cogeneration Information		Diagram must specify all fuel inputs by fuel type and average annual rate in Btu/h. Fuel for supplementary firing should be specified separately and clearly labeled. All specifications of fuel inputs should use lower heating values.				
ene		Diagram must specify average gross electric output in kW or MW for each generator.				
0		Diagram must specify average mechanical output (that is, any mechanical energy taken off of the shaft of the prime movers for purposes not directly related to electric power generation) in horsepower, if any. Typically, a cogeneration facility has no mechanical output.				
		At each point for which working fluid flow conditions are required to be specified (see below), such flow condition data must include mass flow rate (in lb/h or kg/s), temperature (in °F, R, °C or K), absolute pressure (in psia or kPa) and enthalpy (in Btu/lb or kJ/kg). Exception: For systems where the working fluid is <i>liquid only</i> (no vapor at any point in the cycle) and where the type of liquid and specific heat of that liquid are clearly indicated on the diagram or in the Miscellaneous section starting on page 19, only mass flow rate and temperature (not pressure and enthalpy) need be specified. For reference, specific heat at standard conditions for pure liquid water is approximately 1.002 Btu/(lb*R) or 4.195 kJ/(kg*K).				
		Diagram must specify working fluid flow conditions at input to and output from each steam turbine or other expansion turbine or back-pressure turbine.				
		Diagram must specify working fluid flow conditions at delivery to and return from each thermal application.				
		Diagram must specify working fluid flow conditions at make-up water inputs.				





	EPAct 2005 cogeneration facilities: The Energy Policy Act of 2005 (EPAct 2005) established a new section 210(n) of the Public Utility Regulatory Policies Act of 1978 (PURPA), 16 USC 824a-3(n), with additional requirements for any qualifying cogeneration facility that (1) is seeking to sell electric energy pursuant to section 210 of PURPA and (2) was either not a cogeneration facility on August 8, 2005, or had not filed a self-certification or application for Commission certification of QF status on or before February 1, 2006. These requirements were implemented by the Commission in 18 C.F.R. § 292.205(d). Complete the lines below, carefully following the instructions, to demonstrate whether these additional requirements apply to your cogeneration facility and, if so, whether your facility complies with such requirements.	
	11a Was your facility operating as a qualifying cogeneration facility on or before August 8, 2005? Yes No	i
	11b Was the initial filing seeking certification of your facility (whether a notice of self-certification or an application for Commission certification) filed on or before February 1, 2006? Yes No	i
a s	If the answer to either line 11a or 11b is Yes, then continue at line 11c below. Otherwise, if the answers to both lines 11a and 11b are No, skip to line 11e below.	
ital Us cilities	11c With respect to the design and operation of the facility, have any changes been implemented on or after February 2, 2006 that affect general plant operation, affect use of thermal output, and/or increase net power production capacity from the plant's capacity on February 1, 2006?	į
ner n Fa	Yes (continue at line 11d below)	
-undar eratio	No. Your facility is not subject to the requirements of 18 C.F.R. § 292.205(d) at this time. However, it may be subject to to these requirements in the future if changes are made to the facility. At such time, the applicant would need to recertify the facility to determine eligibility. Skip lines 11d through 11j.	
for logen	11d Does the applicant contend that the changes identified in line 11c are not so significant as to make the facility a "new" cogeneration facility that would be subject to the 18 C.F.R. § 292.205(d) cogeneration requirements?	d d
Act 2005 Requirements for Fundamental Use Energy Output from Cogeneration Facilities	Yes. Provide in the Miscellaneous section starting on page 19 a description of any relevant changes made to the facility (including the purpose of the changes) and a discussion of why the facility should not be considered a "new" cogeneration facility in light of these changes. Skip lines 11e through 11j.	
Sequire utput 1	No. Applicant stipulates to the fact that it is a "new" cogeneration facility (for purposes of determining the applicability of the requirements of 18 C.F.R. § 292.205(d)) by virtue of modifications to the facility that were initiated on or after February 2, 2006. Continue below at line 11e.	
05 F y O	11e Will electric energy from the facility be sold pursuant to section 210 of PURPA?	i
t 20 nerg	Yes. The facility is an EPAct 2005 cogeneration facility. You must demonstrate compliance with 18 C.F.R. § 292.205(d)(2) by continuing at line 11f below.	
EPAc of E	No. Applicant certifies that energy will <i>not</i> be sold pursuant to section 210 of PURPA. Applicant also certifies its understanding that it must recertify its facility in order to determine compliance with the requirements of 18 C.F.R. § 292.205(d) <i>before</i> selling energy pursuant to section 210 of PURPA in the future. Skip lines 11f through 11j.	
	11f Is the net power production capacity of your cogeneration facility, as indicated in line 7g above, less than or equal to 5,000 kW?	Į.
	Yes, the net power production capacity is less than or equal to 5,000 kW. 18 C.F.R. § 292.205(d)(4) provides a rebuttable presumption that cogeneration facilities of 5,000 kW and smaller capacity comply with the requirements for fundamental use of the facility's energy output in 18 C.F.R. § 292.205(d)(2). Applicant certifies its understanding that, should the power production capacity of the facility increase above 5,000 kW, then the facility must be recertified to (among other things) demonstrate compliance with 18 C.F.R. § 292.205(d)(2). Skip lines 11g through 11j.	
	No, the net power production capacity is greater than 5,000 kW. Demonstrate compliance with the requirements for fundamental use of the facility's energy output in 18 C.F.R. § 292.205(d)(2) by continuing on the next page at line 11g.	

Lines 11g through 11k below guide the applicant through the process of demonstrating compliance with the requirements for "fundamental use" of the facility's energy output. 18 C.F.R. § 292.205(d)(2). Only respond to the lines on this page if the instructions on the previous page direct you to do so. Otherwise, skip this page.

18 C.F.R. § 292.205(d)(2) requires that the electrical, thermal, chemical and mechanical output of an EPAct 2005 cogeneration facility is used fundamentally for industrial, commercial, residential or institutional purposes and is not intended fundamentally for sale to an electric utility, taking into account technological, efficiency, economic, and variable thermal energy requirements, as well as state laws applicable to sales of electric energy from a qualifying facility to its host facility. If you were directed on the previous page to respond to the items on this page, then your facility is an EPAct 2005 cogeneration facility that is subject to this "fundamental use" requirement.

The Commission's regulations provide a two-pronged approach to demonstrating compliance with the requirements for fundamental use of the facility's energy output. First, the Commission has established in 18 C.F.R. § 292.205(d)(3) a "fundamental use test" that can be used to demonstrate compliance with 18 C.F.R. § 292.205(d)(2). Under the fundamental use test, a facility is considered to comply with 18 C.F.R. § 292.205(d)(2) if at least 50 percent of the facility's total annual energy output (including electrical, thermal, chemical and mechanical energy output) is used for industrial, commercial, residential or institutional purposes.

Second, an applicant for a facility that does not pass the fundamental use test may provide a narrative explanation of and support for its contention that the facility nonetheless meets the requirement that the electrical, thermal, chemical and mechanical output of an EPAct 2005 cogeneration facility is used fundamentally for industrial, commercial, residential or institutional purposes and is not intended fundamentally for sale to an electric utility, taking into account technological, efficiency, economic, and variable thermal energy requirements, as well as state laws applicable to sales of electric energy from a qualifying facility to its host facility.

Complete lines 11g through 11j below to determine compliance with the fundamental use test in 18 C.F.R. § 292.205(d)(3). Complete lines 11g through 11j even if you do not intend to rely upon the fundamental use test to demonstrate compliance with 18 C.F.R. § 292.205(d)(2).

11g Amount of electrical, thermal, chemical and mechanical energy output (net of internal	
generation plant losses and parasitic loads) expected to be used annually for industrial,	
commercial, residential or institutional purposes and not sold to an electric utility	MWh
11h Total amount of electrical, thermal, chemical and mechanical energy expected to be	
sold to an electric utility	MWh
11i Percentage of total annual energy output expected to be used for industrial,	
commercial, residential or institutional purposes and not sold to a utility	
= 100 * 11g /(11g + 11h)	0 %

11j Is the response in line 11i greater than or equal to 50 percent?

Yes. Your facility complies with 18 C.F.R. § 292.205(d)(2) by virtue of passing the fundamental use test provided in 18 C.F.R. § 292.205(d)(3). Applicant certifies its understanding that, if it is to rely upon passing the fundamental use test as a basis for complying with 18 C.F.R. § 292.205(d)(2), then the facility must comply with the fundamental use test both in the 12-month period beginning with the date the facility first produces electric energy, and in all subsequent calendar years.
No. Your facility does not pass the fundamental use test. Instead, you must provide in the Miscellaneous section starting on page 19 a narrative explanation of and support for why your facility meets the requirement that the electrical, thermal, chemical and mechanical output of an EPAct 2005 cogeneration facility is used fundamentally for industrial commercial residential or institutional purposes and is not

facility is used fundamentally for industrial, commercial, residential or institutional purposes and is not intended fundamentally for sale to an electric utility, taking into account technological, efficiency, economic, and variable thermal energy requirements, as well as state laws applicable to sales of electric energy from a QF to its host facility. Applicants providing a narrative explanation of why their facility should be found to comply with 18 C.F.R. § 292.205(d)(2) in spite of non-compliance with the fundamental use test may want to review paragraphs 47 through 61 of Order No. 671 (accessible from the Commission's QF website at www.ferc.gov/QF), which provide discussion of the facts and circumstances that may support their explanation. Applicant should also note that the percentage reported above will establish the standard that that facility must comply with, both for the 12-month period beginning with the date the facility first produces electric energy, and in all subsequent calendar years. See Order No. 671 at paragraph 51. As such, the applicant should make sure that it reports appropriate values on lines 11g and 11h above to serve as the relevant annual standard, taking into account expected variations in production conditions.

# Usefulness of Topping-Cycle Thermal Output

### Information Required for Topping-Cycle Cogeneration Facility

If you indicated in line 10a that your facility represents topping-cycle cogeneration technology, then you must respond to the items on pages 14 and 15. Otherwise, skip pages 14 and 15.

or c Con cycl	ommercial process or used in a h nmission's regulations (18 C.F.R. e cogeneration facility must be u	ping-cycle cogeneration facility is the net energy reating or cooling application. Pursuant to section §§ 292.202(c), (d) and (h)), the thermal energy out useful. In connection with this requirement, describy responding to lines 12a and 12b below.	ns 292.202(c), (d) and (h) of the put of a qualifying topping-
12a		mal host, and specify the annual average rate of t	
	separate rows.  Name of entity (thermal host)	Thermal host's relationship to facility;	Average annual rate of thermal output attributable to use (net of heat contained in process
<u> </u>	taking thermal output	Thermal host's use of thermal output	return or make-up water)
1)		Select thermal host's relationship to facility	
,		Select thermal host's use of thermal output	Btu/h
2)		Select thermal host's relationship to facility	
2)		Select thermal host's use of thermal output	Btu/h
3)		Select thermal host's relationship to facility	
3)		Select thermal host's use of thermal output	Btu/h
4)		Select thermal host's relationship to facility	
4)		Select thermal host's use of thermal output	Btu/h
-		Select thermal host's relationship to facility	
5)		Select thermal host's use of thermal output	Btu/h
		Select thermal host's relationship to facility	
6)		Select thermal host's use of thermal output	Btu/h
	Check here and continue in	the Miscellaneous section starting on page 19 if a	dditional space is needed

12b Demonstration of usefulness of thermal output: At a minimum, provide a brief description of each use of the thermal output identified above. In some cases, this brief description is sufficient to demonstrate usefulness. However, if your facility's use of thermal output is not common, and/or if the usefulness of such thermal output is not reasonably clear, then you must provide additional details as necessary to demonstrate usefulness. Your application may be rejected and/or additional information may be required if an insufficient showing of usefulness is made. (Exception: If you have previously received a Commission certification approving a specific use of thermal output related to the instant facility, then you need only provide a brief description of that use and a reference by date and docket number to the order certifying your facility with the indicated use. Such exemption may not be used if any change creates a material deviation from the previously authorized use.) If additional space is needed, continue in the Miscellaneous section starting on page 19.

orm 556 Page 15 - Topping-	-Cycle Cogeneration Facilities
Applicants for facilities representing topping-cycle technology must demonstrate com cycle operating standard and, if applicable, efficiency standard. Section 292.205(a)(1) or regulations (18 C.F.R. § 292.205(a)(1)) establishes the operating standard for topping-cycle useful thermal energy output must be no less than 5 percent of the total energy ou (18 C.F.R. § 292.205(a)(2)) establishes the efficiency standard for topping-cycle cogener installation commenced on or after March 13, 1980: the useful power output of the fact thermal energy output must (A) be no less than 42.5 percent of the total energy input of facility; and (B) if the useful thermal energy output is less than 15 percent of the total energy input of natural gas and oil to the facility compliance with the topping-cycle operating and/or efficiency standards, or to demon exempt from the efficiency standard based on the date that installation commenced, re 13l below.	of the Commission's cycle cogeneration facilities: atput. Section 292,205(a)(2) ration facilities for which cility plus one-half the useful of natural gas and oil to the nergy output of the facility, . To demonstrate strate that your facility is
If you indicated in line 10a that your facility represents <i>both</i> topping-cycle and bottomi technology, then respond to lines 13a through 13l below considering only the energy i attributable to the topping-cycle portion of your facility. Your mass and heat balance of which mass and energy flow values and system components are for which portion (top cogeneration system.	inputs and outputs diagram must make clear
13a Indicate the annual average rate of useful thermal energy output made available	
to the host(s), net of any heat contained in condensate return or make-up water	Btu/h
13b Indicate the annual average rate of net electrical energy output	kW
13c Multiply line 13b by 3,412 to convert from kW to Btu/h	0 Btu/h
<b>13d</b> Indicate the annual average rate of mechanical energy output taken directly off of the shaft of a prime mover for purposes not directly related to power production (this value is usually zero)	hp
13e Multiply line 13d by 2,544 to convert from hp to Btu/h	o Btu/h
13f Indicate the annual average rate of energy input from natural gas and oil	Btu/h
<b>13g</b> Topping-cycle operating value = 100 * 13a / (13a + 13c + 13e)	0 %
<b>13h</b> Topping-cycle efficiency value = 100 * (0.5*13a + 13c + 13e) / 13f	0 %
13i Compliance with operating standard: Is the operating value shown in line 13g great	

Yes (complies with operating standard) No (does not comply with operating standard) 13j Did installation of the facility in its current form commence on or after March 13, 1980? Yes. Your facility is subject to the efficiency requirements of 18 C.F.R. § 292.205(a)(2). Demonstrate compliance with the efficiency requirement by responding to line 13k or 13l, as applicable, below. No. Your facility is exempt from the efficiency standard. Skip lines 13k and 13l. 13k Compliance with efficiency standard (for low operating value): If the operating value shown in line 13g is less than 15%, then indicate below whether the efficiency value shown in line 13h greater than or equal to 45%: Yes (complies with efficiency standard) No (does not comply with efficiency standard) 13I Compliance with efficiency standard (for high operating value): If the operating value shown in line 13g is greater than or equal to 15%, then indicate below whether the efficiency value shown in line 13h is greater than or egual to 42.5%: Yes (complies with efficiency standard) No (does not comply with efficiency standard)

# Usefulness of Bottoming-Cycle Thermal Output

### Information Required for Bottoming-Cycle Cogeneration Facility

If you indicated in line 10a that your facility represents bottoming-cycle cogeneration technology, then you must respond to the items on pages 16 and 17. Otherwise, skip pages 16 and 17.

	The thermal energy output of a bottoming-cycle cogeneration facility is the energy related to the process(es) from which at least some of the reject heat is then used for power production. Pursuant to sections 292.202(c) and (e) of the Commission's regulations (18 C.F.R. § 292.202(c) and (e)), the thermal energy output of a qualifying bottoming-cycle cogeneration facility must be useful. In connection with this requirement, describe the process(es) from which at least some of the reject heat is used for power production by responding to lines 14a and 14b below.  14a Identify and describe each thermal host and each bottoming-cycle cogeneration process engaged in by each				
		host. For hosts with multiple be separate rows.  Name of entity (thermal host) performing the process from which at least some of the reject heat is used for power production	ottoming-cycle cogeneration processes, provide the  Thermal host's relationship to facility;  Thermal host's process type	Has the energy input to the thermal host been augmented for purposes of increasing power production capacity? (if Yes, describe on p. 19)	
	1)		Select thermal host's relationship to facility Select thermal host's process type	Yes No No	
	2)		Select thermal host's relationship to facility	Yes No	
			Select thermal host's process type Select thermal host's relationship to facility		
ıt	3)		Select thermal host's process type	Yes No	
utbr	Check here and continue in the Miscellaneous section starting on page 19 if additional space is needed				
Thermal Output	iden facili mus addi prev facili to th char	ntified above. In some cases, this lity's process is not common, and/ t provide additional details as neo itional information may be require viously received a Commission cen ity, then you need only provide a ne order certifying your facility with	thermal output: At a minimum, provide a brief description is sufficient to demonstrate usefuln for if the usefulness of such thermal output is not reacessary to demonstrate usefulness. Your application ed if an insufficient showing of usefulness is made. It is not reactification approving a specific bottoming-cycle probability by the indicated process. Such exemption may not lade.) If additional space is needed, continue in the Made.	ness. However, if your asonably clear, then you n may be rejected and/or (Exception: If you have cess related to the instant date and docket number be used if any material	

No (does not comply with efficiency standard)

than or equal to 45%:

Yes (complies with efficiency standard)

Applicants for facilities representing bottoming-cycle technology and for which installation commenced on or after March 13, 1990 must demonstrate compliance with the bottoming-cycle efficiency standards. Section 292.205(b) of the Commission's regulations (18 C.F.R. § 292.205(b)) establishes the efficiency standard for bottoming-cycle cogeneration facilities: the useful power output of the facility must be no less than 45 percent of the energy input of natural gas and oil for supplementary firing. To demonstrate compliance with the bottoming-cycle efficiency standard (if applicable), or to demonstrate that your facility is exempt from this standard based on the date that installation of the facility began, respond to lines 15a through 15h below.

If you indicated in line 10a that your facility represents both topping-cycle and bottoming-cycle cogeneration technology, then respond to lines 15a through 15h below considering only the energy inputs and outputs attributable to the bottoming-cycle portion of your facility. Your mass and heat balance diagram must make clear which mass and energy flow values and system components are for which portion of the cogeneration system (topping or bottoming).

<b>15a</b> Did installation of the facility in its current form commence on or after March 13, 1980?				
Yes. Your facility is subject to the efficiency requirement of 18 C.F.R. § 292.205(b). Demonstrate compliance with the efficiency requirement by responding to lines 15b through 15h below.				
No. Your facility is exempt from the efficiency standard. Skip the rest of page	17.			
15b Indicate the annual average rate of net electrical energy output				
	kW			
15c Multiply line 15b by 3,412 to convert from kW to Btu/h				
	0 Btu/h			
<b>15d</b> Indicate the annual average rate of mechanical energy output taken directly off of the shaft of a prime mover for purposes not directly related to power production				
(this value is usually zero)	hp			
15e Multiply line 15d by 2,544 to convert from hp to Btu/h				
	0 Btu/h			
15f Indicate the annual average rate of supplementary energy input from natural gas				
or oil	Btu/h			
15g Bottoming-cycle efficiency value = 100 * (15c + 15e) / 15f				
	0 %			
<b>15h</b> Compliance with efficiency standard: Indicate below whether the efficiency value shown in line 15g is greater				

## Certificate of Completeness, Accuracy and Authority

Applicant must certify compliance with and understanding of filing requirements by checking next to each item below and signing at the bottom of this section. Forms with incomplete Certificates of Completeness, Accuracy and Authority will be rejected by the Secretary of the Commission.

Signer identified below certifies the following: (check all items and applicable subitems)

<b>9</b>						
	g any information contained in any attached docur I any information contained in the Miscellaneous se					
$\bowtie$ He or she has provided all of the required to the best of his or her knowledge an	ired information for certification, and the provided nd belief.	information is true as stated,				
He or she possess full power and auth Practice and Procedure (18 C.F.R. § 38	nority to sign the filing; as required by Rule 2005(a)( 35.2005(a)(3)), he or she is one of the following: (che	3) of the Commission's Rules of ck one)				
☐ The person on whose behalf t	he filing is made					
An officer of the corporation,	🛮 An officer of the corporation, trust, association, or other organized group on behalf of which the filing is made					
An officer, agent, or employe filing is made	$\Box$ An officer, agent, or employe of the governmental authority, agency, or instrumentality on behalf of which the filing is made					
A representative qualified to practice before the Commission under Rule 2101 of the Commission's Rules of Practice and Procedure (18 C.F.R. § 385.2101) and who possesses authority to sign						
He or she has reviewed all automatic calculations and agrees with their results, unless otherwise noted in the Miscellaneous section starting on page 19.						
He or she has provided a copy of this Form 556 and all attachments to the utilities with which the facility will interconnect and transact (see lines 4a through 4d), as well as to the regulatory authorities of the states in which the facility and those utilities reside. See the Required Notice to Public Utilities and State Regulatory Authorities section on page 3 for more information.						
Procedure (18 C.F.R. § 385.2005(c)) provide	ture date below. Rule 2005(c) of the Commission's es that persons filing their documents electronically led documents. A person filing this document elected below.	may use typed characters				
Your Signature	Your address	Date				
Steven P. Miriani	225 West Hubbard Street, Suite 200 Chicago, IL 60654	7/14/2017				
Audit Notes						
Commission Staff Use Only:		Г				

FERC Form 556 Page 19 - All Facilities

### Miscellaneous

Use this space to provide any information for which there was not sufficient space in the previous sections of the form to provide. For each such item of information *clearly identify the line number that the information belongs to*. You may also use this space to provide any additional information you believe is relevant to the certification of your facility.

Your response below is not limited to one page. Additional page(s) will automatically be inserted into this form if the length of your response exceeds the space on this page. Use as many pages as you require.

[Continued from 7h above] That AC energy flows through more AC cabling and terminates at the distribution panels, which allows each inverter group to be controlled individually. Energy then makes its way from the distribution panels to the switchboard. Downstream of the switchboard, energy output is measured and monitored via the monitoring equipment housed in an enclosure. Past that point, energy makes its way through an AC disconnect switch and finally terminates at the new step-up transformer. All metal components are grounded. The entire system is designed and installed to meet all appropriate safety codes, as is verified by successful pre-construction permitting through various Authorities Having Jurisdiction, whose representatives and/or officials meet construction managers onsite at numerous points in the construction process, including during its final commissioning phase, to ensure all is built to plan.

[1L Description] Update in upstream ownership structure.